

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Acacia albida</i> (กระถินยอดแดง)	<i>Homoeocerus walkeri</i> Kirby <i>Sinoxylon</i> sp. <i>Tibicen</i> sp. <i>Zeuzera coffeae</i> Nietner	Coreidae Bostrychidae Cicadidae Cossidae	Shoot and leaf sucking (A) Stem and twig boring (L) Root and stem sucking Stem and twig boring
<i>Acacia ampliceps</i> B.R. Maslin. (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
<i>Acacia aulacocarpa</i> A. Cunn. ex Benth. (ไม้ต่างประเทศ)	<i>Hypomeces squamosus</i> (Fabricius) <i>Sinoxylon</i> sp. <i>Zeuzera coffeae</i> Nietner	Curculionidae Bostrychidae Cossidae	Leaf eating Stem and twig boring Stem and twig boring
<i>Acacia auriculiformis</i> Cunn. (กระถินณรงค์)	<i>Adoretus compressus</i> (Weber) <i>Aetheomorpha nigropicta</i> Lefebvre <i>Anomala cupripes</i> (Hope) <i>Anoplocnemis curvipes</i> Fabricius <i>Anoplocnemis phasiana</i> (Fabricius) <i>Aplosonyx</i> sp. <i>Arrhines</i> sp. <i>Astycus lateralis</i> Fabricius <i>Aulacophora femoralis</i> (Mots.)	Scarabaeidae Chrysomelidae Scarabaeidae Coreidae Coreidae Chrysomelidae Curculionidae Curculionidae Chrysomelidae	Leaf eating (A) Leaf eating Wood boring Shoot sucking Shoot sucking Leaf eating Leaf eating Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Aulacophora frontalis</i> Baly	Chrysomelidae	Leaf eating
	<i>Baryrrhinus</i> sp.	Curculionidae	Leaf eating
	<i>Charaxes solon sulphureus</i> Rothschild & Jordan	Nymphalidae	Leaf eating
	<i>Cletus trigonus</i> (Thunberg)	Coreidae	Shoot and leaf sucking
	<i>Clytrasoma palliatus</i> (Fabricius)	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Colasposoma igneicolle</i> Baly	Chrysomelidae (Eumolpinae)	Leaf eating
	<i>Colasposoma</i> sp.	Chrysomelidae (Eumolpinae)	Leaf eating
	<i>Diapromorpha</i> sp.	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Dysdercus cingulatus</i> Fabricius	Pyrrhocoridae	Shoot and leaf sucking
	<i>Euconocephalus</i> sp.	Tettigoniidae	Leaf eating
	<i>Homoeocerus walkeri</i> Kirby	Coreidae	Shoot and leaf sucking
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Hypothenemus</i> sp.	Scolytidae	Stem, twig and stem boring
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating and stem boring
	<i>Lepidiota</i> sp.	Scarabaeidae	Leaf eating
	<i>Leptocentrus</i> sp.	Membracidae	Shoot and leaf sucking
	<i>Miochira unifasciata</i> Pic.	Chrysomelidae	Leaf eating
	<i>Miresa albipuncta</i> Herrick-Schaffer	Limacodidae	Leaf eating
	<i>Myllocerus</i> sp.	Curculionidae	Leaf eating
	<i>Niphona</i> sp.	Cerambycidae	Bark eating
	<i>Odontopus nigricornis</i> Stal	Pyrrhocoridae	Leaf sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Orgyia turbata</i> Butler	Lymantriidae	Leaf eating
	<i>Phytoscaphus triangularis</i> Olivier	Curculionidae	Leaf and shoot eating
	<i>Piezodorus rubrofasciatus</i> Fabricius	Pentatomidae	Leaf sucking
	<i>Platycorynus</i> sp.	Chrysomelidae	Leaf eating
	<i>Platytrachelus</i> sp.	Curculionidae	Leaf eating
	<i>Pteroma plagiophleps</i>	Psychidae	Leaf eating
	<i>Ptyelus</i> sp.	Cercopidae	Shoot and leaf sucking
	<i>Riptortus pedestris</i> Fabricius	Coreidae	Shoot and leaf sucking
	<i>Sinoxylon anale</i> Lesne	Bostrychidae	Stem and twig boring
	<i>Sinoxylon crassum</i> Lesne	Bostrychidae	Stem and twig boring
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A), root collar boring (L)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A), root-collar boring (L)
	<i>Streblote dorsalis</i> Walker	Lasiocampidae	Leaf eating
	<i>Thosea bipartita</i> Walker	Limacodidae	Leaf eating
	<i>Trichochrysea severini</i> (Jacoby)	Chrysomelidae	Leaf eating
	<i>Trichochrysea</i> sp.	Chrysomelidae	Leaf eating
	Unidentified species	Pseudococcidae	Shoot and leaf sucking
	Unidentified species	Notodontidae	Leaf eating
	Unidentified species	Bostrychidae	Stem boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Acacia catechu</i> Willd. (สีเสียดแก่น)	Unidentified species	Psychidae	Leaf eating
	Unidentified species	Curculionidae	Shoot boring
	Unidentified species	Scarabaeidae	Root eating
	<i>Xanthochelus faunus</i> Olivier	Curculionidae	Leaf eating
	<i>Xyleborus userus</i> Eggers *	Scolytidae	Twig boring
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot sucking
	<i>Bothrogonia</i> sp.	Cicadellidae	Shoot and leaf sucking
	<i>Bruchidius terranus</i> Sharp	Bruchidae	Seed boring
	<i>Bruchus bilineatopygus</i> Pic.	Bruchidae	Seed boring
	<i>Cerosterna</i> (=Celosterna) <i>scabrator</i> (Fabricius)	Cerambycidae	Root boring
	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Eurema hecabe</i> Linnaeus	Pieridae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Leptocentrus</i> sp.	Membracidae	Shoot sucking
	<i>Neos tauropus alternus</i> Walker	Notodontidae	Leaf eating
	<i>Oncideres tessellata</i> Thomson	Cerambycidae	Shoot and bark eating
	<i>Pericyma cruegeri</i> Butler	Noctuidae	Leaf eating

* Identified by Dr. Akira Nobushi Institute Tsukuba Norin Kenkyu Danchinai Ibaraki, 305 Japan

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Phyllodes eynhovii</i> Vollenhoven	Noctuidae (Catocalinae)	Leaf eating
	<i>Planococcus citri</i> (Risso)	Pseudococcidae	Shoot and leaf sucking
	<i>Sinoxylon anale</i> Lesne	Bostrychidae	Stem and twig boring
	<i>Sinoxylon crassum</i> Lesne	Bostrychidae	Stem and twig boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating
	<i>Xystrocera globosa</i> (Olivier)	Cerambycidae	Wood boring
26 <i>Acacia cincinnata</i> F. Muell (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
<i>Acacia crassicarpa</i> A. Cunn. ex Benth. (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp. <i>Zeuzera coffeae</i> Nietner	Bostrychidae Cossidae	Stem and twig boring Stem and twig boring
<i>Acacia difficilis</i> Maiden (ไม้ต่างประเทศ)	<i>Sinoxylon anale</i> Lesne <i>Sinoxylon</i> sp. <i>Zeuzera coffeae</i> Nietner	Bostrychidae Bostrychidae Cossidae	Stem and twig boring Stem and twig boring Twig boring
<i>Acacia flavescens</i> A. Cunn. ex Benth. (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Acacia holosericea</i> A. Cunn. ex G. Don. (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
<i>Acacia leptocarpa</i> A. Cunn. ex Benth. (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
<i>Acacia leptopher</i> (ไม้ต่างประเทศ)	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
<i>Acacia mangium</i> Willd. (กระถินเทพา)	<i>Adoretus compressus</i> (Weber)	Scarabaeidae	Leaf eating
	<i>Aetheomorpha nigropicta</i> Lefebvre	Chrysomelidae	Leaf eating
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot sucking
	<i>Aplosonyx</i> sp.	Chrysomelidae	Leaf eating
	<i>Arrhines</i> sp.	Curculionidae	Leaf eating
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Aulacophora femoralis</i> (Mots.)	Chrysomelidae	Leaf eating
	<i>Aulacophora frontalis</i> Baly	Chrysomelidae	Leaf eating
	<i>Baryrrhinus</i> sp.	Curculionidae	Leaf eating
	<i>Charaxes solon sulphureus</i> Rothschild & Jordan	Nymphalidae	Leaf eating
	<i>Cletus trigonus</i> (Thunberg)	Coreidae	Shoot and leaf sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Clytrasoma palliatus</i> (Fabricius)	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Colasposoma igneicolle</i> Baly	Chrysomelidae (Eumolpinae)	Leaf eating
	<i>Colasposoma</i> sp.	Chrysomelidae (Eumolpinae)	Leaf eating
	<i>Diapromorpha</i> sp.	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Dysdercus cingulatus</i> Fabricius	Pyrrhocoridae	Shoot and leaf sucking
	<i>Euconocephalus</i> sp.	Tettigoniidae	Leaf eating
	<i>Homoeocerus walkeri</i> Kirby	Coreidae	Shoot sucking
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Hypothenemus</i> sp.	Scolytidae	Stem, twig and seedling boring
	<i>Indarbela quadrinotata</i> Walker	Metarbelidae	Bark feeding
	<i>Lepidiota</i> sp.	Scarabaeidae	Leaf eating
	<i>Leptocentrus</i> sp.	Membracidae	Shoot and leaf sucking
	<i>Miochira unifasciata</i> Pic.	Chrysomelidae	Leaf eating
	<i>Miresa albipuncta</i> Herrick-Schaffer	Limacodidae	Leaf eating
	<i>Myllocerus</i> sp.	Curculionidae	Leaf eating
	<i>Niphona</i> sp.	Cerambycidae	Bark eating
	<i>Odontopus nigricornis</i> Stal	Pyrrhocoridae	Leaf sucking
	<i>Orgyia turbata</i> Butler	Lymantriidae	Leaf eating
	<i>Phytoscaphus triangularis</i> Olivier	Curculionidae	Leaf and shoot eating
	<i>Piezodorus rubrofasciatus</i> Fabricius	Pentatomidae	Leaf sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Platycorynus</i> sp.	Chrysomelidae	Leaf eating
	<i>Platytrachelus</i> sp.	Curculionidae	Leaf eating
	<i>Pteroma plagiophleps</i>	Psychidae	Leaf eating
	<i>Ptyelus</i> sp.	Cercopidae	Shoot and leaf sucking
	<i>Riptortus pedestris</i> Fabricius	Coreidae	Shoot and leaf sucking
	<i>Sagra femorata purpurea</i> Lichtenstein	Chrysomelidae	Stem boring
	<i>Sinoxylon anale</i> Lesne	Bostrychidae	Stem and twig boring
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A), root-collar boring (L)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A), root-collar boring (L)
	<i>Streblote dorsalis</i> Walker	Lasiocampidae	Leaf eating
	<i>Thosea asigna</i> van Eecke	Limacodidae	Leaf eating
	<i>Thosea bipartita</i> Walker	Limacodidae	Leaf eating
	<i>Trichochrysea severini</i> (Jacoby)	Chrysomelidae	Leaf eating
	<i>Trichochrysea</i> sp.	Chrysomelidae	Leaf eating
	Unidentified species	Pseudococcidae	Shoot and leaf sucking
	Unidentified species	Bostrychidae	Stem boring
	Unidentified species	Psychidae	Leaf eating
	Unidentified species	Notodontidae	Leaf eating
	Unidentified species	Curculionidae	Shoot boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	Unidentified species <i>Xanthochelus faunus</i> Olivier <i>Zeuzera coffeae</i> Nietner	Scarabaeidae Curculionidae Cossidae	Root eating Leaf eating Stem and twig boring
<i>Acacia melanoxyton</i> R. Br. (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
<i>Acacia oraria</i> F. Muell. (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
<i>Acacia polystachya</i> A. Cunn. ex Benth. (ไม้ต่างประเทศ)	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
<i>Afzelia xylocarpa</i> Craib (มะค่าโมง)	<i>Rhaphuma motschulskyi</i> Ganglbauer	Cerambycidae	Seed boring
<i>Ageratum conyzoides</i> Linn. (สาบแรังสาบกา)	<i>Brachycaudus helichrysi</i> (Kaltenbach)	Aphididae	Sap sucking
<i>Alangium salviifolium</i> Wang. (ปรง)	<i>Archips micaceana</i> (Walker)	Tortricidae	Flower eating and leaf folding

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Albizia lebbbeck</i> Benth. (พญาศรี)	<i>Agrilus brevicornis</i> Guerin-Meneville <i>Aphis gossypii</i> Glover <i>Ascalenia thoracista</i> Meyrick <i>Bruchus pisorum</i> Linnaeus <i>Bruchus saunderi</i> Jekel <i>Bruchus</i> sp. <i>Planococcus citri</i> (Risso) <i>Stathmopoda basiplectra</i> Meyrick <i>Syntarucus plinius</i> Fabricius <i>Xystrocera globosa</i> (Olivier)	Buprestidae Aphididae Cosmopterygidae Bruchidae Bruchidae Bruchidae Pseudococcidae Heliodinidae Lycaenidae Cerambycidae	Leaf eating Shoot sucking Flower eating Seed boring Seed boring Seed boring Shoot and leaf sucking Pod boring Flower eating Stem boring
<i>Albizia lebbbeckoides</i> Benth. (คาง)	<i>Eurema hecabe</i> Linnaeus <i>Glenea spilota</i> Thomson <i>Sinoxylon anale</i> Lesne <i>Sinoxylon crassum</i> Lesne <i>Sternocera ruficornis</i> Saunders <i>Xystrocera globosa</i> (Olivier)	Pieridae Cerambycidae Bostrychidae Bostrychidae Buprestidae Cerambycidae	Leaf eating Stem boring Stem boring Stem boring Leaf eating (A) Stem boring
<i>Albizia lucidior</i> Nielsen (ป้านแต)	<i>Hypomeces squamosus</i> (Fabricius) <i>Sternocera aequisignata</i> Saunders	Curculionidae Buprestidae	Leaf eating Root-collar boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Albizia odoratissima</i> Benth. (ยางช้ำมอด)	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A)
<i>Albizia procera</i> Benth. (ถ่อน)	<i>Anomala cupripes</i> (Hope)	Scarabaeidae	Leaf eating
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot sucking
	<i>Aphis gossypii</i> Glover	Aphididae	Shoot sucking
	<i>Ascotis selenaria</i> Denis & Schiffermuller	Geometridae	Leaf eating
	<i>Bothrogonia</i> sp.	Cicadellidae	Shoot and leaf sucking
	<i>Bruchus bilineatopygus</i> Pic.	Bruchidae	Seed boring
	<i>Bruchus pisorum</i> Linnaeus	Bruchidae	Seed boring
	<i>Clytra duodecimmaculata</i> (Fabricius)	Chrysomelidae	Leaf eating
	<i>Clytrasoma palliatus</i> (Fabricius)	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Diapromorpha</i> sp.	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Dysdercus cingulatus</i> Fabricius	Pyrrhocoridae	Shoot and leaf sucking
	<i>Leptocentrus</i> sp.	Membracidae	Shoot and leaf sucking
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A) , root-collar boring (L)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A) , root-collar boring (L)
<i>Trichochrysea</i> sp.	Chrysomelidae	Leaf eating	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	Unidentified species	Coreidae	Shoot sucking
<i>Aleurites moluccana</i> Willd. (มะเขือ)	<i>Attacus atlas</i> Linnaeus <i>Dasychira mendosa</i> Hubner <i>Ectropis bhurmitra</i> Walker <i>Euproctis scintillans</i> Walker <i>Hypomeces squamosus</i> (Fabricius)	Saturniidae Lymantriidae Geometridae Lymantriidae Curculionidae	Leaf eating Leaf eating Leaf eating Leaf, flower and young fruit Leaf eating eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
<i>Alstonia scholaris</i> R.Br. (สัตตบรรณ)	<i>Margaronia marginata</i> Hampson	Pyralidae	Leaf folding
<i>Aniseia martinicensis</i> Choisy (จิ้งจอก)	<i>Aulacorthum circumflexum</i> (Buckton)	Aphididae	Sap sucking
<i>Anisoptera costata</i> Korth. (กระบาก)	<i>Celosterna pollinosa sulphurea</i> Halle. <i>Zeuzera coffeae</i> Nietner	Cerambycidae Cossidae	Stem and root boring Twig boring
<i>Anogeissus acuminata</i> Wall. (ตะเคียนหนู)	<i>Sinoxylon anale</i> Lesne <i>Sinoxylon crassum</i> Lesne	Bostrychidae Bostrychidae	Wood boring Wood boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Anthocephalus chainensis</i> Riche. ex Walp. (กระทุ่ม)	<i>Antitrygodes cuneilinea</i> Walker	Geometridae	Leaf eating
<i>Antidesma montanum</i> Bl. (มะเฒ่าขน)	<i>Apoderus notatus</i> Fabricius Unidentified species	Attelabidae Cerambycidae	Leaf rolling Bark eating (A)
<i>Aquilaria crassna</i> Pierre ex H. Lec.	<i>Heortia vijissoides</i> Mooe	Pyralidae	Leaf eating
<i>Archidendron jiringa</i> Nielsen (ชะเนี้ยง)	<i>Polytus mellerborgi</i> Boheman <i>Tryphetus incarnatus</i> Gyllenhal	Curculionidae Curculionidae	Fruit boring Pod boring
<i>Aromadendron elegans</i> Bl. (จำปาศำ)	<i>Coccus hesperidium</i> Linnaeus <i>Papilio memnon</i> Linnaeus	Coccidae Papilionidae	Shoot sucking Leaf eating
<i>Artocarpus heterophyllus</i> Lamk. (ขุ่น)	<i>Archips micaceana</i> (Walker) <i>Aspidomorpha sanctaecrucis</i> Fabricius <i>Glyphodes caesalis</i> Walker <i>Parasa lepida</i> Cramer <i>Trilocha varians</i> (Walker)	Tortricidae Chrysomelidae Pyralidae Limacodidae Bombycidae	Flower eating and leaf folding Leaf eating Fruit boring Leaf eating Flower eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Artocarpus integer</i> Merr. (จำปาตะ)	<i>Icerya purchasi</i> Maskell <i>Spodoptera litura</i> (Fabricius)	Margarodidae Noctuidae	Shoot, twig and leaf sucking Leaf eating
<i>Arundinaria ciliata</i> A. Camus (ไม้ไผ่)	<i>Sternocera aequisignata</i> Saunders <i>Sternocera ruficornis</i> Saunders	Buprestidae Buprestidae	Leaf eating (L) Leaf eating (L)
<i>Arundinaria pusilla</i> Cheval. & A. Camus (ไม้แพ็ด)	<i>Sternocera aequisignata</i> Saunders <i>Sternocera ruficornis</i> Saunders	Buprestidae Buprestidae	Leaf eating (L) Leaf eating (L)
<i>Avicennia alba</i> Bl. (แสมขาว)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Avicennia officanilis</i> Linn. (แสมดำ)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Avicennia tomentosa</i> Roxb. (ไม้ต่างประเทศ)	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
<i>Azadirachta excelsa</i> (Jack) Jacoby (สะเดาช้าง)	<i>Archips micaceana</i> (Walker) <i>Aeolesthes aurifaber</i> White	Tortricidae Cerambycidae	Leaf folding Stem boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Azadirachta indica</i> Juss. (สะเดาอินเดีย)	<i>Microtrichia</i> sp.	Scarabaeidae	Leaf eating
	<i>Aeolesthes aurifaber</i> White	Cerambycidae	Stem boring
	<i>Archips micaceana</i> (Walker)	Tortricidae	Leaf folding
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Thosea bipartita</i> Walker	Limacodidae	Leaf eating
	<i>Thosea serastopuloi</i> Holloway	Limacodidae	Leaf eating
	<i>Thosea siamica</i> Holloway	Limacodidae	Leaf eating
	<i>Xanthochelus faunus</i> Olivier	Curculionidae	Leaf eating
	Unidentified species	Cerambycidae	Stem boring
<i>Bambusa arundinacea</i> Willd. (ไผ่ป่า)	<i>Callispa</i> probably <i>brettinghami</i> Baly	Chrysomelidae (Hispiniae)	Leaf mining
	<i>Callispa</i> probably <i>montivaga</i> Maulik	Chrysomelidae (Hispiniae)	Leaf mining
	<i>Chlorophorus annularis</i> (Fabricius)	Cerambycidae	Shoot eating
	<i>Crocidophora habisalis</i> Walker	Pyralidae	Leaf eating
	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Dinoderus minutus</i> (Fabricius)	Bostrychidae	Wood boring
	<i>Estigmena chinensis</i> Hope	Chrysomelidae	Shoot and leaf eating
	<i>Heterobostrychus aequalis</i> (Waterhouse)	Bostrychidae	Wood boring
	<i>Physomerus grossipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Procidophora habisalis</i> Walker	Pyralidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Bambusa blumeana</i> Schult. (ไผ่สีสุก)	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot and twig sucking
	<i>Pyrausta coclesalis</i> Walker	Pyralidae	Leaf eating
	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Omphisa</i> sp.	Pyralidae	Stem boring
<i>Bambusa nana</i> Roxb. (ไผ่เลี้ยง)	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot sucking
	<i>Pyrausta coclesalis</i> Walker	Pyralidae	Leaf eating
	<i>Anoplocnemis</i> sp.	Coreidae	Shoot sucking
	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
<i>Bambusa natans</i> Wall. (ไผ่บง)	<i>Melanitis leda</i> (Linnaeus)	Satyridae	Leaf eating
	<i>Parena</i> sp.	Hesperiidae	Leaf eating
	<i>Physomerus grossipes</i> Fabricius	Coreidae	Leaf eating
	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot and twig sucking
	<i>Prfausta coclesalis</i> Walker	Pyralidae	Shoot sucking
	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
<i>Omphisa</i> sp.	Pyralidae	Stem boring	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Pseudoregma</i> sp. <i>Pyrausta coclesalis</i> Walker	Pemphigidae Pyralidae	Shoot and twig sucking Leaf eating
<i>Bambusa polymorpha</i> Munro (ไผ่หอม)	<i>Myocalandra exarata</i> Boheman	Curculionidae	Shoot eating
<i>Bambusa</i> sp. (ไผ่)	<i>Ceratovacuna nekoashi</i> (Sasaki) <i>Parasa lepida</i> Cramer	Pemphigidae Limaconidae	Sap sucking Leaf eating
<i>Bambusa tulda</i> Roxb. (ไผ่บังคำ)	<i>Cyrtotrachelus dichrous</i> Fairmaire <i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae Curculionidae	Shoot boring Shoot boring
<i>Bambusa vulgaris</i> Schrad. (ไผ่เหลือง)	<i>Cyrtotrachelus dichrous</i> Fairmaire <i>Cyrtotrachelus longimanus</i> Fabricius <i>Pseudoregma</i> sp. <i>Pyrausta coclesalis</i> Walker	Curculionidae Curculionidae Pemphigidae Pyralidae	Shoot boring Shoot boring Shoot and twig sucking Leaf eating
<i>Barringtonia acutangula</i> Gaertn. (จิกนา)	<i>Altha rufescens</i> Swinhoe <i>Parasa lepida</i> Cramer <i>Xanthodes transversa</i> Guenee	Limaconidae Limaconidae Noctuidae	Leaf eating Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Bauhinia acuminata</i> Linn. (กาหลง)	<i>Pachymerus gonager</i> Fabricius <i>Sinoxylon</i> sp.	Bruchidae Bostrychidae	Seed boring Stem boring
<i>Bauhinia bracteata</i> Bak. (ปอเจียน)	<i>Psiloptera affinis</i> Saunders Unidentified species	Buprestidae Lymantriidae	Leaf mining Leaf eating
<i>Bauhinia saccocalyx</i> Pierre (เสี้ยวป่า)	<i>Caryedon serratus</i> (Olivier) <i>Corynodes pyrospilotus</i> Baly	Bruchidae Chrysomelidae	Seed boring Leaf and flower eating
<i>Betula alnoides</i> Buch. Ham. (กำลังเสือโคร่ง)	Unidentified species Unidentified species <i>Zeuzera</i> sp.	Aegeriidae Hepialidae Cossidae	Root-collar boring Root-collar boring Stem and twig boring
<i>Bischofia javanica</i> Bl. (เต็ง)	<i>Achaea janata</i> (Linnaeus)	Noctuidae	Leaf eating
<i>Bombax anceps</i> Pierre (จิวป่า)	<i>Alcidodes affaber</i> (Aurivillius) <i>Alcidodes</i> sp. <i>Anomala cupripes</i> (Hope) <i>Apogonia granum</i> Burmeister	Curculionidae Curculionidae Scarabaeidae Scarabaeidae	Shoot boring Shoot boring Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Aristobia approximator</i> Thomson	Cerambycidae	Bark eating (A), twig and stem boring (L)
	<i>Aulacophora frontalis</i> Baly	Chrysomelidae	Leaf eating
	<i>Aulacophora</i> sp.	Chrysomelidae	Leaf eating
	<i>Bothrogonia</i> sp.	Cicadellidae	Leaf sucking
	<i>Desmidophorus</i> sp.	Curculionidae	Shoot and rachis boring
	<i>Ectropis bhurmitra</i> Walker	Geometridae	Leaf eating
	<i>Glenea spilota</i> Thomson	Cerambycidae	Stem boring
	<i>Heterobostrychus aequalis</i> (Waterhouse)	Bostrychidae	Stem boring
	<i>Heterobostrychus unicornis</i> Waterhouse	Bostrychidae	Stem boring
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Ledra</i> sp.	Ledridae	Stem sucking
	<i>Myllocerus lineaticollis</i> Boheman	Curculionidae	Leaf eating
	<i>Ptyelus</i> sp.	Cercopidae	Leaf sucking
	<i>Xanthochelus faunus</i> Olivier	Curculionidae	Leaf eating
	<i>Xystrocera globosa</i> (Olivier)	Cerambycidae	Stem boring
<i>Bombax ceiba</i> Linn. (จี่ง)	<i>Celama squalida</i> Staudinger	Arctiidae	Flower eating
	<i>Dysdercus cingulatus</i> Fabricius	Pyrrhocoridae	Fruit sucking
<i>Bombax vaeletonii</i> Hochr. (จี่ง)	<i>Aulacophora frontalis</i> Baly	Chrysomelidae	Leaf skeletonizing
	<i>Hymomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Bruguiera cylindrica</i> Bl. (ถั่วขาว)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Bruguiera parviflora</i> Wight & Arn. ex Griff. (ถั่วดำ)	<i>Coccotrypes fallax</i> (Eggers)	Scolytidae	Fruit boring
<i>Butea monosperma</i> Ktze. (ทองกวาว)	<i>Catachrysops strabo</i> Fabricius	Lycaenidae	Flower eating
	<i>Dichocrosis punctiferalis</i> Guenee	Pyralidae	Flower and fruit eating
	<i>Eucosma conciliata</i> Meyrick	Eucosmidae	Flower eating
	<i>Giaura sceptica</i> Swinhoe	Noctuidae	Flower eating
	<i>Lachnosterna serrata</i> Fabricius	Scarabaeidae	Root eating (L), leaf eating (A)
	<i>Lampides boeticus</i> (Linnaeus)	Lycaenidae	Flower eating
	<i>Maruca testulalis</i> (Geyer)	Pyralidae	Pod boring
	<i>Tessaratomia javanica</i> Thomson	Pentatomidae	Shoot sucking
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
<i>Calamus</i> sp. (หวาย)	<i>Trachys bicolor</i> Kerremans	Buprestidae	Leaf mining
	<i>Artona catoxantha</i> Hampson	Zygaenidae	Leaf eating
	<i>Elymnias hypermnestra</i> Linnaeus	Nymphalidae	Leaf eating
	<i>Erionota thrax thrax</i> Linnaeus	Hesperiidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Gangara thyrsis thyrsis</i> Fabricius	Hesperiidae	Leaf eating
	<i>Oryctes rhinoceros</i> (Linnaeus)	Scarabaeidae	Young shoot eating
	<i>Patanga succincta</i> Linnaeus	Acrididae	Leaf eating
<i>Calliandra haematocephala</i> Hassk. (พุ่มพู่)	<i>Indarbela</i> sp.	Metarbelidae	Bark eating
<i>Callicarpa arborea</i> Roxb. (ชำแป้น)	<i>Eutectona machaeralis</i> Walker	Pyralidae	Leaf eating
	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Callicarpa candicans</i> Hochr. (ชื่อนดอน)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Callicarpa macrophylla</i> Vahl (อุหนอน)	<i>Eutectona machaeralis</i> Walker	Pyralidae	Leaf eating
	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Cananga odorata</i> Hook. f. & TH. (กระดังงาไทย)	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Indarbela quadrinotata</i> Walker	Metarbelidae	Bark feeding
	<i>Psilogamma menephron</i> (Cramer)	Sphingidae	Leaf eating
<i>Canarium subulatum</i> Guill. (มะกอกเกลื่อน)	<i>Cricula trifenestrata</i> Helfer	Saturniidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Carallia brachiata</i> Merr. (เลียงผ้านางแอ)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Careya sphaerica</i> Roxb. (กระโดน)	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
	Unidentified species	Limacodidae	Leaf eating
<i>Casearia grewiaefolia</i> Vent. (กรวยป่า)	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Petillia calcar</i> Dall.	Coreidae	Leaf sucking
<i>Cassia alata</i> Linn. (ชุมเห็ดเทศ)	<i>Aphis gossypii</i> Glover	Aphididae	Shoot and leaf sucking
	<i>Catopsilia florella</i> Fabricius	Pieridae	Leaf eating
	<i>Catopsilia pomona crocale</i> (Cramer)	Pieridae	Leaf eating
	<i>Catopsilia pyranthe pyranthe</i> Linnaeus	Pieridae	Leaf eating
	<i>Catopsilia scylla cornelia</i> Fabricius	Pieridae	Leaf eating
	<i>Catopsilia scylla sidra</i> Fruhst.	Pieridae	Leaf eating
	<i>Desmidophorus</i> sp.	Curculionidae	Shoot boring
	<i>Eurema hecabe</i> Linnaeus	Pieridae	Leaf eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	Unidentified pseudococcid	Pseudococcidae	Shoot sucking
Unidentified species	Pyralidae	Shoot and pod boring	

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Cassia bakeriana</i> Craib (กัลปพฤกษ์)	<i>Xyleutes leuconotus</i> Walker	Cossidae	Stem boring
	<i>Anomala polita</i> Blandchard	Scarabaeidae	Root eating
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot and leaf sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot and leaf sucking
	<i>Aphis gossypii</i> Glover	Aphididae	Shoot sucking
	<i>Apogonia granum</i> Burmeister	Scarabaeidae	Root eating
	<i>Argyroploce illepida</i> Butler	Olethreutidae	Seed boring
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Caryedon serratus</i> (Olivier)	Bruchidae	Seed boring
	<i>Catopsilia pomona crocale</i> (Cramer)	Pieridae	Leaf eating
	<i>Catopsilia pomona pomona</i> Fabricius	Pieridae	Leaf eating
	<i>Catopsilia pyranthe pyranthe</i> Linnaeus	Pieridae	Leaf eating
	<i>Chlorophorus annularis</i> (Fabricius)	Cerambycidae	Stem boring
	<i>Citripestis sagittiferella</i> Moore	Pyralidae	Pod boring
	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Episomus connexus</i> Marshall	Curculionidae	Leaf eating
<i>Euphalerus vitalis</i> Crawford	Psyllidae	Shoot sucking	
<i>Euproctis scintillans</i> Walker	Lymantriidae	Leaf, flower and young fruit eating	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Eurema hecabe</i> Linnaeus	Pieridae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating
	<i>Leptocentrus</i> sp.	Membracidae	Shoot sucking
	<i>Leptocorisa</i> sp.	Coreidae	Pod sucking
	<i>Neos tauropus alternus</i> Walker	Notodontidae	Leaf eating
	<i>Papilio agamemnon agenor</i> Linnaeus	Papilionidae	Leaf eating
	<i>Phostria origoalis</i> Walker	Pyralidae	Leaf eating
	<i>Protaetia acuminata</i> Fabricius	Cetoniidae	Bud eating
	<i>Schizotetranychus bhandufalcki</i> Ehara	Tetranychidae	Leaf sucking
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating
	<i>Streblote dorsalis</i> Walker	Lasiocampidae	Leaf eating
	<i>Trachylepidia fructicasella</i> Ragonot	Pyralidae	Seed boring
	Unidentified species	Cicadellidae	Shoot sucking
	Unidentified species	Pseudococcidae	Shoot sucking
	Unidentified species	Formicidae	Leaf and flower eating
	Unidentified species	Aphididae	Shoot sucking
	<i>Xyleutes leuconotus</i> Walker	Cossidae	Stem boring
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Cassia bicapsularis</i> Linn. (ซีเหล็กอินเดียหรือทรงกรด)	<i>Aphis gossypii</i> Glover	Aphididae	Shoot and leaf sucking
	<i>Caryedon lineaticollis</i> (Pic.)	Bruchidae	Seed boring
	<i>Catopsilia scylla cornelia</i> Fabricius	Pieridae	Leaf eating
	<i>Desmidophorus</i> sp.	Curculionidae	Shoot boring
	<i>Eurema andersonii andersonii</i> Moore	Pieridae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Lymantria ganara</i> Moore	Lymantriidae	Leaf eating
	<i>Syllepte</i> sp.	Pyalidae	Leaf folding
46 <i>Cassia fistula</i> Linn. (ราชพฤษ)	<i>Anomala polita</i> Blanchard	Scarabaeidae	Root eating
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot and leaf sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot and leaf sucking
	<i>Aphis gossypii</i> Glover	Aphididae	Shoot sucking
	<i>Apogonia granum</i> Burmeister	Scarabaeidae	Root eating
	<i>Argyroploce illepida</i> Butler	Olethreutidae	Seed boring
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Bruchus pisorum</i> Linnaeus	Bruchidae	Seed boring
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Caryedon serratus</i> (Olivier)	Bruchidae	Seed boring
	<i>Catopsilia pomona crocale</i> (Cramer)	Pieridae	Leaf eating
	<i>Catopsilia pomona pomona</i> Fabricius	Pieridae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Catopsilia pyranthe pyranthe</i> Linnaeus	Pieridae	Leaf eating
	<i>Chlorophorus annularis</i> (Fabricius)	Cerambycidae	Wood boring
	<i>Citripestis sagittiferella</i> Moore	Pyralidae	Pod boring
	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Enarmonia daedalota</i> Meyrick	Eucosmidae	Flower eating
	<i>Episomus connexus</i> Marshall	Curculionidae	Leaf eating
	<i>Euphalerus vitalis</i> Crawford	Psyllidae	Shoot sucking
	<i>Euproctis scintillans</i> Walker	Lymantriidae	Leaf, flower and young fruit eating
	<i>Eurema hecabe</i> Linnaeus	Pieridae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Indarbela quadrinotata</i> Walker	Metarbelidae	Bark feeding
	<i>Leptocentrus</i> sp.	Membracidae	Shoot sucking
	<i>Leptocorisa</i> sp.	Coreidae	Pod sucking
	<i>Nephoteryx rhodobasalis</i> Hampson	Pyralidae	Pod boring
	<i>Papilio agamemnon agenor</i> Linnaeus	Papilionidae	Leaf eating
	<i>Phostria origoalis</i> Walker	Pyralidae	Leaf eating
	<i>Protaetia acuminata</i> Fabricius	Cetoniidae	Bud eating
	<i>Salebria paurosema</i> Meyrick	Pyralidae	Flower eating
	<i>Schizotetranychus bhandufalcki</i> Ehara	Tetranychidae	Leaf sucking
	<i>Spatularia mimosae</i> Stainton	Tineidae	Seed boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Stauropus alternus</i> Walker	Notodontidae	Leaf eating
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Streblote dorsalis</i> Walker	Lasiocampidae	Leaf eating
	<i>Trachylepidia fructicasella</i> Ragonot	Pyalidae	Seed boring
	Unidentified species	Cicadellidae	Shoot sucking
	Unidentified species	Pseudococcidae	Shoot sucking
	Unidentified species	Formicidae	Leaf and flower eating
	Unidentified species	Aphididae	Shoot sucking
	<i>Xyleutes leuconotus</i> Walker	Cossidae	Stem boring
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
<i>Cassia floribunda</i> Cav. (ซีเหล็กอเมริกา)	<i>Monolepta</i> sp.	Chrysomelidae	Leaf eating
<i>Cassia garrettiana</i> Craib (แคสมสาร)	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot and leaf sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot and leaf sucking
	<i>Aphis gossypii</i> Glover	Aphididae	Shoot sucking
	<i>Bothrogonia</i> sp.	Cicadellidae	Shoot and leaf sucking
	<i>Catopsilia pomona crocale</i> (Cramer)	Pieridae	Leaf eating
	<i>Catopsilia pomona pomona</i> Fabricius	Pieridae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Catopsilia pyranthe pyranthe</i> Linnaeus	Pieridae	Leaf eating
	<i>Cerosterna</i> (=Celosterna) <i>scabrator</i> (Fabricius)	Cerambycidae	Root-collar boring
	<i>Colasposoma igneicolle</i> Baly	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Colasposoma</i> sp.	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Desmidophorus</i> sp.	Curculionidae	Shoot boring
	<i>Eurema andersonii andersonii</i> Moore	Pieridae	Leaf eating
	<i>Eurema hecabe</i> Linnaeus	Pieridae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Leptocentrus</i> sp.	Membracidae	Leaf and shoot sucking
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A) root-collar boring (L)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A) root-collar boring (L)
	<i>Xyleutes leuconotus</i> Walker	Cossidae	Stem boring
<i>Cassia javanica</i> Linn. (ชั้ยพฤกษ์)	<i>Bruchus chinensis</i> Linnaeus	Bruchidae	Seed boring
<i>Cassia nodosa</i> Ham. (ชั้ยพฤกษ์)	<i>Apogonia granum</i> Burmeister	Scarabaeidae	Root eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Cassia siamea</i> Britt. (ซีเหล็ก)	<i>Acharana licarsialis</i> Walker	Pyralidae	Leaf eating
	<i>Aphis gossypii</i> Glover	Aphididae	Shoot sucking
	<i>Aulacophora frontalis</i> Baly	Chrysomelidae	Leaf eating
	<i>Autoba brachygonia</i> (Hampson)	Noctuidae	Flower, fruit and leaf eating
	<i>Autoba versicolor</i> Walker	Noctuidae	Flower, fruit and leaf eating
	<i>Caryedon lineaticollis</i> (Pic.)	Bruchidae	Seed boring
	<i>Catopsilia crocale</i> (Cramer)	Pieridae	Leaf eating
	<i>Catopsilia pomona crocale</i> (Cramer)	Pieridae	Leaf eating
	<i>Catopsilia pomona pomona</i> Fabricius	Pieridae	Leaf eating
	<i>Catopsilia pyranthe pyranthe</i> Linnaeus	Pieridae	Leaf eating
	<i>Delias hyparete ciris</i> Fruhstorfer	Pieridae	Leaf eating
	<i>Eublemma versicolora</i> Walker	Noctuidae	Flower eating
	<i>Eurema hecabe</i> Linnaeus	Pieridae	Leaf eating
	<i>Eurema nicerillei</i> Butler	Pieridae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating and stem boring
	<i>Labdia trichacola</i> Meyrick	Cosmopterygidae	Pod boring
	<i>Monolepta</i> sp.	Chrysomelidae	Leaf eating
<i>Sinoxylon</i> sp.	Bostrychidae	Twig and seedling boring	
Unidentified species	Pyralidae	Pod boring	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	Unidentified species	Membracidae	Pod sucking
<i>Cassia surattensis</i> Burn. f. (ทรงบาดาล)	<i>Aphis gossypii</i> Glover <i>Caryedon lineaticollis</i> (Pic.) <i>Catopsilia scylla cornelia</i> Fabricius <i>Desmidophorus</i> sp. <i>Eurema andersonii andersonii</i> Moore <i>Hypomeces squamosus</i> (Fabricius) <i>Lymantria ganara</i> Moore <i>Syllepte</i> sp.	Aphididae Bruchidae Pieridae Curculionidae Pieridae Curculionidae Lymantriidae Pyralidae	Shoot and leaf sucking Seed boring Leaf eating Shoot boring Leaf eating Leaf eating Leaf eating Leaf folding
<i>Casuarina equisetifolia</i> J.R. & G. Forst. (สนทະเล)	<i>Anoplocnemis curvipes</i> Fabricius <i>Anoplocnemis phasiana</i> (Fabricius) <i>Aristobia approximata</i> Thomson <i>Ascotis selenaria</i> Denis & Schiffermuller <i>Aularches miliaris</i> Linnaeus <i>Baryrrhinus</i> sp. <i>Bootanomyia orientalis</i> Mathur <i>Calliteara horsfieldii</i> Saunders <i>Cerosterna</i> (=Celosterna) <i>scabrator</i> (Fabricius) <i>Eumeta wallacei</i> Swinhoe	Coreidae Coreidae Cerambycidae Geometridae Pyrgomorphidae Curculionidae Torymidae Lymantriidae Cerambycidae Psychidae	Shoot sucking Shoot sucking Bark eating Leaf eating Leaf eating Leaf eating Seed boring Leaf eating Root boring Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Euproctis virguncula</i> Walker	Lymantriidae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Icerya purchasi</i> Maskell	Margarodidae	Leaf sucking
	<i>Icerya seychallarum</i> (Westwood)	Margarodidae	Shoot, twig and leaf sucking
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating and stem boring
	<i>Ledra</i> sp.	Ledridae	Stem sucking
	<i>Lepidiota</i> sp.	Scarabaeidae	Leaf eating
	<i>Leptocentrus</i> sp.	Membracidae	Leaf and shoot sucking
	<i>Lymantria ganara</i> Moore	Lymantriidae	Leaf eating
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Pachymerus gonager</i> Fabricius	Bruchidae	Seed boring
	<i>Phrixopogon</i> sp.	Curculionidae	Leaf eating
	<i>Psalis pennatula</i> (Fabricius)	Lymantriidae	Leaf eating
	<i>Rhizopertha</i> sp.	Bostrychidae	Twig boring
	<i>Salurnia</i> sp.	Flatidae	Leaf and shoot sucking
	<i>Sinoxylon anale</i> Lesne	Bostrychidae	Twig boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Twig and seedling boring
	<i>Spodoptera litura</i> (Fabricius)	Noctuidae	Leaf eating
	<i>Streblote dorsalis</i> Walker	Lasiocampidae	Leaf eating
	<i>Suana concolor</i> (Walker)	Lasiocampidae	Leaf eating
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Casuarina junghuhniana</i> Miq. (สนประติพัทธ์)	Unidentified species	Cercopidae	Shoot sucking
	Unidentified species	Termitidae	Root and root-collar eating
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot sucking
	<i>Aristobia approximator</i> Thomson	Cerambycidae	Bark eating
	<i>Ascotis selenaria</i> Denis & Schiffermuller	Geometridae	Leaf eating
	<i>Aularches miliaris</i> Linnaeus	Pyrgomorphidae	Leaf eating
	<i>Baryrrhinus</i> sp.	Curculionidae	Leaf eating
	<i>Bootanomyia orientalis</i> Mathur	Torymidae	Seed boring
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Cerosterna</i> (=Celosterna) <i>scabrator</i> (Fabricius)	Cerambycidae	Root boring
	<i>Eumeta wallacei</i> Swinhoe	Psychidae	Leaf eating
	<i>Euproctis virguncula</i> Walker	Lymantriidae	Leaf eating
	<i>Pachymerus gonager</i> Fabricius	Bruchidae	Seed boring
	<i>Psalis pennatula</i> (Fabricius)	Lymantriidae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
<i>Icerya purchasi</i> Maskell	Margarodidae	Leaf sucking	
<i>Icerya seychallarum</i> (Westwood)	Margarodidae	Shoot, twig and leaf sucking	
<i>Indarbela</i> sp.	Metarbelidae	Bark eating and stem boring	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Ledra</i> sp.	Ledridae	Stem sucking
	<i>Lepidiota</i> sp.	Scarabaeidae	Leaf eating
	<i>Leptocentrus</i> sp.	Membracidae	Leaf and shoot sucking
	<i>Lymantria ganara</i> Moore	Lymantriidae	Leaf eating
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Phrixopogon</i> sp.	Curculionidae	Leaf eating
	<i>Rhizopertha</i> sp.	Bostrychidae	Twig boring
	<i>Salurnia</i> sp.	Flatidae	Leaf and shoot sucking
	<i>Sinoxylon anale</i> Lesne	Bostrychidae	Twig boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Twig and seedling boring
	<i>Spodoptera litura</i> (Fabricius)	Noctuidae	Leaf eating
	<i>Streblote dorsalis</i> Walker	Lasiocampidae	Leaf eating
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
	Unidentified species	Cercopidae	Shoot sucking
	Unidentified species	Termitidae	Root and root-collar eating
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
<i>Cedrela augustifolia</i> Sesse & Moc. (ไม้ต่างประเทศ)	<i>Aristobia approximator</i> Thomson <i>Heterobostrychus aequalis</i> (Waterhouse) <i>Heterobostrychus hamatipennis</i> Lesne	Cerambycidae Bostrychidae Bostrychidae	Bark eating Stem boring Stem boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Hypsipyla robusta</i> Moore	Pyralidae	Shoot boring
	<i>Pagiophloeus longiclavis</i> Marshall	Curculionidae	Stem and root-collar boring
	<i>Ptyelus</i> sp.	Cercopidae	Leaf and shoot sucking
	<i>Schistoceros anobioides</i> Waterhouse	Bostrychidae	Stem boring
	<i>Schistoceros malayanus</i> Lesne	Bostrychidae	Stem boring
	<i>Sinoxylon atratum</i> Lesne	Bostrychidae	Stem boring
	<i>Sinoxylon crassum</i> Lesne	Bostrychidae	Stem boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Stem boring
	<i>Sinoxylon</i> sp. nr. <i>parviclava</i> Lesne	Bostrychidae	Stem boring
	Unidentified species	Bostrychidae	Stem boring
	<i>Xylosandrus compactus</i> (Eichhoff)	Scolytidae	Stem boring
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
<i>Cedrela odorata</i> L. (ไม้ต่างประเทศ)	<i>Aristobia approximator</i> Thomson	Cerambycidae	Bark eating
	<i>Heterobostrychus aequalis</i> (Waterhouse)	Bostrychidae	Stem boring
	<i>Heterobostrychus hamatipennis</i> Lesne	Bostrychidae	Stem boring
	<i>Hypsipyla robusta</i> Moore	Pyralidae	Shoot boring
	<i>Pagiophloeus longiclavis</i> Marshall	Curculionidae	Stem and root-collar boring
	<i>Ptyelus</i> sp.	Cercopidae	Leaf and shoot sucking
	<i>Schistoceros anobioides</i> Waterhouse	Bostrychidae	Stem boring
	<i>Schistoceros malayanus</i> Lesne	Bostrychidae	Stem boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Sinoxylon atratum</i> Lesne	Bostrychidae	Stem boring
	<i>Sinoxylon crassum</i> Lesne	Bostrychidae	Stem boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Stem boring
	<i>Sinoxylon</i> sp. nr. <i>parviclava</i> Lesne	Bostrychidae	Stem boring
	Unidentified species	Bostrychidae	Stem boring
	<i>Xylosandrus compactus</i> (Eichhoff)	Scolytidae	Stem boring
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
<i>Ceiba pentandra</i> Gaertn. (ต้นขนุน)	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Mahasena corbeti</i> Tams	Psychidae	Leaf eating
	<i>Planococcus citri</i> (Risso)	Pseudococcidae	Shoot and leaf sucking
	<i>Plocaederus obesus</i> Gahan	Cerambycidae	Wood boring
<i>Centrosema pubescens</i> Benth. (ถั่วลาย)	<i>Sagra femorata purpurea</i> Lichtenstein	Chrysomelidae	Stem boring
<i>Cephalostachyum pergracile</i> Munro (ไม้ข้าวหลาม)	<i>Anoplocnemis</i> sp.	Coreidae	Shoot sucking
	<i>Cyrtotrachelus</i> sp.	Curculionidae	Shoot boring
	<i>Estigmene chinensis</i> Hope	Chrysomelidae	Shoot and leaf eating
	<i>Pyrausta bambucivora</i>	Pyralidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Cephalostachyum vingatum</i> Kurz (ไผ่เหี้ยะ)	<i>Cyrtotrachelus</i> sp.	Curculionidae	Shoot boring
<i>Ceriops tagal</i> C.B. Robinson (โปรงแดง)	<i>Coccotrypes fallax</i> (Eggers)	Scolytidae	Stem and seedling boring
<i>Chukrasia tabularis</i> Juss. (เสียดกา)	<i>Hypsipyla robusta</i> Moore	Pyralidae	Shoot boring
<i>Cinnamomum bejolghota</i> Sweet (อบเชย)	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
<i>Cinnamomum zeylanicum</i> Linn. (การบูร)	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
<i>Combretum quadrangulare</i> Kurz (สะแกนา)	<i>Adoretus compressus</i> (Weber) <i>Aristobia approximator</i> Thomson <i>Arrhines</i> sp. <i>Bothrogonia</i> sp. <i>Chlorophora</i> sp. <i>Chrysocoris stollii</i> Wolff	Scarabaeidae Cerambycidae Curculionidae Cicadellidae Cerambycidae Scutelleridae	Leaf eating Bark eating Leaf eating Leaf sucking Bark eating Leaf sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Cleoporus</i> sp.	Chrysomelidae	Leaf eating
	<i>Colasposoma igneicolle</i> Baly	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Colasposoma</i> sp.	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Corynodes pyrospilotus</i> Baly	Chrysomelidae	Leaf eating
	<i>Macalla</i> sp. nr. <i>metasarcia</i> Hampson	Pyralidae	Leaf folding
	<i>Miresa albipuncta</i> Herrick-Schaffer	Limaconidae	Leaf eating
	<i>Odonestis erectilinea</i> Swinhoe	Lasiocampidae	Leaf eating
	<i>Ophiusa coronata</i> Fabricius	Noctuidae	Leaf eating
	<i>Parasa lepida</i> Cramer	Limaconidae	Leaf eating
	<i>Protaetia acuminata</i> Fabricius	Cetoniidae	Leaf and bud eating
	<i>Scopelodes</i> sp.	Limaconidae	Leaf eating
	<i>Selepa celtis</i> Moore	Noctuidae	Leaf eating
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
	<i>Xylotrupes gideon</i> Linnaeus	Scarabaeidae	Bark eating
<i>Crateva adansonii</i> DC. (กุ่มน้ำ)	<i>Appias lyncida hippoides</i> Moore	Pieridae	Leaf eating
	<i>Dysodia miniata</i> Walker	Thyrididae	Leaf eating
	<i>Phyllotreta</i> sp. nr. <i>downesi</i> Baly	Chrysomelidae (Alticinae)	Leaf eating
	<i>Stibaropus molginus</i> Schiodte	Cydnidae	Leaf sucking
	<i>Strachia crucigera</i> Hahn	Pentatomidae	Leaf sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Crateva magna</i> DC. (กุ่มหน้า)	<i>Appias libythea</i> Fabricius	Pieridae	Leaf eating
<i>Crateva religiosa</i> Ham. (กุ่มบก)	<i>Appias libythea</i> Fabricius <i>Hebomoia glaucippe aturia</i> Fruhstorfer <i>Hebomoia glaucippe glaucippe</i> Linnaeus <i>Hebomoia glaucippe</i> Linnaeus <i>Kunugia hyrtaca</i> Cramer <i>Phyllotreta downesi</i> Baly	Pieridae Pieridae Pieridae Nymphalidae Lasiocampidae Chrysomelidae (Alticinae)	Leaf eating Leaf eating Leaf eating Leaf eating Leaf eating Leaf eating
<i>Cratoxylum formosum</i> Dyer (ดีวัวขาว)	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
<i>Croton longissimus</i> Airy Shaw (เปล้าน้อย)	<i>Colasposoma igneicolle</i> Baly <i>Hypomeces squamosus</i> (Fabricius)	Chrysomelidae (Eumolpinae) Curculionidae	Leaf eating Leaf eating
<i>Croton oblongifolius</i> Roxb. (เปล้าใหญ่)	<i>Colasposoma</i> sp. <i>Hypomeces squamosus</i> (Fabricius) Unidentified species	Chrysomelidae (Eumolpinae) Curculionidae Noctuidae	Leaf eating Leaf eating Leaf eating
<i>Cupressus</i> sp. (สนต่างประเทศ)	<i>Kunugia latipennis</i> Walker	Lasiocampidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Cyrtostachys lakka</i> Becc. (หมากแดง)	<i>Elymnias hypermnestra</i> Linnaeus	Nymphalidae	Leaf eating
	<i>Mahasena corbetti</i> Tams.	Psychidae	Leaf eating
<i>Dalbergia cochinchinensis</i> Pierre (พะยูง)	<i>Aetheomorpha nigropicta</i> Lefebvre	Chrysomelidae	Leaf eating
	<i>Antrocephalus</i> sp.	Chalcididae	Seed boring
	<i>Apoderus</i> sp.	Attelabidae	Leaf rolling
	<i>Aristobia approximinator</i> Thomson	Cerambycidae	Stem boring (L)
	<i>Aristobia horridula</i> (Hope)	Cerambycidae	Stem boring (L)
	<i>Charaxes solon sulphureus</i> Rothschild & Jordan	Nymphalidae	Leaf eating
	<i>Clanis titan</i> Rothschild & Jordan	Sphingidae	Leaf eating
	<i>Clytrasoma palliatus</i> (Fabricius)	Chrysomelidae(Clytrinae)	Leaf eating
	<i>Colasposoma igneicolle</i> Baly	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Colasposoma</i> sp.	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Ericeia fraterna</i> Moore	Noctuidae	Leaf eating
	<i>Ericeia inangulata</i> Guenee	Noctuidae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Plecoptera reflexa</i> Guenee	Noctuidae	Leaf eating
	<i>Sphenoptera</i> sp.	Buprestidae	Stem boring
	<i>Striglina scitaria</i> Walker	Thyrididae	Leaf rolling
<i>Threnetica lacrymans</i> Thomson	Cerambycidae	Stem boring	
<i>Trichochrysea severini</i> (Jacoby)	Chrysomelidae	Leaf eating	

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Dalbergia dongnaiensis</i> Pierre (เก็ดแดง)	<i>Apoderus</i> sp. <i>Dysdercus cingulatus</i> Fabricius	Attelabidae Pyrrhocoridae	Leaf rolling Shoot sucking
<i>Dalbergia nigrescens</i> Kurz (ฉนวน)	<i>Agrilus brevicornis</i> Guerin-Meneville <i>Astycus lateralis</i> Fabricius <i>Hypomeces squamosus</i> (Fabricius) <i>Orgyia postica</i> Walker	Buprestidae Curculionidae Curculionidae Lymantriidae	Stem boring Leaf eating Leaf eating Leaf eating
<i>Dalbergia sissoo</i> Roxb. (ประดู่แขก)	<i>Agrilus birmanicus</i> Kerremans <i>Ascotis selenaria</i> Denis & Schiffermuller <i>Dasychira mendosa</i> Hubner <i>Euproctis scintillans</i> Walker <i>Sinoxylon anale</i> Lesne <i>Sinoxylon crassum</i> Lesne	Buprestidae Geometridae Lymantriidae Lymantriidae Bostrychidae Bostrychidae	Stem boring Leaf eating Leaf eating Leaf eating Wood boring Wood boring
<i>Delonix regia</i> Raf. (หางนกยูงฝรั่ง)	<i>Anoplocnemis curvipes</i> Fabricius <i>Anoplocnemis phasiana</i> (Fabricius) <i>Archips micaceana</i> (Walker) <i>Astycus lateralis</i> Fabricius <i>Eurema hecabe</i> Linnaeus <i>Hypomeces squamosus</i> (Fabricius)	Coreidae Coreidae Tortricidae Curculionidae Pieridae Curculionidae	Shoot sucking Shoot sucking Leaf folding Leaf eating Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
62	<i>Icerya purchasi</i> Maskell	Margarodidae	Leaf sucking
	<i>Icerya seychallarum</i> (Westwood)	Margarodidae	Leaf sucking
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating
	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Mahasena corbetti</i> Tams	Psychidae	Leaf eating
	<i>Orgyia turbata</i> Butler	Lymantriidae	Leaf eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	<i>Pericyma cruegeri</i> Butler	Noctuidae	Leaf eating
	<i>Pteroma plagiophleps</i>	Psychidae	Leaf eating
	<i>Semiothisa emersaria</i> Guenee	Geometridae	Leaf eating
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and shoot boring
<i>Dendrocalamus asper</i> Back. (ไม้ตง)	<i>Crocidophora habisalis</i> Walker	Pyralidae	Leaf eating
	<i>Crocidophora limbalis</i> Moore	Pyralidae	Leaf eating
	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Discophora tullia</i> Cramer	Amathusidae	Leaf eating
	<i>Omphisa</i> sp.	Pyralidae	Stem boring
	<i>Parasa bicolor</i> Walker	Limacodidae	Leaf eating
	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot sucking
	<i>Schizotetranychus</i> sp.	Tetranychidae	Leaf sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Dendrocalamus brandisii</i> Kurz (ไผ่บงใหญ่)	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot sucking
<i>Dendrocalamus giganteus</i> Munro (ไผ่เป่าะ)	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Dinoderus minutus</i> (Fabricius)	Bostrychidae	Wood boring
	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot sucking
<i>Dendrocalamus hamiltonii</i> Nees (ไผ่หก)	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Dinoderus minutus</i> (Fabricius)	Bostrychidae	Wood boring
	<i>Dinoderus ocellaris</i> Steph.	Bostrychidae	Wood boring
	<i>Eupatorus gracillicornis</i> Fabricius	Scarabaeidae	Shoot feeding (A)
	<i>Omphisa</i> sp.	Pyralidae	Stem boring
<i>Dendrocalamus latiflorus</i> Munro (ไผ่ชางคำ)	<i>Anoplocnemis</i> sp.	Coreidae	Shoot sucking
	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Physomerus grossipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Dendrocalamus strictus</i> Nees (ไผ่ตง)	<i>Anoplocnemis</i> sp.	Coreidae	Shoot sucking
	<i>Argyroploce paragramma</i>	Eucosmidae	Leaf eating
	<i>Calamochrous pentasalis</i>	Pyralidae	Leaf eating
	<i>Chlorophorus annularis</i> (Fabricius)	Cerambycidae	Shoot boring
	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Dinoderus minutus</i> (Fabricius)	Bostrychidae	Wood boring
	<i>Dinoderus ocellaris</i> Steph.	Bostrychidae	Wood boring
	<i>Estigmene chinensis</i> Hope	Chrysomelidae	Shoot and leaf eating
	<i>Heterobostrychus aequalis</i> (Waterhouse)	Bostrychidae	Wood boring
	<i>Heterobostrychus hamatipennis</i> Lesne	Bostrychidae	Wood boring
	<i>Hieroglyphus banian</i> Fabricius	Acrididae	Leaf eating
	<i>Lyctus africanus</i> Lesne	Lyctidae	Wood boring
	<i>Matapa aria</i> Moore	Hesperiidae	Leaf eating
	<i>Messepha absolutalis</i> Walker	Pyralidae	Leaf eating
	<i>Minthea rugicollis</i> (Walker)	Lyctidae	Wood boring
	<i>Myocalandra exarata</i> Boheman	Curculionidae	Shoot eating
	<i>Omphisa</i> sp.	Pyralidae	Stem boring
	<i>Otidognathus</i> sp.	Curculionidae	Shoot boring
	<i>Physomerus grossipes</i> Fabricius	Coreidae	Shoot sucking
<i>Pseudoregma</i> sp.	Pemphigidae	Shoot sucking	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Pterolophia bambusae</i> <i>Pyrausta bambucivora</i> <i>Schizotetranychus</i> sp. <i>Sinoxylon anale</i> Lesne <i>Sinoxylon crassum</i> Lesne <i>Stenadonta radialis</i> <i>Trogoxylon auriculatum</i> <i>Trogoxylon spinifrons</i> <i>Xylotrupes gideon</i> (Linnaeus)	Cerambycidae Pyralidae Tetranychidae Bostrychidae Bostrychidae Notodontidae Bostrychidae Bostrychidae Scarabaeidae	Shoot boring Leaf rolling Leaf sucking Wood boring Wood boring Leaf eating Wood boring Wood boring Shoot eating
<i>Dillenia indica</i> Linn. (มะตาด)	<i>Archips micaceana</i> (Walker) <i>Dichocrosis evaxalis</i> Walker	Tortricidae Pyralidae	Flower and fruit eating Fruit boring
<i>Diospyros mollis</i> Griff. (มะเกลือ)	<i>Hypomeces squamosus</i> (Fabricius) <i>Xanthochelus faunus</i> Olivier	Curculionidae Curculionidae	Leaf eating Leaf eating
<i>Diospyros philippensis</i> A. Dc. (มะรีด)	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
<i>Diospyros rhodocalyx</i> Kurz (ตะโกหนา)	<i>Clitena limbata</i> Baly <i>Scopelodes testacea</i> Butler	Chrysomelidae Limacodidae	Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Diplospora singularis</i> Korth. (เสี้ยม)	<i>Ascotis selenaria</i> Denis & Schiffermuller	Geometridae	Leaf eating
<i>Dipterocarpus alatus</i> Roxb. (ยางนา)	<i>Antheraea frithi pedunculata</i> Bouvier <i>Antheraea mylitta</i> <i>Apoderus notatus</i> Fabricius <i>Calandra rugicollis</i> Casey <i>Calliteara horsfieldii</i> Saunders <i>Celosterna pollinosa sulphurea</i> Halle. <i>Cramlus</i> sp. <i>Culladia</i> sp. <i>Ectatorrhinus</i> sp. <i>Enzophera</i> sp. <i>Hypomeces squamosus</i> (Fabricius) Unidentified species	Saturniidae Saturniidae Attelabidae Curculionidae Lymantriidae Cerambycidae Curculionidae Curculionidae Curculionidae Curculionidae Curculionidae Curculionidae Pyralidae	Leaf eating Leaf eating Leaf eating Seed boring Leaf eating Stem and root boring Seed boring Seed boring Bark boring Seed boring Leaf eating Leaf eating
<i>Dipterocarpus grandiflorus</i> Blanco (ยางขี้ผึ้ง)	<i>Alcidodes crassus</i> Pascoe	Curculionidae	Fruit and seed boring
<i>Dipterocarpus intricatus</i> Dyer (ยางกรวด)	<i>Nanophyes</i> sp.	Apionidae	Seed boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Dipterocarpus obtusifolius</i> Teijsm. ex Miq. (ยางเหียง)	<i>Blastobasis spermologa</i> Meyrick	Blastobasidae	Seed boring
	<i>Carpophilus mutilatus</i> Erichson	Nitidulidae	Seed boring
<i>Dipterocarpus tuberculatus</i> Roxb. (ยางพลวง)	<i>Aeolesthes holosericea</i> Fabricius	Cerambycidae	Wood boring
	<i>Alcidodes dipterocarpi</i> Marshall	Curculionidae	Seed boring
	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Arrhines hirtus</i> Faust	Curculionidae	Leaf eating
	<i>Arrhines</i> sp.	Curculionidae	Leaf eating
	<i>Baryrrhinus</i> sp.	Curculionidae	Leaf eating
	<i>Calandra rugicollis</i> Casey	Curculionidae	Seed boring
	<i>Caprinia conchylalis</i> Guenee	Pyralidae	Leaf eating
	<i>Chlorophorus annularis</i> (Fabricius)	Cerambycidae	Stem boring
	<i>Chrysobothris indica</i> Castelnau & Gory	Buprestidae	Stem boring
	<i>Colasposoma igneicolle</i> Baly	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Colasposoma</i> sp.	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Diapromorpha</i> sp.	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Eurycephalus maxillosus</i> Olivier	Cerambycidae	Stem boring
	<i>Euryphagus lundii</i> (Fabricius)	Cerambycidae	Stem boring
<i>Examnes frontalis</i> Pascoe	Cerambycidae	Stem boring	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Hoplocerambyx spinicornis</i> Newman	Cerambycidae	Wood boring
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Ozotomerus rugicollis</i> Jordan	Anthribidae	Stem boring
	<i>Phytoscaphus</i> sp.	Curculionidae	Leaf eating
	<i>Pollendera</i> nr. <i>remicornis</i> Marshall	Curculionidae	Leaf eating
	<i>Rhaphuma motschulskyi</i> Ganglbauer	Cerambycidae	Wood boring
	<i>Simplicia turpatalis</i> Walker	Noctuidae	Dried leaf eating
	<i>Targalla</i> sp.	Noctuidae	Leaf eating
	Unidentified species	Pyralidae	Leaf eating
	Unidentified species	Pyralidae	Shoot boring
<i>Dolichandrone serrulata</i> Seem. (แคชวาว)	<i>Kunugia</i> sp.	Chrysomelidae	Leaf eating
<i>Elaeocarpus hygrophilus</i> Kurz (มะกอกหน้า)	<i>Metanastria hyrtaca</i> (Cramer)	Lasiocampidae	Leaf eating
<i>Emilia sonchifolia</i> DC. (ทางปลาดู)	<i>Aphis citricola</i> van der Goot	Aphididae	Sap sucking
<i>Engelhardtia spicata</i> Bl. (คำหัด)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Erythrina fusca</i> Lour. (ทองโหลง)	<i>Agathodes ostentalis</i> Hubn-Geyer.	Pyralidae	Leaf folding
	<i>Archips micaceana</i> (Walker)	Tortricidae	Leaf folding
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Batocera rubus</i> (Linnaeus)	Cerambycidae	Stem boring
	<i>Besida xylinata</i> Walker	Notodontidae	Leaf eating
	<i>Bradymerus</i> sp. nr. <i>amicorum</i> Blanch.	Tenebrionidae	Bark eating
	<i>Callirhipis robustus</i> Waterhouse	Rhipiceridae	Stem boring
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Euproctis fraterna</i> Moore	Lymantriidae	Leaf eating
	<i>Euproctis lunata</i> Walker	Lymantriidae	Leaf eating
	<i>Euproctis</i> sp.	Lymantriidae	Leaf eating
	<i>Euproctis varians</i> Walker	Lymantriidae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Leprodera lectra</i> Gahan	Cerambycidae	Stem boring
	<i>Miresa albipuncta</i> Herrick-Schaffer	Limacodidae	Leaf eating
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Orgyia turbata</i> Butler	Lymantriidae	Leaf eating
	<i>Streblote dorsalis</i> Walker	Lasiocampidae	Leaf eating
	<i>Thosea loesa</i> Moore	Limacodidae	Leaf eating
<i>Thosea rara</i> Swinhoe	Limacodidae	Leaf eating	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Xyleutes leuconotus</i> Walker	Cossidae	Stem boring
<i>Erythrina subumbrans</i> Merr. (ทองหลางป่า)	<i>Episomus</i> sp.	Curculionidae	Leaf eating
<i>Erythrina variegata</i> Linn. (ทองหลางลาย)	<i>Agathodes ostentalis</i> Hubn-Geyer.	Pyralidae	Leaf folding
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Coccus hesperidum</i> Linnaeus	Coccidae	Shoot sucking
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Planococcus citri</i> (Risso)	Pseudococcidae	Shoot and leaf sucking
	<i>Streblote dorsalis</i> Walker	Lasiocampidae	Leaf eating
	<i>Toxoptera aurantii</i> (Boyer Ge Fonscolombe)	Aphididae	Shoot and flower sucking
<i>Erythrophleum succirubrum</i> Gagnep. (ชาด)	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A)
<i>Eucalyptus camaldulensis</i> Dehn. (ยูคาลิปตัส)	<i>Adoretus compressus</i> (Weber)	Scarabaeidae	Leaf eating
	<i>Anomala cupripes</i> (Hope)	Scarabaeidae	Leaf eating
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Aphis gossypii</i> Glover	Aphididae	Leaf sucking
	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Archips micaceana</i> (Walker)	Tortricidae	Leaf folding
	<i>Aristobia approximinator</i> Thomson	Cerambycidae	Bark eating
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Aulacophora femoralis</i> (Mots.)	Chrysomelidae	Leaf eating
	<i>Baryrrhinus</i> sp.	Curculionidae	Leaf eating
	<i>Bothrogonia</i> sp.	Cicadellidae	Shoot sucking
	<i>Brachytrypes portentosus</i> Licht.	Gryllidae	Seedling eating
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Canephora unicolor</i>	Psychidae	Leaf eating
	<i>Carea</i> sp.	Noctuidae	Leaf eating
	<i>Chrysocoris stollii</i> Wolff	Scutelleridae	Leaf and shoot sucking
	<i>Colasposoma igneicole</i> Baly	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Icerya purchasi</i> Maskell	Margarodidae	Leaf sucking
	<i>Indarbela quadrinotata</i> Walker	Metarbelidae	Bark feeding
	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Kunugia latipennis</i> Walker	Lasiocampidae	Leaf eating
	<i>Leptocentrus</i> sp.	Membracidae	Leaf and shoot sucking
	<i>Leptoglossus membranaceus</i> Fabricius	Coreidae	Shoot sucking
	<i>Leptotaspis semicrosea</i> Jacoby	Cercopidae	Leaf and shoot sucking
	<i>Mimela inscripta</i> Nonft.	Scarabaeidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Neos tauropus alternus</i> Walker	Notodontidae	Leaf eating
	<i>Niphona cylindracea</i> White	Cerambycidae	Stem boring
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	<i>Pataeta carbo</i> (Guenee)	Noctuidae	Leaf eating
	<i>Psiloptera viridicuprea</i> Saunders	Buprestidae	Stem boring
	<i>Ptyelus</i> sp.	Cercopidae	Leaf and shoot sucking
	<i>Ricania marginalis</i> Walker	Ricaniidae	Leaf and shoot sucking
	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
	<i>Spodoptera</i> sp.	Noctuidae	Leaf eating
	<i>Thalassodes immissaria intaminatus</i> Inove	Geometridae	Leaf folding
	Unidentified species	Gryllidae	Root eating
	Unidentified species	Acrididae	Leaf eating
	Unidentified species	Tettigoniidae	Leaf eating
	Unidentified species	Scarabaeidae	Root eating
	Unidentified species	Hepialidae	Root-collar boring
	Unidentified species	Aegeriidae	Root-collar boring
	Unidentified species	Termitidae	Root eating
	<i>Xylotrupes gideon</i> (Linnaeus)	Scarabaeidae	Bark eating
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Eucalyptus deglupta</i> Bl. (ยูคาลิปตัส)	<i>Indarbela quadrinotata</i> Walker <i>Platytrachelus psittacinus</i> Faust.	Metarbelidae Curculionidae	Bark feeding Leaf eating
<i>Eucalyptus grandis</i> Hill. ex Maid (ยูคาลิปตัส)	<i>Indarbela quadrinotata</i> Walker <i>Nodostoma</i> sp. <i>Platytrachelus paviei</i> Aurivillius <i>Platytrachelus psittacinus</i> Faust.	Metarbelidae Chrysomelidae Curculionidae Curculionidae	Bark feeding Leaf eating Leaf eating Leaf eating
<i>Eucalyptus torelliana</i> F. Muell. (ยูคาลิปตัส)	<i>Colasposoma igneicolle</i> Baly <i>Colasposoma</i> sp. <i>Indarbela quadrinotata</i> Walker <i>Niphona cylindracea</i> White <i>Riptortus pedestris</i> Fabricius <i>Sinoxylon</i> sp. Unidentified species	Chrysomelidae(Eumolpinae) Chrysomelidae(Eumolpinae) Metarbelidae Cerambycidae Coreidae Bostrychidae Buprestidae	Leaf eating Leaf eating Bark feeding Stem boring Leaf sucking Stem boring Wood boring
<i>Eugenia cumini</i> Druce (ทว่า)	<i>Calliteara horsfieldii</i> Saunders <i>Kunugia hyrtaca</i> Cramer <i>Targalla delatrix</i> (Guenee) <i>Trabala vishnou</i> Lefebvre	Lymantriidae Lasiocampidae Noctuidae Lasiocampidae	Leaf eating Leaf eating Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Eugenia fruticosa</i> Roxb. (หว้าที่ทาง)	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Arhopala centaurus centaurus</i> Fabricius	Lycaenidae	Leaf eating
	<i>Calliteara grotei</i> Moore	Lymantriidae	Leaf eating
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Carea chlorostigma</i> Hampson	Noctuidae	Leaf eating
	<i>Coenodomus hockingii</i> Wale	Pyalidae	Leaf eating
	<i>Euproctis fraterna</i> Moore	Lymantriidae	Leaf eating
	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Lymantria mathura</i> Moore	Lymantriidae	Leaf and flower eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	<i>Rapala pheretimus petosiris</i> Hewitson	Lycaenidae	Leaf eating
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
<i>Eupatorium odoratum</i> Linn. (สาบเสือ)	<i>Aphis citricola</i> van der Goot	Aphididae	Sap sucking
<i>Euphorbia roxburghii</i> Wall. (ไม้ต่างประเทศ)	<i>Opogona</i> sp.	Lyonetiidae	Leaf eating
<i>Euphorbia virosa</i> Baill. (ไม้ต่างประเทศ)	<i>Achaea janata</i> (Linnaeus)	Noctuidae	Leaf eating
	<i>Hyalobathra filalis</i> Guenee	Pyalidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Excoecaria agallocha</i> Linn. (ดาตุ่มทะเล)	<i>Achaea janata</i> (Linnaeus) <i>Hypsipyla robusta</i> Moore	Noctuidae Pyrallidae	Leaf eating Shoot boring
<i>Fernandoa adenophylla</i> Steenis (แคหางค่าง)	<i>Epistictia viridimaculata</i> Boheman <i>Hyblaea puera</i> Cramer <i>Lygaria westermanni</i> Stol	Chrysomelidae Hyblaeidae Chrysomelidae	Leaf eating Leaf eating Leaf eating
<i>Ficus benjamina</i> Linn. (ไทรย้อย)	<i>Euproctis</i> sp. <i>Limenitis procris</i> (Cramer) <i>Perina nuda</i> Walker <i>Trilocha varians</i> (Walker)	Lymantriidae Nymphalidae Lymantriidae Bombycidae	Leaf eating Leaf eating Leaf eating Leaf eating
<i>Ficus callophylla</i> Bl. (ไทร)	<i>Trilocha varians</i> (Walker)	Bombycidae	Flower eating
<i>Ficus capillipes</i> Gagnep. (กะเหรี่ยง)	<i>Trilocha varians</i> (Walker)	Bombycidae	Flower eating
<i>Ficus carica</i> Linn. (มะเดื่อฝรั่ง)	<i>Asota caricae</i> Boisduval <i>Asota plaginota</i> Butler	Noctuidae Noctuidae	Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Ficus hirta</i> Vahl (มะเดื่อหอม)	<i>Asota caricae</i> Boisduval	Noctuidae	Leaf eating
	<i>Asota plaginota</i> Butler	Noctuidae	Leaf eating
	<i>Margaronia itysalis</i> Walker	Pyralidae	Leaf eating
<i>Ficus hispida</i> Linn. f. (มะเดื่อปล้อง)	<i>Asota caricae</i> Boisduval	Noctuidae	Leaf eating
<i>Ficus laevis</i> Bl. (มะเดื่อเทา)	<i>Ancyra</i> sp.	Eurybrachidae	Leaf and shoot sucking
	<i>Apogonia granum</i> Burmeister	Scarabaeidae	Leaf eating
	<i>Danaus chrycippus</i> (Linnaeus)	Nymphalidae	Leaf eating
<i>Ficus microcarpa</i> Linn. f. (ไทรย้อยใบทู่)	<i>Alophogater rubribasis</i> Hampson	Zygaenidae	Leaf eating
	<i>Asota caricae</i> Boisduval	Noctuidae	Leaf eating
	<i>Asota ficus</i> Fabricius	Noctuidae	Leaf eating
	<i>Asota plaginota</i> Butler	Noctuidae	Leaf eating
	<i>Margaronia itysalis</i> Walker	Pyralidae	Leaf eating
	<i>Margaronia negatalis</i> Walker	Pyralidae	Leaf eating
	<i>Margaronia stolalis</i> Guenee	Pyralidae	Leaf eating
	<i>Perina nuda</i> Walker	Lymantriidae	Leaf eating
	<i>Phauda flammans</i> Walker	Zygaenidae	Leaf eating
	<i>Trilocha varians</i> (Walker)	Bombycidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Ficus racemosa</i> Linn. (มะเดื่ออุทุมพร)	<i>Apogonia granum</i> Burmeister	Scarabaeidae	Leaf eating
	<i>Asota caricae</i> Boisduval	Noctuidae	Leaf eating
	<i>Batocera rubus</i> (Linnaeus)	Cerambycidae	Stem boring
	<i>Danaus chrycippus</i> (Linnaeus)	Nymphalidae	Leaf eating
	<i>Euploea godarti</i> Lucas	Nymphalidae	Leaf eating
	<i>Euploea modesta modesta</i> Butler	Nymphalidae	Leaf eating
	<i>Euploea mulciber</i> (Cramer)	Nymphalidae	Leaf eating
	<i>Limenitis procris</i> (Cramer)	Nymphalidae	Leaf eating
<i>Ficus religiosa</i> Linn. (โพศรีมหาโพ)	<i>Asota ficus</i> Fabricius	Noctuidae	Leaf eating
	<i>Margaronia bivitalis</i> Guenee	Pyralidae	Leaf eating
	<i>Olenecamptus bilobus</i> (Fabricius)	Cerambycidae	Stem boring
<i>Ficus rumphii</i> Bl. (โพขี้นก)	<i>Cyrestis nivea</i> (C & R Felder)	Nymphalidae	Leaf eating
	<i>Euploea dioeletiana</i> (Fabricius)	Danaidae	Leaf eating
	<i>Euproctis</i> sp.	Lymantriidae	Leaf eating
<i>Garuga pinnata</i> Roxb. (ตะคร้ำ)	<i>Phacopteron lentiginosum</i> Buckton	Chermidae	Leaf gall
<i>Gigantochloa albociliata</i> Munro (ไผ่ไร่)	<i>Matapa aria</i> Moore	Hesperiidae	Leaf eating
	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot and twig sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Gigantochloa hasskarliana</i> Back. ex K. Heyne (ไผ่ผากมัน)	<i>Cyrtotrachelus dichrous</i> Fairmaire	Curculionidae	Shoot boring
	<i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae	Shoot boring
	<i>Physomerus grossipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Pseudoregma</i> sp.	Pemphigidae	Shoot and twig sucking
<i>Gigantochloa nigrociliatta</i> Kurz (ไผ่ไต้ล่อ)	<i>Dinoderus minutus</i> (Fabricius)	Bostrychidae	Wood boring
	<i>Dinoderus ocellaris</i> Steph.	Bostrychidae	Wood boring
<i>Gliricidia sepium</i> Steud. (แคฝรั่ง)	<i>Toxoptera aurantii</i> (Boyer Ge Fonscolombe)	Aphididae	Shoot and flower sucking
<i>Gmelina arborea</i> Roxb. (ช่อ)	<i>Alcidodes gmelinae</i> Marshall	Curculionidae	Shoot eating
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Bothrogonia</i> sp.	Cicadellidae	Leaf and shoot sucking
	<i>Craspedonta leayana</i> (Latreille)	Chrysomelidae	Leaf eating
	<i>Craspedonta mouhoti</i> Baly	Chrysomelidae	Leaf eating
	<i>Glenea indiana</i> Thomson	Cerambycidae	Stem boring
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Lacoptera quadrimaculata</i> (Thunberg)	Chrysomelidae	Leaf eating
	<i>Philopana mouhoti</i> (Baly)	Chrysomelidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Pionea aureolalis</i> Lederer	Pyralidae	Leaf folding
	<i>Prioptera bimaculata</i> Thunberg	Chrysomelidae	Leaf eating
	<i>Prioptera sexmaculatus</i> Boheman	Chrysomelidae	Leaf eating
	<i>Prioptera westermanni</i> Boheman	Chrysomelidae	Leaf eating
	<i>Ptyelus</i> sp.	Cercopidae	Leaf and shoot sucking
	<i>Ricania</i> sp.	Ricaniidae	Leaf sucking
	<i>Sindiola hospita</i> (Boheman)	Chrysomelidae	Leaf eating
	<i>Spindasis syama terana</i> (Fruhstorfer)	Lycaenidae	Leaf eating
	<i>Tingis beelsoni</i> Drake	Tingidae	Leaf and shoot sucking
	<i>Xyleutes ceramicus</i> Walker	Cossidae	Stem boring
<i>Hedychium</i> sp. (สกุลขิงข่า)	<i>Pentalonia nigronervosa</i> Coquerel	Aphididae	Sap sucking
<i>Heterophragma sulfureum</i> Kurz (แคทรกฟ้า)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Hevea brasiliensis</i> Muell. Arg. (ยางพารา)	<i>Antheraea paphia</i> Linnaeus	Saturniidae	Leaf eating
	<i>Batocera rubus</i> (Linnaeus)	Cerambycidae	Stem boring
	<i>Coccus viridis</i> (Green)	Coccidae	Leaf sucking
	<i>Coptotermes gestroi</i> (Wasmann)	Rhinotermitidae	Stem boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Euproctis scintillans</i> Walker	Lymantriidae	Leaf eating
	<i>Ferrisia virgata</i> (Cockerell)	Pseudococcidae	Shoot and leaf sucking
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Planococcus citri</i> (Risso)	Pseudococcidae	Shoot and leaf sucking
	<i>Pseudococcus adonidum</i> (Linnaeus)	Pseudococcidae	Leaf sucking
	<i>Spodoptera litura</i> (Fabricius)	Noctuidae	Leaf eating
	<i>Tetranychus cinnabarinus</i> (Boifduval)	Tetranychidae	Leaf sucking
08 <i>Hopea ferrea</i> Pierre (ตะเคียนหิน)	<i>Aeolesthes holosericea</i> Fabricius	Cerambycidae	Wood boring
	<i>Tibicen</i> sp.	Cicadidae	Root sucking
<i>Hopea odorata</i> Roxb. (ตะเคียนทอง)	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Archips micaceana</i> (Walker)	Tortricidae	Leaf folding
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Microcerotermes crassus</i> Snyder	Termitidae	Bark feeding
	<i>Dorysthenes</i> sp.	Cerambycidae	Stem boring
	<i>Orgyia turbata</i> Butler	Lymantriidae	Leaf eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
<i>Hydnocarpus anthelminthicus</i> Pierre (กระเบาใหญ่)	<i>Cirrochroa surya siamensis</i> Fruhstorfer	Nymphalidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Inula cappa</i> DC. (หนาดคำ)	<i>Uroleucon acutirostre</i> sp. nov.	Aphididae	Sap sucking
<i>Ipomoea obscura</i> Ker-Gawl. (โตนงวะ)	<i>Acherontia styx</i> Westwood <i>Aspidomorpha miliaris</i> Fabricius <i>Euchromia polymena</i> Linnaeus	Sphingidae Chrysomelidae Arctiidae	Leaf eating Leaf eating Leaf eating
<i>Irvingia malayana</i> Oliv. ex A. Benn. (กระบก)	<i>Sternocera aequisignata</i> Saunders <i>Sternocera ruficornis</i> Saunders <i>Striglina divisata</i> Warren	Buprestidae Buprestidae Thyrididae	Leaf eating (A) Leaf eating (A) Leaf eating
<i>Jacaranda filicifolia</i> D. Don (ศรีตรัง)	<i>Aphis gossypii</i> Glover	Aphididae	Leaf sucking
<i>Kigelia pinnata</i> DC. (ไม้กรอกแอฟริกา)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Lagerstroemia calyculata</i> Kurz (ตะแบกแดง)	<i>Actias selene</i> Helfer <i>Adoretus compressus</i> (Weber) <i>Agrilus birmanicus</i> Kerremans <i>Ancyra</i> sp.	Saturniidae Scarabaeidae Buprestidae Eurybrachidae	Leaf eating Leaf eating Stem boring Shoot and leaf sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Aristobia approximator</i> Thomson	Cerambycidae	Bark eating
	<i>Belionota prasiana</i> Thunberg	Buprestidae	Stem boring
	<i>Celosterna carissima</i> Pasc.	Cerambycidae	Bark eating
	<i>Cleoporus variabilis</i> Baly	Chrysomelidae	Leaf eating
	<i>Heterobostrychus aequalis</i> (Waterhouse)	Bostrychidae	Wood boring
	<i>Heterobostrychus hamatipennis</i> Lesne	Bostrychidae	Wood boring
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Mahasena corbeti</i> Tams	Psychidae	Leaf eating
	<i>Nodostoma</i> sp.	Chrysomelidae	Leaf eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	<i>Sinoxylon</i> sp.	Bostrychidae	Twig and seedling boring
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Toxoptera aurantii</i> (Boyer Ge Fonscolombe)	Aphididae	Flower sucking
	<i>Xanthochelus faunus</i> Olivier	Curculionidae	Leaf eating
<i>Lagerstroemia cuspidata</i> Wall. (จันทน์)	<i>Archips micaceana</i> (Walker)	Tortricidae	Flower eating and leaf folding
	<i>Ericeia inangulata</i> Guenee	Noctuidae	Leaf eating
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Lagerstroemia indica</i> Linn. (ยี่เข่ง)	<i>Attacus atlas</i> Linnaeus <i>Calliteara mendosa</i> Hubner <i>Orgyia postica</i> Walker	Saturniidae Lymantriidae Lymantriidae	Leaf eating Leaf eating Leaf eating
<i>Lagerstroemia loudonii</i> Teijsm. & Binn. (อินทรีชิต)	<i>Apoderus notatus</i> Fabricius <i>Aristobia approximator</i> Thomson <i>Euproctis</i> sp. <i>Sagra femorata purpurea</i> Lichtenstein <i>Scopelodes testacea</i> Butler	Attelabidae Cerambycidae Lymantriidae Chrysomelidae Limaconidae	Leaf rolling Bark eating Flower eating Leaf eating Leaf eating
<i>Lagerstroemia macrocarpa</i> Wall. (อินทนิลบก)	<i>Adoretus compressus</i> (Weber) <i>Aetheomorpha nigropicta</i> Lefebvre <i>Anthene emolus emolus</i> Godt. <i>Apoderus notatus</i> Fabricius <i>Apogonia granum</i> Burmeister <i>Aristobia approximator</i> Thomson <i>Calliteara horsfieldii</i> Saunders <i>Hypomeces squamosus</i> (Fabricius) <i>Mahasena corbetti</i> Tams <i>Odonestis vita</i> Moore <i>Toxoptera aurantii</i> (Boyer Ge Fonscolombe)	Scarabaeidae Chrysomelidae Lycaenidae Attelabidae Scarabaeidae Cerambycidae Lymantriidae Curculionidae Psychidae Lasiocampidae Aphididae	Leaf eating Leaf eating Leaf eating Leaf rolling Leaf eating Bark eating Leaf eating Leaf eating Leaf eating Leaf eating Flower sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Lagerstroemia speciosa</i> Pers. (อินทนิลน้ำ)	<i>Xanthochelus faunus</i> Olivier	Curculionidae	Leaf eating
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
	<i>Adoretus compressus</i> (Weber)	Scarabaeidae	Leaf eating
	<i>Aetheomorpha nigropicta</i> Lefebvre	Chrysomelidae	Leaf eating
	<i>Ancyra</i> sp.	Eurybrachidae	Shoot and leaf sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot sucking
	<i>Anthene emolus emolus</i> Godt.	Lycaenidae	Leaf eating
	<i>Aplosonyx</i> sp.	Chrysomelidae	Leaf eating
	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Aristobia approximator</i> Thomson	Cerambycidae	Bark eating
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Calliteara grotei</i> Moore	Lymantriidae	Leaf eating
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Celosterna carissima</i> Pasc.	Cerambycidae	Bark eating
	<i>Cleoporus variabilis</i> Baly	Chrysomelidae	Leaf eating
	<i>Colasposoma igneicolle</i> Baly	Chrysomelidae(Eumolpinae)	Leaf eating
	<i>Colasposoma</i> sp.	Chrysomelidae(Eumolpinae)	Leaf eating
<i>Habroloma</i> sp.	Buprestidae	Leaf mining	
<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating	
<i>Leptotaspis semicrosea</i> Jacoby	Cercopidae	Shoot sucking	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Lygaria westermanni</i> Stol	Chrysomelidae	Leaf eating
	<i>Mahasena corbetti</i> Tams	Psychidae	Leaf eating
	<i>Nodostoma</i> sp.	Chrysomelidae	Leaf eating
	<i>Odonestis vita</i> Moore	Lasiocampidae	Leaf eating
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Platytrachelus</i> sp.	Curculionidae	Leaf eating
	<i>Ptyelus</i> sp.	Cercopidae	Leaf sucking
	<i>Ricania</i> sp.	Ricaniidae	Shoot sucking
	<i>Sagra femorata purpurea</i> Lichtenstein	Chrysomelidae	Leaf eating
	<i>Selepa celtis</i> Moore	Noctuidae	Leaf eating
	<i>Sinoxylon</i> sp.	Bostrychidae	Twig boring
	<i>Solenostethium rubropunctatum</i> Guerin	Scutelleridae	Shoot sucking
	<i>Toxoptera aurantii</i> (Boyer Ge Fonscolombe)	Aphididae	Flower sucking
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
	<i>Trachys bicolor</i> Kerremans	Buprestidae	Leaf mining
	Unidentified species	Pyralidae	Leaf folding
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
<i>Lagerstroemia tomemto</i> Presl (เสลด)	<i>Adoretus compressus</i> (Weber)	Scarabaeidae	Leaf eating
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Antheraea paphia</i> Linnaeus	Saturniidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Apoderus notatus</i> Fabricius <i>Apogonia granum</i> Burmeister <i>Aristobia approximator</i> Thomson <i>Celosterna carissima</i> Pasc. <i>Hypomeces squamosus</i> (Fabricius) <i>Sagra femorata purpurea</i> Lichtenstein	Attelabidae Scarabaeidae Cerambycidae Cerambycidae Curculionidae Chrysomelidae	Leaf rolling Leaf eating Bark eating Bark eating Leaf eating Leaf eating
<i>Lepisanthes fruticosa</i> Leenh. (ข่ามะเรียง)	<i>Eublemma versicolora</i> Walker	Noctuidae	Flower eating
<i>Lepisanthes rubiginosa</i> Leenh. (มะทวด)	<i>Autoba brachygonia</i> (Hampson) <i>Calyptra excavata</i> Butler <i>Danaus chrycippus</i> (Linnaeus) <i>Dasychira mendosa</i> Hubner <i>Dichocrosis punctiferalis</i> Guenee <i>Eublemma abrupta</i> Walker <i>Eublemma brachygonia</i> Hampson <i>Facidia venosa</i> Hubner <i>Hypaetra noctuoides</i> Guenee <i>Hypomeces squamosus</i> (Fabricius) <i>Pingasa ruginaria</i> Guenee	Noctuidae Noctuidae Nymphalidae Lymantriidae Pyralidae Noctuidae Noctuidae Noctuidae Noctuidae Curculionidae Geometridae	Flower, fruit and leaf eating Leaf eating Leaf eating Leaf eating Flower eating Flower eating Flower eating Leaf eating Leaf eating Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Leucaena diversifolia</i> (ไม้ต่างประเทศ)	<i>Plusiodonta coelonota</i> Kollar	Noctuidae	Leaf eating
	<i>Rapala pheretimus petosiris</i> Hewitson	Lycaenidae	Leaf eating
	<i>Serrodes campana</i> Guenee	Noctuidae	Leaf eating
	<i>Stauropus sikkimensis</i> Moore	Notodontidae	Leaf eating
<i>Leucaena leucocephala</i> de Wit (กระถินยักษ์หรือกระถินไทย)	<i>Aetheomorpha nigropicta</i> Lefebvre	Chrysomelidae	Leaf eating
	<i>Heteropsylla cubana</i> Crawford	Psyllidae	Leaf and shoot sucking
	<i>Niphona</i> sp.	Cerambycidae	Bark eating
	<i>Sinoxylon anale</i> Lesne	Bostrychidae	Stem and twig boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Stem and twig boring
<i>Licuala grandis</i> Wendl. (ปาล์มจีบ)	<i>Acherontia styx</i> Westwood.	Sphingidae	Leaf eating
	<i>Erionota thrax thrax</i> Linnaeus	Hesperiidae	Leaf rolling
	<i>Gangara thyraxis thyraxis</i> Fabricius	Hesperiidae	Leaf rolling
<i>Suastus gremius gremius</i> Fabricius	Hesperiidae	Leaf rolling	
<i>Litsea glutinosa</i> C.B. Robinson (หมีเหม็น)	<i>Ophiusa coronata</i> Fabricius	Noctuidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Litsea grandis</i> Hook.f. (กระทิงใบใหญ่)	<i>Zeuzera indica</i> Walker	Cossidae	Stem boring
<i>Mammea siamensis</i> Kosterm. (สารภี)	<i>Agathia lycaenaria</i> Kollar	Geometridae	Leaf eating
	<i>Selepa celtis</i> Moore	Noctuidae	Leaf eating
<i>Mangifera indica</i> Linn. (มะม่วง)	<i>Amblyrrhinus poricollis</i> Boheman	Curculionidae	Flower eating
	<i>Cryptorrhynchus frigidus</i> Fabricius	Curculionidae	Seed boring
	<i>Cryptorrhynchus mangiferae</i> Fabricius	Curculionidae	Seed boring
	<i>Dasyneura mangeferae</i> Felt	Itonididae	Flower eating
	<i>Idioscopus niveosparsus</i> (Lethierry)	Cicadellidae	Flower feeding
	<i>Lymantria nigra</i> Moore	Lymantriidae	Flower and fruit eating
	<i>Monolepta orientalis</i> Jacoby	Chrysomelidae	Flower eating
<i>Toxoptera odinae</i> (van der Goot)	Aphididae	Sap sucking	
<i>Mangifera pentandra</i> Hook. f. (มะม่วงป่า)	<i>Batocera rubus</i> (Linnaeus)	Cerambycidae	Stem boring
	<i>Belionota prasiana</i> Thunberg	Buprestidae	Stem boring
	<i>Calliteara mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Coccus hesperidum</i> Linnaeus	Coccidae	Shoot sucking
	<i>Euthalia alpheda jama</i> (C. & R. Felder)	Nymphalidae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Lymantria mathura</i> Moore	Lymantriidae	Leaf and flower eating
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Pachyteria dimidiata</i> Westwood	Cerambycidae	Stem boring
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	<i>Planococcus citri</i> (Risso)	Pseudococcidae	Shoot and leaf sucking
	<i>Plocaederus obesus</i> Gahan	Cerambycidae	Wood boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Stem boring
	<i>Spodoptera litura</i> (Fabricius)	Noctuidae	Leaf eating
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Stem boring
	<i>Stromatium barbatum</i> (Fabricius)	Cerambycidae	Wood boring
	<i>Toxoptera aurantii</i> (Boyer Ge Fonscolombe)	Aphididae	Flower sucking
	<i>Zeuzera indica</i> Walker	Cossidae	Stem boring
<i>Markhamia stipulata</i> Seem. (แคหัวหมู)	<i>Cionus albopunctatus</i> Aurivillius	Curculionidae	Leaf eating
	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
	<i>Lygaria westermanni</i> Stol	Chrysomelidae	Leaf eating
<i>Melanorrhoea usitata</i> Wall. (จักใหญ่)	<i>Cryptorrhynchus inglerius</i> Boheman	Curculionidae	Seed boring
<i>Melia azedarach</i> Linn. (เลี่ยน)	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Melodorum fruticosum</i> Lour. (ลำคาวน)	<i>Graphium agamemnon</i> (Linnaeus)	Papilionidae	Leaf eating
<i>Memecylon edule</i> Roxb. (พลองเหมือด)	Unidentified species	Zygaenidae	Leaf eating
<i>Mesua ferrea</i> Linn. (ขุนาค)	<i>Graphium doson</i> Fabricius	Papilionidae	Leaf eating
	<i>Greenideoida ceyloniae</i> van der Goot.	Aphididae	Leaf sucking
	<i>Kunugia latipennis</i> Walker	Lasiocampidae	Leaf eating
	<i>Thamnurgides grandis</i> Beeson	Scolytidae	Fruit boring
	<i>Toxoptera aurantii</i> (Boyer Ge Fonscolombe)	Aphididae	Flower sucking
<i>Michelia champaca</i> Linn. (จำปา)	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot and seedling sucking
	<i>Arbela phaga</i> Swinhoe	Metarbelidae	Bark boring
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Coccus longulus</i> (Douglas)	Coccidae	Leaf sucking
	<i>Cryptothelea destructor</i> Dudgeon	Psychidae	Leaf eating
	<i>Meroctena tullais</i> Walker	Pyralidae	Leaf eating
	<i>Narosa lacteola</i> Swinhoe	Limacodidae	Leaf eating
	<i>Oryzaephilus surinamensis</i> (Linnaeus)	Cucujidae	Seed boring
	<i>Papilio agamemnon agamemnon</i> Linnaeus	Papilionidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Papilio doson axion</i> Felder <i>Papilio eurypylus cheronus</i> Fruhstorfer <i>Zeuzera coffeae</i> Nietner	Papilionidae Papilionidae Cossidae	Leaf eating Leaf eating Stem boring
<i>Millingtonia hortensis</i> Linn. f. (เป็บบ)	<i>Hyblaea puera</i> Cramer <i>Parasa lepida</i> Cramer <i>Psilogramma menephron</i> (Cramer)	Hyblaeidae Limacodidae Sphingidae	Leaf eating Leaf eating Leaf eating
<i>Mimusops elengi</i> Linn. (พิกุล)	<i>Chrysobothris indica</i> Castelnau & Gory <i>Hypomeces squamosus</i> (Fabricius) <i>Pachyteria dimidiata</i> Westwood	Buprestidae Curculionidae Cerambycidae	Stem boring Leaf eating Stem boring
<i>Mitragyna javanica</i> Koord. & Val. (กระท่อม)	<i>Miresa albipuncta</i> Herrick-Schaffer	Limacodidae	Leaf eating
<i>Mitragyna</i> sp. (สกุลกระท่อม)	<i>Aspidomorpha sanctaecrucis</i> Fabricius <i>Lymantria mathura</i> Moore	Chrysomelidae Lymantriidae	Leaf eating Leaf, flower eating
<i>Morinda angustifolia</i> Roxb. (ยอหิน)	<i>Limenitis procris</i> (Cramer)	Nymphalidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Morinda citrifolia</i> Linn. (ยอบ้าน)	<i>Hedylepta chagosalis</i> Fletcher <i>Hippotion velox</i> Fabricius <i>Macroglossum sitiene</i> Walker	Pyralidae Sphingidae Sphingidae	Leaf eating Leaf eating Leaf eating
<i>Morinda coreia</i> Ham. (ยอป่า)	<i>Bothrogonia</i> sp. <i>Hypomeces squamosus</i> (Fabricius) <i>Limenitis procris</i> (Cramer) <i>Macroglossum</i> sp. <i>Phyllotreta</i> sp.	Cicadellidae Curculionidae Nymphalidae Sphingidae Chrysomelidae	Leaf sucking Leaf eating Leaf eating Leaf eating Leaf eating
<i>Muntingia calabura</i> Linn. (ตะขบฝรั่ง)	<i>Indarbela tetraonis</i> Moore	Metarbelidae	Bark eating
<i>Murraya paniculata</i> Jack (แก้ว)	<i>Harosa</i> sp. nr. <i>contemta</i> Ptotz. <i>Sinomegoura citricola</i> (van der Goot)	Hesperiidae Aphididae	Leaf eating Sap sucking
<i>Mussaenda</i> sp. (สกุลไม้ต่างดอก)	<i>Toxoptera odinae</i> (van der Goot)	Aphididae	Sap sucking
<i>Nephelium hypoleucum</i> Kurz (คอแลน)	<i>Serrododes partita</i> (Fabricius)	Noctuidae (Ophiderinae)	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Oroxylum indicum</i> Vent. (เพกา)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Paederia tomentosa</i> Bl. (ย่านพาโหม)	<i>Aulacorthum nipponicum</i> (Essig & Kuwana)	Aphididae	Sap sucking
<i>Parvatia brunoniana</i> Decne	<i>Adris okurai</i> Okano	Noctuidae	Leaf eating
<i>Paulownia fortunei</i> (ไม้ต่างประเทศ)	<i>Alcidodes</i> sp.	Curculionidae	Midrib eating and shoot boring
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Bothrogonia</i> sp.	Cicadellidae	Leaf sucking
	<i>Psilogramma menephron</i> (Cramer)	Sphingidae	Leaf eating
<i>Peltophorum pterocarpum</i> Back. ex Heyne (นนทรี)	<i>Aristobia approximator</i> Thomson	Cerambycidae	Bark eating
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating and stem boring
	<i>Leptocentrus</i> sp.	Membracidae	Shoot sucking
	<i>Lymantria</i> sp.	Lymantriidae	Leaf eating
	<i>Myllocerus</i> sp.	Curculionidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Neos tauropus alternus</i> Walker	Notodontidae	Leaf eating
	<i>Orgyia turbata</i> Butler	Lymantriidae	Leaf eating
	<i>Pericyma cruegeri</i> Butler	Noctuidae	Leaf eating
	<i>Phrixopogon</i> sp.	Curculionidae	Leaf eating
	<i>Phytoscaphus</i> sp.	Curculionidae	Leaf eating
	<i>Plocaederus fulvicornis</i> Guerin	Cerambycidae	Stem boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Twig boring
	Unidentified species	Psychidae	Leaf eating
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
<i>Phyllanthus emblica</i> L. (มะขามป้อม)	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Parallelia joviana</i> (Stoll)	Noctuidae(Catocalinae)	Leaf eating
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A)
<i>Pinus caribaea</i> Morelet (ไม้ต่างประเทศ)	<i>Kunugia latipennis</i> Walker	Lasiocampidae	Leaf eating
	<i>Nesodiprion biremis</i> Konow	Diprionidae	Leaf eating
<i>Pinus kesiya</i> Royle ex Gordon (สนสามใบ)	<i>Acathocinus hutacharernae</i> Makihara	Cerambycidae (Lamiinae)	Stem boring
	<i>Agrotis ipsilon</i> Hufnagel	Noctuidae	Leaf and seedling eating
	<i>Aphrophora</i> sp.	Cercopidae	Twig sucking
	<i>Aularches miliaris</i> Linnaeus	Pyrgomorphidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Chalioides</i> sp.	Psychidae	Leaf eating
	<i>Cinara piniformosana</i> (Takahashi)	Aphididae	Shoot sucking
	<i>Cryphalus kesiyae</i> Browne	Scolytidae	Bark boring
	<i>Dioryctria abietella</i> Denis & Schiffermuller	Pyralidae	Shoot and cone boring
	<i>Dioryctria sylvestrella</i> Ratzeburg	Pyralidae	Shoot and cone boring
	<i>Diprion hutacharernae</i> Smith	Diprionidae	Leaf eating
	<i>Diprion</i> sp.	Diprionidae	Leaf eating
	<i>Gilpinia leksawadii</i> Smith	Diprionidae	Leaf eating
	<i>Gilpinia marshalli</i> Forsius	Diprionidae	Leaf eating
	<i>Ips acuminatus</i> Gyllenhal	Scolytidae	Bark boring
	<i>Ips sexdentatus</i> Boener	Scolytidae	Bark boring
	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Kunugia latipennis</i> Walker	Lasiocampidae	Leaf eating
	<i>Nesodiprion biremis</i> Konow	Diprionidae	Leaf eating
	<i>Petrova khasiensis</i> Miller	Tortricidae	Shoot and cone boring
	<i>Petrova salweenensis</i> Miller	Tortricidae	Shoot and cone boring
	<i>Phloeosinus kesiya</i> Browne	Scolytidae	Bark boring
	<i>Polygraphus aterrimus</i> Strohmeyer	Scolytidae	Bark boring
	<i>Polygraphus major</i> Stebbing	Scolytidae	Bark boring
	<i>Recurvaria</i> sp.	Gelechiidae	Leaf eating
	<i>Rhyacionia cristata</i> Walsingham	Tortricidae	Shoot and cone boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	Scale insect	Lacciferidae	Leaf sucking
	Unidentified species	Scarabaeidae	Root eating
	Unidentified species	Tortricidae	Seedling eating
	Unidentified species	Tortricidae	Shoot and cone boring
	Unidentified species	Cecidomyiidae	Shoot boring
	Unidentified species	Pyralidae	Shoot boring
	<i>Xyleborus pinicola</i> Eggers	Scolytidae	Bark boring
<i>Pinus merkusii</i> Jungh. & de Vriese (สนสองใบ)	<i>Agrotis ipsilon</i> Hufnagel	Noctuidae	Leaf and seedling eating
	<i>Aphrophora</i> sp.	Cercopidae	Twig sucking
	<i>Aularches miliaris</i> Linnaeus	Pyrgomorphidae	Leaf eating
	<i>Chalioides</i> sp.	Psychidae	Leaf eating
	<i>Cinara piniformosana</i> (Takahashi)	Aphididae	Shoot sucking
	<i>Cryphalus kesiyae</i> Browne	Scolytidae	Bark boring
	<i>Dioryctria abietella</i> Denis & Schiffermuller	Pyralidae	Shoot and cone boring
	<i>Dioryctria sylvestrella</i> Ratzeburg	Pyralidae	Shoot and cone boring
	<i>Diprion hutacharernae</i> Smith	Diprionidae	Leaf eating
	<i>Diprion</i> sp.	Diprionidae	Leaf eating
	<i>Gilpinia leksawadii</i> Smith	Diprionidae	Leaf eating
	<i>Gilpinia marshalli</i> Forsius	Diprionidae	Leaf eating

* Makihara. (1986)

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Ips acuminatus</i> Gyllenhal	Scolytidae	Bark boring
	<i>Ips sexdentatus</i> Boener	Scolytidae	Bark boring
	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Kunugia latipennis</i> Walker	Lasiocampidae	Leaf eating
	<i>Nesodiprion biremis</i> Konow	Diprionidae	Leaf eating
	<i>Petrova khasiensis</i> Miller	Tortricidae	Shoot and cone boring
	<i>Petrova salweenensis</i> Miller	Tortricidae	Shoot and cone boring
	<i>Phloeosinus kesiya</i> Browne	Scolytidae	Bark boring
	<i>Polygraphus aterrimus</i> Strohmeyer	Scolytidae	Bark boring
	<i>Polygraphus major</i> Stebbing	Scolytidae	Bark boring
	<i>Recurvaria</i> sp.	Gelechiidae	Leaf eating
	<i>Rhyacionia cristata</i> Walsingham	Olethreutidae	Shoot and cone boring
	Scale insect	Lacciferidae	Leaf sucking
	Unidentified species	Scarabaeidae	Root eating
	Unidentified species	Tortricidae	Seedling eating
	Unidentified species	Olethreutidae	Shoot and cone boring
	Unidentified species	Cecidomyiidae	Shoot boring
	Unidentified species	Pyralidae	Shoot boring
	<i>Xyleborus pinicola</i> Eggers	Scolytidae	Bark boring
<i>Pithecellobium dulce</i> Benth. (มะขามเทศ)	<i>Argyroploce illepida</i> Butler	Olethreutidae	Pod boring
	<i>Eucosma stereoma</i> Meyrick	Eucosmidae	Flower eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Euproctis scintillans</i> Walker	Lymantriidae	Leaf, flower and young fruit eating
	<i>Eurema hecabe</i> Linnaeus	Pieridae	Leaf eating
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating
	<i>Sinoxylon</i> sp.	Bostrychidae	Twig and seedling boring
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A)
<i>Polyscias filicifolia</i> Baill. (ครุทกนก)	<i>Toxoptera odinae</i> (van der Goot)	Aphididae	Sap sucking
<i>Polyscias fruticosa</i> Harms (ครุทผักชี)	<i>Aphis citricola</i> van der Goot	Aphididae	Sap sucking
<i>Premna latifolia</i> Roxb. (หมูหมั่น)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Premna pyramidata</i> Wall. (เป็ยด)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Premna tomentosa</i> Willd. (สักขี้ไก่)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Pterocarpus indicus</i> Willd. (ประจูดำ)	<i>Acanthopsyche minima</i> Hampson <i>Aristobia horridula</i> (Hope)	Psychidae Cerambycidae	Leaf eating Stem boring (L) and bark eating (A)
<i>Pterocarpus macrocarpus</i> Kurz (ประจูด)	<i>Adoretus compressus</i> (Weber) <i>Agrilus salweenensis</i> Stebbing <i>Anomala polita</i> Blandchard <i>Apogonia</i> sp. <i>Aristobia horridula</i> (Hope) <i>Arrhines</i> sp. <i>Astycus lateralis</i> Fabricius <i>Aulacophora</i> sp. <i>Baryrrhinus</i> sp. <i>Calliteara horsfieldii</i> Saunders <i>Chrysobothris sexnotata</i> Gory <i>Cionus albopunctatus</i> Aurivillius <i>Clytrasoma palliatus</i> (Fabricius) <i>Coccotrypes fallax</i> (Eggers) <i>Colasposoma igneicolle</i> Baly <i>Colasposoma</i> sp.	Scarabaeidae Buprestidae Scarabaeidae Scarabaeidae Cerambycidae Curculionidae Curculionidae Chrysomelidae Curculionidae Lymantriidae Buprestidae Curculionidae Chrysomelidae (Clytrinae) Scolytidae Chrysomelidae (Eumolpinae) Chrysomelidae (Eumolpinae)	Leaf eating Stem boring Root eating Leaf eating Stem boring (L) and bark eating (A) Leaf eating Leaf eating Leaf eating Leaf eating Leaf eating Wood boring Leaf eating Leaf eating Pod boring Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Diapromorpha</i> sp.	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Episomus</i> sp.	Curculionidae	Leaf eating
	<i>Ericeia</i> sp.	Noctuidae	Leaf eating
	<i>Heterobostrychus aequalis</i> (Waterhouse)	Bostrychidae	Wood boring
	<i>Heterobostrychus hamatipennis</i> Lesne	Bostrychidae	Wood boring
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating
	<i>Lymantria</i> sp.	Lymantriidae	Leaf eating
	<i>Miochira unifasciata</i> Pic.	Chrysomelidae	Leaf eating
	<i>Moechotypa</i> sp.	Cerambycidae	Stem boring
	<i>Myllocerus</i> sp.	Curculionidae	Leaf eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	<i>Phrixopogon</i> sp.	Curculionidae	Leaf eating
	<i>Phytoscaphus</i> sp.	Curculionidae	Leaf eating
	<i>Platytrachelus paviei</i> Aurivillius	Curculionidae	Leaf eating
	<i>Plecoptera reflexa</i> Guenee	Noctuidae	Leaf eating
	<i>Pollendera nr. remicornis</i> Marshall	Curculionidae	Leaf eating
	<i>Rhaphuma motschulskyi</i> Ganglbauer	Cerambycidae	Wood boring
	<i>Ricania</i> sp.	Ricaniidae	Leaf sucking
	<i>Scelodonta vittata</i> (Olivier)	Chrysomelidae	Leaf eating
	<i>Sinoxylon</i> sp.	Bostrychidae	Twig boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Spanioneuna</i> sp. n. near <i>S. quadrimaculata</i> Crawford	Psyllidae	Shoot and stem sucking
	<i>Sternocera aequesignata</i> Saunders	Buprestidae	Leaf eating
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating
	<i>Trichochrysea severini</i> (Jacoby)	Chrysomelidae	Leaf eating
	<i>Xystrocera globosa</i> (Olivier)	Cerambycidae	Wood boring
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Twig boring
<i>Ptychosperma macarthurii</i> Nichols. (หมากเขียว)	<i>Elymnias hypermnestra</i> Linnaeus	Nymphalidae	Leaf eating
	<i>Mahasena corbetti</i> Tams	Psychidae	Leaf eating
<i>Pyrostegia venusta</i> Miers (พวงแสด)	<i>Acherontia styx</i> Westwood	Sphingidae	Leaf eating
<i>Quercus</i> spp. (ก่อ)	<i>Buprestis keshmirensis</i> Fairmaire	Buprestidae	Wood boring
	<i>Lymantria mathura</i> Moore	Lymantriidae	Leaf eating
	<i>Malacosoma neuustria</i> Linnaeus	Lasiocampidae	Leaf eating
	<i>Prionus corpulentus</i> Bates	Cerambycidae	Wood boring
<i>Raphistemma pulchellum</i> Wall. (ข้าวสารดอกใหญ่)	<i>Danaus chrycippus chrycippus</i> Linnaeus	Nymphalidae	Leaf eating
	<i>Danaus plexippus plexippus</i> Linnaeus	Nymphalidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Danaus</i> sp.	Nymphalidae	Leaf eating
<i>Rauwenhoffia siamensis</i> Scheff. (นมแมว)	<i>Papilio agamemnon agamemnon</i> Linnaeus <i>Papilio antiphates pompilius</i> Fabricius <i>Papilio eurypylus cheronus</i> Fruhstorfer	Papilionidae Papilionidae Papilionidae	Leaf eating Leaf eating Leaf eating
<i>Rhapis excelsa</i> Henry (จิ้ง)	<i>Cyrtotrachelus dichrous</i> Fairmaire <i>Cyrtotrachelus longimanus</i> Fabricius	Curculionidae Curculionidae	Shoot boring Shoot boring
<i>Rhizophora apiculata</i> Bl. (โกงกางใบเล็ก)	<i>Cleora injectaria</i> Walker <i>Coccotrypes fallax</i> (Eggers) <i>Cryptophlebia lasiandra</i> Meyrick <i>Hyblaea puera</i> Cramer <i>Hypomeces squamosus</i> (Fabricius)	Geometridae Scolytidae Tortricidae Hyblaeidae Curculionidae	Leaf eating Pod boring Hypocotyl boring Leaf eating Leaf eating
<i>Rhizophora mucronata</i> Poir. (โกงกางใบใหญ่)	<i>Archips micaceana</i> (Walker) <i>Coccotrypes fallax</i> (Eggers) <i>Hyblaea puera</i> Cramer <i>Indarbela quadrinotata</i> Walker <i>Zeuzera coffeae</i> Nietner	Tortricidae Scolytidae Hyblaeidae Metarbelidae Cossidae	Leaf folding Pod boring Leaf eating Bark feeding Stem boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Rubus</i> sp. (ตะระกูดไม้)	<i>Aphis longisetosa</i> A.N.Basu	Aphididae	Sap sucking
	<i>Micromyzus judenkoi</i> Carver	Aphididae	Sap sucking
<i>Salix babylonica</i> Linn. (ทลิว)	<i>Coccus hesperidum</i> Linnaeus	Coccidae	Shoot sucking
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	<i>Planococcus citri</i> (Risso)	Pseudococcidae	Shoot and leaf sucking
<i>Samanea saman</i> Merr. (จามจุรี)	<i>Aeolesthes aurifaber</i> White	Cerambycidae	Stem and twig boring
	<i>Agrilus</i> sp.	Buprestidae	Bark eating
	<i>Archips micaceana</i> (Walker)	Tortricidae	Leaf folding
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Chrysobothris</i> sp.	Buprestidae	Bark eating
	<i>Coptops aedificator</i> (Fabricius)	Cerambycidae	Stem boring
	<i>Coptops annulipes</i> Gahan	Cerambycidae	Stem boring
	<i>Dysmicoccus neobrevipes</i> Beardley	Pseudococcidae	Leaf sucking
	<i>Ferrisia virgata</i> (Cockerell)	Pseudococcidae	Leaf and stem sucking
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Indarbela quadrinotata</i> Walker	Metarbelidae	Bark feeding
	<i>Kerria lacca</i> (Kerremann)	Lacciferidae	Sap sucking
	<i>Oncideres tessellata</i> Thomson	Cerambycidae	Shoot and bark eating
<i>Orygia postica</i> Walker	Lymantriidae	Leaf eating	

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Sandoricum koetjape</i> Merr. (กระต๊อ)	<i>Perissus femoralis</i> Chevrolat	Cerambycidae	Stem boring
	<i>Polydesma boarmioides</i> Guenee	Noctuidae	Leaf eating
	<i>Rhesala inconcinna</i> Walker	Noctuidae	Leaf eating
	<i>Rhesala moestalis</i> Walker	Noctuidae	Leaf eating
	<i>Sinoxylon</i> sp.	Bostrychidae	Twig and seedling boring
	<i>Strongylium erythrocephalum</i> (Fabricius)	Tenebrionidae	Wood boring
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
	Unidentified species	Aleyrodidae	Stem and leaf sucking
	Unidentified species	Cicadellidae	Stem and leaf sucking
	<i>Xystrocera globosa</i> (Olivier)	Cerambycidae	Stem boring
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Homona difficilis</i> (Meyrick)	Tortricidae	Leaf rolling
	<i>Hypolycaena erylus himavantus</i> Fruhstorfer	Lycaenidae	Fruit and young leaf eating
	<i>Leucinodes insolitalis</i> Walker	Pyralidae	Leaf eating
	<i>Mahasena corbeti</i> Tams	Psychidae	Leaf eating
	<i>Parallelia crameri</i> (Moore)	Noctuidae	Leaf eating
	<i>Salma</i> sp.	Pyralidae	Leaf eating
	<i>Selepa celtis</i> Moore	Noctuidae	Leaf eating
	<i>Spoladea recurvalis</i> (Fabricius)	Pyralidae	Leaf eating
<i>Tamba reduplicalis</i> Walker	Noctuidae	Leaf eating	

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Schleichera oleosa</i> Merr. (ตะคร้อ)	<i>Targalla delatrix</i> (Guenee)	Noctuidae	Leaf eating
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Cricula trifenestrata</i> Helfer	Saturniidae	Leaf eating
	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Ectropis bhurmitra</i> Walker	Geometridae	Leaf eating
	<i>Holotrichia serrata</i> Fabricius	Scarabaeidae	Root eating
	<i>Scopelodes testacea</i> Butler	Limacodidae	Leaf eating
	<i>Serrododes campana</i> Guenee	Noctuidae	Leaf eating
<i>Schoutenias glomerata</i> King (รวมผึ้ง)	<i>Tessaratomya javanica</i> Thomson	Pentatomidae	Shoot sucking
	<i>Archips micaceana</i> (Walker)	Tortricidae	Flower eating and leaf folding
<i>Schreberia swietenoides</i> Roxb. (มะกอกตอน)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Sesbania grandiflora</i> Desv. (แคบ้าน)	<i>Aphis gossypii</i> Glover	Aphididae	Leaf sucking
	<i>Microdontomerus</i> sp.	Torymidae	Seed boring
	<i>Toxoptera aurantii</i> (Boyer Ge Fonscolombe)	Aphididae	Flower sucking
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Shorea obtusa</i> Wall (เต็ง)	<i>Aeolesthes holosericea</i> Fabricius <i>Apoderus notatus</i> Fabricius <i>Apoleon edax</i> Gorh. <i>Attacus atlas</i> Linnaeus <i>Baryrrhinus</i> sp. <i>Chlorophorus hederatus</i> Hell. <i>Euproctis bipunctapex</i> Hampson <i>Glenea spilota</i> Thomson <i>Hoplocerambyx spinicornis</i> Newman <i>Olenecamptus bilobus</i> (Fabricius) <i>Plocaederus obesus</i> Gahan <i>Polygraphus major</i> Stebbing <i>Sitophilus rugicollis</i> Casey <i>Sphaerotrypes assamensis</i> Stebbing <i>Sternocera aequisignata</i> Saunders <i>Sternocera ruficornis</i> Saunders <i>Tibicen</i> sp.	Cerambycidae Attelabidae Bostrychidae Saturniidae Curculionidae Cerambycidae Lymantriidae Cerambycidae Cerambycidae Cerambycidae Cerambycidae Scolytidae Curculionidae Scolytidae Buprestidae Buprestidae Cicadidae	Wood boring Leaf eating Wood boring Leaf eating Leaf eating Stem boring Leaf eating Wood boring Wood boring Wood boring Wood boring Bark eating Seed boring Bark eating Leaf eating (A) Leaf eating (A) Root sucking
<i>Shorea roxburghii</i> G. Don (พะยอม)	<i>Achaea janata</i> (Linnaeus) <i>Aeolesthes holosericea</i> Fabricius <i>Alcidodes dipteroearpi</i> Marshall	Noctuidae Cerambycidae Curculionidae	Leaf eating Wood boring Seed boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Arhopala atosia jahara</i> Corbet	Lycaenidae	Leaf eating
	<i>Glyphodes</i> sp.	Pyralidae	Leaf folding
	<i>Haplocerambyx spinicornis</i> Newman	Cerambycidae	Wood boring
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Olenecamptus bilobus</i> (Fabricius)	Cerambycidae	Wood boring
	<i>Sphaerotrypes assamensis</i> Stebbing	Scolytidae	Bark boring
	<i>Sternocera aequisignata</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Tibicen</i> sp.	Cicadidae	Root sucking
Unidentified species	Psychidae	Leaf eating	
<i>Shorea siamensis</i> Miq. (๕๓)	<i>Aeolesthes holosericea</i> Fabricius	Cerambycidae	Wood boring
	<i>Alcidodes diptercarpi</i> Marshall	Curculionidae	Seed boring
	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Arrhines</i> sp.	Curculionidae	Leaf eating
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Baryrrhinus</i> sp.	Curculionidae	Leaf eating
	<i>Bruchidius uberatus</i> Fabricius	Bruchidae	Seed boring
	<i>Callosobruchus chinensis</i> (Linnaeus)	Bruchidae	Seed boring
<i>Dichocrosis leptalis</i> Hampson	Pyralidae	Fruit boring	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Episomus</i> sp. <i>Glenea spilota</i> Thomson <i>Glyphodes</i> sp. <i>Holocerambyx spinicornis</i> Newman <i>Hypomeces squamosus</i> (Fabricius) <i>Narathura aedias</i> (Hewitson) <i>Olenecamptus bilobus</i> (Fabricius) <i>Polygraphus major</i> Stebbing <i>Sphaerotrypes assamensis</i> Stebbing <i>Sternocera aquisignata</i> Saunders <i>Sternocera ruficornis</i> Saunders <i>Tibicen</i> sp. <i>Zeuzera coffeae</i> Nietner	Curculionidae Cerambycidae Pyralidae Cerambycidae Curculionidae Lycaenidae Cerambycidae Scolytidae Scolytidae Buprestidae Buprestidae Cicadidae Cossidae	Leaf eating Wood boring Leaf folding Wood boring Leaf eating Leaf eating Wood boring Bark boring Bark boring Leaf eating (A) Leaf eating (A) Root sucking Twig boring
<i>Sindora siamensis</i> Teijsm ex Miq. (มะค่าแต้)	<i>Baryrrhinus</i> sp. <i>Carpophilus hemipterus</i> Linnaeus <i>Carpophilus mutilatus</i> Erichson <i>Cladobrostis melitricha</i> Meyrick <i>Hypomeces squamosus</i> (Fabricius) <i>Hypothenemus eruditus</i> Westwood <i>Myllocerus</i> sp.	Curculionidae Nitidulidae Nitidulidae Blastobasidae Curculionidae Scolytidae Curculionidae	Leaf eating Seed boring Seed boring Seed boring Leaf eating Seed boring Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Sonneratia caseolaris</i> Engler (ลำพู)	<i>Sitophilus glandium</i> Marshall <i>Sternocera aequisignata</i> Saunders <i>Sternocera ruficornis</i> Saunders Unidentified species	Curculionidae Buprestidae Buprestidae Chrysomelidae	Seed boring Leaf eating (A) Leaf eating (A) Leaf and flower eating
	<i>Bocotarcha martinalis</i> Walker <i>Heminomistis flagellalis</i> Hampson <i>Indarbela quadrinotata</i> Walker <i>Suana concolor</i> Walker <i>Trabala vishnou</i> Lefebvre	Pyralidae Pyralidae Metarbelidae Lasiocampidae Lasiocampidae	Leaf eating Leaf eating Bark feeding Leaf eating Leaf eating
<i>Spondias pinnata</i> Kurz (มะนาก)	<i>Apoderus notatus</i> Fabricius <i>Cricula trifenestrata</i> Helfer <i>Glenea indiana</i> Thomson <i>Hypomeces squamosus</i> (Fabricius) <i>Leptotaspis semicrosea</i> Jacoby <i>Miresa albipuncta</i> Herrick-Schaffer <i>Podontia affinis</i> Grond. <i>Podontia quatuordesimpunctata</i> (Linnaeus) <i>Trichogomphus martabani</i> Guerin	Attelabidae Saturniidae Cerambycidae Curculionidae Cercopidae Limacodidae Chrysomelidae Chrysomelidae Scarabaeidae	Leaf rolling Leaf eating Stem boring Leaf eating Shoot sucking Leaf eating Leaf eating Leaf eating Root eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Stephania japonica</i> Miers (ย่านปด)	<i>Aulacorthum sp. near esakii</i> (Takahashi)	Aphididae	Sap sucking
	<i>Sinomegoura citricola</i> (van der Goot)	Aphididae	Sap sucking
<i>Sterculia foetida</i> Linn. (ลำโพง)	<i>Odontopus nigricornis</i> Stal	Pyrrhocoridae	Seed sucking
<i>Sterculia pexa</i> Pierre (ปอขาว)	<i>Chrysochroa chinensis</i> Castelnau & Gory	Buprestidae	Leaf eating
<i>Stereospermum chelonoides</i> DC. (แคหิน)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Stereospermum neuranthum</i> Kurz (แคทราย)	<i>Anoplocnemis sp.</i>	Coreidae	Shoot sucking
	<i>Epistictia viridimaculata</i> Boheman	Chrysomelidae	Leaf eating
	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
	<i>Glenea indiana</i> Thomson	Cerambycidae	Stem boring
	<i>Gerania boscii</i> Fabricius	Cerambycidae	Leaf eating (A)
<i>Streblus asper</i> Lour. (ข่อย)	<i>Margaronia itysalis</i> Walker	Pyralidae	Leaf eating
	<i>Pachyteria dimidiata</i> Westwood	Cerambycidae	Stem boring
	<i>Trachythorax maculicollis</i> Westwood	Phasmidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Swietenia macrophylla</i> King (มะฮอกกานีใบใหญ่)	<i>Aristobia approximator</i> Thomson	Cerambycidae	Bark eating
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Bruchidius uberatus</i> Fabricius	Bruchidae	Seed boring
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Hypsipyla robusta</i> Moore	Pyrilidae	Shoot and fruit boring
	<i>Leptocentrus</i> sp.	Membracidae	Shoot sucking
	<i>Pagiophloeus longiclavis</i> Marshall	Curculionidae	Stem and root-collar boring
	<i>Ptyelus prae fractus</i>	Cercopidae	Leaf and shoot sucking
	<i>Xanthochelus faunus</i> Olivier	Curculionidae	Leaf eating
	<i>Xylosandrus compactus</i> (Eichhoff)	Scolytidae	Seedling boring
<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring	
<i>Swietenia mahogani</i> Jacq. (มะฮอกกานีใบเล็ก)	<i>Aristobia approximator</i> Thomson	Cerambycidae	Bark eating
	<i>Attacus atlas</i> Linnaeus	Saturniidae	Leaf eating
	<i>Bruchidius uberatus</i> Fabricius	Bruchidae	Seed boring
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Hypsipyla robusta</i> Moore	Pyrilidae	Shoot and fruit boring
	<i>Leptocentrus</i> sp.	Membracidae	Shoot sucking
	<i>Pagiophloeus longiclavis</i> Marshall	Curculionidae	Stem and root-collar boring
	<i>Ptyelus prae fractus</i> Distant	Cercopidae	Leaf and shoot sucking
<i>Xanthochelus faunus</i> Olivier	Curculionidae	Leaf eating	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Xylosandrus compactus</i> (Eichhoff) <i>Zeuzera coffeae</i> Nietner	Scolytidae Cossidae	Seedling boring Stem and twig boring
<i>Symphorema involucratum</i> Roxb. (สะแลง)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Tabebuia rosea</i> DC. (ชมพูปันธ์ทิพย์)	<i>Glenea indiana</i> Thomson <i>Xystrocera globosa</i> (Olivier)	Cerambycidae Cerambycidae	Stem boring Stem boring
<i>Tamarindus indica</i> Linn. (มะขาม)	<i>Calandra dinensis</i> Herbst <i>Calliteara horsfieldii</i> Saunders <i>Cryptothela destructor</i> Dudgeon <i>Euproctis scintillans</i> Walker <i>Lasioderma serricornis</i> Fabricius <i>Pachymerus gonager</i> Fabricius <i>Selepa celtis</i> Moore <i>Tribolium castaneum</i> Herbst	Curculionidae Lymantriidae Psychidae Lymantriidae Anobiidae Bruchidae Noctuidae Tenebrionidae	Seed boring Leaf eating Leaf eating Leaf eating Seed boring Seed boring Leaf eating Seed boring
<i>Tectona grandis</i> Linn. f. (สัก)	<i>Acalolepta cervina</i> (Hope) <i>Acherontia styx</i> Westwood <i>Adoretus compressus</i> (Weber)	Cerambycidae Sphingidae Scarabaeidae	Stem boring Leaf eating Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Agrotis ipsilon</i> Hufnagel	Noctuidae	Leaf and seedling eating
	<i>Agrotis segetum</i> Denis & Schiffermuller	Noctuidae	Leaf and seedling eating
	<i>Alcidodes frenatus</i> Feisthamel	Curculionidae	Midrib eating and twig boring
	<i>Ancyra</i> sp.	Eurybrachidae	Shoot sucking
	<i>Anoplocnemis curvipes</i> Fabricius	Coreidae	Shoot sucking
	<i>Anoplocnemis phasiana</i> (Fabricius)	Coreidae	Shoot sucking
	<i>Aphis gossypii</i> Glover	Aphididae	Leaf sucking
	<i>Apogonia granum</i> Burmeister	Scarabaeidae	Leaf eating
	<i>Ascotis selenaria</i> Denis & Schiffermuller	Geometridae	Leaf eating
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Aularches miliaris</i> Linnaeus	Pyrgomorphidae	Leaf eating
	<i>Bothrogonia</i> sp.	Cicadellidae	Leaf sucking
	<i>Calliteara grotei</i> Moore	Lymantriidae	Leaf eating
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Cerosterna</i> (=Celosterna) <i>scabrator</i> (Fabricius)	Cerambycidae	Root boring
	<i>Cephonodes hylas</i> Linnaeus	Sphingidae	Leaf eating
	<i>Chalcozelis albiguttatus</i> (Snellen)	Limacodidae	Leaf eating
	<i>Chlorophorus annularis</i> (Fabricius)	Cerambycidae	Wood boring
	<i>Chondracris rosea bruneri</i> (Uv.)	Acrididae	Leaf eating
	<i>Choroedocus</i> sp.	Acrididae	Leaf eating
	<i>Corynodes peregrinus</i> Herbst	Chrysomelidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Deilephila nerii</i> Linnaeus	Sphingidae	Leaf eating
	<i>Dichocrosis megillalis</i> Walker	Pyralidae	Flower and young fruit eating
	<i>Dichocrosis punctiferalis</i> Guenee	Pyralidae	Flower and young fruit eating fruit boring
	<i>Ectropis bhurmitra</i> Walker	Geometridae	Leaf eating
	<i>Eublemma amabilis</i> Moore	Noctuidae	Flower and young fruit eating
	<i>Eublemma</i> sp.	Noctuidae	Flower and young fruit eating
	<i>Euconocephalus</i> sp.	Tettigoniidae	Flower and young fruit eating
	<i>Eurema hecabe</i> Linnaeus	Pieridae	Leaf eating
	<i>Eutectona machaeralis</i> Walker	Pyralidae	Flower and fruit eating
	<i>Gagara carinata</i> Funkhouser	Membracidae	Flower sucking
	<i>Gagara flavocarinata</i> Funkhouser	Membracidae	Flower sucking
	<i>Gagara pulchella</i> Funkhouser	Membracidae	Flower sucking
	<i>Glenea indiana</i> Thomson	Cerambycidae	Stem boring
	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Flower and fruit eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating and stem boring
	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Lachnosterna serrata</i> Fabricius	Scarabaeidae	Root eating
	<i>Leptocentrus</i> sp.	Membracidae	Leaf and shoot sucking
	<i>Leptotaspis</i> vicarius	Cercopidae	Shoot sucking
	<i>Lygaria westermanni</i> Stol	Chrysomelidae	Leaf eating
	<i>Machaerota elegans</i> Maa	Machaerotidae	Flower sucking
	<i>Microtrichia</i> sp.	Scarabaedse	Leaf eating
	<i>Mylabris phalerata</i> Pallas	Meloidae	Flower eating
	<i>Ophiusa tumidilinea</i> Walker	Noctuidae	Leaf eating
	<i>Orgyia turbata</i> Butler	Lymantriidae	Leaf eating
	<i>Pagida salvaris</i> Walker	Pyralidae	Flower eating
	<i>Patanga succincta</i> Linnaeus	Acrididae	Leaf eating
	<i>Peltotrachelus</i> sp.	Curculionidae	Leaf eating
	<i>Pericyma umbrina</i> Guenee	Noctuidae	Flower and leaf eating
	<i>Phassus signifer</i>	Hepialidae	Root-collar boring
	<i>Podontia affinis</i> Grond.	Chrysomelidae	Leaf eating
	<i>Pseudococcus citri</i> Risso	Coccidae	Leaf sucking
	<i>Psilogamma menephron</i> (Cramer)	Sphingidae	Leaf eating
	<i>Ptyelus prae fractus</i> Distant	Cercopidae	Flower sucking
	<i>Ricania</i> sp.	Ricaniidae	Shoot sucking

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Sagra femorata purpurea</i> Lichtenstein	Chrysomelidae	Stem boring
	<i>Spodoptera litura</i> (Fabricius)	Noctuidae	Flower and young fruit sucking
	<i>Stagmatophora callistrepta</i> (Meyrick)	Cosmopterygidae	Leaf mining
	<i>Stromatium barbatum</i> (Fabricius)	Cerambycidae	Stem boring
	<i>Suracarta tricolor</i> Lepel & Sew.	Cercopidae	Shoot sucking
	<i>Tingis beesoni</i> Drake	Tingidae	Flower and young fruit eating
	Unidentified species	Geometridae	Flower eating
	Unidentified species	Pseudococcidae	Shoot sucking
	Unidentified species	Termitidae	Seeding eating
	<i>Xyleutes ceramicus</i> Walker	Cossidae	Stem boring
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Twig and stem boring
<i>Terminalia alata</i> Heyne ex Roth (กรรพำ)	<i>Antheraea paphia</i> Linnaeus	Saturniidae	Leaf eating
	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Ectropis bhurmitra</i> Walker	Geometridae	Leaf eating
	<i>Spodoptera litura</i> (Fabricius)	Noctuidae	Leaf eating
	<i>Striglina divisata</i> Warren	Thyrididae	Leaf eating
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Terminalia bellerica</i> Roxb. (สมอพิเภก)	<i>Dasychira mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Euproctis scintillans</i> Walker	Lymantriidae	Leaf, flower and young fruit eating
	<i>Mecobaris terminaliae</i> Marshall	Curculionidae	Seed boring
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
<i>Terminalia catappa</i> Linn. (ทุกราบ)	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
	<i>Acanthopsyche</i> sp.	Psychidae	Leaf eating
	<i>Adoretus compressus</i> (Weber)	Scarabaeidae	Leaf eating
	<i>Antheraea paphia</i> Linnaeus	Saturniidae	Leaf eating
	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Aporandria specularia</i> Guenee	Geometridae	Flower eating
	<i>Aristobia approximata</i> Thomson	Cerambycidae	Bark eating (A) and stem boring (L)
	<i>Aspidiotus</i> sp.	Diaspididae	Leaf sucking
	<i>Astycus lateralis</i> Fabricius	Curculionidae	Leaf eating
	<i>Aulacaspis</i> sp.	Diaspididae	Leaf sucking
	<i>Aulacophora frontalis</i> Baly	Chrysomelidae	Leaf eating
	<i>Calliteara horsfieldii</i> Saunders	Lymantriidae	Leaf eating
	<i>Calliteara mendosa</i> Hubner	Lymantriidae	Leaf eating
	<i>Cleoporus variabilis</i> Baly	Chrysomelidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Coccus longulus</i> (Douglas)	Coccidae	Leaf sucking
	<i>Coccus hesperidum</i> Linnaeus	Coccidae	Leaf sucking
	<i>Cricula trifenestrata</i> Helfer	Saturniidae	Leaf eating
	<i>Euproctis scintillans</i> Walker	Lymantriidae	Leaf, flower and young fruit eating
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Kunugia hyrtaca</i> Cramer	Lasiocampidae	Leaf eating
	<i>Kunugia</i> sp.	Lasiocampidae	Leaf eating
	<i>Mahasena corbetti</i> Tams	Psychidae	Leaf eating
	<i>Nodostoma</i> sp.	Chrysomelidae	Leaf eating
	<i>Odites</i> sp.	Lecithoceridae	Leaf folding
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Pagodiella hekmeyeri</i> (Heyl.)	Psychidae	Leaf eating
	<i>Parasa lepida</i> Cramer	Limacodidae	Leaf eating
	<i>Parasa</i> sp.	Limacodidae	Leaf eating
	<i>Protaetia acuminata</i> Fabricius	Cetoniidae	Fruit and shoot eating
	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
	<i>Xanthochelus faunus</i> Olivier	Curculionidae	Leaf eating
<i>Terminalia chebula</i> Retz. (ส้มอโศก)	<i>Cerosterna</i> (=Celosterna) <i>scabrator</i> (Fabricius)	Cerambycidae	Root boring
	<i>Chrysobothris indica</i> Castelnau & Gory	Buprestidae	Stem boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Terminalia ferainandiana</i> Griff. (ไม้ต่างประเทศ)	<i>Aristobia approximator</i> Thomson <i>Bothrogonia</i> sp. <i>Hypomeces squamosus</i> (Fabricius) <i>Psiloptera viridicuprea</i> Saunders	Cerambycidae Cicadellidae Curculionidae Buprestidae	Bark eating Leaf and shoot sucking Leaf eating Bark eating
<i>Thyrsostachys oliveri</i> Gamble (ไม้รวกดำ)	<i>Cyrtotrachelus dichrous</i> Fairmaire <i>Cyrtotrachelus longimanus</i> Fabricius <i>Dinoderus minutus</i> (Fabricius) <i>Physomerus grossipes</i> Fabricius <i>Pseudoregma</i> sp. <i>Pyrausta coclesalis</i> Walker	Curculionidae Curculionidae Bostrychidae Coreidae Pemphigidae Pyralidae	Shoot boring Shoot boring Wood boring Shoot sucking Shoot sucking Leaf eating
<i>Thyrsostachys siamensis</i> Gamble (ไม้รวก)	<i>Physomerus grossipes</i> Fabricius <i>Pseudoregma</i> sp. <i>Schizotetranychus</i> sp.	Coreidae Pemphigidae Tetranychidae	Shoot sucking Shoot sucking Leaf sucking
<i>Toona ciliata</i> M. Roem. (ยมหอม)	<i>Archips micaceana</i> (Walker) <i>Aristobia approximator</i> Thomson <i>Heterobostrychus aequalis</i> (Waterhouse) <i>Heterobostrychus hamatipennis</i> Lesne <i>Hypsipyra robusta</i> Moore	Tortricidae Cerambycidae Bostrychidae Bostrychidae Pyralidae	Flower and fruit eating Bark eating (A) Stem boring Stem boring Shoot boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Pagiophloeus longiclavis</i> Marshall <i>Ptyelus</i> sp. <i>Schistoceros anobioides</i> Waterhouse <i>Schistoceros malayanus</i> Lesne <i>Sinoxylon atratum</i> Lesne <i>Sinoxylon crassum</i> Lesne <i>Sinoxylon</i> sp. <i>Sinoxylon</i> sp. nr. <i>parviclava</i> Lesne Unidentified species <i>Xylosandrus compactus</i> (Eichhoff) <i>Zeuzera coffeae</i> Nietner	Curculionidae Cercopidae Bostrychidae Bostrychidae Bostrychidae Bostrychidae Bostrychidae Bostrychidae Bostrychidae Bostrychidae Scolytidae Cossidae	Stem and root-collar boring Leaf and shoot sucking Stem boring Stem boring Stem boring Stem boring Stem boring Stem boring Stem boring Stem boring Stem boring Stem and twig boring
<i>Toona sureni</i> (Blume) Merrill (บุนนาค)	<i>Aristobia approximator</i> Thomson <i>Heterobostrychus aequalis</i> (Waterhouse) <i>Heterobostrychus hamatipennis</i> Lesne <i>Hypsipyla robusta</i> Moore <i>Pagiophloeus longiclavis</i> Marshall <i>Ptyelus</i> sp. <i>Schistoceros anobioides</i> Waterhouse <i>Schistoceros malayanus</i> Lesne <i>Sinoxylon atratum</i> Lesne	Cerambycidae Bostrychidae Bostrychidae Pyralidae Curculionidae Cercopidae Bostrychidae Bostrychidae Bostrychidae	Bark eating (A) Stem boring Stem boring Shoot boring Stem and root-collar boring Leaf and shoot sucking Stem boring Stem boring Stem boring

Host plant	Insect pest	Family (Subfamily)	Type of injury
Unidentified bamboo species	<i>Sinoxylon crassum</i> Lesne	Bostrychidae	Stem boring
	<i>Sinoxylon</i> sp.	Bostrychidae	Stem boring
	<i>Sinoxylon</i> sp. nr. <i>parviclava</i> Lesne	Bostrychidae	Stem boring
	Unidentified species	Bostrychidae	Stem boring
	<i>Xylosandrus compactus</i> (Eichhoff)	Scolytidae	Stem boring
	<i>Zeuzera coffeae</i> Nietner	Cossidae	Stem and twig boring
	Unidentified host	<i>Hyalopterus pruni</i> (Geferoy)	Aphididae
<i>Melanaphis</i> sp. probably <i>bambusae</i> (Fullaway)		Aphididae	Sap sucking
<i>Pseudoregma</i> sp.		Pemphigidae	Sap sucking
Unidentified host	<i>Bulbitermes parapusillus</i> Ahmad	Termitidae	Stem and root feeding
	<i>Coptotermes curvignathus</i> Holmgren	Rhinotermitidae	Stem and root feeding
	<i>Coptotermes premrasmii</i> (Ahmad)	Rhinotermitidae	Stem and root feeding
	<i>Globitermes sulphureus</i> (Haviland)	Termitidae	Stem and root feeding
	<i>Glyptotermes brevicaudatus</i> (Haviland)	Kalotermitidae	Stem and root feeding
	<i>Glyptotermes kachongensis</i>	Kalotermitidae	Stem and root feeding
	<i>Glyptotermes pinangae</i> (Haviland)	Kalotermitidae	Stem and root feeding
	<i>Glyptotermes</i> sp.	Kalotermitidae	Stem and root feeding
	<i>Glyptotermes thailandis</i> Ahmad	Kalotermitidae	Stem and root feeding

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Hospitalitermes ataramensis</i> Prasad and Sensarma	Termitidae	Stem and root feeding
	<i>Hospitalitermes jepsoni</i> (Snyder)	Termitidae	Stem and root feeding
	<i>Macrotermes gilvus</i> (Hagen)	Termitidae	Stem and root feeding
	<i>Microcerotermes annandalei</i> Silvestri	Termitidae	Stem and root feeding
	<i>Microcerotermes crassus</i> Snyder	Termitidae	Stem and root feeding
	<i>Nasutitermes fuscipennis</i> (Haviland)	Termitidae	Stem and root feeding
	<i>Nasutitermes johoricus</i> (John)	Termitidae	Stem and root feeding
	<i>Nasutitermes matangensiformis</i> (Holmgren)	Termitidae	Stem and root feeding
	<i>Nasutitermes tungsalangensis</i> (Ahmad)	Termitidae	Stem and root feeding
	<i>Odontotermes feae</i> (Wasmann)	Termitidae	Stem and root feeding
	<i>Odontotermes formosanus</i> (Shiraki)	Termitidae	Stem and root feeding
	<i>Odontotermes maesodensis</i> (Ahmad)	Termitidae	Stem and root feeding
	<i>Odontotermes</i> sp.	Termitidae	Stem and root feeding
	<i>Pericapritermes semarangi</i> (Holmgren)	Termitidae	Stem and root feeding
	<i>Termes comis</i> Haviland	Termitidae	Stem and root feeding
	<i>Termes propinquus</i> (Holmgren)	Termitidae	Stem and root feeding
<i>Vitex canescens</i> Kurz (ผาเสี้ยน)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Vitex glabrata</i> R. Br. (ไข่น้ำ)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Vitex negundo</i> Linn. (คนทีเขมา)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Vitex peduncularis</i> Wall. ex Schauer (กาสามปึก)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Vitex pubescens</i> Vahl (ตีนนก)	<i>Aristobia approximator</i> Thomson <i>Gagara granulata</i> Funkhouser <i>Hyblaea puera</i> Cramer <i>Stomophylactis improba</i> Meyrick	Cerambycidae Membracidae Hyblaeidae Pyralidae	Bark eating (A) Flower sucking Leaf eating Flower eating
<i>Vitex trifolia</i> Linn. (คนทีสอ)	<i>Hyblaea puera</i> Cramer	Hyblaeidae	Leaf eating
<i>Walsura trichostemon</i> Miq (ขี้อาย)	<i>Trabala vishnou</i> Lefebvre	Lasiocampidae	Leaf eating
<i>Wrightia tomentosa</i> Roem. & Schult. (โมกมัน)	<i>Acharana mutualis</i> Zeller <i>Caprinia conchylalis</i> Guenee	Pyralidae Pyralidae	Leaf eating Leaf folding

Host plant	Insect pest	Family (Subfamily)	Type of injury
<i>Xylia xylocarpa</i> Taub. (ไม้ท่อน)	<i>Cleoporus variabilis</i> Baly	Chrysomelidae	Leaf eating
	<i>Margaronia laticostalis</i> Guenee	Pyralidae	Leaf folding
	<i>Aetheomorpha nigropicta</i> Lefebvre	Chrysomelidae	Leaf eating
	<i>Agrilus birmanicus</i> Kerremans	Buprestidae	Stem boring
	<i>Aplosonyx</i> sp.	Chrysomelidae	Leaf eating
	<i>Apoderus notatus</i> Fabricius	Attelabidae	Leaf rolling
	<i>Aristobia approximator</i> Thomson	Cerambycidae	Stem boring
	<i>Aristobia horridula</i> (Hope)	Cerambycidae	Stem boring
	<i>Aulacophora femoralis</i> (Mots.)	Chrysomelidae	Leaf eating
	<i>Aulacophora similis</i> Olivier	Chrysomelidae	Leaf eating
	<i>Aulacophora</i> sp.	Chrysomelidae	Leaf eating
	<i>Cerosterna</i> (=Celosterna) <i>scabrator</i> (Fabricius)	Cerambycidae	Shoot feeding (A)
	<i>Cephonodes hylas</i> Linnaeus	Sphingidae	Leaf eating
	<i>Charaxes solon sulphureus</i> Rothschild & Jordan	Nymphalidae	Leaf eating
	<i>Chrysobothris sexnotata</i> Gory	Buprestidae	Wood boring
	<i>Clanis titan</i> Rothschild & Jordan	Sphingidae	Leaf eating
	<i>Clitena limbata</i> Baly	Chrysomelidae	Leaf eating
<i>Clytrasoma palliatus</i> (Fabricius)	Chrysomelidae(Clytrinae)	Leaf eating	
<i>Colasposoma igneicolle</i> Baly	Chrysomelidae(Eumolpinae)	Leaf eating	
<i>Colasposoma</i> sp.	Chrysomelidae(Eumolpinae)	Leaf eating	

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Cricula trilineata</i> Helfer	Saturniidae	Leaf eating
	<i>Deilephila nerii</i> Linnaeus	Sphingidae	Leaf eating
	<i>Diapromorpha</i> sp.	Chrysomelidae (Clytrinae)	Leaf eating
	<i>Homoeocerus walkeri</i> Kirby	Coreidae	Leaf sucking
	<i>Hypomeces squamosus</i> (Fabricius)	Curculionidae	Leaf eating
	<i>Indarbela</i> sp.	Metarbelidae	Bark eating
	<i>Jamides purapura</i> (Moore)	Lycaenidae	Leaf eating
	<i>Lymantria</i> sp.	Lymantriidae	Leaf eating
	<i>Maruca testulalis</i> (Geyer)	Pyralidae	Leaf eating
	<i>Miresa albipuncta</i> Herrick-Schaffer	Limacodidae	Leaf eating
	<i>Oides bipunctata</i> (Fabricius)	Chrysomelidae	Leaf eating
	<i>Orgyia postica</i> Walker	Lymantriidae	Leaf eating
	<i>Parasa</i> sp.	Limacodidae	Leaf eating
	<i>Phrixopogon</i> sp.	Curculionidae	Leaf eating
	<i>Pingasa chlora</i> Cramer	Geometridae	Leaf eating
	<i>Rapala iarbus</i> (Fabricius)	Lycaenidae	Leaf eating
	<i>Rhaphuma motschulskyi</i> Ganglbauer	Cerambycidae	Wood boring and seed boring
	<i>Sternocera aquisignata</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Sternocera ruficornis</i> Saunders	Buprestidae	Leaf eating (A)
	<i>Trichochrysea severini</i> (Jacoby)	Chrysomelidae	Bud and leaf eating

Host plant	Insect pest	Family (Subfamily)	Type of injury
	<i>Xanthochelus faunus</i> Olivier <i>Xystrocera globosa</i> (Olivier) <i>Zeuzera coffeae</i> Nietner	Curculionidae Cerambycidae Cossidae	Leaf eating Stem boring Twig boring
<i>Xylocarpus granatum</i> Koen. (ตะบูน)	<i>Euryphagus lundii</i> (Fabricius)	Cerambycidae	Twig boring
<i>Xylocarpus moluccensis</i> Roem. (ตะบูนดำ)	<i>Coccotrypes fallax</i> (Eggers) <i>Hypsipyla robusta</i> Moore Unidentified species	Scolytidae Pyralidae Pyralidae	Stem and seedling boring Flower eating Fruit boring