

Division : Rhodophyta
Red Algae

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
Bangiales			
Erythropeltidaceae	<i>Erythrocladia</i> Aresch. <i>E. subintegra</i> Rosenvinge	Pattani and Songkhla.	Ogawa and Lewmanomont (1984)
	<i>Erythrotrichia</i> Aresch. <i>E. carnea</i> (Dillwyn) J. Agardh	Chon Buri and Prachuap Khiri Khan.	Ogawa and Lewmanomont (1984)
	<i>E. parietalis</i> Tanaka	Thailand. Chon Buri and Prachuap Khiri Khan.	Nateewathana <i>et al.</i> (1981) Ogawa and Lewmanomont (1984)
.	<i>E. ceramicola</i> (Lgby.) Aresch.	Koh Chang-Strait at Lem Ngob, on rocks between tide-marks on <i>Padina</i> and <i>Laurencia</i> .	Schmidt (1900-1916)
Bangiaceae	<i>Bangia</i> Lyngbye <i>B. fuscopurpurea</i> (Dillwyn) Lyngbye	Songkhla. On rocky shore washed by strong waves, sometimes growing mixed with <i>Porphyra vietnamensis</i>	Ogawa and Lewmanomont (1984) Lewmanomont and Ogawa (1995)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>Porphyra</i> C. Agardh		
	<i>P. crispata</i> Kjellmann	Phuket and Prachuap Khiri Khan. Prachuap Khiri Khan. Growing in upper tidal zone in protected rock crevices dampened only by spray, never submerged.	Lewmanomont (1978) Ogawa and Lewmanomont (1984) Lewmanomont and Ogawa (1995)
	<i>P. vietnamensis</i> Tanaka et Pham-Hoang Ho	Songkhla and Narathiwat. Songkhla and Prachuap Khiri Khan. On rocks in upper tidal zone exposed to strong wave action.	Lewmanomont (1978) Ogawa and Lewmanomont (1984) Lewmanomont and Ogawa (1995)
Goniotrichales Goniotrichaceae	<i>Goniotrichum</i> Kützing <i>G. alsidii</i> (Zanardini) Howe	Chon Buri, Prachuap Khiri Khan and Phuket. Coral reefs.	Ogawa and Lewmanomont (1984) Lewmanomont (1988)
Compsopogonales Compsopogonaceae	<i>Compsopogon</i> Montagne <i>C. aeruginosus</i> (J. Agardh) Kützing	Prachuap Khiri Khan.	Ogawa and Lewmanomont (1984)

MARINE ALGAE IN THAILAND

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
Nemalionales			
Acrochaetiaceae	Acrochaetium Nägeli <i>A. sinicolum</i> (Dawson) Papenf.	EYD 1147a, Saen Soek, northernmost part of the Gulf of Thailand, growing on <i>Dictyota</i> .	Dawson (1954)
Nemalionales			
Galaxauraceae	Actinotrichia Decaisne <i>A. fragilis</i> (Forsskål) Børgesen	Coral reefs. On corals in sandy bottom of subtidal zone.	Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	Galaxaura Lamouroux <i>G. arborea</i> Kjellmann	Coral reefs. On dead corals in clear water about 20 meters deep.	Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	<i>G. fasciculata</i> Kjellman	Coral reefs.	Lewmanomont (1988)
	<i>G. oblongata</i> (Ellis et Solander) Lamouroux	Coral reefs. On rocks or dead corals in clear water about 10 meters deep.	Lewmanomont (1988) Lewmanomont and Ogawa (1995)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>G. obtusata</i> (Ellis et Solander) Lamouroux	Coral reefs. On rocks in clear water of sandy bottom with corals at the depth of 10 to 70 meters.	Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	<i>G. filamentosa</i> Chou	On dead corals in tide pools of sandy bottom, may be cast ashore.	Lewmanomont and Ogawa (1995)
	<i>G. vietnamensis</i> Dawson	Thailand.	Nateewathana <i>et al.</i> (1981)
	<i>G. fastigiata</i> Decaisne	Thailand.	Nateewathana <i>et al.</i> (1981)
Nemalionales Helminthocladiaceae	<i>Liagora</i> Lamouroux <i>L. ceranoides</i> Lamouroux	On dead corals or seagrasses in tide pools exposed during low tide.	Lewmanomont and Ogawa (1995)
	<i>L. divaricata</i> Tseng	On dead corals of subtidal habitat, sometimes cast ashore.	Lewmanomont and Ogawa (1995)
	<i>L. farinosa</i> Lamouroux	On dead corals in tide pools in near vicinity with <i>Liagora ceranoides</i> and <i>Lyngbya majuscula</i> , exposed during low tide.	Lewmanomont and Ogawa (1995)

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
Nemalionales			
Chaetangiaceae	<i>Scinaia Binova - Bernardi</i> <i>S. furcellata</i> (Turner) Bivonia	Specimens collected floating in the water.	Lewmanomont and Ogawa (1995)
Gelidiales			
Gelidiaceae	<i>Gelidium Lamx.</i> <i>G. amansii</i> Lamx.	Paknam in Siam.	Martens (1866)
	<i>G. crinale</i> (Turn.) Lamx.	Koh Chang Noi and Koh Lom, creeping on coral reefs in shallow water. Thailand. Coral reefs.	Schmidt (1900-1916) Nateewathana <i>et al.</i> (1981) Lewmanomont (1988)
	<i>G. pusillum</i> (Stackh.) Le Jolis	LE 1048 and 1053, Koh Charn 8 km offshore from Khlong Wan village near Prachuap Fisheries Station. Thailand. Coral reefs.	Egerod (1971, 1974) Nateewathana <i>et al.</i> (1981) Lewmanomont (1988)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>Gelidiella</i> Feldmann and Hamel		
	<i>G. acerosa</i> (Forsskål) Feldmann and Hamel	LE 1038, Koh Charn 8 km of Khlong Wan village near Prachuap Fisheries Station. Coral reefs. On rocks in upper to middle intertidal zone, exposed during low tide.	Egerod (1971, 1974) Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	<i>G. pannosa</i> (Feldmann) Feldmann et Hamel	LE 1064, Koh Charn 8 km offshore Khlong Wan village near Prachuap Fisheries Station.	Egerod (1971, 1974)
	<i>Gelidiopsis</i> Schmitz		
	<i>G. intricata</i> (J. Agardh) Vickers	EYD 11482, Saen Soek, northernmost part of the Gulf of Thailand. LE 1052, Koh Charn 8 km offshore Khlong Wan village near Prachuap Fisheries Station.	Dawson (1954) Egerod (1971, 1974)
Cryptonemiales Peyssonneliaceae	<i>Peyssonnelia</i> Decne.		
	<i>P. gunniana</i> J. Ag.	Koh Chang Noi, on coral-reef in shallow water	Schmidt (1900-1916)
	<i>P. rubra</i> f. <i>orientalis</i> Weber van Bosse	Coral reefs.	Lewmanomont (1988)

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>P. rubra</i> (Grev.) J. Ag.	Between Koh Mesan and Koh Chuen in 15 fathoms water (stones). On shells or dead corals in subtidal habitats of clear water.	Schmidt (1900-1916) Lewmanomont and Ogawa (1995)
Cryptonemiales			
Corallinaceae (Melobesieae)	Archaeolithothamnion		
	Rothpletz		
	<i>A. schmidtii</i> Fosl. mscr.	Off shore Koh Kahdat, about 5 fathoms water.	Schmidt (1900-1916)
	Lithothamnion Philippi		
	<i>L. fruticosum</i> (Kütz.) Fosl.	Between Koh Mesan and Cape Liant in 9 fathoms water.	Schmidt (1900-1916)
	<i>L. funafutiense</i> Fosl. mscr. f. <i>purpurascens</i> Fosl. mscr.		Schmidt (1900-1916)
	<i>L. siamense</i> Fosl. mscr. f. <i>minuta</i> Fosl. mscr. f. <i>simulans</i> Fosl. mscr.		Schmidt (1900-1916) Schmidt (1900-1916)
	<i>L. erubescens</i> var. <i>subflabellata</i> Foslie	Thailand.	Nateewathana <i>et al.</i> (1981)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>Lithophyllum</i> Phil. emend.		
	<i>L. racemus</i> (Lamx.) Fosl.		Schmidt (1900-1916)
	f. <i>crassa</i> (Phil.) Fosl.		Schmidt (1900-1916)
	<i>L. yendoi</i> Fosl.		Schmidt (1900-1916)
	<i>Melobesia</i> Lamx. emend.		
	<i>M. farinosa</i> Lamx.	Koh Kahdat, in about 2 fathoms water.	Schmidt (1900-1916)
	<i>Dermatolithon</i> Fosl.		
	<i>D. pustulatum</i> (Lamx.) Fosl.	Koh Kahdat, in 1-2 fathoms water.	Schmidt (1900-1916)
	<i>Amphiroa</i> Lamx.		
	<i>A. fragilissima</i> (L.) Lamx.	Koh Lom and Koh Chick, on coral-reefs in shallow water.	Schmidt (1900-1916)
		EYD 11459, Saen Soek, northernmost part of the Gulf of Thailand, common in all warm seas.	Dawson (1954)
		Coral reefs.	Lewmanomont (1988)
		On muddy sand on top of rocky bottom in subtidal areas.	Lewmanomont and Ogawa (1995)

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>A. foliacea</i> Lamouroux	Thailand. Coral reefs. On rocks or coral fragments in intertidal areas or in tide pools of muddy sand with dead coral fragments.	Nateewathana <i>et al.</i> (1981) Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	<i>Cheilosporum</i> (Decaisne) Zanardini		
	<i>C. jungermannioides</i> Ruprecht ex J.E. Areschoug	Coral reefs. Growing in crevices of rock or intermingled with <i>Sargassum</i> in intertidal zone readily withstands strong currents.	Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	<i>Corallina</i> Linnaeus		
	<i>C. (Jania) tenella</i> Kützing	Koh Lam and Koh Chick, on coral-reefs in shallow water.	Schmidt (1900-1916)
	<i>Jania</i> Lamx.		
	<i>J. capillacea</i> Harvey	EYD 11466, Saen Soek, northermost part of the Gulf of Thailand.	Dawson (1954)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>J. decussato-dichotoma</i> (Yendo) Yendo	Coral reefs.	Lewmanomont (1988)
	<i>J. ungulata</i> f. brevior (Yendo)Yendo	Thailand. Coral reefs.	Nateewathana <i>et al.</i> (1981) Lewmanomont (1988)
Cryptonemiales Cryptonemiaceae	<i>Halymenia</i> C. Agardh		
	<i>H. durvillaei</i> Bory de Saint-Vincent	Coral reefs. On rocks in subtidal zones.	Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	<i>H. maculata</i> J. Ag.	Thailand. Coral reefs. On dead corals in clear water about 2 meters deep.	Nateewathana <i>et al.</i> (1981) Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	<i>H. dilatata</i> Zanardini	On dead corals in subtidal area.	Lewmanomont and Ogawa (1995)
	<i>H. harveyana</i> J. Ag.	On rocks or corals in subtidal habitat at a depth of about 8 meters.	Lewmanomont and Ogawa (1995)
	<i>Cryptonemia</i> J. Agardh <i>Cryptonemia</i> sp.	Between Koh Mesan and Koh Chuen, in 15 fathoms water (stones). Specimen too little and torn, incomplete to be determined to species.	Schmidt (1900-1916)

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
Gigartinales			
Gracilariaceae	Gracilaria Greville		
	<i>G. bangmeiana</i> Zhang et Abbott	Growing on rocks in clear water of sublittoral zone and on fish cages together with <i>G. edulis</i> : Ban Phe, Rayong; Palian, Trang.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. changii</i> (Xia et Abbott) Abbott , Zhang et Xia	Growing on gravel, shells, rock fragments, mangrove roots or fish cages in sandy mud to muddy area of high turbidity : Chanthaburi, Trat, Rayong, Trang, Satun, Krabi, Phangnga.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. edulis</i> (Gmelin) Silva	Growing in loose clumps on rock or mud surface in muddy area of intertidal zone, in dense tufts when growing on fish cages and in loose fastigate tufts on rock in clear water : Trat, Trang, Phuket, Satun.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. eucheumoides</i> Harvey	Growing on dead coral fragments : Rawai Beach, Phuket. On dead coral fragments in tide pools of reef flats.	Lewmanomont (1994) Lewmanomont and Ogawa (1995)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>G. firma</i> Chang et Xia	Growing on shells, gravel and rock fragments, in muddy area of turbid water : In Trat at Laem Tian, Laem Hin, Laem Sok, Ao Cho and Ao Len.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. fisheri</i> (Xia et Abbott) Abbott, Zhang & Xia	Growing on living and empty shells (<i>Cerithium</i> sp.), on broken rocks, gravel, polyethylene bag and fish cages of sandy mud areas of turbid water : in Ao Pattani, Pattani; Talesap Songkhla, Songkhla; many provinces along the coast of the Gulf of Thailand.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. irregularis</i> Abbott	Growing on gravel, shells and rock fragments in sandy muddy area together with <i>G. changii</i> and <i>G. firma</i> : Ao Len, Ao Cho; Trat.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. lemaneiformis</i> (Bory) Weber-van Bosse	Growing on fish cages : Trang.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. percurrens</i> (Abbott) Abbott, Zhang et Xia	Growing on rock fragments in intertidal zone of turbid water at Laem Sok, Trat and on fish cages at Ko Yo, Songkhla; Ban Phe, Rayong.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>G. salicornia</i> (C. Agardh) Dawson	Trat, Rayong and Chanthaburi. Growing on rocks, gravel, shells, mangrove roots, in clear to turbid water. Every province along the sea coasts.	Lewmanomont (1978) Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. tenuistipitata</i> var. <i>tenuistipitata</i> Chang et Xia	Growing on shells and gravel : Ao Pattani, Pattani; Talesap Songkhla, Songkhla. On shells and gravel in lagoon or calm bays.	Lewmanomont (1994) Lewmanomont and Ogawa (1995)
	var. <i>liui</i> Chang et Xia	Ao Pattani, Pattani; Talesap Songkhla, Songkhla. On shells and gravel, often detached forming large masses of contorted thalli.	Lewmanomont (1994) Lewmanomont and Ogawa (1995)
	<i>G. textorii</i> (Suringar) J. Ag.	Growing on rocks and fish cages : Trang.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)
	<i>G. minuta</i> Lewmanomont	Growing on rock fragments, gravel and shells in sandy mud of the upper littoral zone which is exposed during low tide; Ao Yang, Ao Cho ; Trat.	Lewmanomont (1994), Lewmanomont and Ogawa (1995)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>Ceratodictyon Zanardini</i>		
	<i>C. spongiosum</i> Zanardini	Coral reefs. Growing within the sponge tissue except at tips where it grows out as short pinkish branchlets, growing in intertidal and subtidal areas.	Lewmanomont (1988) Lewmanomont and Ogawa (1995)
Gigartinales			
Hemastomataceae	<i>Titanophora (J.Ag.) Feldmann</i>		
	<i>T. pulchra</i> Dawson	Thailand. Coral reefs. On rocks and dead corals in intertidal or subtidal zones.	Nateewathana <i>et al.</i> (1981) Lewmanomont (1988) Lewmanomont and Ogawa (1995)
Hypneaceae	<i>Hypnea Lamx.</i>		
	<i>H. cervicornis</i> J. Ag.	EYD 11460, Saen Soek, northernmost part of the Gulf of Thailand. Trat, Chanthaburi, Rayong, Chon Buri, Phuket, Pattani and Prachuap Khiri Khan. Si Racha, Chon Buri.	Dawson (1954) Lewmanomont (1978) Ogawa and Lewmanomont (1981)
	<i>H. pannosa</i> J. Ag.	On rocks and dead corals in intertidal areas.	Lewmanomont and Ogawa (1995)
	<i>H. cenomyce</i> J. Agardh	Si Racha, Chon Buri. Coral reefs.	Ogawa and Lewmanomont (1981) Lewmanomont (1988)

MARINE ALGAE IN THAILAND

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>H. hamulosa</i> (Turner) Montagne	Si Racha, Chon Buri. Coral reefs.	Ogawa and Lewmanomont (1981) Lewmanomont (1988)
	<i>H. cornuta</i> (Lamouroux) J. Agardh	Si Racha, Chon Buri. Coral reefs.	Ogawa and Lewmanomont (1981) Lewmanomont (1988)
	<i>H. charoides</i> Lamouroux	Si Racha, Chon Buri. Coral reefs.	Ogawa and Lewmanomont (1981) Lewmanomont (1988)
	<i>H. divaricata</i> R. Br.	Simaharadscha in Siam.	Martens (1866)
	<i>H. esperi</i> Bory	LE 1040, Koh Charn 8 km offshore from Khlong Wan Village near Prachuap Fisheries Station. Thailand.	Egerod (1971, 1974)
		Si Racha, Chon Buri.	Nateewathana <i>et al.</i> (1981) Ogawa and Lewmanomont (1981)
	<i>H. musciformis</i> (Wulf.) Lamx.	Koh Chang-Strait at Lem Ngob, in sandy ground between tidemarks. Specimen little but fruiting (tetraspores) in all warm seas.	Schmidt (1900-1916)
	<i>H. valentiae</i> (Turner) Montagne	Coral reefs.	Lewmanomont (1988)

Order / Family	Genus / Species	Site found	Reported by / Year
Gigartinales			
Phylloporaceae	<i>Gymnogongrus Martius</i> <i>G. serenei</i>	Thailand.	Nateewathana <i>et al.</i> (1981)
Rhodymeniales			
Champiaceae	<i>Champia Desvaux</i> <i>C. parvula</i> (Ag.) J. Ag.	4 miles S. of Koh Saket, in 9 fathoms water (shells). Coral reefs.	Schmidt (1900-1916) Lewmanomont (1988)
	<i>C. viellardii</i> Kützing	Thailand.	Nateewathana <i>et al.</i> (1981)
Ceramiales			
Ceramiaceae	<i>Ceramium (Roth) Lgby.</i> <i>C. kutzingianum</i> Grun.	Koh Chang Noi, on coral-reef in shallow water, between Koh Mesan and Cape Liant, in 9 fathoms water.	Schmidt (1900-1916)
	<i>C. serpens</i> Setch. et Gard.	EYD 11461, Saen Soek, northernmost part of the Gulf of Thailand. LE 1042, Koh Charn 8 km offshore from Khlong Wan village near Prachuap Fisheries Station.	Dawson (1954) Egerod (1971, 1974)

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>C. fastigiatum</i> (Wulfen ex Roth) Harvey	Off Tung Kaben, in 6 fathoms water (mud). Coral reefs.	Schmidt (1900-1916) Lewmanomont (1988)
	<i>C. fimbriatum</i> Setchell et Gardner	Coral reefs.	Lewmanomont (1988)
	<i>C. mazatlanense</i> Dawson	Coral reefs.	Lewmanomont (1988)
	Griffithsia C.Agardh		
	<i>G. metcalfii</i> Tseng	Coral reefs.	Lewmanomont (1988)
	<i>G. tenuis</i> C. Ag.	Coral reefs.	Lewmanomont (1988)
Ceramiales			
Delesseriaceae	Martensia Hering		
	<i>M. flabelliformis</i> Harvey ex J. Ag.	Coral reefs.	Lewmanomont (1988)
	Myriogramme Kylin		
	<i>M. bombayensis</i> Børgesen	Coral reefs.	Lewmanomont (1988)
	<i>M. carnea</i> (Rodriguez) Kylin	Coral reefs.	Lewmanomont (1988)

Order / Family	Genus / Species	Site found	Reported by / Year
Ceramiales Rhodomelaceae	Taenioma J. Agardh		
	<i>T. perpusillum</i> (J. Ag.) J. Ag.	Coral reefs.	Lewmanomont (1988)
	Vanvoorstia Harvey		
	<i>V. spectabilis</i> Harvey	Coral reefs.	Lewmanomont (1988)
	Bostrychia Montagne		
	<i>B. tenella</i> (Vahl) J. Ag.	Mangrove areas.	Lewmanomont (1976)
	<i>B. binderi</i> Harvey	Mangrove areas. In upper tidal zone never submerged, sometimes dampened only by spray.	Lewmanomont (1976) Lewmanomont and Ogawa (1995)
	<i>B. radicans</i> Montagne	Mangrove areas.	Lewmanomont (1976)
	Murrayella Schmitz		
	<i>M. pericladus</i> (C. Ag.) Schmitz	Mangrove areas.	Lewmanomont (1976)
Polysiphonia Greville			
<i>P. scopulorum</i> Harv.	Koh Chang Noi, on coral reef in shallow water.	Schmidt (1900-1916)	
<i>P. setacea</i> Hollenberg	LE 1059, Koh Charn 8 km offshore from Klong Wan Village near Prachuap Fisheries Station.	Egerod (1971, 1974)	

MARINE ALGAE IN THAILAND

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>P. siamensis</i> Martens	Simaharadscha in Siam.	Martens (1866)
	<i>P. subtilissima</i> Mont.	EYD 11484, Saen Soek, northern most part of the Gulf of Thailand.	Dawson (1954)
	<i>Herposiphonia</i> Nägeli		
	<i>H. tenella</i> (Ag.) Ambronn	EYD 11496, Saen Soek, northern most part of the Gulf of Thailand.	Dawson (1954)
		Thailand.	Nateewathana <i>et al.</i> (1981)
	<i>H. secunda</i>		
	f. <i>tenella</i> (C. Ag.) Wynne	Coral reefs.	Lewmanomont (1988)
	<i>Acanthophora</i> Lamx.		
	<i>A. orientalis</i> J. Ag.	Lem Ngob, Koh Kahdat in shallow water	Schmidt (1900-1916)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>A. spicifera</i> (Vahl) Børgesen	EYD 11481, Saen Soek, northern most part of the Gulf of Thailand. Trat, Rayong, Chon Buri, Prachuap Khiri Khan and Surat Thani. Thailand. Mangrove areas and coral reefs. In various situations ranging from muddy to sandy and rocky conditions in intertidal areas.	Dawson (1954) Lewmanomont (1978) Nateewathana <i>et al.</i> (1981) Lewmanomont (1976, 1988) Lewmanomont and Ogawa (1995)
	<i>A. Thierryi</i> Lamx.	Simaharadcha in Siam.	Martens (1866)
	Centroceras Kützing		
	<i>C. apiculatum</i> Yamada	LE 1062, Koh Charn 8 km offshore from Klong Wan Village near Prachuap Fisheries Station.	Egerod (1971, 1974)
	<i>C. clavulatum</i> (Ag.) Mont.	EYD 11474, Saen Soek, northern most part of the Gulf of Thailand. Mangrove areas and coral reefs. On rocks sometimes mixed with other algae, exposed during low tide.	Dawson (1954) Lewmanomont (1976, 1988) Lewmanomont and Ogawa (1995)
	<i>C. oxyacanthum</i> Kützing	Simaharadscha in Siam.	Martens (1866)

MARINE ALGAE IN THAILAND

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
	Acrocystis Zanardini		
	<i>A. nana</i> Zanardini	Thailand.	Nateewathana <i>et al.</i> (1981)
	Herposiphonia Montagne		
	<i>H. insidiosa</i> (Greville ex J. Ag.) Falkenberg	Thailand.	Nateewathana <i>et al.</i> (1981)
	Lophosiphonia Falkenberg		
	<i>L. villum</i> (J. Agardh) Setchell et Gardner	Thailand.	Nateewathana <i>et al.</i> (1981)
	Tolypocladia Schmitz		
	<i>T. glomerulata</i> (Ag.) Schm.	Koh Kahdat; Koh Chang Noi, on coral-reefs in shallow water. Thailand. Coral reefs.	Schmidt (1900-1916) Nateewathana <i>et al.</i> (1981) Lewmanomont (1988)

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>Spyridia</i> Harvey		
	<i>S. filamentosa</i> (Wulf.) Harvey	Koh Kahdat, in 1-2 fathoms water (coral-sand); off Koh Kam, in 10 fathoms water (gravel). EYD 11472, Saen Soek, northern most part of the Gulf of Thailand. Widely distributed in all warm and temperate seas. Mangrove areas and coral reefs.	Schmidt (1900-1916) Dawson (1954) Lewmanomont (1976, 1988)
	<i>Leveillea</i> Decne.		
	<i>L. jungermannioides</i> (Mont. et Her.) Harvey	Koh Chang Noi, Koh Lom, on coral-reefs in shallow water. Coral reefs. Common epiphyte on the brown seaweed genus <i>Sargassum</i> .	Schmidt (1900-1916) Lewmanomont (1988) Lewmanomont and Ogawa (1995)
	<i>Laurencia</i> Lamx.		
	<i>L. dendroidea</i> J. Ag.	Koh Kahdat, cast ashore.	Schmidt (1900-1916)
	<i>L. divaricata</i> J. Ag.	Koh Kahdat, in 1-2 fathoms water (coral-sand).	Schmidt (1900-1916)
	<i>L. implicata</i> J. Ag.	Simaharadscha in Siam.	Martens (1866)
	<i>L. composita</i> Yamada	On shells, pebbles and rocks in subtidal areas.	Lewmanomont and Ogawa (1995)

MARINE ALGAE IN THAILAND

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
	<i>L. obtusa</i> (Huds.) Lamx.	Koh Chang-Strait at Lem Ngob, on rocks between tide-marks. EYD 11463, Saen Soek, northern most part of the Gulf of Thailand. Widely distributed in all warm oceans.	Schmidt (1900-1916) Dawson (1954)
		Chon Buri, Rayong, Trat, Chanthaburi and Surat Thani. Mangrove areas and coral reefs. On dead corals or rocks of intertidal habitat.	Lewmanomont (1978) Lewmanomont (1976, 1988) Lewmanomont and Ogawa (1995)
	<i>L. papillosa</i> (Forssk.) Greville	Mangrove areas. On shells or pebbles in tide pools of muddy or muddy sandy areas, sometimes exposed during low tide.	Lewmanomont (1976) Lewmanomont and Ogawa (1995)
	<i>L. corymbosa</i> J. Agardh	Thailand.	Nateewathana <i>et al.</i> (1981)
	<i>L. parvipapillata</i> Tseng	Mangrove areas.	Lewmanomont (1976)
	<i>L. majuscula</i> (Harvey) Lucas	Coral reefs.	Lewmanomont (1988)
	<i>L. cartilaginea</i> Yamada	On rocks of sandy rocky areas in subtidal zone.	Lewmanomont and Ogawa (1995)

Order / Family	Genus / Species	Site found	Reported by / Year
Ceramiales			
Solieriaceae	<i>Solieria</i> Agardh <i>S. robusta</i> (Grev.) Kylin	EYD 11464, Saen Soek, northern most part of the Gulf of Thailand. On shells or gravel in intertidal zone, exposed during low tide.	Dawson (1954) Lewmanmont and Ogawa (1995)
Rhabdoniaceae	<i>Catenella</i> Greville <i>C. nipae</i> Zan.	Koh Chang-Strait, at Lem Ngob creeping on the roots of mangrove trees between tide-marks. Mangrove areas. In upper tidal zone, always exposed at low tide.	Schmidt (1900-1916) Lewmanomont (1976) Lewmanomont and Ogawa (1995)
	<i>C. repens</i> (Lightfoot) Batters	Mangrove areas.	Lewmanomont (1976)
	<i>Rhabdonia</i> Harv. <i>R. Schmidtii</i> Reinb.n.sp.	Koh Chang-Strait, in shallow water near Lem Ngob.	Schmidt (1900-1916)

MARINE ALGAE IN THAILAND

Order / Family	Genus / Species	Site found	Reported by / Year
Ceramiales Delesseriaceae	<i>Caloglossa</i> (Harvey) J. Agardh <i>C. mnioides</i> Harvey	15 miles E. of Koh Chuen in 10 fathoms water (shells). Very young specimens only, therefore somewhat doubtful as to species.	Schmidt (1900-1916)