

Order/Family	Genus/Species	Locality	Reported by/Year
Homalopteridae	<i>Balitora brucei</i> Gray	Mae Hong Son, Sa Kaew.	Smith (1945), Sontirat (unpublished a)
	<i>B. bartschi</i> Smith	Trang, Sa Kaew.	Smith (1945), Sontirat (unpublished a)
	<i>Hemimyzon formosanum</i> (Boulenger)	Thaungyin River, a tributary of Salwin River (Tak).	Smith (1945)
	<i>Homaloptera arthi</i> Hora	Chumphon.	NIFI (1985)
	<i>H. lineata</i> Smith	Phrae, Chiang Rai.	Sontirat (1995), Suvatti (1981), Smith (1945)
	<i>H. modesta</i> (Vinciguerra)	Lop Buri, Chanthaburi, Nakhon Si Thammarat.	Suvatti (1981), Smith (1945)
	<i>H. orthogoniata</i> Vaillant	Nakhon Nayok, Chanthaburi.	NIFI (1985)
	<i>H. septemmaculata</i> Fowler	Chiang Mai.	Fowler (1934), Smith (1945)
	<i>H. sexmaculata</i> Fowler	Chiang Mai, Phrae, Chanthaburi.	Fowler (1934), Smith (1945), Sontirat (1994b, 1995)
<i>H. smithi</i> Hora	Phrae, Chiang Mai, Chanthaburi,	Sontirat (1994b, 1995),	

Order/Family	Genus/Species	Locality	Reported by/Year
Tachysuridae		Nakhon Si Thammarat, Surat Thani.	Smith (1945), Suvatti (1981), Kajarngdara (1994)
	<i>Homaloptera thamicola</i> Kottelat	Mae Hong Son.	Kottelat (1988)
	<i>H. zollingeri</i> Bleeker	Phrae, Khon Kaen, Bang Pakong River (Chachoengsao), Prachin Buri.	Sontirat (1994a, 1995), Suvatti (1981), Smith (1945)
	<i>Batrachocephalus mino</i> (Hamilton)	Chanthaburi, Songkhla.	DOF (1970), Suvatti (1981)
	<i>Hemipimelodus atripinnis</i> Fowler	Bangkok.	Fowler (1937), Suvatti (1981)
	<i>H. borneensis</i> (Bleeker)	Bangkok, Bang Pakong River (Chachoengsao), Nakhon Sawan, Chai Nat.	DOF (1969), Suvatti (1981), Smith (1945)
	<i>H. siamensis</i> Sauvage	Nonthaburi, Gulf of Thailand, Chai Nat, Nakhon Sawan.	Smith (1945), Suvatti (1981), DOF (1969)
	<i>H. velutinus</i> Weber	Bangkok.	Fowler (1935), Suvatti (1981)
	<i>Ketengus typus</i> (Bleeker)	Bangkok, Bang Pakong River (Chachoengsao), Phatthalung, Samut Prakan.	Smith (1945), Suvatti (1981)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Osteogeneiosus militaris</i> (Linnaeus)	Bang Pakong River (Chachoengsao), Chumphon, Samut Prakan, Chanthaburi, Songkhla, Gulf of Thailand.	DOF (1970), Wongratana (1968), Suvatti (1981)
	<i>Tachysurus argyropleuron</i> Cuvier & Valenciennes	Chanthaburi, Chumphon, Songkhla, Andaman Sea.	Suvatti (1981), Sontirat (1971)
	<i>T. burmanicus</i> (Day)	Gulf of Thailand.	Banasopit and Wongratana (1968)
	<i>T. caelatus</i> (Cuvier & Valenciennes)	Gulf of Thailand, Songkhla, Bangkok, Samut Prakan, Andaman Sea.	DOF (1970), Sontirat (1971), Suvatti (1981)
	<i>T. dispar</i> (Herre)	Gulf of Thailand.	Banasopit and Wongratana (1967)
	<i>T. dussumieri</i> (Valenciennes)	Gulf of Thailand.	Banasopit and Wongratana (1967)
	<i>T. gabora</i> (Hamilton)	Gulf of Thailand.	Suvatti (1981)
	<i>T. harmandi</i> (Sauvage)	Gulf of Thailand.	Suvatti (1981)
	<i>T. leiototocephalus</i> (Bleeker)	Samut Prakan, Gulf of Thailand.	Suvatti (1981)
	<i>T. macronotacanthus</i> (Bleeker)	Gulf of Thailand, Songkhla.	Suvatti (1981)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Tachysurus maculatus</i> (Thunberg)	Gulf of Thailand, Songkhla, Chanthaburi, Bang Pakong River (Chachoengsao).	DOF (1970), Banasopit and Wongratana (1967), Suvatti (1981)
	<i>T. melanochir</i> (Bleeker)	Bangkok.	Suvatti (1981)
	<i>T. nenga</i> (Day)	Gulf of Thailand.	Banasopit and Wongratana (1967)
	<i>T. sagor</i> (Hamilton)	Gulf of Thailand, Chanthaburi, Surat Thani, Songkhla, Pattani, Trat, Samut Prakan, Prachuap Khiri Khan.	Banasopit and Wongratana (1967), Suvatti (1981), Punpoka (1966)
	<i>T. sciurus</i> Smith	Surat Thani, Samut Prakan, Songkhla.	DOF (1970), Suvatti (1981)
	<i>T. stormii</i> (Bleeker)	Chao Phraya River above Bangkok.	Suvatti (1981)
	<i>T. thalassinus</i> (Rüppell)	Prachuap Khiri Khan, Phuket, Rayong, Andaman Sea, Gulf of Thailand.	Sontirat (1971), Suvatti (1981), Banasopit and Wongratana (1967)
	<i>T. truncatus</i> (Cuvier & Valenciennes)	Bangkok, Songkhla.	DOF (1970), Suvatti (1981)
	<i>T. venosus</i> (Cuvier & Valenciennes)	Songkhla, Gulf of Thailand, Chanthaburi, Prachuap Khiri Khan, Chon Buri.	DOF (1970), Monkolprasit <i>et al.</i> (1979), Punpoka (1966)

Order/Family	Genus/Species	Locality	Reported by/Year
Plotosidae	<i>Plotosus anguillaris</i> (Bloch) = <i>Plotosus lineatus</i> (Thunberg)	Songkhla, Prachuap Khiri Khan, Chon Buri, Chumphon, Samut Prakan, Phuket, Gulf of Thailand.	Sontirat (1985a), Monkolprasit <i>et al.</i> (1979), Suvatti (1981)
	<i>P. canius</i> (Hamilton)	Songkhla, Chon Buri, Samut Prakan, Chanthaburi.	Sontirat (1985a), DOF (1970), Monkolprasit <i>et al.</i> (1979, 1983)
Siluridae	<i>Ceratoglanis scleronema</i> (Bleeker)	Nakhon Nayok, Nong Khai, Mekong River.	DOF (1970), Suvatti (1981), NIFI (1985)
	<i>Hemisilurus heterorhynchus</i> (Bleeker)	Ubon Ratchathani.	NIFI (1985)
	<i>H. mekongensis</i> Bornbusch & Lundberg	Mekong River.	Bornbusch & Lundberg (1989)
	<i>Kryptopterus apogon</i> (Bleeker)	Nonthaburi, Khon Kaen, Phra Nakhon Si Ayutthaya, Ubon Ratchathani.	DOF (1984, 1969), NIFI (1985), Suvatti (1981)
	<i>K. bicirrhis</i> (Cuvier & Valenciennes)	Bangkok, Nakhon Nayok, Phra Nakhon Si Ayutthaya, Phitsanulok.	DOF (1967), NIFI (1985), Suvatti (1981), Sontirat (1996)
	<i>K. bleekeri</i> (Günther)	Nonthaburi, Chao Phraya River, Pasak River, Tapi River, Phra Nakhon	DOF (1969, 1970), Suvatti (1981)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Kryptopterus cryptopterus</i> (Bleeker)	Si Ayutthaya, Khon Kaen, Kanchanaburi, Mekong River. Nakhon Sawan, Khon Kaen, Nong Khai, Tapi River (Surat Thani), Phra Nakhon Si Ayutthaya, Nakhon Sawan.	DOF (1969), NIFI (1985), Suvatti (1981)
	<i>K. hexapterus</i> (Bleeker)	Bangkok, Chiang Mai, Bang Pakong River (Chachoengsao).	Suvatti (1981)
	<i>K. limpok</i> (Bleeker)	Chao Phraya River, Bang Pakong River (Chachoengsao).	Suvatti (1981)
	<i>K. macrocephalus</i> (Bleeker)	Narathiwat.	Wongrat (1990)
	<i>K. micronema</i> (Bleeker)	Bangkok, Phra Nakhon Si Ayutthaya.	Suvatti (1981)
	<i>K. moorei</i> Smith	Chai Nat, Phra Nakhon Si Ayutthaya.	NIFI (1985), Suvatti (1981)
	<i>Ompok bimaculatus</i> (Bloch)	Phra Nakhon Si Ayutthaya, Phrae, Phitsanulok, Ubon Ratchathani, Khon Kaen, Nonthaburi, Songkhla,	Sontirat (1991, 1994a, 1994b, 1995, 1996), DOF (1970), NIFI (1985), Suvatti (1981), Kajarngdara (1994)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Ompok leiacanthus</i> (Bleeker)	Kanchanaburi, Chanthaburi, Prachin Buri, Surat Thani.	
	<i>O. miostoma</i> (Vaillant) = <i>Wallagonia miostoma</i> (Vailant)	Narathiwat.	Wongrat (1990)
	<i>O. krattensis</i> (Fowler) = <i>Wallago krattensis</i> Fowler	Lop Buri, Ubon Ratchathani, Nong Khai.	NIFI (1985), DOF (1970), Suvatti (1981)
	<i>Silurichthys hasselti</i> Bleeker	Trat.	Fowler (1934), Suvatti (1981)
	<i>S. leucopodus</i> Fowler	Chanthaburi, Surat Thani.	NIFI (1985), Kajarngdara (1994)
	<i>S. phaiosoma</i> (Bleeker)	Chanthaburi, Tak, Trang.	NIFI (1985), Suvatti (1981)
	<i>S. eugeneiatus</i> (Vaillant)	Chanthaburi, Narathiwat.	Suvatti (1981), Smith (1945), Wongrat (1990)
	<i>S. hypophthalmus</i> (Bleeker)	Phra Nakhon Si Ayutthaya.	DOF (1969)
		Phra Nakhon Si Ayutthaya, Nakhon Sawan, Pattani River, Pasak River (Sara Buri), Phatthalung.	NIFI (1985), Suvatti (1981)

Order/Family	Genus/Species	Locality	Reported by/Year
Bagridae	<i>Silurichthys schneideri</i> Volz	Nakhon Si Thammarat.	NIFI (1985)
	<i>Silurus cochinchinensis</i> (Valenciennes) = <i>Parasilurus cochinchinensis</i> of Smith (1945)	Trang.	Kobayakawa (1989), Smith (1945)
	<i>S. torrentis</i> Kobayakawa	Chanthaburi, Trang, Surat Thani.	Kobayakawa (1989), Kajarngdara (1994), Sontirat (1994b)
	<i>Wallago dinema</i> Bleeker = <i>Belodontichthys dinema</i> (Bleeker)	Nong Khai, Chiang Mai, Phra Nakhon Si Ayutthaya, Nakhon Sawan, Ubon Ratchathani.	DOF (1969), NIFI (1985), Suvatti (1981)
	<i>Wallagonia attu</i> (Bloch)	Bangkok, Chiang Mai, Chiang Rai, Nakhon Sawan, Nonthaburi, Krabi, Phra Nakhon Si Ayutthaya, Ubon Ratchathani, Mekong River.	DOF (1969, 1970), NIFI (1985), Suvatti (1981)
	<i>Bagrichthys hypselopterus</i> (Bleeker) = <i>Bagroides macracanthus</i> of Smith (1945)	Upper part of Chao Phraya River, Nonthaburi, Nakhon Nayok River, Nong Khai, Ubon Ratchathani.	Sontirat <i>et al.</i> (1972), Sontirat (1984f), Suvatti (1981), NIFI (1985)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Bagroides macropterus</i> Bleeker	Phra Nakhon Si Ayutthaya, Ubon Ratchathani, Bang Pakong River (Chachoengsao), Nakhon Nayok River.	DOF (1969, 1970), NIFI (1985), Suvatti (1981)
	<i>B. melapterus</i> Bleeker	Chao Phraya River.	Smith (1945), Suvatti (1981)
	<i>Batasio tengana</i> (Hamilton-Buchanan)	Surat Thani.	Kajarngdara (1994)
	<i>Heterobagrus bocourti</i> Bleeker	Bangkok, Nakhon Ratchasima, Phitsanulok, Mun River (Ubon Ratchathani), Pasak River (Sara Buri), Phra Nakhon Si Ayutthaya, Songkhla, Chanthaburi.	DOF (1969, 1970), Smith (1945), Suvatti (1981), Sontirat (1994b)
	<i>Leiocassis poecilopterus</i> (Cuvier & Valenciennes)	Chanthaburi, Kanchanaburi, Khon Kaen, Chumphon.	NIFI (1985), Smith (1945)
	<i>L. siamensis</i> Regan	Phrae, Phitsanulok, Chiang Mai, Nakhon Ratchasima, Trang, Uthai Thani, Phra Nakhon Si Ayutthaya, Kanchanaburi, Nakhon Phanom, Khon Kaen, Songkhla, Yala,	Sontirat (1991, 1994a, 1994b, 1995, 1996), Kajarngdara (1994), NIFI (1985), Monkolprasit <i>et al.</i> (1982)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Leiocassis stenomus</i> (Cuvier & Valenciennes)	Surat Thani, Chanthaburi, Prachin Buri. Yala, Surat Thani, Kanchanaburi, Chanthaburi, Narathiwat.	DOF (1969), NIFI (1985), Suvatti (1981), Wongrat (1990), Kajarngdara (1994)
	<i>Mystus atrifasciatus</i> Fowler	Phitsanulok, Khon Kaen, Nakhon Phanom, Ubon Ratchathani, Kanchanaburi, Ratchaburi.	Fowler (1937), Roberts (1992)
	<i>M. baramensis</i> (Regan)	Songkhla.	Suvatti (1981)
	<i>M. bleekeri</i> Day	Mae Hong Son.	NIFI (1985)
	<i>M. cavasius</i> (Hamilton)	Phra Nakhon Si Ayutthaya, Nong Khai, Kanchanaburi, Kalasin, Surat Thani, Songkhla, Nonthaburi, Chiang Mai, Chiang Rai, Kemarat (Ubon Ratchathani), Bangkok, Nakhon Sawan, Chai Nat, Chanthaburi, Prachin Buri, Narathiwat.	NIFI (1985), DOF (1970, 1984), Suvatti (1981), Sontirat (1991, 1994a, 1994b), Wongrat (1990), Kajarngdara (1994)
	<i>M. gulio</i> (Hamilton)	Samut Prakan, Nonthaburi,	DOF (1970), Suvatti (1981)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Mystus havmolleri</i> Smith	Phetchaburi, Nakhon Si Thammarat, Songkhla.	Suvatti (1981), NIFI (1985)
	<i>M. micracanthus</i> (Bleeker)	Chumphon, Trang, Kanchanaburi, Nakhon Si Thammarat.	NIFI (1985), Suvatti (1981), Wongrat (1990)
	<i>M. microphthalmus</i> Day	Phetchaburi, Chiang Mai, Chanthaburi, Narathiwat.	NIFI (1985)
	<i>M. multiradiatus</i> Roberts	Mae Hong Son.	Roberts (1992)
	<i>M. mysticetus</i> Roberts	Prachin Buri, Nong Khai, Nakhon Sawan, Phra Nakhon Si Ayutthaya, Suphan Buri, Phitsanulok, Bangkok, Kanchanaburi.	Roberts (1992)
		Nakhon Phanom, Suphan Buri, Ubon Ratchathani, Kanchanaburi, Bangkok, Phra Nakhon Si Ayutthaya, Nakhon Sawan, Phitsanulok, Tha Chin River (Samut Sakhon), Nakhon Phanom, Ratchaburi, Rayong, Pathum Thani, Chumphon.	Roberts (1992)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Mystus nemurus</i> (Cuvier & Valenciennes)	Phrae, Phitsanulok, Nonthaburi, Bangkok, Uthai Thani, Songkhla, Khon Kaen, Kanchanaburi, Ubon Ratchathani, Chiang Mai, Chai Nat, Surat Thani, Nakhon Sawan, Phra Nakhon Si Ayutthaya, Chanthaburi, Prachin Buri, Narathiwat.	Sontirat (1991, 1994a, 1994b, 1995, 1996), Suvatti (1981), Monkolprasit <i>et al.</i> (1982), DOF (1970), NIFI (1985), Kajarngdara (1994), Wongrat (1990)
	<i>M. nudiceps</i> (Sauvage)	Chao Phraya River.	Suvatti (1981)
	<i>M. planiceps</i> (Cuvier & Valenciennes)	Phrae, Phitsanulok, Rayong, Songkhla, Kanchanaburi, Chanthaburi.	Sontirat (1994b, 1995, 1996), DOF (1970), NIFI (1985)
	<i>M. pulcher</i> (Chaudhuri)	Surat Thani.	Kajarngdara (1994)
	<i>M. rhegma</i> Fowler	Bangkok, Phrae.	Fowler (1935), Sontirat (1995)
	<i>M. seenghala</i> Day.	Mae Hong Son.	NIFI (1985)
	<i>M. vittatus</i> (Bloch)	Phetchaburi, Bang Pakong River, (Chachoengsao), Chiang Mai, Lamphoon, Phitsanulok, Nakhon Sawan, Chai Nat, Suphan Buri, Uthai Thani,	Sontirat (1991, 1994a, 1996), NIFI (1945), Suvatti (1981), DOF (1969), Kajarngdara (1994)

Order/Family	Genus/Species	Locality	Reported by/Year
Amblycipitidae	<i>Mystus wolffi</i> (Bleeker)	Nong Khai, Kalasin, Phra Nakhon Si Ayutthaya, Nakhon Ratchasima, Ubon Ratchathani, Kanchanaburi, Prachin Buri, Surat Thani.	
	<i>M. wycki</i> (Bleeker)	Songkhla, Krabi, Bangkok, Phitsanulok, Chiang Mai, Phra Nakhon Si Ayutthaya, Ubon Ratchathani.	DOF (1970), NIFI (1985), Sontirat (1996)
	<i>M. wyckioides</i> Chaux and Fang	Phrae, Phitsanulok, Khon Kaen, Nakhon Ratchasima, Phra Nakhon Si Ayutthaya, Chiang Mai, Mae Hong Son, Nong Khai, Chai Nat, Kanchanaburi, Surat Thani.	Sontirat (1991, 1995, 1996), NIFI (1985), Suvatti (1981), Kajarngdara (1994)
	<i>Amblyceps mangois</i> (Hamilton)	Phrae, Surat Thani. Chumphon, Tak, Nakhon Nayok, Surat Thani, Salween River & its tributaries, Nakhon Ratchasima, Nakhon Si Thammarat, Chanthaburi, Phrae, Phitsanulok.	Sontirat (1995), Kajarngdara (1994) NIFI (1985), Suvatti (1981), Sontirat (1994b, 1995, 1996), Kajarngdara (1994)

Order/Family	Genus/Species	Locality	Reported by/Year	
Akysidae	<i>Akysis armatus</i> Vaillant	Pattani.	Smith (1945), Suvatti (1981)	
	<i>A. leucorhynchus</i> Fowler	Chiang Mai.	Fowler (1934)	
	<i>A. macronemus</i> (Bleeker)	Chanthaburi, Pattani, Kanchanaburi.	Smith (1945), Suvatti (1981), NIFI (1985), Sontirat (1991)	
	<i>A. maculipinnis</i> Fowler	Chanthaburi.	Fowler (1934)	
	<i>A. pictus</i> Günther	Tenasserim (Salween River)	Suvatti (1981)	
	<i>Parakysis verrucosa</i> Silas	Narathiwat.	Wongrat (1990)	
	Sisoridae	<i>Bagarius bagarius</i> (Hamilton)	Phra Nakhon Si Ayutthaya, Kanchanaburi, Chiang Mai, Mae Hong Son, Yala, Nan, Ubon Ratchathani, Mekong River.	DOF (1969), Suvatti (1981), NIFI (1985)
		<i>B. yarrelli</i> (Sykes)	Mae Hong Son.	NIFI (1985)
		<i>Erethites maesotensis</i> Kottelat	Moei River (Tak).	Kottelat (1983)
		<i>Gagata cenia</i> (Hamilton)	Salween River at Ta Ta Fang (Mae Hong Son).	Smith (1945)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Glyptothorax buchanani</i> Smith	Nong Khai, Chiang Mai.	NIFI (1985), Smith (1945), Suvatti (1981)
	<i>G. callopterus</i> Smith	Trang, Mae Hong Son, Phrae.	Smith (1945), NIFI (1985), Sontirat (1995)
	<i>G. fuscus</i> Fowler	Chanthaburi, Nakhon Si Thammarat, Phrae, Mae Hong Son, Chiang Mai, Yala.	Sontirat (1994b, 1995), Fowler (1934), Suvatti (1981), NIFI (1985)
	<i>G. lampris</i> Fowler	Chiang Mai.	Fowler (1934)
	<i>G. major</i> (Boulenger)	Chanthaburi, Phrae, Phitsanulok, Chiang Rai, Salween River.	Sontirat (1995, 1996), NIFI (1985)
	<i>G. platypogonoides</i> (Bleeker)	Phrae, Mae Hong Son, Nakhon Si Thammarat, Surat Thani.	Sontirat (1995), NIFI (1985), Suvatti (1981)
	<i>G. prashadi</i> Mukerji	Nakhon Si Thammarat.	Smith (1945), Suvatti (1981)
	<i>G. trilineatus</i> Blyth	Chiang Mai, Trang, Nakhon Si Thammarat, Chanthaburi.	NIFI (1985), Suvatti (1981), Smith (1945)
	<i>Oreoglanis siamensis</i> Smith	Chiang Mai.	NIFI (1985)

Order/Family	Genus/Species	Locality	Reported by/Year
Schilbeidae	<i>Pteropsoglanis horai</i> (Fowler)	Sop Lao (Chiang Rai).	Suvatti (1981)
	<i>Eutropiichthys vacha</i> (Hamilton)	Moei River (Tak).	Suvatti (1981), Smith (1945)
	<i>Helicophagus hypophthalmus</i> Sauvage	Bangkok.	Suvatti (1981), Smith (1945)
	<i>H. waandersi</i> Bleeker	Phra Nakhon Si Ayutthaya, Chai Nat, Nakhon Sawan, Ubon Ratchathani, Samut Prakan, Nong Khai, Lop Buri.	DOF (1969), NIFI (1985), Suvatti (1981)
	<i>Laiides hexanema</i> (Bleeker)	Phra Nakhon Si Ayutthaya, Chai Nat, Nakhon Sawan, Ubon Ratchathani, Nakhon Nayok, Khon Kaen.	DOF (1969), Suvatti (1981), NIFI (1985)
Pangasiidae	<i>Platytrapius siamensis</i> (Sauvage)	Phra Nakhon Si Ayutthaya, Chai Nat, Nakhon Nayok River, Nakhon Sawan.	NIFI (1985), Suvatti (1981)
	<i>Pangasianodon gigas</i> Chevey	Mekong River (Nong Khai), Ubon Ratchathani, Chiang Rai.	DOF (1969, 1970), NIFI (1985)
	<i>Pangasius aequilabialis</i> Fowler	Nakhon Sawan, Bangkok.	NIFI (1985), Suvatti (1981), Fowler (1937)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Pangasius altifrons</i> Durand	Tonle Sap.	Suvatti (1981)
	<i>P. beani</i> Smith	Ubon Ratchathani, Lop Buri River.	Smith (1945), NIFI (1985), Suvatti (1981)
	<i>P. fowleri</i> Smith	Lop Buri River, Si Sawat (Kanchanaburi).	Smith (1945), Suvatti (1981)
	<i>P. larnaudi</i> Bocourt	Phra Nakhon Si Ayutthaya, Chai Nat, Ubon Ratchathani, Nong Khai.	DOF (1969), NIFI (1985), Suvatti (1981)
	<i>P. longibarbis</i> Fowler	Mekong River at Chiang San (Chiang Rai)	Fowler (1934), Smith(1945), Suvatti (1981)
	<i>P. macronemus</i> Bleeker	Nakhon Sawan, Kemarat (Ubon Ratchathani), Nakhon Sawan, Lop Buri River, Pa Sak River (Sara Buri).	DOF (1969), NIFI (1985), Suvatti (1981)
	<i>P. micronemus</i> Bleeker	Bangkok, Nonthaburi, Nakhon Sawan, Ubon Ratchathani, Mekong River.	DOF (1970), Suvatti (1981), NIFI (1985)
	<i>P. nasutus</i> (Bleeker)	Nakhon Sawan, Ang Thong, Samut Prakan, Chai Nat, Phra Nakhon Si Ayutthaya, Nong Khai.	DOF (1969), NIFI (1985), Suvatti (1981)

Order/Family	Genus/Species	Locality	Reported by/Year
	<i>Pangasius pangasius</i> (Hamilton)	Bangkok, Phra Nakhon Si Ayutthaya, Suphan Buri, Nakhon Sawan.	DOF (1969), Suvatti (1981), NIFI (1985)
	<i>P. pleurotaenius</i> Sauvage	Chao Phraya River.	Suvatti (1981), Smith (1945)
	<i>P. polyuranodon</i> Bleeker	Samut Prakan, Chao Phraya River, Bang Pakong River (Chachoengsao), Nonthaburi.	Smith (1945), Suvatti (1981)
	<i>P. sanitwongsei</i> Smith	Phra Nakhon Si Ayutthaya, Nong Khai, Nakhon Ratchasima, Chiang Mai, Mekong River.	DOF (1970), Suvatti (1981), NIFI (1985)
	<i>P. siamensis</i> Steindachner	Bangkok, Phra Nakhon Si Ayutthaya, Nonthaburi, Samut Prakan, Ubon Ratchathani, Mekong River.	DOF (1970), Suvatti (1981), NIFI (1985)
	<i>P. sutchi</i> Fowler	Bangkok, Chao Phraya River, Tha Chin River, Pa Sak River (Sara Buri), Mekong River, Nakhon Sawan, Phra Nakhon Si Ayutthaya.	DOF (1969), Fowler (1937), Suvatti (1981), NIFI (1985)
	<i>P. taeniurus</i> Fowler	Bangkok, Chai Nat, Mekong River.	DOF (1969), Suvatti (1981), NIFI (1985)

Order/Family	Genus/Species	Locality	Reported by/Year
Heteropneustidae = Saccobranchidae	<i>Pteropangasius cultratus</i> (Smith)	Phra Nakhon Si Ayutthaya, Nong Khai, Kanchanaburi, Ubon Ratchathani, Tapi River (Surat Thani), Mekong River.	NIFI (1985), Suvatti (1981), DOF (1969, 1970)
	<i>Heteropneustes fossilis</i> (Bloch)	Surat Thani, Nakhon Sawan, Trang, Nakhon Nayok River, Kemarat, (Ubon Ratchathani), Nakhon Nayok.	Smith (1945), Suvatti (1981), NIFI (1985)
Clariidae	<i>Clarias batrachus</i> (Linnaeus)	Every part of Thailand, Mekong River, Chao Phraya River, Phitsanulok, Salween River and its tributaries, Kanchanaburi, Surat Thani.	DOF (1970), Suvatti (1981), Kajarngdara (1994), NIFI (1985) Sontirat (1991, 1995, 1996)
	<i>C. leiacanthus</i> Bleeker	Thailand.	Smith (1945) ,Suvatti (1981)
	<i>C. macrocephalus</i> Günther	Mekong River (Nong Khai), Nakhon Sawan, Khon Kaen, Songkhla Phitsanulok, and/or every part of Thailand.	DOF (1970), Suvatti (1981), NIFI (1985), Sontirat (1996)
	<i>C. meladerma</i> Bleeker	Nakhon Sawan, Phichit, Khao Lue Nai	NIFI (1985), DOF (1969),

Order/Family	Genus/Species	Locality	Reported by/Year
Chacidae <b>ANGUILLIFORMES</b> Anguillidae	<i>Clarias teysmanni</i> Bleeker	(Chachoengsao), Sa Keaw, Narathiwat, Surat Thani. Nakhon Si Thammarat.	Sontirat (unpublished e), Wongrat (1990), Kajarngdara (1994) Smith (1945), Suvatti (1981), NIFI (1985)
	<i>Prophagorus cataractus</i> (Fowler)	Trang, Nakhon Si Thammarat, Surat Thani.	Fowler (1939), Smith (1945), Suvatti (1981), DOF (1969), Kajarngdara (1994)
	<i>P. nieuhofti</i> (Cuvier & Valenciennes)	Krat River (Trat), Chumphon, Patthalung, Songkhla.	DOF (1969, 1970), Suvatti (1981)
	<i>Chaca bankanensis</i> Bleeker	Narathiwat.	Wongrat (1990)
	<i>Anguilla bicolor</i> (Rich.) (misidentified as <i>Anguilla australis</i> )	Satun. Krabi, Phuket, Bangkok. Trang, Phuket, Krabi, Satun.	DOF (1985) Suvatti (1981) Monkolprasit <i>et al.</i> (1987)
	<i>A. borneensis</i> Popta	Southern peninsula Thailand.	Monkolprasit <i>et al.</i> (1987)
Muraenidae	<i>Echidna delicatula</i> (Kaup)	Gulf of Thailand.	Wongratana (1968)