

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<b>Order Decapoda Latreille, 1803</b>		
<b>Suborder Dendrobranchiata Bate, 1888</b>		
<b>Infraorder Penaeidea Rafinesque, 1815</b>		
<b>Superfamily Penaeoidea Rafinesque, 1815</b>		
<b>Family Penaeidae Rafinesque, 1815</b>		
<i>Atypopenaeus stenodactylus</i> (Stimpson, 1860)	Chon Buri, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Metapenaeopsis barbata</i> (De Haan, 1850)	Chon Buri, Rayong, Chanthaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Phuket, Trang, Andaman Sea.	
<i>M. ceylonica</i> Starobogatov, 1972	Ranong, Andaman Sea.	
<i>M. crassissima</i> Racek & Dall, 1965	Chon Buri, Gulf of Thailand.	
<i>M. distincta</i> (De Man, 1907)	Chon Buri, Gulf of Thailand.	
<i>M. lamellata</i> (De Haan, 1850)	Chon Buri, Pattani, Gulf of Thailand.	
<i>M. mogiensis</i> (Rathbun, 1902)	Chon Buri, Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>M. mogiensis intermedia</i> Crosnier, 1991	Ranong, Andaman Sea.	
<i>M. palmensis</i> (Haswell, 1879)	Chon Buri, Rayong, Chanthaburi, Trat, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ranong, Phuket, Trang, Andaman Sea.	
<i>M. sinica</i> Lui & Zhong, 1988	Chon Buri, Gulf of Thailand.	
<i>M. stridulans</i> (Alcock, 1905)	Chon Buri, Rayong, Chanthaburi, Trat, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Krabi, Trang, Ranong, Phangnga, Phuket, Andaman Sea.	
<i>M. toloensis</i> Hall, 1962	Rayong, Songkhla, Pattani, Gulf of Thailand; Ranong, Phuket, Trang, Andaman Sea.	
<i>Metapenaeus affinis</i> (H. Milne Edwards, 1837)	Chon Buri, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Krabi, Phuket, Satun, Andaman Sea.	
<i>M. anchistus</i> (De Man, 1920)	Trang, Phuket, Phangnga, Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>M. brevicornis</i> (H. Milne Edwards, 1837)	Samut Prakan, Samut Sakhon, Samut Songkhram, Chachoengsao, Phetchaburi, Surat Thani, Nakhon Si Thammarat, Phatthalung, Pattani, Chumphon , Gulf of Thailand; Phangnga, Krabi, Satun, Andaman Sea.	
<i>M. conjunctus</i> Racek & Dall, 1965	Trat, Gulf of Thailand; Phangnga , Andaman Sea.	
<i>M. dobsoni</i> (Miers, 1878)	Chumphon, Phatthalung, Gulf of Thailand; Ranong, Krabi, Satun, Andaman Sea.	
<i>M. elegans</i> De Man, 1907	Samut Sakhon, Songkhla, Pattani, Gulf of Thailand.	
<i>M. ensis</i> (De Haan, 1844)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Chachoengsao, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Pattani, Gulf of Thailand; Ranong, Phuket, Phangnga, Krabi, Trang, Satun, Andaman Sea.	
<i>M. intermedius</i> (Kishinouye, 1900)	Trat, Chumphon, Surat Thani, Songkhla, Pattani, Gulf of Thailand.	
<i>M. krishnatrii</i> Silas & Muthu, 1976	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. lysianassa</i> (De Man, 1888)	Chon Buri, Trat, Samut Prakan, Phatthalung, Pattani, Gulf of Thailand; Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
<i>M. moyebi</i> (Kishinouye, 1896)	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Pattani, Gulf of Thailand; Ranong, Trang, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	
<i>M. suluensis</i> Racek & Dall, 1965	Phuket, Andaman Sea.	
<i>M. tenuipes</i> Kubo, 1949	Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Gulf of Thailand; Trang, Andaman Sea.	
<i>Parapenaepsis cornutus</i> (Kishinouye, 1900)	Chon Buri, Chanthaburi, Samut Songkhram, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Krabi, Trang, Satun, Phuket, Andaman Sea.	
<i>P. coromandelica</i> Alcock, 1906	Samut Prakan, Gulf of Thailand; Satun, Andaman Sea.	
<i>P. hardwickii</i> (Miers, 1878)	Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phangnga, Phuket, Krabi, Satun, Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>P. hungerfordi</i> Alcock, 1905	Chon Buri, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. maxillipedo</i> Alcock, 1905	Chon Buri, Chanthaburi, Prachup Khiri Khan, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Ranong, Trang, Andaman Sea.	
<i>P. sculptilis</i> (Heller, 1862)	Surat Thani, Gulf of Thailand; Ranong, Satun, Andaman Sea.	
<i>P. tenella</i> (Bate, 1888)	Chon Buri, Samut Songkhram, Prachup Khiri Khan, Surat Thani, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. uncta</i> Alcock, 1905	Phatthalung, Gulf of Thailand; Trang, Ranong, Satun, Andaman Sea.	
<i>P. venusta</i> De Man, 1907	Chon Buri, Gulf of Thailand.	
<i>Parapenaeus longipes</i> Alcock, 1905	Rayong, Chanthaburi, Prachuap Khiri Khan, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Penaeus canaliculatus</i> (Olivier, 1811)	Trang, Ranong, Phuket, Krabi, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. japonicus</i> Bate, 1888	Chon Buri, Samut Songkhram, Phetchaburi, Chumphon, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. latisulcatus</i> Kishinouye, 1896	Chon Buri, Rayong, Trart, Surat Thani, Gulf of Thailand; Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. longistylus</i> Kubo, 1943	Trat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>P. merguiensis</i> De Man, 1888	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Narathiwat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	
<i>P. monodon</i> Fabricius, 1798	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Samut Prakan, Phetchaburi, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Chumphon, Gulf of Thailand; Trang, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. penicillatus</i> Alcock, 1905	Phuket, Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>P. semisulcatus</i> De Haan, 1850	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Patthalung, Pattani, Narathiwat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	Ranong
<i>P. silasi</i> Muthu & Motoh, 1979	Samut Prakan, Samut Sakhon, Samut Songkhram, Trat, Chumphon, Surat Thani, Nakhon si Thammarat, Phatthalung, Gulf of Thailand; Phuket, Phangnga, Krabi, Andaman Sea.	
<i>Trachypenaeus albicomus</i> Hayashi & Toriyama, 1980	Ranong, Andaman Sea .	
<i>T. asper</i> Alcock, 1905	Songkhla, Gulf of Thailand; Trang, Ranong, Andaman Sea.	
<i>T. curvirostris</i> (Stimpson, 1860)	Chon Buri, Rayong, Trat, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Andaman Sea.	
<i>T. granulosis</i> (Haswell, 1879)	Trang, Ranong, Phuket, Andaman Sea.	
<i>T. longipes</i> (Paulson, 1875)	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>T. malaianus</i> Balss, 1933	Chon Buri, Chanthaburi, Trat, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
<i>T. pescadoreensis</i> Schmitt, 1931	Chon Buri, Rayong, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>T. sedili</i> Hall, 1961	Trang, Ranong, Phuket, Andaman Sea; Rayong, Gulf of Thailand.	
<b>Family Sicyoniidae Ortmann, 1898</b>		
<i>Sicyonia lancifera</i> (Olivier, 1811)	Trat, Nakhon si Thammarat, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>S. ommanneyi</i> Hall, 1956	Chon Buri, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Family Solenoceridae Wood-Mason &amp; Alcock, 1891</b>		
<i>Solenocera bedokensis</i> Hall, 1962	Prachuap Khiri Khan, Chumphon, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>S. choprai</i> Nataraj, 1945	Andaman Sea.	
<i>S. crassicornis</i> (H. Milne Edwards, 1837)	Ranong, Andaman Sea.	
<i>S. hextii</i> Wood-Mason & Alcock, 1891	Andaman Sea.	
<i>S. melantho</i> De Man, 1907	Gulf of Thailand.	
<i>S. pectinata</i> (Bate, 1888)	Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>S. subnuda</i> Kubo, 1949	Chumphon, Nakhon Si Thammarat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
<b>Superfamily Sergestoidea Dana, 1852</b>		
<b>Family Luciferidae Dana, 1852</b>		
<i>Lucifer hanseni</i> Nobili, 1905	Samut Prakan, Chachoengsao, Gulf of Thailand; Andaman Sea.	
<b>Family Sergestidae Dana, 1852</b>		
<i>Acetes erythraeus</i> Nobili, 1905	Rayong, Chanthaburi, Chumphon, Pattani, Gulf of Thailand; Ranong, Phangnga, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>A. indicus</i> H. Mline Edwards, 1830	Chachoengsao, Samut Prakan, Chon Buri, Songkhla, Phatthalung, Gulf of Thailand; Andaman Sea.	
<i>A. japonicus</i> Kishinouye, 1905	Samut Sakhon, Songkhla, Pattani, Gulf of Thailand; Ko Pan Yi, Phangnga, Andaman Sea.	
<i>A. serrulatus</i> (Kroyer, 1859)	Chachoengsao, Gulf of Thailand.	
<i>A. sibogae</i> Hansen, 1919	Gulf of Thailand; Krabi, Phangnga, Andaman Sea.	
<i>A. vulgaris</i> Hansen, 1919	Ko Kradat, Trat, Rayong, Chon Buri, Samut Prakan, Gulf of Thailand.	
<b>Suborder Pleocyemata Burkenroad, 1963</b>		
<b>Infraorder Stenopodidea Claus, 1872</b>		
<b>Family Stenopodidae Claus, 1872</b>		
<i>Stenopus hispidus</i> (Olivier, 1811)	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Infraorder Caridea Dana, 1852</b>		
<b>Superfamily Atyoidea De Haan, 1849</b>		
<b>Family Atyidae De Haan, 1849</b>		
<i>Atyopsis moluccensis</i> (De Haan, 1849)	Chanthaburi, Trat, East Thailand; Surat Thani (Ko Samui), Nakhon Si Thammarat, Trang, Phangnga, Phuket, South Thailand.	
<i>Caridina brachydactyla</i> De Man, 1908	Ko Chang, Trat, East Thailand.	
<i>C. gracilirostris</i> De Man, 1892	Bangkok, Nakhon Sawan, Central Thailand; Pattani, South Thailand.	
<i>C. gracillima</i> Lanchester, 1901	Phatthalung, Songkhla, South Thailand.	
<i>C. laevis</i> Heller, 1862	Bangkok, Central Thailand.	
<i>C. macrophora</i> Kemp, 1918	Phatthalung, Songkhla, Phangnga, South Thailand.	
<i>C. peninsularis</i> Kemp, 1918	Pattani, Phuket, Phangnga, South Thailand.	
<i>C. propinqua</i> De Man, 1908	Bangkok, Nonthaburi, Phra Nakhon Si Ayutthaya, Central Thailand; Songkhla, Pattani, South Thailand.	

Taxon/Species	Locality	Endemic Area
<i>C. sumatrensis</i> De Man, 1892	Pattani, Phangnga, Phuket, South Thailand.	
<i>C. tonkinensis</i> Bouvier, 1919	Chon Buri, East Thailand.	
<i>C. typus</i> H. Milne Edwards, 1837	Phangnga, Phuket, South Thailand.	
<b>Superfamily Palaemonoidea Rafinesque, 1815</b>		
<b>Family Palaemonidae Rafinesque, 1815</b>		
<b>Subfamily Palaemoninae Rafinesque, 1815</b>		
<i>Exopalaemon styliferus</i> (H. Milne Edwards, 1840)	Samut Sakhon, Samut Songkhram, Central Thailand, Samut Prakan, Chon Buri, Chachoengsao, East Thailand; Ranong, South Thailand.	
<i>Leander tenuicornis</i> (Say, 1818)	Chon Buri, East Thailand.	
<i>Leandrites indicus</i> Holthuis, 1950	Chon Buri, East Thailand.	
<i>L. stenopus</i> Holthuis, 1950	Chon Buri, East Thailand.	
<i>Leptocarpus potamiscus</i> (Kemp, 1917)	Bangkok, Central Thailand; Samut Prakan, Chachoengsao,	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Macrobrachium equidens</i> (Dana, 1852)	East Thailand; Songkhla, Pattani, South Thailand. Chon Buri, Trat, Samut Prakan, Chachoengsao, East Thailand; Samut Sakhon, Samut Songkhram, Central Thailand; Nakhon Si Thammarat, Songkhla, South Thailand. Phetchaburi, West Thailand.	
<i>M. esculentum</i> (Thallwitz, 1891)	Lam Nam Phong, Khon Kaen, North East Thailand.	
<i>M. idae</i> (Heller, 1862)	Samut Sakon, Central Thailand; Nakhon Si Thammarat, Songkhla, Ranong, South Thailand.	
<i>M. lanchesteri</i> (De Man, 1911)	In every Provinces of Thailand.	
<i>M. lar</i> (Fabricius, 1793)	Ko Surin, Phangnga, South Thailand.	
<i>M. latidactylus</i> (Thallwitz, 1891)	Ko Kud, Trat, East Thailand; Pattani, South Thailand.	
<i>M. mirabile</i> (Kemp, 1917)	Nonthaburi, Central Thailand; Samut Prakan, Chachoengsao, East Thailand.	
<i>M. neglectus</i> (De Man, 1905)	Surat Thani, Ranong, Phuket, Phangnga, Krabi, South Thailand; Trat, East Thailand.	
<i>M. niphanae</i> Shokita & Takeda, 1989	Khao Yai, Nakhon Ratchasima, North East Thailand.	

Taxon/Species	Locality	Endemic Area
<i>M. palaemonoides</i> Holthuis, 1950	Surin, North East Thailand.	
<i>M. pilimanus</i> (De Man, 1879)	Nonthaburi, Pathum Thani, Saraburi, Lop Buri, Nakhon Nayok, Phetchabun, Kamphaeng Phet, Central Thailand; Rayong, Chanthaburi, Trat, East Thailand; Tak, Kanchanaburi, Prachuap Khiri Khan, West Thailand; Nakhon Ratchasima, Chaiyaphum, Khon Kaen, Sakon Nakhon, Ubon Ratchathani, Si Sa Ket, North East Thailand; Chumphon, Trang, Phuket, Krabi, South Thailand.	
<i>M. rosenbergii</i> (De Man, 1879)	Bangkok, Nathaburi, Pathum Thani, Pra Nakhon Si Ayutthaya, Lop Buri, Ang Thong, Chai Nat, Suphan Buri, Nakhon Sawan, Nakhon Pathom, Samut Sakhon, Samut Songkhram, Central Thailand; Chachoengsao, Rayong, Chanthaburi, Trat, Prachin Buri, East Thailand; Phetchaburi, West Thailand; Chumphon, Surat Thani, Nakhon Si Thammarat, Trang, Songkhla, Pattani, Yala, Narathiwat, Phatthalung, Phuket, Phangnga, South Thailand.	
<i>M. sintangense</i> (De Man, 1898)	Bangkok, Pra Nakhon Si Ayutthaya, Saraburi, Central Thailand; Chon Buri, Samut Prakan, Chachoengsao, Trat, East Thailand;	

Taxon/Species	Locality	Endemic Area
<i>M. yui</i> Holthuis, 1950	Surat Thani, Nakhon Si Thammarat, Phatthalung, Ranong, South Thailand. Saraburi, Lop Buri, Nakhon Nayok, Phetchbun, Phitsanulok, Kamphaeng Phet, Central Thailand; Chon Buri, Prachin Buri, East Thailand; Ratchaburi, West Thailand; Nakhon Ratchasima, Chaiyaphum, Ubon Ratchathani, North East Thailand; Utradit, North Thailand.	
<i>Palaemon semmelinkii</i> (De Man, 1881)	Chon Buri, East Thailand.	
<i>P. serrifer</i> (Stimpson, 1860)	Chon Buri, Trat, East Thailand; Phangnga, South Thailand.	
<i>P. sewelli</i> (Kemp, 1925)	Chon Buri, East Thailand.	
<i>Urocaridella urocaridella</i> (Holthuis, 1950)	Chon Buri, East Thailand.	
<b>Subfamily Pontoniinae Kingsley, 1878</b>		
<i>Anchistus miersi</i> (De Man, 1888)	Chon Buri, Gulf of Thailand.	
<i>Conchodytes biunguiculatus</i> (Paulson, 1875)	Chon Buri, Gulf of Thailand.	
<i>Harpiliopsis beaupresii</i> (Audouin, 1826)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Palaemonella tenuipes</i> Dana, 1852	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Periclimenes brevicarpalis</i> (Schenkel, 1902)	Chon Buri, Gulf of Thailand.	
<i>P. consobrinus</i> (De Man, 1902)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. diversipes</i> Kemp, 1992	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. elegans</i> (Paulson, 1875)	Chon Buri, Gulf of Thailand.	
<i>P. grandis</i> (Stimpson, 1860)	Chon Buri, Gulf of Thailand.	
<i>P. holthuisi</i> Bruce, 1969	Chon Buri, Gulf of Thailand.	
<i>P. magnificus</i> Bruce, 1979	Chon Buri, Gulf of Thailand.	
<b>Superfamily Alpheoidea Rafinesque, 1815</b>		
<b>Family Alpheidae Rafinesque, 1815</b>		
<i>Alpheopsis chalciope</i> De Man, 1910	Phuket, Andaman Sea.	Phuket
<i>A. equalis</i> Coutiere, 1896	Phuket, Andaman Sea.	Phuket
<i>Alpheus acutocarinatus</i> De Man, 1909	Thai water	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>A. acutofemoratus</i> Dana, 1852	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. alcyone</i> De Man, 1902	Phuket, Andaman Sea.	
<i>A. bucephalus</i> Coutiere, 1905	Prao Bay, Ko Samet, Rayong, Gulf of Thailand.	
<i>A. collumianus probabilis</i> Banner, 1956	Patong Beach, Phuket, Andaman Sea.	
<i>A. crockeri</i> Armstrong, 1941	Ko Samit, Chumphon, Gulf of Thailand; Sa Ku Beach, Phuket, Andaman Sea.	
<i>A. cythereus</i> Banner & Banner, 1966	Patong Beach, Phuket, Andaman Sea.	
<i>A. deuteropus</i> Hilgendorf, 1878	Rawai Beach, Phuket, Andaman Sea.	
<i>A. dispar</i> Randall, 1840	Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. edwardsii</i> Audouin, 1826	Ko Sak, Chon Buri, Ban Pe, Ko Samet, Rayong, Gulf of Thailand; Trang, Andaman Sea.	
<i>A. ehlersi</i> De Man, 1909	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. euphrosyne</i> De Man, 1897	Ang Sila, Chon Buri, Samut Prakan, Chachoengsao, Samut Songkhram, Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. facetus</i> De Man, 1908	Sa Ku Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>A. funafutensis</i> Borradaile, 1898	Thai water.	
<i>A. gracilipes</i> Stimpson, 1860	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. gracilis simplex</i> (Banner, 1953)	Ko Sak, Chon Buri, Gulf of Thailand.	
<i>A. hippothoe</i> De Man, 1888	Ko Sichung, Chon Buri, Gulf of Thailand.	
<i>A. leviusculus</i> Dana, 1852	Ang Sila, Chon Buri, Gulf of Thailand.	
<i>A. lobidens</i> De Haan, 1849	Ko Kradat, Trat, Lem Sing, Chanthaburi, Ko Samui, Surat Thani, Songkhla Lake, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. lottini</i> Guerin, 1830	Rawai, Beach, Phuket, Andaman Sea.	
<i>A. malabaricus</i> (Fabricius, 1775)	Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. malabaricus songkla</i> Banner & Banner, 1966	Songkhla Lake, Songkhla. Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. malleodigitus</i> (Bate, 1888)	Rawai Beach, Phuket, Andaman Sea.	
<i>A. microrhynchus</i> De Man, 1897	Bangkok Noi, Bangkok.	Bangkok Noi
<i>A. microstylus</i> (Bate, 1888)	Rawai Beach, Phuket, Andaman Sea.	
<i>A. obesomanus</i> Dana, 1852	Ko Kradat, Trat, Gulf of Thailand.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>A. pacificus</i> Dana, 1852	Gulf of Thailand.	
<i>A. paracrinitus</i> Miers, 1881	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. paralcione</i> Coutiere, 1905	Ko Sichung, Chon Buri, Gulf of Thailand.	
<i>A. parvirostris</i> Dana, 1952	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. pomatoceros</i> Banner & Banner, 1966	Ko Samui, Surat Thani, Gulf of Thailand; Patong Beach, Phuket, Andaman Sea.	
<i>A. proseuchirus</i> De Man, 1908	Gulf of Thailand.	
<i>A. rapacida</i> De Man, 1908	Gulf of Thailand.	
<i>A. rapax</i> Fabricius, 1798	Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. serenei</i> Tiwari, 1963	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>A. strenuus</i> Dana, 1852	Phuket, Andaman Sea.	
<i>A. sudara</i> Banner & Banner, 1966	Phuket, Andaman Sea; Ko Samui, Surat Thani, Ko Kradat, Trat, Gulf of Thailand.	
<i>A. supachai</i> Banner & Banner, 1966	Ko Samui, Surat Thani, Ko Samit, Chumphon, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Athanas dimorphus seedang</i> Banner & Banner, 1966	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. naga</i> Banner & Banner, 1966	Gulf of Thailand.	
<i>A. polymorphus</i> Kemp, 1915	Ban Pe, Rayong, Gulf of Thailand.	
<i>Automate gardineri</i> Coutiere, 1902	Phuket, Andaman Sea.	
<i>Racilius compressus</i> Paulson, 1875	Patong, Phuket, Andaman Sea.	
<i>Salmoneus brevirostris</i> (Edmondson, 1930)	Phuket, Andaman Sea.	
<i>S. bruni</i> Banner & Banner, 1966	Gulf of Thailand.	
<i>S. cristatus</i> (Coutiere, 1897)	Thai Waters.	
<i>Synalpheus acanthitelsonis</i> Coutiere, 1905	Ko Sichang, Chon Buri, Ko Samit, Chumphon, Gulf of Thailand.	
<i>S. bakeri stormi</i> De Man, 1897	Phuket, Andaman Sea.	
<i>S. bituberculatus</i> De Man, 1910	Ko Namsao, Chanthaburi, Gulf of Thailand.	
<i>S. coutieri</i> Banner, 1953	Phuket, Andaman Sea.	
<i>S. gravieri</i> Coutiere, 1905	Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>S. hastilicrassus</i> Coutiere, 1905	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>S. heroni</i> Coutiere, 1909	Phuket, Andaman Sea.	
<i>S. laticeps</i> Coutiere, 1905	Ko Sichang, Chon Buri, Gulf of Thailand.	
<i>S. pachymeri</i> Coutiere, 1905	Ko Kradat, Trat, Gulf of Thailand.	
<i>S. stimpsoni</i> De Man, 1888	Phuket, Andaman Sea.	
<i>S. streptodactylus</i> Coutiere, 1905	Ko Sak, Chon Buri, Gulf of Thailand.	
<i>S. thai</i> Banner & Banner, 1966	Ko Samet, Rayong, Ko Namsao, Chanthaburi, Gulf of Thailand.	
<i>S. theano</i> De Man, 1910	Thai waters.	
<i>S. tumidomanus</i> (Paulson, 1875)	Ko Sak, Chon Buri, Gulf of Thailand.	
<b>Family Hippolytidae Dana, 1852</b>		
<i>Exhippolysmata ensirostris</i> (Kemp, 1914)	Chon Buri, Gulf of Thailand.	
<i>Latreutes mucronatus</i> (Stimpson, 1860)	Chon Buri, Gulf of Thailand.	
<i>Lysmata vittata</i> Stimpson, 1860	Chon Buri, Gulf of Thailand.	
<i>Saron marmoratus</i> (Olivier, 1811)	Ko Samui, Surat Thani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Thor paschalis</i> (Heller, 1862)	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Tozeuma lanceolatum</i> Stimpson, 1860	Chon Buri, Gulf of Thailand.	
<b>Family Ogyrididae Hay and Shore, 1918</b>		
<i>Ogyrides striaticauda</i> Kemp, 1915	Chon Buri, Gulf of Thailand.	
<b>Superfamily Pandaloidea Haworth, 1825</b>		
<b>Family Pandalidae Haworth, 1825</b>		
<i>Heterocarpoides levicarina</i> (Bate, 1888)	Chon Buri, Gulf of Thailand.	
<i>Plesionika martia orientalis</i> Chace, 1985	Chon Buri, Gulf of Thailand.	
<i>P. ocellus</i> (Bate, 1888)	Chon Buri, Gulf of Thailand.	
<i>P. quasigrandis</i> Chace, 1985	Chon Buri, Gulf of Thailand.	
<b>Family Thalassocarididae Bate, 1888</b>		
<i>Thalassocaris crinita</i> (Dana, 1852)	Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Crangonoidea Haworth, 1825</b>		
<b>Family Crangonidae Haworth, 1825</b>		
<i>Pontocaris pennata</i> Bate, 1888	Chon Buri, Gulf of Thailand.	
<b>Infraorder Astacidea Latreille, 1802</b>		
<b>Superfamily Nephropoidea Dana, 1852</b>		
<b>Family Nephropidae Dana, 1852</b>		
<i>Nephropsis stewarti</i> Wood-Mason, 1872	Andaman Sea.	
<i>Metanephrops andamanicus</i> (Wood-Mason, 1891)	Andaman Sea.	
<b>Infraorder Palinuridea Latreille, 1802</b>		
<b>Superfamily Eryonoidea De Haan, 1841</b>		
<b>Family Polychelidae Wood-Mason, 1875</b>		
<i>Stereomastis andamanensis</i> (Alcock, 1894)	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Palinuroidea Latreille, 1802</b>		
<b>Family Palinuridae Latreille, 1802</b>		
<i>Linuparus trigonus</i> (Von Siebold, 1824)	South, Gulf of Thailand.	
<i>Palinustus waguensis</i> Kubo, 1963	Ranong, Andaman Sea.	
<i>Panulirus homarus</i> (Linnaeus, 1758)	Phuket, Ranong, Andaman Sea.	
<i>P. longipes</i> (A. Milne Edwards, 1868)	Phuket, Ranong, Andaman Sea.	
<i>P. ornatus</i> (Fabricius, 1798)	Satun, Phuket, Ranong, Andaman Sea.	
<i>P. penicillatus</i> (Olivier, 1791)	Phuket, Ranong, Andaman Sea.	
<i>P. polyphagus</i> (Herbst, 1793)	Ko Tao, Chumphon, Gulf of Thailand; Ko Pan Yi, Phangnga, Satun, Andaman Sea.	
<i>P. stimpsoni</i> Holthuis, 1963	Ko Si Chang, Chon Buri, Gulf of Thailand.	
<i>P. versicolor</i> (Latreille, 1804)	Satun, Phuket, Ranong, Andaman Sea.	
<i>Puerulus sewelli</i> Ramadan, 1938	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Family Scyllaridae Latreille, 1825</b>		
<i>Scyllarides squammosus</i> (H. Milne Edwards, 1837)	Ranong, Andaman Sea.	
<i>S. tridacnophagus</i> Holthuis, 1967	Phuket, Andaman Sea.	
<i>Ibacus novemdentatus</i> Gibbes, 1850	South, Gulf of Thailand.	
<i>Parribacus antarcticus</i> (Lund, 1793)	Phuket, Andaman Sea.	
<i>Scyllarus bertholdii</i> Paulson, 1875	Nakhon Si Thammarat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>S. martensii</i> Pfeffer, 1881	Chon Buri, Rayong, Pattani, Gulf of Thailand.	
<i>S. rugosus</i> H. Milne Edwards, 1837	Chon Buri, Rayong, Pattani, Gulf of Thailand.	
<i>S. sordidus</i> (Stimpson, 1860)	Chon Buri, Rayong, Ko Chan, Prachuap Khiri Khan, Pattani, Gulf of Thailand.	
<i>Thenus orientalis</i> (Lund, 1793)	Chon Buri, Rayong, Prachuap Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<b>Family Synaxidae Bate, 1881</b>		
<i>Palinurellus wieneckii</i> (De Man, 1881)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Infraorder Thalassinidea Latreille, 1831</b>		
<b>Superfamily Thalassinidea Latreille, 1831</b>		
<b>Family Axiidae Huxley, 1879</b>		
<i>Eutrichocheles modestus</i> (Herbst, 1796)	Ko Chang, Trat, Gulf of Thailand.	
<b>Family Callianassidae Dana, 1852</b>		
<i>Callianassa (Callichirus) ranongensis</i> Sakai, 1983	Ranong, Andaman Sea.	<b>Ranong</b>
<b>Family Callianideidae Kossmann, 1880</b>		
<i>Callianidea typa</i> H. Milne Edwards, 1837	Phuket, Andaman Sea.	
<b>Family Laomediidae Borradaile, 1903</b>		
<i>Laomedia healyi</i> Yaldwin & Wear, 1970	Phuket, Andaman Sea.	
<b>Family Thalassinidae Latreille, 1831</b>		
<i>Thalassina anomala</i> (Herbst, 1804)	Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Family Upogebiidae Borradaile, 1903</b>		
<i>Wolffogebia phuketensis</i> Sakai, 1982	Phuket, Andaman Sea.	Phuket
<i>Upogebia heterocheir</i> Kemp, 1915	Pak Phayun, Phatthalung, Gulf of Thailand.	
<b>Infraorder Anomura H. Milne Edwards, 1832</b>		
<b>Superfamily Coenobitoidea Dana, 1851</b>		
<b>Family Coenobitidae Ortmann, 1892</b>		
<i>Coenobita brevimana</i> Dana, 1853	Ko Similan, Phangnga, Andaman Sea.	
<i>C. cavipes</i> Stimpson, 1858	Chanthaburi, Gulf of Thailand; Trang, Satun, Krabi, Phuket, Andaman Sea.	
<i>C. hilgendorfi</i> Terao, 1913	Ko Similan, Phangnga, Andaman Sea.	
<i>C. rugosa</i> H. Milne Edwards, 1837	Chon Buri, Chanthaburi, Gulf of Thailand; Ko Similan, Phangnga, Phuket, Andaman Sea.	
<b>Family Diogenidae Ortmann, 1892</b>		
<i>Calcinus elegans</i> (H. Milne Edwards, 1836)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>C. gaimardi</i> (H. Milne Edwards, 1848)	Phuket, Andaman Sea.	
<i>C. laevimanus</i> (Randall, 1839)	Phuket, Andaman Sea.	
<i>C. latens</i> (Randall, 1839)	Phuket, Andaman Sea.	
<i>Clibanarius arethusa</i> De Man, 1888	Rayong, Surat Thani, Gulf of Thailand.	
<i>C. cruentatus</i> (H. Milne Edwards, 1848)	Chon Buri, Rayong, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. infraspinatus</i> Hilgendorf, 1896	Chon Buri, Rayong, Samut Songkhram, Prachuap Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Krabi, Satun, Andaman Sea.	
<i>C. lineatus</i> (H. Milne Edwards, 1848)	Samut Prakan, Chanthaburi, Chachoengsao, Samut Sakhon, Gulf of Thailand; Phangnga, Krabi, Andaman Sea.	
<i>C. longitarsus</i> (De Haan, 1849)	Samut Prakan, Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>C. merguensis</i> De Man, 1888	Chon Buri, Rayong, Chanthaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>C. padavensis</i> De Man, 1888	Ranong, Phuket, Phangnga, Krabi, Trang, Satun, Andaman Sea.	
<i>C. striolatus</i> Dana, 1852	Nakhon si Thammarat, Phatthalung, Pattani, Narathiwat, Gulf of Thailand.	
<i>C. virescens</i> (Krauss, 1843)	Phuket, Andaman Sea.	
<i>Diogenes avarus</i> Heller, 1865	Chon Buri, Rayong, Chanthaburi, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Songkhla, Gulf of Thailand; Ranong, Phuket, Satun, Andaman Sea.	
<i>D. custos</i> (Fabricius, 1798)	Krabi, Satun, Andaman Sea.	
<i>D. diogenes</i> (Herbst, 1791)	Chanthaburi, Prachuap Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>D. gardineri</i> Alcock, 1905	Chon Buri, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>D. goniochirus</i> Forest, 1956	Phetchaburi, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>D. planimanus</i> Henderson, 1893	Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>D. rectimanus</i> Miers, 1884	Prachuap Khiri Khan, Pattani, Gulf of Thailand; Trang, Andaman Sea.	
<i>Dradanus hessii</i> (Miers, 1884)	Chon Buri, Rayong, Trat, Samut Prakan, Samut Sakhon, Prachuap Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.	
<i>D. imbricatus</i> (H. Milne Edwards, 1848)	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Pattani, Gulf of Thailand.	
<i>D. lagopodes</i> (Forsk. 1775)	Chon Buri, Prachuap Khiri Khan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>D. megistos</i> (Herbst, 1804)	Chon Buri, Rayong, Prachuap Khiri Khan, Gulf of Thailand; Trang, Satun, Phuket Krabi, Andaman Sea.	
<b>Superfamily Paguroidea Latreille, 1803</b>		
<b>Family Paguridae Latreille, 1803</b>		
<i>Spiropagurus spiriger</i> (De Haan, 1849)	Samut Sakhon, Surat Thani, Pattani, Gulf of Thailand.	
<i>S. spiriger profundorum</i> Alcock, 1905	Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Galatheoidea Samouelle, 1819</b>		
<b>Family Porcellanidae Haworth, 1825</b>		
<i>Enosteoides ornatus</i> (Stimpson, 1858)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Lissoporcellana spinuligera</i> (Dana, 1853)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Pachycheles garciaensis</i> (Ward, 1942)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. sculptus</i> (H. Milne Edwards, 1837)	Ko Chang, Trat, Gulf of Thailand.	
<i>Petrolisthes asiaticus</i> (Leach, 1820)	Ko Chang, Ko Kradat, Trat, Gulf of Thailand.	
<i>P. boscii</i> (Audouin, 1826)	Ko Chang, Trat, Gulf of Thailand.	
<i>P. hastatus</i> Stimpson, 1858	Ko Chang, Trat, Gulf of Thailand.	
<i>P. lamarckii</i> (Leach, 1820)	Chon Buri, Gulf of Thailand.	
<i>P. teres</i> Melin, 1939	Ko Chang, Trat, Gulf of Thailand.	
<i>Pisidia gordonii</i> (Johnson, 1970)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. serratifrons</i> (Stimpson, 1858)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>Polyonyx biunguiculatus</i> (Dana, 1852)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>P. obesulus</i> Miers, 1884	Ko Kut, Trat, Gulf of Thailand.	
<i>P. telestophilus</i> Johnson, 1958	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>Porcellanella picta</i> Stimpson, 1858	Chon Buri, Gulf of Thailand.	
<i>Pseudoporcellanella manoliensis</i> Sankarankutty, 1961	Chon Buri, Gulf of Thailand.	
<i>Raphidopus ciliatus</i> Stimpson, 1858	Ranong, Andaman Sea.	
<b>Superfamily Hippoidea Latreille, 1825</b>		
<b>Family Albuneidae Stimpson, 1858</b>		
<i>Albunea symnista</i> (Linnaeus, 1766)	Bang San Beach, Chon Buri, Gulf of Thailand; Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	
<b>Family Hippidae Latreille, 1825</b>		
<i>Emerita emeritus</i> (Linnaeus, 1767)	Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Hippa adactyla</i> Fabricius, 1787	Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	
<i>H. cелаeno</i> (De Man, 1896)	Chon Buri, Ko Chan Beach, Prachuap Khiri Khan, Ko TanNok, Ko Phangan, Surat Thani, Gulf of Thailand.	
<b>Infraorder Brachyura Latreille, 1803</b>		
<b>Section Dromiacea De Haan, 1833</b>		
<b>Superfamily Dromioidea De Haan, 1833</b>		
<b>Family Dromiidae De Haan, 1833</b>		
<i>Conchoecetes andamanicus</i> Alcock, 1899	Gulf of Thailand; Andaman Sea.	
<i>C. artificiosus</i> (Fabricius, 1791)	Ko Samit, Ko Chuen, Rayong, Gulf of Thailand.	
<i>Cryptodromia canaliculata</i> Stimpson, 1858	Chon Buri, Rayong, Songkhla, Gulf of Thailand.	
<i>C. pileifera</i> Alcock, 1899	Andaman Sea.	
<i>Dromia dehaani</i> Rathbun, 1923	Phuket, Andaman Sea.	
<i>Dromidia unidentata</i> (Ruppell, 1830)	Ko Kram, Chon Buri, Ko Chuen, Rayong, Ko Kadat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Dromidiopsis cranioides</i> (De Man, 1888)	Ko Mesan, Chon Buri, Ko Samit, Ko Chuen, Rayong, Trat, Samut Songkhram, Phetchaburi, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<b>Section Archaeobrachyura Guinot, 1977</b>		
<b>Superfamily Raninoidea De Haan, 1839</b>		
<b>Family Raninidae De Haan, 1839</b>		
<b>Subfamily Ranininae Serene &amp; Umali, 1972</b>		
<i>Ranina ranina</i> (Linnaeus, 1758)	Phuket, Phangnga, Andaman Sea.	Phangnga
<i>Raninoides personatus</i> Henderson, 1888	Phuket, Andaman Sea.	
<i>R. serratifrons</i> Henderson, 1893	Phuket, Andaman Sea.	
<b>Subfamily Notopinae Serene &amp; Umali, 1972</b>		
<i>Notopus dorsipes</i> (Fabricius, 1798)	Phuket, Andaman Sea.	
<i>Cosmonotus grayi</i> Adams & White, 1848	Phuket, Andaman.	

Taxon/Species	Locality	Endemic Area
<b>Section Oxystomata H. Milne Edwards, 1834</b>		
<b>Superfamily Dorippoidea MacLeay, 1838</b>		
<b>Family Dorippidae MacLeay, 1838</b>		
<i>Dorippe dorsipes</i> (Linnaeus, 1758)	Ko Mesan, Cap Liant, Chon Buri, Ban Pe, Rayong, Gulf of Thailand.	
<i>D. quadridens</i> (Fabricius, 1793)	Trat, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>Dorippoides facchino</i> (Herbst, 1785)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Ko Kadat, Lem Ngob, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Petchaburi, Prachuap Khiri Khan, Chumphon, Ko Samui, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>Neodorippe callida</i> (Fabricius, 1798)	Ko Chik, Paknam Wen, Chanthaburi, Ko Chang, Trat, Chumphon, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Leucosioidea Samouelle, 1819</b>		
<b>Family Calappidae De Haan, 1833</b>		
<b>Subfamily Calappinae Alcock, 1896</b>		
<i>Calappa calappa</i> (Linnaeus, 1758)	Phuket, Andaman Sea.	
<i>C. gallus</i> (Herbst, 1803)	Phuket, Andaman Sea.	
<i>C. hepatica</i> (Linnaeus, 1758)	Phuket, Andaman Sea.	
<i>C. lophos</i> (Herbst, 1782)	Phuket, Andaman Sea.	
<i>C. philagius</i> (Linnaeus, 1758)	Chanthaburi, Prachuap Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>C. terrae-reginae</i> Ward, 1936	Chon Buri, Rayong, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<b>Subfamily Matutinae Alcock, 1896</b>		
<i>Ashtoret lunaris</i> (Forskal, 1775)	Ko Kam, Ko Mesan, Chon Buri, Ko Kadat, Trat, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Matuta planipes</i> Fabricius, 1798	Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. victor</i> (Fabricius, 1781)	Ko Chik, Chanthaburi, Ko Chang, Trat, Ko Kong, Prachuap Khiri Khan, Chumphon, Ko Samui, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Ranong, Trang, Andaman Sea.	
<b>Family Leucosiidae Samouelle, 1819</b>		
<b>Subfamily Cryptocneminae Stimpson, 1858</b>		
<i>Cryptocnemus mortenseni</i> Rathbun, 1909	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>C. siamensis</i> Serene & Soh, 1976	Gulf of Thailand.	
<i>Onychomorpha lamelligera</i> Stimpson, 1858	Ko Kam, Ko Lan, Chon Buri, Gulf of Thailand.	
<b>Subfamily Ebaliinae Stimpson, 1871</b>		
<i>Drachiella morum</i> (Alcock, 1896)	Phuket, Andaman Sea.	
<i>Ebalia heterochalaza</i> Kemp, 1915	Gulf of Thailand.	
<i>E. malefactrix</i> Kemp, 1915	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>E. tuberculosa</i> (A. Milne Edwards, 1873)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>E. woodmasoni</i> Alcock, 1896	Ko Kadat, Trat, Gulf of Thailand.	
<i>Heteronucia mesanensis</i> Rathbun, 1909	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>Nuciops modesta</i> (Ihle, 1918)	Phuket, Andaman Sea.	
<i>Oreophorus rugosus</i> Stimpson, 1858	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>Tlos muriger</i> Adams & White, 1843	Ko Chuen, Chon Buri, Ko Kut, Trat.	
<b>Subfamily Leucosiinae Miers, 1886</b>		
<i>Leucosia anatum</i> (Herbst, 1783)	Chon Buri, Gulf of Thailand.	
<i>L. craniolaris</i> (Linnaeus, 1758)	Ko Chuen, Chon Buri, Ko Samit, Rayong, Ko Chang, Ko Kadat, Trat, Pattani, Gulf of Thailand.	
<i>L. haematostrita</i> Adams & White, 1748	Ko Sakait, Ko Kam, Ko Chuen, Chon Buri, Ko Chang, Gulf of Thailand.	
<i>L. haswelli</i> Miers, 1884	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>L. longifrons</i> De Haan, 1850	Rayong, Ko Mak, Ko Kadat, Trat, Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>L. margaritata</i> A. Milne Edwards, 1874	Ko Chuen, Chon Buri, Ko Kadat, Ko Kut, Ko Chang, Trat, Gulf of Thailand.	
<i>L. perlata</i> De Haan, 1841	Chon Buri, Gulf of Thailand.	
<i>L. pulcherrima</i> Miers, 1896	Ko Kadat, Trat, Gulf of Thailand.	
<i>L. urania</i> (Herbst, 1786)	Ko Lan, Chon Buri, Ko Chang, Ko Kadat, Trat, Gulf of Thailand.	
<i>L. vittata</i> Stimpson, 1858	Ko Chang, Trat, Gulf of Thailand.	
<i>L. whitei</i> Bell, 1855	Ko Chuen, Chon Buri, Gulf of Thailand.	
<b>Subfamily Philyrinae Rathbun, 1937</b>		
<i>Arcania crinaceus</i> (Fabricius, 1798)	Prachuap Khiri Khan, Gulf of Thailand.	
<i>A. heptacantha</i> (De Haan, 1861)	Chon Buri, Ko Kut, Ko Chang, Trat, Samut Sakhon, Petchaburi, Chumphon, Surat Thani, Gulf of Thailand.	
<i>A. novemspinosa</i> Adams & White, 1848	Chon Buri, Songkhla, Gulf of Thailand.	
<i>A. septemspinosa</i> (Fabricius, 1798)	Ko Samit, Rayong, Ko Kut, Ko Chang, Trat, Surat Thani, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. undecimspinosus</i> De Haan, 1850	Ko Kam, Chon Buri, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>Iphiculus spongiosus</i> Adams & White, 1848	Ko Samit, Rayong, Ko Kadat, Ko Kut, Ko Chang, Trat, Phetchaburi, Chumphon, Gulf of Thailand.	
<i>Ixa cylindrus</i> (Fabricius, 1777)	Ko Sakait, Chon Buri, Kung Kaben, Chanthaburi, Ko Kadat, Trat, Samut Sakhon, Phetchaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>I. edwardsi</i> Lucas, 1858	Nakhon Si Thammarat, Songkhla, Gulf of Thailand.	
<i>Myra affinis</i> Bell, 1855	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>M. coalita</i> (Hilgendorf, 1873)	Chon Buri, Songkhla, Gulf of Thailand.	
<i>M. elegans</i> Bell, 1855	Ko Sichang, Ko Chuen, Chon Buri, Ko Kut, Ko Kadat, Ko Chang, Ko Kong, Trat, Chumphon, Gulf of Thailand.	
<i>M. fugax</i> (Fabricius, 1798)	Samut Prakan, Samut Sakhon, Songkhla, Gulf of Thailand.	
<i>M. pentacantha</i> Alcock, 1896	Kung Kaben, Chanthaburi, Ko Kadat, Trat, Gulf of Thailand.	
<i>Myrodes eudactylus</i> Bell, 1855	Ko Chuen, Chon Buri, Ko Kadat, Lem Ngob, Trat, Gulf of Thailand.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Nursia lar</i> (Fabricius, 1798)	Ko Lan, Ko Chuen, Chon Buri, Rayong, Ko Chang, Ko Kut, Ko Kadat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Nursilia tonsor</i> Alcock, 1898	Phuket, Andaman Sea.	
<i>Paranursia abbreviata</i> (Bell, 1855)	Phuket, Andaman Sea.	
<i>Pariphiculus mariannae</i> (Herklots, 1852)	Gulf of Thailand.	
<i>Philyra globulosa</i> H. Milne Edwards, 1837	Gulf of Thailand.	
<i>P. granulosa</i> Ihle, 1918	Phuket, Andaman Sea.	
<i>P. heterograna</i> Ortmann, 1892	Prachuap Khiri Khan, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>P. olivacea</i> Rathbun, 1909	Lem Ngob, Trat, Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Pseudophilyra melita</i> De Man, 1888	Ko Mesan, Ko Kam, Cap Liant, Chon Buri, Gulf of Thailand.	
<i>P. tridentata</i> Miers, 1848	Ko Mesan, Ko Chuen, Chon Buri, Ko Kadat, Trat, Gulf of Thailand.	
<i>Randallia eburnea</i> Alcock, 1896	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>R. glans</i> Alcock, 1896	Phuket, Andaman Sea.	
<b>Section Oxyrhyncha Latreille, 1803</b>		
<b>Superfamily Majoidea Samouelle, 1819</b>		
<b>Family Majidae Samouelle, 1819</b>		
<b>Subfamily Acanthonychinae Alcock, 1895</b>		
<i>Menaethius monoceros</i> (Latrielle, 1825)	Ko Kadat, Ko Chang, Trat, Gulf of Thailand.	
<b>Subfamily Inachinae MacLeay, 1838</b>		
<i>Achaeus affinis</i> Miers, 1879	Ko Kam, Ko Rin, Chon Buri, Gulf of Thailand.	
<i>A. fissifrons</i> (Haswell, 1879)	Phuket, Andaman Sea.	
<i>A. lacertosus</i> Stimpson, 1857	Ko Chuen, Ko Kram, Gulf of Thailand.	
<i>Camposcia retusa</i> Latreille, 1892	Phuket, Andaman Sea.	
<i>Criocarcinus superciliosus</i> (Herbst, 1788)	Phuket, Andaman Sea.	
<i>Paratymolus pubescens</i> Miers, 1879	Kung Kaben, Chanthaburi, Ko Kadat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Majinae Balss, 1929</b>		
<i>Chlorinoides aculaetus</i> (H. Milne Edwards, 1834)	Ko Kam, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>C. longispinus</i> (De Haan, 1839)	Phuket, Andaman Sea.	
<i>Schizophrys aspera</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
<i>S. longipes</i> (Linnaeus, 1767)	Phuket, Andaman Sea.	
<b>Subfamily Mithracinae Balss, 1929</b>		
<i>Micippa philyra</i> (Herbst, 1803)	Ko Mesan, Chon Buri, Ko Kadat, Ko Mak, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. thalia</i> (Herbst, 1803)	Ko Kam, Chon Buri, Ko Kadat, Ko Kut, Trat, Phetchaburi, Gulf of Thailand.	
<b>Subfamily Pisinae Alcock, 1895</b>		
<i>Doclea alcocki</i> Laurie, 1906	Phuket, Andaman Sea.	
<i>D. armata</i> (De Haan, 1893)	Chon Buri, Gulf of Thailand.	
<i>D. canalifera</i> Stimpson, 1857	Ko Kram, Chon Buri, Ko Kadat, Trat, Prachuap Khiri Khan,	

Taxon/Species	Locality	Endemic Area
<i>D. gracilipes</i> Stimpson, 1857	Chumphon, Surat Thani, Pattani, Gulf of Thailand.	
<i>D. terruptera</i> Walker, 1890	Pattani, Gulf of Thailand.	
<i>D. ovis</i> (Herbst, 1788)	Ko Samit, Rayong, Ko Chang, Ko Kut, Trat, Gulf of Thailand.	
<i>Hyastenus aries</i> (Latreille, 1825)	Chon Buri, Samut Sakhon, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>H. diacanthus</i> (De Haan, 1839)	Chon Buri, Phetchaburi, Gulf of Thailand; Phuket, Andaman Sea.	
<i>H. hilgendorfi</i> De Man, 1888	Ko Rin, Ko Chuen, Chon Buri, Ko Kut, Ko Kadat, Trat, Phetchaburi, Prachuap Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>H. oryx</i> A. Milne Edwards, 1872	Ko Mesan, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>H. planasius</i> (Adams & White, 1848)	Ko Mak, Trat, Gulf of Thailand.	
<i>H. spinosus</i> A. Milne Edwards, 1872	Ko Kam, Ko Chuen, Ko Mesan, Chon Buri, Gulf of Thailand.	
<i>H. spinosus</i> A. Milne Edwards, 1872	Ko Kram, Ko Chuen, Chon Buri, Ko Kadat, Ko Chang, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Phalangipus indicus</i> (Leach, 1815)	Chon Buri, Gulf of Thailand.	
<i>P. longipes</i> (Linnaeus, 1758)	Ko Kam, Ko Chuen, Chon Buri, Chanthaburi, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Thacanophrys albanyensis</i> (Ward, 1933)	Chon Buri, Gulf of Thailand.	
<i>T. halimoides</i> (Miers, 1879)	Chon Buri, Gulf of Thailand.	
<b>Superfamily Hymenosomatoidea</b> <b>MacLeay, 1838</b>		
<b>Family Hymenosomatidae MacLeay, 1838</b>		
<i>Limnopilos naiyanetri</i> Christina, Chuang & Ng, 1991	Tha Chin River, Nakhon Chaisi, Nakhon Pathom, Central Thailand.	
<i>Neorhynchoplax exiguus</i> (Kemp, 1917)	Gulf of Thailand.	
<i>Rynchoplax coralicola</i> Rathbun, 1909	Gulf of Thailand.	
<i>Trigonoplax unguiformis</i> (De Haan, 1839)	La un, Rangong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Parthenopoidea MacLeay, 1838</b>		
<b>Family Parthenopidae MacLeay, 1838</b>		
<b>Subfamily Aethrinae Dana, 1852</b>		
<i>Cryptopodia anagulata</i> H. Milne Edwards & Lucas, 1841	Phuket, Andaman Sea.	
<i>C. dorsalis</i> White, 1847	Chon Buri, Gulf of Thailand.	
<i>C. fornicata</i> (Fabricius, 1781)	Chon Buri, Kung Kaben, Chanthaburi, Ko Kadat, Ko Kut, Trat, Rayong, Samut Prakan, Samut Sakhon, Phetchaburi, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>C. laevimana</i> Miers, 1879	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<b>Subfamily Eumedoninae Miers, 1879</b>		
<i>Echinoecus pentagonus</i> (White, 1847)	Ko Kram, Chon Buri, Ko Kadat, Ko Kut, Trat, Gulf of Thailand.	
<i>Rhabdonotus pictus</i> A. Milne Edwards, 1878	Phuket, Andaman Sea.	
<i>Zebrida adamsi</i> White, 1847	Ko Kram, Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Parthenopinae Miers, 1879</b>		
<i>Aulacolambrus hoplonotus</i> (Adams & White, 1848)	Ko Mesan, Ko Rin, Chon Buri, Gulf of Thailand.	
<i>A. whitei</i> H. Milne Edwards, 1872	Phuket, Andaman Sea.	
<i>Daldorfia horrida</i> (Linnaeus, 1758)	Ko Samui, Surat Thani, Phuket, Andaman Sea.	
<i>Parthenope longimanus</i> (Linnaeus, 1764)	Ko Kram, Ko Chuen, Chon Buri, Rayong, Ko Kut, Trat, Samut Sakhon, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. pransor</i> (Herbst, 1796)	Chon Buri, Gulf of Thailand.	
<i>Platylambrus echinatus</i> (Herbst, 1790)	Ko Lan, Ko Kram, Chon Buri, Rayong, Phuket, Andaman Sea.	
<i>Pseudolambrus calappoides</i> (Adams & White, 1848)	Ko Mesan, Ko Rin, Chon Buri, Gulf of Thailand.	
<i>P. harpax</i> (Adams & White, 1848)	Ko Mesan, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>P. ozakii</i> Sakai, 1969	Songkhla, Gulf of Thailand.	
<i>Rhinolambrus contrarius</i> (Herbst, 1796)	Trat, Phetchaburi, Chumphon, Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>R. longispinis</i> (Miers, 1879)	Ko Kam, Chon Buri, Ko Tulu, Rayong, Ko Kut, Ko Kadat, Trat, Gulf of Thailand.	
<i>R. pelagicus</i> (Ruppell, 1830)	Ko Kadat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Section Cancridea Latreille, 1803</b>		
<b>Superfamily Cancroidea Latreille, 1803</b>		
<b>Family Corystidae Samouelle, 1819</b>		
<i>Gomezia bicornis</i> Gray, 1831	Chon Buri, Gulf of Thailand.	
<i>Jonas distincta</i> (De Haan, 1835)	Chumphon, Songkhla, Gulf of Thailand.	
<b>Family Thiidae Dana, 1852</b>		
<i>Kraussia nitida</i> Stimpson, 1858	Ko Mesan, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Section Brachyrhyncha Borradaile, 1907</b>		
<b>Superfamily Portunoidea Rafinesque, 1815</b>		
<b>Family Portunidae Rafinesque, 1815</b>		
<b>Subfamily Caphyrinae Alcock, 1899</b>		
<i>Lissocarcinus arkati</i> Kemp, 1923	Nakhon Si Thammarat, Gulf of Thailand.	
<i>L. boholensis</i> Semper, 1880	Ko Kut, Trat, Gulf of Thailand.	
<b>Subfamily Catoptrinae Borradaile, 1903</b>		
<i>Carupa tenuipes</i> Dana, 1851	Gulf of Thailand.	
<i>Libystes alphonsi</i> Alcock, 1900	Phuket, Andaman Sea.	
<i>L. edwardsi</i> Alcock, 1900	Phuket, Andaman Sea.	
<b>Subfamily Podophthalminae Borradaile, 1907</b>		
<i>Podophthalmus vigil</i> (Fabricius, 1798)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Ko Kong, Trat,	

Taxon/Species	Locality	Endemic Area
<p><b>Subfamily Portuninae Stephenson and Campbell, 1960</b></p>	<p>Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.</p>	
<p><i>Charybdis acutifrons</i> (De Man, 1879)</p>	<p>Phuket, Andaman Sea.</p>	
<p><i>C. affinis</i> Dana, 1852</p>	<p>Chon Buri, Chanthaburi, Lem Ngob, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Chumphon, Songkhla, Pattani, Nakhon Si Thammarat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Krabi, Andaman Sea.</p>	
<p><i>C. anisodon</i> (De Haan, 1850)</p>	<p>Chon Buri, Paknam Wen, Chanthaburi, Ko Chang, Trat, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Ranong, Satun, Phuket, Phangnga, Krabi, Andaman Sea.</p>	
<p><i>C. annulata</i> (Fabricius, 1798)</p>	<p>Ko Kam, Chon Buri, Rayong, Chanthaburi, Prachuap Khiri Khan, Songkhla, Gulf of Thailand.</p>	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>C. beauforti</i> Leene & Buitendijk, 1949	Ranong, Phuket, Andaman Sea.	
<i>C. callianassa</i> (Herbst, 1789)	Paknam Wen, Chonhaburi, Ko Kut, Trat, Samut Prakan, Samut Sakhon, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>C. feriatus</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Ko Kut, Ko Kong, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Andaman Sea.	
<i>C. hellerii</i> (A. Milne Edwards, 1861)	Chon Buri, Rayong, Trat, Prachuap Khiri Khan, Pattani, Gulf of Thailand; Satun, Ranong, Phuket, Andaman Sea.	
<i>C. hongkongensis</i> Shen, 1834	Ranong, Andaman Sea.	
<i>C. lucifera</i> (Fabricius, 1798)	Chonhaburi, Lem Ngob, Ko Kong, Trat, Samut Songkhram, Prachuap Khiri Khan, Gulf of Thailand; Krabi, Andaman Sea.	
<i>C. miles</i> De Haan, 1835	Chanthaburi, Samut Prakan, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Trang, Satun, Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>C. natator</i> (Herbst, 1789)	Ko Mesan, Chon Buri, Rayong, Chanthaburi, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Andaman Sea.	
<i>C. ornata</i> (A. Milne Edwards, 1861)	Ko Samit, Rayong, Ko Kadat, Ko Kut, Trat, Gulf of Thailand.	
<i>C. rorstrata</i> (A. Milne Edwards, 1861)	Gulf of Thailand; Andaman Sea.	
<i>C. truncata</i> (Fabricius, 1798)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Phuket, Krabi, Andaman Sea.	
<i>C. vadorum</i> Alcock, 1899	Chon Buri, Chanthaburi, Trat, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.	
<i>C. variegata</i> (Fabricius, 1798)	Ko Kam, Chon Buri, Chanthaburi, Prachuap Khiri Khan, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Phangnga, Krabi, Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Lupocyclus rotundatus</i> Adams & White, 1848	Chon Buri, Chanthaburi, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>Portunus argentatus</i> (White, 1847)	Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. brockii</i> (De Man, 1887)	Chanthaburi, Ko Kadat, Ko Mak, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. gladiator</i> (Fabricius, 1798)	Ko Kam, Ko Mesan, Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Prachuap Khiri Khan, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Andaman Sea.	
<i>P. gracilimanus</i> (Stimpson, 1858)	Ko Lan, Ko Kram, Ko Chuen, Chon Buri, Rayong, Chanthaburi, Ko Kut, Ko Kadat, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>P. granulatus</i> (H. Milne Edwards, 1834)	Ko Kadat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. hastatoides</i> (Fabricius, 1798)	Chon Buri, Ko Samit, Rayong, Chanthaburi, Ko Kadat, Ko Kut, Ko -Kong, Trat, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan,	

Taxon/Species	Locality	Endemic Area
	Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. inominatus</i> (Rathbun, 1909)	Ko Kadat, Ko Mak, Trat, Gulf of Thailand.	
<i>P. longispinosus</i> (Dana, 1852)	Ko Kadat, Ko Mak, Trat, Gulf of Thailand; Andaman Sea.	
<i>P. minutus</i> (Shen, 1937)	Chanthaburi, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
73 <i>P. orbicularis</i> (Richters, 1880)	Phuket, Andaman Sea.	
<i>P. orbitosinus</i> Rathbun, 1911	Phuket, Andaman Sea.	
<i>P. pelagicus</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Lem Ngob, Ko Chang, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. pseudoargentatus</i> Stephenson, 1961	Surat Thani, Nakhon Si Thammarat, Gulf of Thailand.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>P. pulchricristatus</i> (Gordon, 1931)	Ko Samit, Rayong, Chanthaburi, Ko Kut, Trat, Nakhon Si Thammarat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. rubromarginatus</i> (Lanchester, 1900)	Gulf of Thailand.	
<i>P. sanguinolentus</i> (Herbst, 1783)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Trat, Samut Sakhon, Chumphon, Sarat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Krabi, Andaman Sea.	
<i>P. tenuipes</i> (De Haan, 1835)	Ko Kam, Chon Buri, Ko Samit, Rayong, Chanthaburi, Trat, Samut Prakan, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. tuberculosus</i> (A. Milne Edwards, 1861)	Ko Kram, Chon Buri, Rayong, Chanthaburi, Ko Kadat, Ko Kut, Ko Mak, Trat, Phetchaburi, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. tweediei</i> (Shen, 1938)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla,	

Taxon/Species	Locality	Endemic Area
<i>Scylla serrata</i> (Forsk., 1755)	Pattani, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea. Chon Buri, Rayong, Chanthaburi, Samut Prakan, Samut Sakhon, Phetchaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>S. tranquebarica</i> (Fabricius, 1789)	Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>Thalamita admete</i> (Herbst, 1803)	Chon Buri, Gulf of Thailand.	
<i>T. chaptali</i> Audouin & Savigny, 1825	Chanthaburi, Gulf of Thailand.	
<i>T. crenata</i> (Latreille, 1829)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Trat, Samut Prakan, Samut Sakhon, Prachuap Khiri Khan, Chumphon, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>T. danae</i> Stimpson, 1858	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>T. foresti</i> Crosnier, 1962	Phuket, Andaman Sea.	
<i>T. imparimanus</i> Alcock, 1899	Ko Mesan, Chon Buri, Ko Chang, Trat, Gulf of Thailand.	
<i>T. muusi</i> Serene & Soh, 1976	Phuket, Andaman Sea.	
<i>T. parvidens</i> (Rathbun, 1907)	Phuket, Andaman Sea.	
<i>T. picta</i> Stimpson, 1858	Rayong, Gulf of Thailand.	
<i>T. prymna</i> (Herbst, 1794)	Ko Chang, Chon Buri, Samut Prakan, Prachuap Khiri Khan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>T. sexlobata</i> Miers, 1886	Phuket, Andaman Sea.	
<i>T. sima</i> H. Milne Edwards, 1834	Ko Chuen, Ko Mesam, Chon Buri, Rayong, Ko Kadat, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Krabi, Andaman Sea.	
<i>T. spinifera</i> Borradaile, 1903	Phuket, Andaman Sea.	
<i>T. spinimana</i> Dana, 1852	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<i>T. stimpsoni</i> A. Milne Edwards, 1861	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>T. tenuipes</i> Borradaile, 1902	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Superfamily Xanthoidea MacLeay, 1838</b>		
<b>Family Carpiliidae Ortmann, 1893</b>		
<i>Carpilius convexus</i> (Forsk., 1775)	Rawai Beach, Phuket, Andaman Sea.	
<i>C. maculatus</i> (Linnaeus, 1758)	Rawai Beach, Phuket, Andaman Sea.	
<i>Liagore rubromaculata</i> De Haan, 1835	Trat, Samut Prakan, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Family Goneplacidae MacLeay, 1838</b>		
<b>Subfamily Carcinoplacinae Miers, 1886</b>		
<i>Carcinoplax longimanus</i> (De Haan, 1835)	Samut Prakan, Samut Sakhon, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. purpurea</i> Rathbun, 1914	Gulf of Thailand.	
<i>C. sinica</i> Chen, 1984	Gulf of Thailand.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Eucrate alcocki</i> Serene, 1971	Chon Buri, Trat, Samut Sakhon, Phetchaburi, Pattani, Gulf of Thailand.	
<i>E. crenata</i> De Haan, 1835	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>E. solaris</i> Yang & Sun, 1979	Gulf of Thailand.	
<i>E. sulcatifrons</i> (Stimpson, 1858)	Gulf of Thailand.	
<i>Heteroplax dentata</i> Stimpson, 1858	Ko Kakat, Trat, Gulf of Thailand.	
<i>H. nitida</i> Miers, 1879	Gulf of Thailand; Andaman Sea.	
<i>H. transversa</i> Stimpson, 1858	Ko Kadat, Trat, Gulf of Thailand.	
<i>Litocheira cristata</i> Rathbun, 1909	Ko Chuen, Chon Buri, Ko Tulu, Rayong, Gulf of Thailand.	
<i>L. setosa</i> (A. Milne Edwards, 1873)	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>Viaderina striata</i> (De Man, 1888)	Phuket, Andaman Sea.	
<i>V. typica</i> Ward, 1942	Phuket, Andaman Sea.	
<b>Subfamily Chasmocarcininae Serene, 1964</b>		
<i>Camatopsis rubida</i> Alcock & Anderson, 1899	Ko Mak, Trat, Gulf of Thailand; Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Chasmocarcinops gelasimoides</i> Alcock, 1900	Ko Kadat, Ko Kut, Ko Bidang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Hepthopelta mortenseni</i> Serene, 1964	Andaman Sea.	
<i>Megaesthesius sagedae</i> Rathbun, 1909	Andaman Sea.	
<i>Scalopidia spinosipes</i> Stimpson, 1858	Ko Samit, Rayong, Ko Kut, Trat, Gulf of Thailand; Andama Sea.	
<b>Subfamily Goneplacinae Miers, 1886</b>		
<i>Notonyx vitreus</i> Alcock, 1900	Phuket, Andaman Sea.	
<i>Singhaplax ockelmanni</i> (Serene, 1971)	Phuket, Andaman Sea.	
<b>Subfamily Prionoplacinae Alcock, 1900</b>		
<i>Homoioplax haswelli</i> Rathbun, 1914	Andaman Sea.	
<i>Lophoplax takakurai</i> Sakai, 1935	Andaman Sea.	
<b>Subfamily Rhizopinae Miers, 1886</b>		
<i>Ceratoplax ciliata</i> Stimpson, 1858	Rayong, Ko Kadat, Trat, Gulf of Thailand.	
<i>C. fulgida</i> Rathbun, 1914	Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>C. hispida</i> Alcock, 1896	Rayong, Gulf of Thailand.	
<i>Mertonia lanka</i> Lauire, 1906	Ko Mesan, Cap Liant, Chon Buri, Gulf of Thailand; Andaman Sea.	
<i>Rhizopa gracilipes</i> Stimpson, 1858	Ko Chang, Ko Kut, Ko Bidang, Trat, Gulf of Thailand.	
<i>R. sasekumari</i> Serene, 1970	Ranong, Andaman Sea.	
<i>Typhlocarcinodes hirsutus</i> (Borradaile, 1903)	Andaman Sea.	
<i>Typhlocarcinops canaliculata</i> Rathbun, 1909	Ko Mesan, Chon Buri, Ko Mak, Trat, Gulf of Thailand.	
<i>Typhlocarcinus nudus</i> Stimpson, 1858	Ko Kadat, Ko Kut, Ko Bidang, Trat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>T. rubidus</i> Alcock, 1900	Andaman Sea.	
<i>T. villosus</i> Stimpson, 1858	Ko Chuen, Chon Buri, Ko Samit, Rayong, Gulf of Thailand.	
<i>Xenophthalmodes dolichophallus</i> Tesch, 1918	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Family Hexapodidae Miers, 1886</b>		
<b>Subfamily Hexapodinae Alcock, 1900</b>		
<i>Hexapus edwardsi</i> Serene & Soh, 1976	Andaman Sea.	
<i>H. granuliferus</i> Campbell & Stephenson, 1970	Andaman Sea.	
<i>H. sexpes</i> (Fabricius, 1798)	Andaman Sea.	
<i>H. stephenseni</i> Serene & Soh, 1976	Andaman Sea.	
<i>Lambdophallus anfractus</i> Rathbun, 1909	Ko Chang, Ko Kut, Ko Kong, Trat, Gulf of Thailand.	
<i>Thaumastoplax chuenensis</i> Rathbun, 1909	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>T. orientalis</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand; Andaman Sea.	
<b>Family Menippidae Ortmann, 1893</b>		
<b>Subfamily Eriphiinae Alcock, 1898</b>		
<i>Eriphia scabricula</i> Dana, 1852	Naiyang Beach, Phuket, Andaman Sea.	
<i>E. sebana</i> (Shaw & Nodder, 1803)	Lem Phanwa, Naiyang Beach, Patong Beach, Kata Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>E. smithi</i> MacLeay, 1838	Ang Sila, Chon Buri, Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>Globopilumnus actumnoides</i> (A. Milne, Edwards, 1873)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<b>Subfamily Oziinae Alcock, 1898</b>		
<i>Baptozius vinosus</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
<i>Epixanthus corrosus</i> A. Milne Edwards, 1873	Patong Beach, Phuket, Andaman Sea.	
<i>E. dentatus</i> (White, 1847)	Ko Ma Phrao, Phuket, Andaman Sea.	
<i>E. frontalis</i> (H. Milne Edwards, 1834)	Ko Chik, Chanthaburi, Gulf of Thailand; Lem Phanwa, Ao Yon, Phuket, Andaman Sea.	
<i>Myomenippe granulosa</i> (A. Milne Edwards, 1867)	Lem Ngob, Ko Chang, Trat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. hardwicki</i> (Gray, 1831)	Gulf of Thailand.	
<i>Ozius granulatus</i> De Man, 1879	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>O. guttatus</i> H. Milne Edwards, 1834	Chon Buri, Gulf of Thailand.	
<i>Sphaerozius nitidus</i> Stimpson, 1858	Ko Kong, Trat, Chumphon, Gulf of Thailand; Ko Ma Phrao, Phuket, Andaman Sea.	
<b>Family Pilumnidae Samouelle, 1819</b>		
<b>Subfamily Halimediinae Alcock, 1898</b>		
<i>Halimede ochtodes</i> (Herbst, 1783)	Ko Lan, Ko Chuen, Chon Buri, Rayong, Ko Kadat, Trat, Pattani, Gulf of Thailand.	
<i>H. thurstoni</i> Henderson, 1893	Ko Kam, Ko Rin, Ko Mesan, Chon Buri, Ko Kut, Ko Kadat, Trat, Gulf of Thailand.	
<b>Subfamily Heteropanopeinae Alcock, 1898</b>		
<i>Eurycarcinus orientalis</i> A. Milne Edwards, 1868	Lem Ngob, Trat, Gulf of Thailand.	
<i>Glabropilumnus dispar</i> (Dana, 1852)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>G. edamensis</i> (De Man, 1887)	Ko Chang, Ko Kadat, Trat, Gulf of Thailand.	
<i>G. laevimanus</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>G. seminudus</i> (Miers, 1884)	Ko Khaeo, Phuket, Andaman Sea.	
<i>Heteropanope changensis</i> (Rathbun, 1909)	Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>H. glabra</i> Stimpson, 1858	Ko Ma Phrao, Phuket, Andaman Sea.	
<i>Nanopilumnus rouxi</i> (Balss, 1935)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>Pilumnopeus indicus</i> (De Man, 1887)	Ranong, Andaman Sea.	
<i>P. makiana</i> (Rathbun, 1929)	Lem Phanwa, Phuket, Andaman Sea.	
<i>P. sexangula</i> (Rathbun, 1909)	Gulf of Thailand.	
<b>Subfamily Heteropilumninae Serene, 1984</b>		
<i>Heteropilumnus cristatus</i> (Rathbun, 1909)	Ko Chuen, Chon Buri, Ko Tulu, Rayong, Gulf of Thailand.	
<i>H. setosus</i> (A. Milne Edwards, 1873)	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>H. trichophorus</i> (De Man, 1895)	Ko Kadat, Trat, Gulf of Thailand.	
<b>Subfamily Pilumninae Samouelle, 1819</b>		
<i>Actumnus asper</i> (Ruppell, 1861)	Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. carinatus</i> Bouvier, 1915	Phuket, Andaman Sea.	
<i>A. digitalis</i> Rathbun, 1907	Ko Khaeo, Phuket, Andaman Sea.	
<i>A. dorsipes</i> (Stimpson, 1858)	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>A. elegans</i> De Man, 1887	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>A. obesus</i> Dana, 1852	Ao Tung Khen, Phuket, Andaman Sea.	
<i>A. setifer</i> (De Haan, 1835)	Ko Mesan, Ko Chuen, Chon Buri, Ko Kadat, Trat, Gulf of Thailand.	
<i>A. squamosus</i> (De Haan, 1835)	Ko Rin, Ko Kam, Ko Chuen, Ko Mesan, Chon Buri, Ko Samit, Rayong, Gulf of Thailand.	
<i>Pilumnus cursor</i> A. Milne Edwards, 1873	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. forskali</i> A. Milne Edwards, 1873	Gulf of Thailand.	
<i>P. hirsutus</i> Stimpson, 1858	Ko Chuen, Ko Kam, Ko Mesan, Chon Buri, Ko Kadat, Trat, Gulf of Thailand.	
<i>P. longicornis</i> Hilgendorf, 1878	Ko Chuen, Ko Mesan, Ko Kram, Chon Buri, Rayong, Ko Kadat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. minutus</i> De Haan, 1835	Phetchaburi, Gulf of Thailand.	
<i>P. parapilumnoides</i> Takeda & Miyake, 1970	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. scabriusculus</i> Adams & White, 1848	Lem Phanwa, Naiyang Beach, Rawai Beach, Phuket, Andaman Sea.	
<i>P. vesperilio</i> (Fabricius, 1793)	Ko Mesan, Chon Buri, Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Ao Tung Khen, Ao Yon, Ko Ma Phrao, Rawai Beach, Naiyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Parapanope siamensis</i> Guinot, 1985	Paknam Samut Prakan, Gulf of Thailand.	
<b>Subfamily Planopilumninae Serene, 1984</b>		
<i>Planopilumnus penicillatus</i> (Gordon, 1930)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<b>Family Trapeziidae Miers, 1886</b>		
<b>Subfamily Domeciinae Ortmann, 1893</b>		
<i>Maldivia triungiculata</i> (Borradaile, 1902)	Ao Tung Khen, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Trapeziinae Miers, 1886</b>		
<i>Trapezia areolata</i> Dana, 1852	Ko Lon, Ko Hee, Phuket, Andaman Sea.	
<i>T. cymodoce</i> (Herbst, 1801)	Naiyang Beach, Ko Lon, Ko Hee, Phuket, Andaman Sea.	
<i>T. ferruginae</i> Latreille, 1825	Ko Lon, Phuket, Andaman Sea.	
<i>T. wardi</i> Serene, 1970	Ko Lon, Phuket, Andaman Sea.	
<i>Tetralia glaberrima</i> (Herbst, 1790)	Ko Kadat, Trat, Gulf of Thailand; Ko Khaeo, Phuket, Andaman Sea.	
<b>Family Xanthidae MacLeay, 1838</b>		
<b>Subfamily Actaeinae Alcock, 1898</b>		
<i>Actaea calculosa</i> (H. Milne Edwards, 1834)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>A. modesta</i> (De Man, 1888)	Ko Khaeo, Phuket, Andaman Sea.	
<i>A. polyacantha</i> (Heller, 1861)	Ko Khaeo, Phuket, Andaman Sea.	
<i>A. savignyi</i> (H. Milne Edwards, 1834)	Ko Kam, Chon Buri, Ko Kut, Ko Kadat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Actaeodes hirsutissimus</i> (Ruppell, 1830)	Lem Phanwa, Rawai Beach, Naiyang Beach, Phuket, Andaman Sea.	
<i>A. semoni</i> (Ortmann, 1894)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>A. tomentosus</i> (H. Milne Edwards, 1834)	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Epiactaea margaritifera</i> (Odhner, 1925)	Ko Chuen, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>Gaillardiiellus ruppellii</i> (Krauss, 1843)	Lem Phanwa, Rawai Beach, Ao Yon, Phuket, Andaman Sea.	
<i>Psaumis cavipes</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Phuket, Andaman Sea.	
<i>Pseudoliomera granosimana</i> (A. Milne Edwards, 1865)	Ko Khaeo, Phuket, Andaman Sea.	
<i>P. speciosa</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	
<b>Subfamily Chlorodiinae Alcock, 1898</b>		
<i>Chlorodiella cytherea</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Phuket, Andaman Sea.	
<i>C. laevisissima</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>C. nigra</i> (Forsk., 1775)	Ko Samui, Surat Thani, Gulf of Thailand; Lem Phanwa, Rawai Beach, Patong Beach, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>Pilodius areolatus</i> (H. Milne Edwards, 1834)	Naiyang Beach, Phuket, Andaman Sea.	
<i>P. granulatus</i> Stimpson, 1858	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>P. nigrocrinitus</i> Stimpson, 1858	Ko Chang, Ko Kadat, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>P. pugil</i> Dana, 1852	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>P. scabriculus</i> Dana, 1852	Ko Khaeo, Phuket, Andaman Sea.	
<i>P. serenei</i> Miyake & Takeda, 1968	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Phymodius monticulosus</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>P. nitidus</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. ungulatus</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
<b>Subfamily Cymoinae Alcock, 1898</b>		
<i>Cymo andreossi</i> (Audouin, 1826)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>C. melanodactylus</i> De Haan, 1833	Ko Kadat, Trat, Gulf of Thailand; Lem Phanwa, Ko Lon, Phuket, Andaman Sea.	
<i>C. quadrilobatus</i> Miers, 1884	Ko Lon, Phuket, Andaman Sea.	
<b>Subfamily Etisinae Ortmann, 1893</b>		
<i>Etisus anaglyptus</i> H. Milne Edwards, 1834	Lem Phanwa, Phuket, Andamna Sea.	
<i>E. electra</i> (Herbst, 1801)	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>E. frontalis</i> Dana, 1852	Rawai Beach, Phuket, Andaman Sea.	
<i>E. laevimanus</i> Randall, 1840	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>E. utilis</i> Jacquinot, 1852	Lem Phanwa, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Euxanthinae Alcock, 1898</b>		
<i>Euxanthus exsculptus</i> (Herbst, 1790)	Rawai Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Hypocolpus granulatus</i> (De Haan, 1837)	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>Medaeops granulosus</i> (Haswell, 1882)	Andaman Sea.	
<b>Subfamily Galeninae Alcock, 1898</b>		
<i>Galene bispinosa</i> (Herbst, 1783)	Chon Buri, Trat, Samut Sakhon, Phetchaburi, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ko Si Le, Phuket, Andaman Sea.	
<b>Subfamily Liomerinae Sakai, 1976</b>		
<i>Liomera bella</i> (Dana, 1852)	Rawai Beach, Niyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>L. cinctimana</i> (White, 1847)	Ko Khaeo, Phuket, Andaman Sea.	
<i>L. erythra</i> (Lancherster, 1901)	Ko Chuen, Ko Mesan, Chon Buri, Gulf of Thailand.	
<i>L. guttata</i> (De Man, 1888)	Chon Buri, Gulf of Thailand.	
<i>L. laevis</i> (A. Milne Edwards, 1873)	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach,	

Taxon/Species	Locality	Endemic Area
<i>L. margaritata</i> (A. Milne Edwards, 1873)	Ao Tung Khen, Ao Yon, Phuket, Andaman Sea.	
<i>L. stimpsoni</i> (A. Milne Edwards, 1865)	Ko Chang, Gulf of Thailand.	
<i>L. venosa</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
<b>Subfamily Xanthinae MacLeay, 1838</b>	Lem Phanwa, Phuket, Andaman Sea.	
<i>Demania cultripipes</i> (Alcock, 1898)	Chon Buri, Gulf of Thailand.	
<i>D. scaberrima</i> (Walker, 1887)	Ang Sila, Ko Chuen, Chon Buri, Trat, Chumphon, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Leptodius exaratus</i> (H. Milne Edwards, 1834)	Ko Chik, Chanthaburi, Lem Ngob, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Ao Yon, Phuket, Andaman Sea.	
<i>L. gracilis</i> (Dana, 1852)	Phuket, Andaman Sea.	
<i>L. nudipes</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Naiyang Beach, Andaman Sea.	
<i>L. sanguineus</i> (H. Milne Edwards, 1834)	Ko Chang, Ko Kadat, Trat, Gulf of Thailand; Patong Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Macromedaeus crassimanus</i> (A. Milne Edwards, 1867)	Rawai Beach, Naiyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Neoxanthops lineatus</i> (A. Milne Edwards, 1867)	Ko Chuen, Ko Lan, Ko Mesan, Chon Buri, Rayong, Ko Kadat, Ko Kut, Trat, Gulf of Thailand.	
<i>Xanthias lamarcki</i> (H. Milne Edwards, 1834)	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>X. punctatus</i> (H. Milne Edwards, 1834)	Rawai Beach, Phuket, Andaman Sea.	
<b>Subfamily Zalasiinae Serene, 1968</b>		
<i>Zalasius sakaii</i> Balss, 1938	Chon Buri, Gulf of Thailand.	
<b>Subfamily Zosiminae Alcock, 1898</b>		
<i>Atergatis dilatatus</i> De Haan, 1835	Ko Chang, Trat, Gulf of Thailand; Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Ao Kham, Phuket, Andaman Sea.	
<i>A. floridus</i> (Linnaeus, 1767)	Sattahip, Chop Buri, Ko Kadat, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Kham, Ao Tung Khen, Phuket, Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>A. integerrimus</i> (Lamarck, 1801)	Lem Phawa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Kham, Ao Tung Khen, Phuket, Andaman Sea.	
<i>A. reticulatus</i> De Haan, 1835	Phuket, Andaman Sea.	
<i>A. roseus</i> (Ruppell, 1830)	Lem Phawa, Rawai Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Lophozozymus dodone</i> (Herbst, 1801)	Lem Phanwa, Phuket, Andaman Sea.	
<i>L. pictor</i> (Fabricius, 1798)	Phuket, Andaman Sea.	
<i>Platypodia alcocki</i> Buitendijk, 1941	Lem Phanwa, Rawai Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>P. anaglypta</i> (Heller, 1861)	Rawai Beach, Phuket, Andaman Sea.	
<i>P. granulosa</i> (Ruppell, 1830)	Andaman Sea.	
<i>P. semigranosa</i> (Heller, 1861)	Phuket, Andaman Sea.	
<i>Zozimus aeneus</i> (Linnaeus, 1758)	Naiyang Beach, Phuket, Andaman Sea.	
<i>Zozymodes cavipes</i> (Dana, 1852)	Lem Phanwa, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Grapsidoidea MacLeay, 1838</b>		
<b>Family Gecarcinidae MacLeay, 1838</b>		
<i>Cardisoma carnifex</i> (Herbst, 1794)	Sattahip, Chon Buri, Ko Kadat, Trat, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>C. hirtipes</i> Dana, 1851	Ko Surin, Phangnga, Andaman Sea.	
<i>Gecarcoidea lalandii</i> H. Milne Edwards, 1837	Ko Tannok, Samui, Surat Thani, Gulf of Thailand; Ko Surin, Ko Similan, Phangnga, Andaman Sea.	
<b>Family Grapsidae MacLeay, 1838</b>		
<b>Subfamily Grapsinae Dana, 1851</b>		
<i>Geograpsus crinipes</i> (Dana, 1851)	Phuket, Andaman Sea.	
<i>G. grayi</i> (H. Milne Edwards, 1853)	Phuket, Andaman Sea.	
<i>Grapsus albolineatus</i> Lamarck, 1818	Chon Buri, Rayong, Chanthaburi, Trat, Prachuap Khiri Khan, Chumphon, Songkhla, Gulf of Thailand; Ko Similan, Phangnga, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>G. tenuicrustatus</i> (Herbst, 1783)	Ko Kadat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Metopograpsus frontalis</i> Miers, 1880	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. latifrons</i> (White, 1847)	Lem Ngob, Ko Chang, Ko Kong, Trat, Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. messor</i> (Forsk., 1775)	Lem Ngob, Ko Chang, Trat, Gulf of Thailand.	
<i>M. oceanicus</i> (Jacquinot, 1853)	Chon Buri, Rayong, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. quadridentatus</i> Stimpson, 1858	Chon Buri, Lem Ngob, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. thukuhar</i> (Owen, 1839)	Phuket, Andaman Sea.	
<i>Pachygrapsus minutus</i> A. Milne Edwards, 1873	Phuket, Andaman Sea.	
<i>P. planifrons</i> De Man, 1888	Phuket, Andaman Sea.	
<i>P. propinquus</i> De Man, 1908	Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Plagusiinae Dana, 1851</b>		
<i>Percnon planissimum</i> (Herbst, 1804)	Chon Buri, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Plagusia tuberculata</i> Lamarck, 1818	Ko Kut, Ko Kadat, Trat, Surat Thani, Pattani, Gulf of Thailand.	
<b>Subfamily Sesarminae Dana, 1852</b>		
<i>Bresedium sediliensis</i> (Tweedie, 1940)	Nakhon Si Thammarat, Pattani, Gulf of Thailand.	
<i>Chiromantes indarum</i> (De Man, 1902)	Chon Buri, Chanthaburi, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. lividum</i> (A. Milne Edwards, 1869)	Ko Chang, Trat, Gulf of Thailand.	
<i>Clistocoeloma merguiensis</i> De Man, 1888	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Songkhla, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>C. suvaense</i> Edmondson, 1951	Ko Chik, Chanthaburi, Ko Chang, Trat, Gulf of Thailand.	
<i>Geosesarma krathing</i> Ng & Naiyanetr, 1992	Krathing Waterfall area, Chanthaburi, East Thailand.	
<i>Helice leachi</i> Hess, 1865	Phuket, Andaman Sea.	
<i>Holometopus limbense</i> Rathbun, 1914	Chanthaburi, Trat, Chumphon, Surat Thani,	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Labuanium politum</i> (De Man, 1887)	Nakhon Si Thammarat, Songkhla, Gulf of Thailand.	
<i>Metaplax cernulata</i> (Gerstaecker, 1856)	Chumphon, Surat Thani, Pattani, Narathiwat, Gulf of Thailand;	
<i>M. dentipes</i> (Heller, 1830)	Ranong, Andaman Sea.	
<i>M. distinctus</i> H. Milne Edwards, 1852	Ranong, Phuket, Andaman Sea.	
<i>M. elegans</i> De Man, 1888	Chon Buri, Lem Ngob, Trat, Chachoengsao, Samut Prakan,	
<i>M. longipes</i> Stimpson, 1858	Samut Sakhon, Chumphon, Surat Thani, Gulf of Thailand;	
<i>Metasesarma aubryi</i> A. Milne Edwards, 1869	Ranong, Andaman Sea.	
<i>Nanosesarma andersoni</i> (De Man, 1887)	Ranong, Phuket, Andaman Sea.	
<i>N. batavicum</i> (Moreira, 1903)	Ko Kut, Trat, Gulf of Thailand.	
	Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi,	
	Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Ranong,	
	Phuket, Andaman Sea.	
	Chanthaburi, Trat, Chumphon, Narathiwat, Gulf of Thailand;	
	Ranong, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>N. edamensis</i> (De Man, 1887)	Gulf of Thailand.	
<i>N. minutum</i> (De Man, 1887)	Chanthaburi, Ko Chang, Ko Kong, Trat, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>N. pontianacensis</i> (De Man, 1895)	Chon Buri, Chanthaburi, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Neopisesarma brockii</i> (De Man, 1887)	Rayong, Chanthaburi, Trat, Gulf of Thailand.	
<i>N. mederi</i> (H. Milne Edwards, 1853)	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>N. palawanensis</i> (Rathbun, 1914)	Phuket, Andaman Sea.	
<i>N. singaporensis</i> (Tweedie, 1940)	Samut Prakan, Chumphon, Songkhla, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>N. versicolor</i> (Tweedie, 1940)	Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Gulf of Thailand;	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
	Ranong, Phuket, Andaman Sea.	
<i>Neosarmatium indicum</i> (A. Milne Edwards, 1868)	Trat, Gulf of Thailand.	
<i>N. meinerti</i> (De Man, 1887)	Phuket, Andaman Sea.	
<i>N. smithi</i> (H. Milne Edwards, 1853)	Lem Ngob, Trat, Samut Sakhon, Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Neosesarma gemmiferum</i> (Tweedie, 1936)	Samut Songkhram, Gulf of Thailand.	
<i>Parasesarma lanchesteri</i> (Tweedie, 1950)	Chon Buri, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Gulf of Thailand.	
<i>P. lepidum</i> (Tweedie, 1950)	Phuket, Andaman Sea.	
<i>P. leptosoma</i> (Hilgendorf, 1869)	Rayong, Gulf of Thailand.	
<i>P. melissum</i> De Man, 1887	Ranong, Phuket, Andaman Sea.	
<i>P. pictum</i> (De Haan, 1835)	Chon Buri, Rayong, Chanthaburi, Trat, Surat Thani, Songkhla, Gulf of Thailand.	
<i>P. plicatum</i> (Latreille, 1806)	Chon Buri, Rayong, Chanthaburi, Trat, Prachuap Khiri Khan,	

Taxon/Species	Locality	Endemic Area
<i>Perisesarma darwinensis</i> (Campbell, 1967)	Chumphon, Surat Thani, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. dussumieri</i> (H. Milne Edwards, 1853)	Phuket, Andaman Sea.	
<i>P. eumolpe</i> (De Man, 1895)	Ranong, Phuket, Andaman Sea. Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. fasciata</i> (Lanchester, 1900)	Rayong, Ko Kut, Ko Kong, Trat, Surat Thani, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>P. haswelli</i> (De Man, 1887)	Lem Ngob, Trat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>P. onychophorum</i> (De Man, 1895)	Ranong, Phuket, Andaman Sea.	
<i>P. semperi</i> (Burger, 1893)	Samut Songkhram, Gulf of Thailand.	
<i>Pseudosesarma bocourti</i> (A. Milne Edwards, 1868)	Samut Prakan, Nakhon Si Thammarat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. crassimanum</i> (De Man, 1887)	Songkhla, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>P. laevimana</i> (Zehntner, 1894)	Ranong, Andaman Sea.	
<i>P. moeschi</i> (De Man, 1892)	Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Sarmatium crassum</i> Dana, 1851	Gulf of Thailand.	
<i>S. germaini</i> (A. Milne Edwards, 1868)	Gulf of Thailand; Andaman Sea.	
<i>S. punctatum</i> (A. Milne Edwards, 1875)	Ranong, Andaman Sea.	
<i>Sesarmoides borneensis</i> (De Man, 1887)	Pattani, Gulf of Thailand.	
<i>S. kraussi</i> (De Man, 1887)	Pattani, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<b>Subfamily Varuninae Alcock, 1900</b>		
<i>Acmaeopleura rotunda</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>Ilyograpus paludicola</i> (Rathbun, 1909)	Lem Ngob, Trat, Gulf of Thailand.	
<i>Ptychognathus barbatus</i> (A. Milne Edwards, 1873)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Pyxidognathus deianira</i> De Man, 1888	Ranong, Andaman Sea.	
<i>Varuna litterata</i> (Fabricius, 1798)	Ko Chuen, Ko Mesan, Chon Buri, Chanthaburi, Lem Ngob, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Family Mictyridae Dana, 1851</b>		
<i>Mictyris longicarpus</i> Latreille, 1806	Chon Buri, Gulf of Thailand.	
<b>Superfamily Pinnotheroidea De Haan, 1833</b>		
<b>Family Pinnotheidae De Haan, 1833</b>		
<b>Subfamily Asthenognathinae Stimpson, 1858</b>		
<i>Asthenognathus gallardoi</i> Serene & Soh, 1976	Phuket, Andaman Sea.	
<i>A. hexagonum</i> Rathbun, 1909	Ko Kong, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Mortensenella forceps</i> Rathbun, 1909	Ko Chang, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Pinnotherelinae Alcock, 1909</b>		
<i>Pinnixa haematosticta</i> Sakai, 1934	Phuket, Andaman Sea.	
<i>Tetrias fischeri</i> (A. Milne Edwards, 1867)	Phuket, Andaman Sea.	
<b>Subfamily Pinnotherinae De Haan, 1833</b>		
<i>Pinnotheres affinis</i> Burger, 1893	Ko Chang, Trat, Gulf of Thailand.	
<i>P. burgeri</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>P. cardii</i> Burger, 1893	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>P. glaberrimus</i> Burger, 1893	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>P. gracilis</i> Burger, 1893	Ko Kadat, Trat, Gulf of Thailand.	
<i>P. kamensis</i> Rathbun, 1909	Ko Kam, Chon Buri, Gulf of Thailand.	
<i>P. kutensis</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>P. lanensis</i> Rathbun, 1909	Ko Lan, Chon Buri, Gulf of Thailand.	
<i>P. nigrans</i> Rathbun, 1909	Ko Lan, Chon Buri, Gulf of Thailand.	
<i>P. parvulus</i> Stimpson, 1858	Lem Ngob, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. quadratus</i> Rathbun, 1909	Ko Chang, Trat, Gulf of Thailand.	
<i>P. siamensis</i> Rathbun, 1909	Ko Chuen, Chon Buri, Ko Kut, Trat, Gulf of Thailand.	
<i>P. sinensis</i> Shen, 1932	Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<b>Subfamily Xenophthalminae Alcock, 1900</b>		
<i>Neoxenophthalmus obscurus</i> (Henderson, 1893)	Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Xenophthalmus pinnotheroides</i> White, 1846	Ko Kadat, Ko Kut, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Superfamily Potamoidea Ortmann, 1896</b>		
<b>Family Gecarcinucidae Rathbun, 1904</b>		
<b>Subfamily Liotelphusinae Bott, 1969</b>		
<i>Phricotelphusa aedes</i> (Kemp, 1923)	Nahkon Si Thammarat, South Thailand.	Nakhon Si Thammarat
<i>P. deharvengi</i> Ng, 1988	Tham Phung Chang, Phangnga, South Thailand.	Tham Phung Chang
<i>P. limula</i> (Hilgendorf, 1882)	Phuket, Phangnga, South Thailand.	Phuket
<i>P. ranongi</i> Naiyanetr, 1982	Ranong, South Thailand.	Ranong

Taxon/Species	Locality	Endemic Area
<i>P. sirindhorn</i> Naiyanetr, 1989	Ranong, South Thailand; Ratchaburi, Phetchaburi, West Thailand.	
<i>Thaksinthelphusa yongchindaratae</i> (Naiyanetr, 1988)	Takua Pa, Phangnga, South Thailand.	Takua Pa
<b>Family Parathelphusidae Alcock, 1910</b>		
<b>Subfamily Somanniathelphusinae Bott, 1968</b>		
<i>Chulathelphusa brandti</i> (Bott, 1968)	Dan Sai, Loei, North East Thailand; Chiang Mai, Chiang Rai, North Thailand.	
<i>C. neisi</i> (Rathbun, 1902)	Si Sa Ket, Mukdahan, North East Thailand.	
<i>Esantheiphusa chiangmai</i> (Ng & Naiyanetr, 1993)	Chiang Mai, Chiang Rai, Mae Hong Son, North Thailand.	
<i>E. denchii</i> (Naiyanetr, 1984)	Phrae, North Thailand.	Phrae
<i>E. dugasti</i> (Rathbun, 1902)	Nakhon Phanom, Mukdahan, Sakon Nakhon, North East Thailand.	
<i>E. fangensis</i> (Naiyanetr, 1978)	Fang, Chiang Mai, Chiang Rai, Lampang, North Thailand.	
<i>E. nani</i> (Naiyanetr, 1984)	Nan, Phayao, North Thailand.	

Taxon/Species	Locality	Endemic Area
<i>E. phetchaburi</i> (Ng & Naiyanetr, 1993)	Phetchaburi, Prachuap Khiri Khan, West Thailand; Chumphon, South Thailand.	
<i>Heterothelphusa beauvoisi</i> (Rathbun, 1902)	Nakhon Ratchasima, Si Sa Ket, Ubon Ratchathani, Khon Kaen, Maha Sarakham, Kalasin, North East Thailand.	
<i>Mekhongthelphusa kengsaphu</i> Naiyanetr & Ng, 1995	Kengsaphu, Ubon Ratchathani, North East Thailand.	Kengsaphu
<i>M. tetragonum</i> (Rathbun, 1902)	Mukdahan, Nong Khai, North East Thailand.	Kekhong River
<i>Salangathelphusa brevicarinata</i> (Hilgendorf, 1882)	Phuket, Phangnga, Krabi, Trang, Phatthalung, Nakhon Si Thammarat, Surat Thani, South Thailand.	
<i>Sayamia bangkokensis</i> (Naiyanetr, 1982)	Bangkok, Nonthaburi, Pathum Thani, Samut Prakan, Samut Sakhon, Samut Songkhram, Suphan Buri, Sing Buri, Nakhon Pathom, Nakhon Nayok, Lop Buri, Ang Thong, Chai Nat, Phra Nakhon Si Ayuttaya, Nakhon Sawan, Sukhothai, Kamphaeng Phet, Phitsanulok, Central Thailand; Chachoengsao, East Thailand; Uttaradit, North Thailand; Chumphon, South Thailand.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>S. germaini</i> (Rathbun, 1902)	Suphan Buri, Chai Nat, Uthai Thani, Lop Buri, Nakhon Nayok, Saraburi, Nakhon Sawan, Phichit, Centrat Thailand; Kanchanaburi, Ratchaburi, Phetchaburi, Prachuap Khiri Khan, West Thailand; Chanthaburi, Trat, East Thailand; Ranong, Surat Thani, Nakhon Si Thammarat, Songkhla, South Thailand.	
<i>S. maehongsonensis</i> (Naiyanetr, 1987)	Mae Hong Son, North Thailand.	Mae Hong Son
<i>S. sexpunctatum</i> (Lanchester, 1906)	Nakhon Nayok, Central Thailand; Phetchaburi, West Thailand; Chachoengsao, Chon Buri, Chanthaburi, Prachin Buri, East Thailand; Chumphon, Phangnga, Surat Thani, Krabi, Nakhon Si Thammarat, Trang, Phatthalung, Satun, Sognkhla, Phuket, Pattani, Yala, Narathiwat, South Thailand.	
<i>Siamthelphusa acutidens</i> Ng & Naiyanetr, 1997	Lamphun, North Thailand; Tak, West Thailand; Phitsanulok, Centrat Thailand.	
<i>S. faxoni</i> (Rathbun, 1902)	Phra Nakhon Si Ayutthaya, Khok Samrong, Lop Buri, Central Thailand.	
<i>S. holthuisi</i> Naiyanetr & Ng, 1991	Khao Rakum, Trat, East Thailand	Trat

Taxon/Species	Locality	Endemic Area
<i>S. improvisa</i> (Lanchester, 1901)	Nakhon Si Thammarat, Phatthalung, Ko Samui, Ko Phangan, Surat Thani, South Thailand.	
<i>S. nan</i> Ng & Naiyanetr, 1997	Na Muan, Nan, North Thailand.	Nan
<i>S. paviei</i> (De Man, 1898)	Chiang Mai, Lamphun, Lampang, North Thailand.	
<i>S. transversa</i> Ng & Naiyanetr, 1997	Nam Mae Lai, Phrae, North Thailand.	Phrae
<i>S. variegata</i> Ng & Naiyanetr, 1997	Phukae, Saraburi, Phetchabun, Centrat Thailand.	
<b>Family Potamidae Ortmann, 1896</b>		
<b>Subfamily Potaminae Ortmann, 1896</b>		
<i>Demanietta manii</i> (Rathbun, 1904)	Nakhon Si Thammarat, Trang, Phatthalung, South Thailand.	
<i>D. smalleyi</i> (Bott, 1966)	Chumphon, Ranong, Phangnga, Phuket, Krabi, South Thailand.	
<i>D. tritrunensis</i> (Naiyanetr, 1986)	Tritrung, Kanchanaburi	Tritrung Waterfall
<i>Dromothelphusa namuan</i> (Naiyanetr, 1993)	Namuan, Nan, North Thailand.	Namuan
<i>D. nayung</i> (Naiyanetr, 1993)	Nayung, Udon Thani, North East Thailand.	Nayung
<i>D. phrae</i> (Naiyanetr, 1984)	Den Chai, Phrae, North Thailand.	Phrae

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>D. sangwan</i> Naiyanetr, 1997	Doi Tung, Chiang Rai, North Thailand.	Doi Tung
<i>Esanpotamon namson</i> Naiyanetr & Ng, 1997	Nam Som, Udon Thani, North East, Thailand.	Nam Som
<i>Kanpotamon duangkhaei</i> Ng & Naiyanetr, 1993	Sai Yok, Kanchanaburi, West Thailand.	Sai Yok
<i>Larnaudia beusekoma</i> (Bott, 1970)	Nakhon Nayok, Central Thailand; Wang Nam Khieo, Nakhon Ratchasima, North East Thailand.	Nakhon Nayok
<i>L. chaiyaphumi</i> Naiyanetr, 1982	Phu Khieo, Chaiyaphum, North East Thailand.	Chaiyaphum
<i>L. larnaudii</i> (A. Milne Edwards, 1869)	Saraburi, Central Thailand.	Saraburi
<i>Phaibulamon stilipes</i> Ng, 1992	Tham Nam Pah Khoan, Kwai Valley, Kanchanaburi, West Thailand.	Tham Nam Pah Khoan
<i>Potamon alcockianum</i> Kemp, 1923	Khum Tan, Lampang, Lamphun, Song, Phrae, Mae Phun, Uttaradit, North Thailand; Tak, West Thailand; Uthai Thani, Central Thailand.	
<i>P. boonyaratae</i> (Naiyanetr, 1987)	Khao Rakum, Trat, East Thailand.	Khao Rakum, Trat
<i>P. doichiangdao</i> Naiyanetr & Ng, 1990	Doi Chiangdao, Chiang Mai, North Thailand.	Doi Chiangdao
<i>P. doisutep</i> Natyanetr & Ng, 1990	Doi Sutep, Chiang Mai, North Thailand.	Doi Sutep

Taxon/Species	Locality	Endemic Area
<i>P. erawanense</i> Naiyanetr, 1992	Erawan, Kanchanaburi, West Thailand.	Erawan Waterfall
<i>P. jarujini</i> Ng & Naiyanetr, 1993	Omkoï, Chiang Mai, North Thailand.	
<i>P. kanchanaburiense</i> Naiyanetr, 1992	Sai Yok, Kanchanaburi, West Thailand.	Sai Yok
<i>P. lipkei</i> Ng & Naiyanetr, 1993	Chiang Khong, Chiang Rai, North Thailand.	
<i>P. maehongsonense</i> Naiyanetr, 1992	Amphoe Muang, Pai, Mae Hong Son, North Thailand.	
<i>P. maesariang</i> Ng & Naiyanetr, 1993	Mae Sariang, Mae Hong Son, North Thailand.	
<i>P. maesotense</i> Naiyanetr, 1992	Mae Sot, Tak, West Thailand.	Mae Sot
<i>P. namlang</i> Ng & Naiyanetr, 1993	Tham Hud, Nam Lang, Pang Ma Pha, Mae Hong Son, North Thailand.	Tham Hud, Nam Lang
<i>P. nan</i> Ng & Naiyanetr, 1993	Sa, Nan, North Thailand.	
<i>P. phuluangensis</i> (Bott, 1970)	Phu Luang, Udon Thani, North Thailand.	Phu Luang, Udon
<i>P. phuphanense</i> Naiyanetr, 1992	Phu Phan, Sakhon Nakhon, Nong Phok, Roi Et, North East Thailand.	Phu Phan Ranges
<i>P. smithianum</i> Kemp, 1923	Chanthaburi, Rayong, Chon Buri, East Thailand.	Chanthaburi Range

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>P. somchaii</i> Ng & Naiyanetr, 1993	Si Songkhram, Nakhon Phanom, North East Thailand.	
<i>P. ubon</i> Ng & Naiyanetr, 1993	Senangkhanikhom, Ubon Ratchathani, North East Thailand.	
<i>P. yotdomensis</i> (Naiyanetr, 1984)	Nam Yun, Ubon Ratchathani, North East Thailand.	
<i>Pudaengon mukdahan</i> Ng & Naiyanetr, 1995	Ban Na Sinuan, Mukdahan, North East Thailand.	Ban Na Sinuan
<i>P. sakonnakorn</i> Ng & Naiyanetr, 1995	Ban Chiang Khua, Sakon Nakhon, North East Thailand.	Ban Chiang Khua
<i>P. thatphanom</i> Ng & Naiyanetr, 1995	Ban Fang Daeng, That Phanom, Nakhon Phanom, North East Thailand.	Ban Fang Daeng
<i>P. wanonniwat</i> Ng & Naiyanetr, 1995	Wanon Niwat, Sakon Nakhon, North East Thailand.	Wanon Niwat
<i>Stoliczia ekavibhathai</i> Ng & Naiyanetr, 1986	Chat Wa Rin, Sungai Padi, Narathiwat, Yala, Pattani, South Thailand.	
<i>S. panhai</i> Ng & Naiyanetr, 1986	Ton Nga Chang, Songkhla, South Thailand.	Songkhla
<i>Terrapotamon abbotti</i> (Rathbun, 1898)	Krabi, Nakhon Si Thammarat, South Thailand.	
<i>T. palian</i> Ng & Naiyanetr, 1997	Palian, Trang, South Thailand.	Palian
<i>Thaiphusa chantaburiensis</i> (Chuensri, 1973)	Pong Nam Ron, Chanthaburi, East Thailand.	Pong Nam Ron

Taxon/Species	Locality	Endemic Area
<i>T. sirikit</i> (Naiyanetr, 1992)	Ban Nam Chon, Sai Yok, Kanchanaburi, West Thailand.	Ban Nam Chon
<i>Thaipotamon chulabhorn</i> Naiyanetr, 1993	Bung Dun Lumphun, Na Chuak, Maha Sarakham, North East Thailand.	Bung Dun Lumphun
<i>T. dansai</i> Ng & Naiyanetr, 1993	Ban Na Wa, Dan Sai, Loei, North East Thailand.	Ban Na Wa, Dan Sai
<i>T. lomkao</i> Ng & Naiyanetr, 1993	Lomkao, Phetchabun, Central Thailand.	
<i>T. siamensis</i> (A. Milne Edwards, 1869)	Bangkok, Central Thailand.	Bangkok
<i>T. smitinandi</i> (Naiyanetr & Turkey, 1984)	Pong Nam Ron, Chanthaburi, East Thailand.	Pong Nam Ron
<i>T. varoonphornae</i> Ng & Naiyanetr, 1993	Sa Kao, East Thailand.	Sa Kao
<b>Superfamily Ocypodoidea Rafinesque, 1815</b>		
<b>Family Ocypodidae Rafinesque, 1815</b>		
<b>Subfamily Camptandrinae Stimpson, 1858</b>		
<i>Camptandrium sexdentatum</i> Stimpson, 1858	Gulf of Thailand.	
<i>Leipocten sordidulum</i> Kemp, 1915	Ranong, Phuket, Andaman Sea.	
<i>Paracleistostoma depressum</i> De Man, 1895	Ranong, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. longimanus</i> Tweedie, 1937	Ang Sila, Chon Buri, Gulf of Thailand.	
<i>P. microcheirum</i> Tweedie, 1937	Phuket, Andaman Sea.	
<i>Tylodiplax tetratylophora</i> De Man, 1895	Ranong, Phuket, Andaman Sea.	
<b>Subfamily Macrophthalminae Dana, 1852</b>		
<i>Cleistostoma lingulatum</i> Rathbun, 1909	Lem Ngob, Trat, Gulf of Thailand.	
<i>Macrophthalmus bosci</i> Audouin & Savigny, 1825	Phuket, Andaman Sea.	
<i>M. brevis</i> (Herbst, 1804)	Phuket, Andaman Sea.	
<i>M. convexus</i> Stimpson, 1858	Ko Chang, Trat, Ko Phangan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. crassipes</i> H. Milne Edwards, 1906	Ko Chang, Trat, Gulf of Thailand.	
<i>M. definitus</i> Adams & White, 1848	Chumphon, Gulf of Thailand; Phuket, Phangnga, Satun, Andaman Sea.	
<i>M. dentatus</i> Stimpson, 1858	Ko Chang, Ko Kadat, Ko Kut, Trat, Gulf of Thailand.	
<i>M. erato</i> De Man, 1888	Chon Buri, Rayong, Ko Chang, Trat, Gulf of Thailand; Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. laevimanus</i> H. Milne Edwards, 1852	Chon Buri, Samut Songkhram, Chumphon, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>M. latreillei</i> (Desmarest, 1822)	Ko Chang, Ko Kut, Ko Kong, Trat, Samut Sakhon, Samut Songkhram, Gulf of Thailand.	
<i>M. milloti</i> Crosnier, 1965	Ko Phangan, Surat Thai, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. pacificus</i> Dana, 1851	Ang Sila, Chon Buri, Prachuap Khiri Khan, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Andaman Sea.	
<i>M. parvimanus</i> Guerin, 1834	Phuket, Krabi, Andaman Sea.	
<i>M. quadratus</i> A. Milne Edwards, 1873	Phuket, Andaman Sea.	
<i>M. sulcatus</i> H. Milne Edwards, 1852	Chon Buri, Gulf of Thailand.	
<i>M. teschi</i> Kemp, 1919	Chon Buri, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. tomentosus</i> Souleyet, 1841	Chon Buri, Samut Sakhon, Samut Songkhram, Phetchaburi, Gulf of Thailand; Ranong, Phuket, Phangnga, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. transversus</i> (Latreille, 1817)	Phuket, Andaman Sea.	
<i>M. verreauxi</i> H. Milne Edwards, 1848	Ko Mesan, Chon Buri, Ko Kadat, Ko Mak, Trat, Ko Phangan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. vietnamensis</i> Serene, 1971	Trat, Chumphon, Gulf of Thailand.	
<b>Subfamily Ocypodinae Dana, 1851</b>		
<i>Ocypode ceratophthalma</i> (Pallas, 1772)	Ko Mesan, Chon Buri, Ko Chang, Ko Mak, Ko Kadat, Trat, Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>O. cordimana</i> Latreille, 1818	Chon Buri, Gulf of Thailand.	
<i>O. nobilii</i> De Man, 1902	Ko Kong, Trat, Ko Tao, Surat Thani, Gulf of Thailand.	
<i>O. stimpsoni</i> Ortmann, 1897	Gulf of Thailand.	
<i>Uca annulipes</i> (H. Milne Edwards, 1837)	Chon Buri, Rayong, Trat, Samut Prakan, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. bellator</i> (Adams & White, 1848)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>U. bengali</i> Crane, 1975	Trang, Satun, Ranong, Phuket, Phagnga, Krabi, Andaman Sea.	
<i>U. coarctata</i> (H. Milne Edwards, 1852)	Phuket, Andaman Sea.	
<i>U. dussumieri</i> (H. Milne Edwards, 1852)	Ranong, Phuket, Andaman Sea.	
<i>U. forcipata</i> (Adams & White, 1848)	Chon Buri, Chanthaburi, Trat, Chachaoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. hesperiae</i> Crane, 1975	Ranong, Phuket, Phangnga, Andaman Sea.	
<i>U. paradussumieri</i> (Bott, 1973)	Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Gulf of Thailand; Trat, Ranong, Phuket, Andaman Sea.	
<i>U. perplexa</i> (H. Milne Edwards, 1837)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Trang, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>U. rosea</i> (Tweedie, 1937)	Ranong, Phuket, Andaman Sea.	
<i>U. tetragonon</i> (Herbst, 1790)	Ranong, Phuket, Andaman Sea.	
<i>U. triangularis</i> (A. Milne Edwards, 1873)	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<i>U. urvillei</i> (H. Milne Edwards, 1852)	Chumphon, Songkhla, Gulf of Thailand; Trat, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. vocans</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Prachuap Khiri Khan, Chumphon, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Subfamily Scopimerinae Alcock, 1900</b>		
<i>Dotilla myctiroides</i> (H. Milne Edwards, 1852)	Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>D. wichmanni</i> De Man, 1892	Lem Sing, Chanthaburi, Ko Kong, Trat, Phoom Riang, Surat Thani, Gulf of Thailand.	
<i>Dotilopsis brevitarsis</i> (De Man, 1888)	Ranong, Phuket, Andaman Sea.	
<i>Ilyoplax delsmani</i> De Man, 1926	Phuket, Andaman Sea.	
<i>I. integer</i> (Tesch, 1918)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>I. lingulatus</i> (Rathbun, 1909)	Chumphon, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>I. obliquus</i> Tweedie, 1935	Phuket, Andaman Sea.	
<i>I. orientalis</i> (De Man, 1888)	Samut Songkhram, Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>I. punctatus</i> Tweedie, 1935	Ranong, Phuket, Andaman Sea.	
<i>Scopimera intermedia</i> Balss, 1934	Gulf of Thailand.	
<i>S. pilula</i> Kemp, 1919	Phuket, Andaman Sea.	
<i>S. proxima</i> Kemp, 1919	Gulf of Thailand; Phuket, Andaman Sea.	
<b>Family Palicidae Rathbun, 1898</b>		
<i>Pleurophrycoides roseus</i> (Nobili, 1906)	Gulf of Thailand.	
<b>Superfamily Hapalocarcinoidea</b>		
<b>Calman, 1900</b>		
<b>Family Hapalocarcinidae Calman, 1900</b>		
<i>Cryptochirus coralliodytes</i> Heller, 1861	Phuket, Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Favicola rugosum</i> (Edmondson, 1933)	Phuket, Andaman Sea.	
<i>Pseudocryptochirus crescentus</i> (Edmondson, 1925)	Phuket, Andaman Sea.	
<i>P. sheni</i> (Fize & Serene, 1955)	Phuket, Andaman Sea.	
<i>Troglocarcinus heimi</i> Fize & Serene, 1955	Phuket, Andaman Sea.	

# ORDER STOMATOPODA

Taxon/Species	Locality	Endemic Area
<b>Order Stomatopoda Latreille, 1817</b> <b>Suborder Unipeltata Latreille, 1825</b> <b>Superfamily Gonodactyloidea</b> <b>Giesbrecht, 1910</b>		
<b>Family Eurysquillidae Manning, 1977</b>		
<i>Coronidopsis bicuspis</i> Hansen, 1926	Andaman Sea.	
<i>Manningia pilaensis</i> (De Man, 1888)	Chon Buri, Pattani, Gulf of Thailand.	
<i>M. thorsoni</i> Naiyanetr, 1987	Ao Nam Bo, Phuket, Andaman Sea.	Phuket
<b>Family Gonodactylidae Giesbrecht, 1910</b>		
<i>Gonodactylaceus mutatus</i> (Lanchester, 1903)	Lem Phanwa, Phuket, Andaman Sea.	
<i>G. siamensis</i> (Manning & Reaka, 1981)	Sattahip, Chon Buri, Gulf of Thailand.	Sattahip
<i>G. ternatensis</i> (De Man, 1902)	Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>Gonodactylellus affinis</i> (De Man, 1902)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>G. snidvongsi</i> (Naiyanetr, 1987)	Ko Kangkao, Chon Buri, Gulf of Thailand.	Ko Kangkao
<i>Gonodactylinus viridis</i> (Serene, 1954)	Lem Phanwa, Phuket, Andaman Sea.	
<i>Gonodactylus chiragra</i> (Fabricius, 1781)	Rayong, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>G. platysoma</i> Wood-Mason, 1895	Naiyang Beach, Phuket, Andaman Sea.	
<i>G. smithii</i> Pocock, 1893	Rayong, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<b>Family Odontodactylidae Manning, 1980</b>		
<i>Odontodactylus scyllarus</i> (Linnaeus, 1758)	Lem Phanwa, Phuket, Andaman Sea.	
<i>Raoulius cultrifer</i> (White, 1850)	Chon Buri, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<b>Family Protosquillidae Manning, 1980</b>		
<i>Haptosquilla glyptocercus</i> (Wood-Mason, 1875)	Lem Phanwa, Phuket, Andaman Sea.	
<i>H. pulchella</i> (Miers, 1880)	Phuket, Andaman Sea.	
<i>Siamosquilla hyllebergi</i> Naiyanetr, 1989	Ko Similan, Ko Surin, Phangnga, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Family Pseudosquillidae Manning, 1977</b>		
<i>Pseudosquilla ciliata</i> (Fabricius, 1787)	Lem Phanwa, Phuket, Andaman Sea.	
<b>Superfamily Lysiosquilloidea Giesbrecht, 1910</b>		
<b>Family Lysiosquillidae Giesbrecht, 1910</b>		
<i>Lysiosquilla tredecimdentata</i> Holthuis, 1941	Lem Phanwa, Phuket, Andaman Sea.	
<i>Lysiosquillina maculata</i> (Fabricius, 1793)	Phuket, Phangnga, Andaman Sea.	
<i>Lysiosquilloides siamensis</i> (Naiyanetr, 1980)	Chon Buri, Phetchaburi, Pattani, Gulf of Thailand.	
<b>Family Nannosquillidae Manning, 1980</b>		
<i>Acanthosquilla acanthocarpus</i> (Claus, 1871)	Bang San, Chon Buri, Hua Hin, Prachuap Khiri Khan, Gulf of Thailand.	
<i>A. derijardi</i> Manning, 1970	Pattani, Gulf of Thailand.	
<i>A. multifasciata</i> (Wood-Mason, 1895)	Naiyang Beach, Phuket, Andaman Sea.	
<i>A. sirindhorn</i> Naiyanetr, 1995	Pattani, Gulf of Thailand.	Pattani

Taxon/Species	Locality	Endemic Area
<i>A. tigrina</i> (Nobili, 1903)	Bang San, Chon Buri, Gulf of Thailand.	
<i>Alachosquilla vicina</i> (Nobili, 1904)	Bang San, Chon Buri, Gulf of Thailand.	
<b>Superfamily Squilloidea Latreille, 1803</b>		
<b>Family Harpiosquillidae Manning, 1980</b>		
<i>Harpiosquilla annandalei</i> (Kemp, 1911)	Ban Pe, Rayong, Gulf of Thailand.	
<i>H. harpax</i> (De Haan, 1844)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Chumphon, Ko Samui, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Kantang, Trang, Satun, Andaman Sea.	
<i>H. japonica</i> Manning, 1969	Gulf of Thailand.	
<i>H. raphidea</i> (Fabricius, 1798)	Chon Buri, Chanthaburi, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Satun, Ranong, Andaman Sea.	
<i>Pullosquilla thomassini</i> Manning, 1978	Ao Kamala, Phuket, Andaman Sea.	
<b>Family Squillidae Latreille, 1803</b>		
<i>Anchisquilla fasciata</i> (De Haan, 1844)	Chon Buri, Rayong, Samut Sakhon, Phetchaburi, Surat Thani,	

Taxon/Species	Locality	Endemic Area
<i>Carinosquilla carinata</i> (Serene, 1950)	Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Sutun, Andaman Sea.	<b>Ko Phai, Chon Buri</b>
<i>C. thailandensis</i> Naiyanetr, 1983	Songkhla, Pattani, Gulf of Thailand.	
<i>Clorida bombayensis</i> (Chhagar & Sane, 1967)	Ko Phai, Chon Buri, Gulf of Thailand.	
<i>C. decorata</i> Wood-Mason, 1875	Gulf of Thailand.	
<i>C. latreillei</i> Eydoux & Souleyet, 1842	Chon Buri, Trat, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>C. rotundicauda</i> (Miers, 1880)	Pattani, Gulf of Thailand.	
<i>Cloridina chlorida</i> (Brooks, 1886)	Ao Nam Bo, Phuket, Andaman Sea.	
<i>C. malaccensis</i> (Manning, 1968)	Gulf of Thailand; Andaman Sea.	
<i>C. microphthalma</i> (H. Milne Edwards, 1837)	Chon Buri, Songkhla, Gulf of Thailand; Andaman Sea.	
<i>C. thailandica</i> (Naiyanetr, 1980)	Chon Buri, Tung Ka, Chumphon, Gulf of Thailand.	
<i>C. verrucosa</i> (Hansen, 1926)	Chon Buri, Pattani, Gulf of Thailand.	
<i>Cloridopsis bengalensis</i> (Tiwari & Biswas, 1952)	Andaman Sea.	
	Andaman Sea.	Pattani

Taxon/Species	Locality	Endemic Area
<i>C. immaculata</i> (Kemp, 1913)	Chon Buri, Chanthaburi, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Ranong, Andaman Sea.	
<i>C. scorpio</i> (Latreille, 1828)	Chon Buri, Chanthaburi, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Satun, Ranong, Andaman Sea.	
<i>Dictyosquilla foveolata</i> (Wood-Mason, 1895)	Samut Prakan, Nakhon Si Thammarat, Pattani, Gulf of Thailand.	
<i>Erugosquilla woodmasoni</i> (Kemp, 1911)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>Fallosquilla fallax</i> (Bouvier, 1914)	Andaman Sea.	
<i>Keijia lirata</i> (Kemp & Chopra, 1921)	Songkhla, Pattani, Gulf of Thailand.	Pattani
<i>Levisquilla incerta</i> (Hansen, 1926)	Andaman Sea.	
<i>L. inermis</i> (Manning, 1965)	Andaman Sea.	
<i>L. minor</i> (Jurich, 1904)	Andaman Sea.	

## CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Miyakea nepa</i> (Latrielle, 1825)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Satun, Phuket, Krabi, Andaman Sea.	
<i>Oratosquilla gonypetes</i> (Kemp, 1911)	Andaman Sea.	
<i>O. interrupta</i> (Kemp, 1911)	Chon Buri, Samut Prakan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. perpensa</i> (Kemp, 1911)	Chon Buri, Rayong, Prachuap Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. quinquentata</i> (Brooks, 1886)	Chon Buri, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. solicitans</i> Manning, 1978	Chon Buri, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>Toshimitsu tiwarii</i> (Blumstein, 1974)	Rayong, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	