

Taxon/Species	Local Common Name	Locality	Reference
<b>ORDER : CAUDATA (URODELA)</b>			
Family : SALAMANDRIDAE			<b>Salamanders</b>
Genus : <i>Tylototriton</i> Anderson, 1871			
<i>Tylototriton verrucosus</i> Anderson, 1871	Crocodile Salamander, Himalayan Newt Kra-tang, Chakkim-nam, Chakka-nam กระต่าง, จักกิมน้ำ, จักกาน้ำ	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Chiang Dao, Doi Suthep-Pui, Doi Inthanon, Doi Ang Khang; <i>Mae Hong Son:</i> Namtok Mae Surin <b>NORTHEAST:</b> <i>Loei:</i> Phu Luang	Taylor (1962b), Matsui <i>et al.</i> (1996), Checke (1973a), Wongratana (1984), Chuaynkern (per.com.)
<b>ORDER : ANURA (SALIENTIA)</b>			
Family : MEGOPHRYIDAE			<b>Horned Frogs, Litter Frogs</b>
Genus : <i>Leptobrachium</i> Tschudi, 1838			
<i>Leptobrachium chapaense</i> (Bourret, 1937)	<b>White-eyed Litter Frog</b> Ung-krai ta khao อึ่งกรายตาขาว	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon	Matsui <i>et al.</i> (1996), Nabhitabhata (per.com.)
<i>Leptobrachium hendricksoni</i> Taylor, 1962	<b>Spotted Litter Frog</b> Ung-krai lai chut อึ่งกรายลายจุด	<b>SOUTH:</b> <i>Trang:</i> Khao Chong; <i>Yala:</i> Betong; <i>Songkhla:</i> Ton Nga Chang; <i>Satur:</i> Thaleban	Taylor (1962b), Manthey and Grossmann (1997), Chan-ard (per.com.)
<i>Leptobrachium smithi</i> Matsui, Nabhitabhata and Panha, 1999	<b>Smith's Litter Frog, Dark Litter frog</b> Ung-krai lai laur อึ่งกรายลายเลอะ	<b>NORTH:</b> <i>Mae Hong Son:</i> Lumnam Pai, Namtok Pha Sue; <i>Chiang Mai:</i> Doi Chiang Dao, Doi Suthep-Pui; <i>Tak:</i> Thungyai Naresuan (eastern) <b>NORTHEAST:</b> <i>Loei:</i> Na Haeo, Dan Sai, Phu Luang, Phu Kradung <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Sai Yok, Thong	Smith (1917b,c), Taylor (1934, 1962b), Taylor and Elbel (1958), Chan-ard (1987), Matsui <i>et al.</i> (1996,1998), Manthey Grossmann (1997), Chuaynkern (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
		Pha Phum, Sangkhla Buri, Pilok, Erawan; <i>Phetchaburi</i> : Khaeng Krachan; <i>Prachuap Khiri Khan</i> : Pa La-U, Namtok Haui Yang <b>SOUTH</b> : <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Trang</i> : Khao Bantad, Khao Chong; <i>Krabi</i> : Khao Phra-Bangkram; <i>Songkhla</i> : Ton Nga Chang	
<b>Genus <i>Leptolalax</i> Dubois, 1980</b>			
<i>Leptolalax gracilis</i> (Gunther, 1872)	<b>Graceful Litter Frog</b> Ung-krai thong pha phum อึ่งกรายทองผาภูมิ	<b>SOUTHWEST</b> : <i>Kanchanaburi</i> : Thong Pha Phum	Lauhajinda <i>et al.</i> (1999)
<i>Leptolalax heteropus</i> (Boulenger, 1900)	<b>Variable Litter Frog</b> Ungkrai Laak Si อึ่งกรายหลากสี	<b>SOUTH</b> : <i>Narathiwat</i> : Hala-Bala	Chan-ard (per.com.) Chuaynkern (per.com.)
<i>Leptolalax pelodytoides</i> (Boulenger, 1893)	<b>Mud Slender Frog</b> Ung-krai nang poom อึ่งกรายนั่งป่อม	<b>NORTH</b> : <i>Mae Hong Son</i> : Muang; <i>Chiang Mai</i> : Doi Suthep-Pui, Doi Inthanon, Chiang Dao; <i>Lampang</i> : Doi Khun Than <b>NORTHEAST</b> : <i>Loei</i> : Wang Saphung, Phu Luang <b>EAST</b> : <i>Chaiyaphum</i> : Phu Khieo <b>SOUTHWEST</b> : <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Kanchanaburi</i> : Erawan <b>SOUTH</b> : <i>Surat Thani</i> : Khlong Saeng	Smith (1917b,c), Taylor (1962b), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997)

Taxon/Species	Local Common Name	Locality	Reference
<b>Genus <i>Brachytarsophrys</i> Tian and Hu, 1983</b>			
<i>Brachytarsophrys carinensis</i> (Boulenger, 1899)	<b>Burmese Horned Frog</b> Ung-krai kang tab สิ่งกรายข้างแถบ	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Chiang Dao, Doi Suthep-Pui; <i>Lampang:</i> Mae Toh; <i>Kamphaeng Phet:</i> Khlong Lan <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng <b>SOUTH:</b> <i>Ranong:</i> Muang; <i>Surat Thani:</i> Khlong Saeng; <i>Phangnga:</i> Khao Lampee-Had Tay Muang	Taylor (1962b), Chan-ard (1987), Matsui <i>et al.</i> (1998)
<i>Brachytarsophrys feae</i> (Boulenger, 1887)	<b>Fea's Horned Frog</b> Ung-krai Pama สิ่งกรายพม่า	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon	Taylor (1962b) specimen no. 20963 deposited in Field Museum, Chicago, USA
<b>Genus <i>Megophrys</i> Kuhl and van Hasselt, 1822</b>			
<i>Megophrys nasuta</i> (Schlegel, 1858)	<b>Long-nosed Horned Frog</b> Ung-krai hua laem สิ่งกรายหัวแหลม	<b>SOUTH:</b> <i>Songkhla:</i> Ton Nga Chang; <i>Yala:</i> Betong; <i>Narathiwat:</i> Tanjong Mas, Sukhirin	Smith (1917b,c), Taylor (1962b)
<b>Genus <i>Xenophrys</i> Gunther, 1864</b>			
<i>Xenophrys aceras</i> (Boulenger, 1903)	<b>Malayan Horned Frog</b> Ung-krai hua mon สิ่งกรายหัวมน	<b>SOUTH:</b> <i>Surat Thani:</i> Khlong Saeng, Khao Sok; <i>Nakhon Si Thammarat:</i> Thung Song, Khao Luang; <i>Trang:</i> Khao Bantad, Khao Chong; <i>Pattani;</i> <i>Narathiwat:</i> Hala-Bala	Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard (per.com.)
<i>Xenophrys lateralis</i> (Anderson, 1871) ( <i>X. major</i> Boulenger, 1911)	<b>Greater Stream Horned Frog</b> Ung-krai huai yai, Yah-gab สิ่งกรายหัวใหญ่	<b>NORTH:</b> <i>Mae Hong Son:</i> Muang; <i>Chiang Mai:</i> Doi Inthanon, Doi Suthep-Pui, Tha Ton, Mae Ai; <i>Tak:</i> Umphang	Taylor (1962b), Matsui <i>et al.</i> (1996), Chan-ard (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Xenophrys longipes</i> (Boulenger, 1886)	Long-legged Horned Frog Ung-krai ka yao สิ่งกรายขายาว	<b>NORTHEAST:</b> <i>Loei:</i> Phu Luang <b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Tham Tarn Rot, Sai Yok, Thong Pha Phum <b>SOUTH:</b> <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Narathiwat:</i> Hala-Bala; <i>Ranong:</i> Khlong Naka <b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon	Taylor (1962b), Chan-ard (per.com.), Chuaynkern (per.com.) Damman (per.com.)
<i>Xenophrys minor</i> Stejneger, 1926	Dwarf Horned Frog Ung-krai krae สิ่งกรายแคระ		
<i>Xenophrys parva</i> (Boulenger, 1893)	Lesser Stream Horned Frog Ung-krai huai lek สิ่งกรายห้วยเล็ก	<b>NORTH:</b> <i>Mae Hong Son:</i> Namtok Pha Sue; <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Sangkhla Buri	Taylor (1962b), Chan-ard (1987), Matsui <i>et al.</i> (1996)
<b>Genus <i>Ophryophryne</i> Boulenger, 1903</b>			
<i>Ophryophryne microstoma</i> (Boulenger, 1903)	Narrow-mouthed Horned Frog Ung-krai pak kaeb สิ่งกรายปากแคบ	<b>NORTH:</b> <i>Nar:</i> Doi Phu Kha	Dring (per.com.) from the specimens in British Museum
<b>Family BUFONIDAE</b>			<b>Toads</b>
<b>Genus <i>Bufo</i> Laurenti, 1768</b>			
<i>Bufo asper</i> Gravenhorst, 1829	Giant Asiatic Toad, Malayan Giant Toad, River Toad Chong-krong, Ma-nam, Katahong, Kong	<b>NORTH:</b> <i>Mae Hong Son:</i> Namtok Pha Sue; <i>Tak:</i> Umphang <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Sai Yok, Thong	Gairder and Smith (1915), Smith (1916b, 1917b), Cochran (1930), Taylor and Elbel (1958), Taylor (1962b),

Taxon/Species	Local Common Name	Locality	Reference
20 <i>Bufo divergens</i> Peters, 1871	จงโคร่ง, หมาน้ำ, กะทาทอง, กง	Pha Phum, Sangkhla Buri; <i>Ratchaburi</i> : Maenam Pachi; <i>Phetchaburi</i> : Khaeng Krachan; <i>Prachuap Khiri Khan</i> : Pa La-U	Chan-ard (1987), Matsui <i>et al.</i> (1996)
<i>Bufo macrotis</i> Boulenger, 1888	Malayan Dwarf Toad Kangkok Krae Malayu คางคกแคระมลายู	<b>SOUTH:</b> <i>Chumphon</i> : Tasan; <i>Ranong</i> : Muang; <i>Surat Thani</i> : Khlong Saeng; <i>Pang Nga</i> : Khao Lak-Lamru; <i>Nakhon Si Thammarat</i> : Na Bon, Khao Luang; <i>Trang</i> : Khao Bantad, Khao Chong; <i>Krabi</i> : Khao Phra-Bangkram, Had Thai Muang; <i>Songkhla</i> : Ton Nga Chang; <i>Narathiwat</i> : Hala-Bala; <i>Yala</i> : Betong	Chan-ard (per.com.)
	Large-eared Toad Kang-kok hua rab, Kang-kok lueang คางคกหัวราบ, คางคกเหลือง	<b>NORTH:</b> <i>Chiang Mai</i> : Doi Kram, Mong Huad, Chiang Dao; <i>Prae</i> : Mae Yom <b>NORTHEAST:</b> <i>Nong Khai</i> : Phu Wua <b>SOUTHEAST:</b> <i>Prachinburi</i> : Kabin Buri <b>CENTRAL:</b> <i>Nakhon Nayok</i> : Nong Ree <b>SOUTHWEST:</b> <i>Uthai Thani</i> : Huai Khakaeng; <i>Kanchanaburi</i> : Salak Pra, Sai Yok <b>SOUTH:</b> <i>Phangnga</i> : Had Thai Muang; <i>Pattani</i> : Sai Buri	Smith (1916b, 1917b), Cochran (1930), Taylor (1962b), Matsui <i>et al.</i> (1998)

Taxon/Species	Local Common Name	Locality	Reference
<i>Bufo melanostictus</i> Schneider, 1799	<b>Black-spined Toad</b> Kang-kok ban, Khi kang-kak, Kang-kak คางคกบ้าน, ขี้คางคาก, คางคาก	Found in all provinces, especially throughout the plain, up to the altitude of 1,650 m on the top of Doi Pui, Chiang Mai province	Smith (1916b, 1917b,c), Cochran (1930), Taylor (1934, 1962b), Taylor and Elbel (1958), Heyer (1971a), Inger and Colwell (1977), Matsui <i>et al.</i> (1996, 1998)
<i>Bufo parvus</i> Boulenger, 1887	<b>Dwarf Toad</b> Kang-kok krae, Kang-kok fai คางคกกระ, คางคกไฟ	<b>SOUTHEAST:</b> <i>Chanthaburi:</i> Khao Sabap, Khao Kitchakut, Khao Soi Dao <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Huai Mae Lamun, Salak Phra, Sangkhla Buri, Pilok; <i>Prachuap Khiri Khan:</i> Pa La-U, Namtok Huai Yang <b>SOUTH:</b> <i>Chumphon:</i> Pathiu; <i>Ranong:</i> Muang, Khlong Naka; <i>Surat Thani:</i> Khlong Saeng, Khao Sok; <i>Nakhon Si Thammarat;</i> <i>Trang:</i> Khao Chong, Khao Bantad; <i>Songkhla:</i> Ton Nga Chang; <i>Yala:</i> Betong; <i>Narathiwat:</i> Hala-Bala	Smith (1916, 1917b), Cochran (1930), Taylor (1962b), Matsui <i>et al.</i> (1996), Chuaynern (per.com.)
<b>Genus</b> <i>Ansonia</i> Stoliczka, 1870			
<i>Ansonia inthanon</i> Matsui, Nabhitabhata and Panha, 1998	<b>Inthanon Stream Toad</b> Kang-kok huai inthanon คางคกห้วยอินทนนท์	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon	Matsui <i>et al.</i> (1998)
<i>Ansonia malayana</i> Inger, 1960	<b>Malayan Stream Toad</b> Kang-kok huai malayu	<b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Thong Pha Phum	Taylor (1962b), Matsui <i>et al.</i> (1998)

Taxon/Species	Local Common Name	Locality	Reference
<i>Ansonia siamensis</i> Kiew, 1984	คางคกห้วยมลายู Siamese Stream Toad Kang-kok huai thai คางคกห้วยไทย	<b>SOUTH:</b> <i>Chumphon:</i> Tasan; <i>Ranong:</i> Muang, La-un; <i>Phangnga:</i> Khao Lak-lamru; <i>Nakhon Si Thammarat, Pattani, Satun:</i> Koh Tarutao; <i>Yala:</i> Betong <b>SOUTH:</b> <i>Trang:</i> Khao Chong	Kiew (1984), Matsui <i>et al.</i> (1998)
<b>Genus <i>Leptophryne</i> Fitzinger, 1843</b> <i>Leptophryne borbonica</i> (Tschudi, 1838)	<b>Long-legged Slender Toad</b> Kang-kok ka Yao คางคกขายาว	<b>SOUTH:</b> <i>Trang:</i> Khao Bantad, Khao Chong; <i>Phattalung:</i> Kuan Niang; <i>Songkhla:</i> Ton Nga Chang; <i>Narathiwat:</i> Hala-Bala	Taylor (1962b), Matsui <i>et al.</i> (1998), Chan-ard (per.com.)
<b>Genus <i>Pedostibes</i> Gunther, 1876</b> <i>Pedostibes hosii</i> (Boulenger, 1892)	<b>Hose's Tree Toad, Brown Tree Toad</b> Kang-kok ton mai คางคกต้นไม้	<b>SOUTH:</b> <i>Trang:</i> Khao Chong; <i>Satun, Narathiwat:</i> Hala-Bala	Taylor (1962b), Matsui <i>et al.</i> (1998)
<b>Family HYLIDAE</b>			<b>Tree Frogs</b>
<b>Genus <i>Hyla</i> Laurenti, 1768</b> <i>Hyla annectans</i> (Jerdon, 1870)	<b>Indian Leaf Frog</b> Pad muang chin ปาดเมืองจีน	<b>NORTH:</b> <i>Mae Hong Son</i>	Taylor (1962b)
<b>Family RANIDAE</b>			<b>True Frogs</b>
<b>Genus <i>Amolops</i> Cope, 1865</b> <i>Amolops larutensis</i> (Boulenger, 1901)	<b>Larut Cascade Frog</b>	<b>SOUTH:</b> <i>Chumphon:</i> Tasan; <i>Ranong:</i>	Smith (1917b), Taylor (1962b),

Taxon/Species	Local Common Name	Locality	Reference
1899)	Pad-lai-hin muang Tai ป่าดงลายหินเมืองใต้	Kapur, Tap Li; <i>Surat Thani</i> : Khlong Saeng; <i>Trang</i> : Khao Bantad; <i>Pattani</i> ; <i>Yala</i> : Betong, Bang Lang; <i>Narathiwat</i> : Hala-Bala	Matsui <i>et al.</i> (1968)
<i>Amolops marmoratus</i> (Blyth, 1855)	<b>Northern Cascade Frog</b> Pad-lai-hin muang nua ป่าดงลายหินเมืองเหนือ	<b>NORTH:</b> <i>Mae Hong Son</i> : Muang, Namtok Pha Sue; Namtok Mae Surin; <i>Chiang Mai</i> : Doi Suthep-Pui, Doi Inthanon; <i>Kamphaeng Phet</i> : Khlong Lan	Taylor (1962b), Matsui <i>et al.</i> (1996), Chuaynkern (per.com.)
<b>Genus <i>Occidozyga</i> Kuhl and van Hasselt, 1822</b>			
<i>Occidozyga</i> Kuhl and van Hasselt, 1822			
23 <i>Occidozyga laevis</i> (Gunther, 1859)	<b>Spotted Puddle Frog</b> Kiat luen เขียดลีน	<b>SOUTH:</b> <i>Songkhla</i> : Kor Honk; <i>Pattani</i> ; <i>Narathiwat</i> : Muang, Phru To Daeng	Heyer (1971a)
<i>Occidozyga lima</i> (Gravenhorst, 1829)	<b>Common Puddle Frog</b> Kiat cha-na, Kiat chaa-na เขียดจนา, เขียดจ่านา	All provinces, in lowland. <b>South:</b> <i>Nakhon Si Thammarat</i> : Had Nai Ploy	Heyer (1971a), Smith (1916b, 1917b), Cochran (1930), Taylor and Elbel (1958), Taylor (1962b), Inger and Colwell (1977), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997)
<i>Occidozyga martensii</i> (Peters, 1867)	<b>Martens's Puddle Frog</b> Kiat sai, Kiat lang poom เขียดทราย, เขียดหลังปุม	<b>NORTH:</b> <i>Mae Hong Son</i> : Muang; <i>Chiang Mai</i> : Mae Ai, Chiang Dao; <i>Phrae</i> : Mae Yom; <i>Tak</i> : Pop Phra <b>NORTHEAST:</b> <i>Loei</i> : Phu Luang, Dan	Smith (1916b, 1917b), Cochran (1930), Taylor and Elbel (1958), Taylor (1962b), Heyer (1971a), Inger and Colwell



Taxon/Species	Local Common Name	Locality	Reference
		Sai, Phu Kradung; <i>Nong Khai</i> : Phu Wua; <i>Nakhon Phanom</i> : Kan Lueang; <i>Kalasin</i> : Phu Si Than <b>EAST</b> : <i>Ubon Ratchathani</i> : Yod Dom; <i>Nakhon Ratchasima</i> : Sakaerat <b>SOUTHEAST</b> : <i>Chanthaburi</i> : Khao Soi Dao; <i>Trat</i> : Koh Chang <b>CENTRAL</b> : <i>Bangkok</i> <b>SOUTHWEST</b> : <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Kanchanaburi</i> : Sangkhla Buri; <i>Ratchaburi</i> : Suan Phung; <i>Phetchaburi</i> : Khaeng Krachan <b>SOUTH</b> : <i>Ranong</i> : Muang; <i>Phangnga</i> : Khaolak-lamru; <i>Surat Thani</i> : Khlong Saeng; <i>Nakhon Si Thammarat</i> : Muang; <i>Trang</i> : Khao Chong; Phuket	(1977), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998)
<b>Genus <i>Chaparana</i> Bourret, 1939</b> <i>Chaparana aenea</i> (Smith, 1922)	<b>Doi Chang Frog</b> Kob doi chang กบดอยช้าง	<b>NORTH</b> : <i>Chiang Mai</i> : Doi Chang, Doi Inthanon	Smith (1922a), Taylor (1962b)
<b>Genus <i>Fejervarya</i> Bolkay, 1915</b> <i>Fejervarya cancrivora</i> (Gravenhorst, 1829)	<b>Mangrove Frog, Crab-eating            Frog</b> Kob nam kroi, Kob nam kem กบน้ำกร่อย, กบน้ำเค็ม	<b>SOUTHEAST</b> : <i>Chon Buri</i> : Ang Sila; <i>Chachoengsao</i> : Bang Pakong <b>CENTRAL</b> : <i>Bangkok</i> ; <i>Samut Prakarn</i> : Bang Poo, Khlong Dan	Smith (1917b,c,e), Taylor (1962b), Cochran (1930), Chan-ard (per.com.), Chuaynkern (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Fejervarya limnocharis</i> (Boie, 1835)	Grass Frog, Ricefield Frog, Paddy Frog Kob nong, Kiat e-mo, Kiat bak-mo กบหนอง, เขียดอีโม, เขียดบั๊กโม	<b>SOUTHWEST:</b> <i>Prachuap Khiri Khan:</i> Sam Roi Yod <b>SOUTH:</b> <i>Chumphon; Ranong, Surat Thani:</i> Tapi River; <i>Nakhon Si Thammarat</i> Pak Panang; <i>Trang:</i> Kantang, Koh Libong; <i>Phangnga:</i> Ao Phangnga; <i>Songkhla:</i> Sathing Phra Found in all provinces in all natural types.	Smith (1916b, 1917b,c), Cochran (1930), Taylor (1934, 1962b), Taylor and Elbel (1958), Heyer (1971a), Inger and Colwell (1977), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998) Taylor (1962b)
<i>Fejervarya raja</i> (Smith, 1930)	Rajah Frog Kob ra-cha กบราชา	<b>SOUTH:</b> <i>Phattalung:</i> Kuan Khanun; <i>Songkhla:</i> Songkhla Lake; <i>Pattani:</i> Ru Samilae; <i>Narathiwat:</i> Phru Toh Daeng	
Genus <i>Hoplobatrachus</i> Peters, 1863			
<i>Hoplobatrachus rugulosus</i> (Wiegman, 1835)	Chinese Bullfrog, Rugosed Frog Kob Na, Kob nua กบนา, กบเนื้อ	In all provinces, especially in the lowland and low hills.	Smith (1917b,c), Cochran (1930), Taylor and Elbel (1950), Taylor (1962b), Inger and Colwell (1977), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997)

Taxon/Species	Local Common Name	Locality	Reference
Genus <i>Huia</i> Yang, 1991 <i>Huia nasica</i> (Boulenger, 1903)	Annam Frog Kob Annam กบอันนัม	<b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Tham Tarn Lod; <i>Ratchaburi:</i> Suan Phung	Chan-ard (per.com.)
Genus <i>Ingerana</i> Dubois, 1987 <i>Ingerana tasanae</i> (Smith, 1921)	Tasan Frog Kob tasan กบท่าसान	<b>SOUTH:</b> <i>Chumphon:</i> Tasan; <i>Ranong:</i> Muang, Khlong Naka; <i>Surat Thani:</i> Khlong Saeng, Khao Sok; <i>Phangnga:</i> Khaolak lamru; <i>Phuket:</i> Khao Phra Taew	Taylor (1962b), Matsui <i>et al.</i> (1996, 1998), Grossmann and Tillack (2000) Chuaynkern (per.com.)
<i>Ingerana tenasserimensis</i> (Sclater, 1892)	Tenasserim Frog Kob ta-nao-see กบตะนาวศรี	<b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Sai Yok, Thung Yai, Pilok; <i>Ratchaburi:</i> Pachi River <b>SOUTH:</b> <i>Nakhon Si Thammarat:</i> Khao Luang, Ron Phibun; <i>Trang:</i> Khao Chong	Taylor (1962b), Matsui <i>et al.</i> (1996)
Genus <i>Limnonectes</i> Fitzinger, 1843 <i>Limnonectes blythii</i> (Boulenger, 1920)	Blyth's Frog Kob tood, Kiat laeo กบทูต, เขียวแลว	<b>NORTH:</b> <i>Mae Hong Son:</i> Salawin; <i>Tak:</i> Thung Yai (eastern); <i>Kamphaeng Phet:</i> Khlong Lan <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Sai Yok, Sangkhla Buri, Thong Pha Phum, Erawan, Lin thin; <i>Ratchaburi:</i> Pachi River; <i>Phetchaburi:</i> Kaeng Krachan <b>SOUTH:</b> <i>Ranong:</i> Muang, Khlong Naka; <i>Surat Thani:</i> Koh Samui, Khlong Saeng; <i>Phangnga:</i> Khaolak-lamru; <i>Nakhon Si</i>	Smith (1917, 1916), Taylor (1962b), Chan-ard (1987), Matsui <i>et al.</i> (1996), Chuaynkern (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Limnonectes doriae</i> (Boulenger, 1887)	<b>Doria's Frog</b> Kob dor-ria กบดอร์เรีย	<i>Thammarat</i> : Khao Luang, Na Bon; <i>Trang</i> : Khao Bantad, Khao Chong; <i>Krabi</i> : Khao Phra Bangkram; <i>Songkhla</i> : Ton Nga Chang; <i>Yala</i> : Bannang Sata, Betong, Bang Lang Dam; <i>Narathiwat</i> : Hala-Bala <b>NORTH: Tak</b> <b>SOUTHWEST: Uthai Thani</b> : Huai Kha Khaeng; <i>Kanchanaburi</i> : Sai Yok, Thong Pha Phum, Sangkra Buri, Pilok; <i>Phetchaburi</i> : Kaeng Krachan; <i>Prachuap Khiri Khan</i> : Pran Buri, Pa La-U, Namtok Huai Yang <b>SOUTH: Chumphon</b> : Tasan; <i>Ranong</i> : Muang; <i>Surat Thani</i> : Koh Samui, Khlong Saeng, Khao Sok; <i>Nakhon Si Thammarat</i> : Khlong Wang Hip; <i>Trang</i> : Khao Chong; <i>Phuket</i>	Smith (1917b, 1922a,b), Taylor (1962b), Matsui <i>et al.</i> (1998), Chuaynkern (per.com.)
<i>Limnonectes kohchangae</i> (Smith, 1922)	<b>Koh Chang Frog</b> Kob koh chang กบเกาะช้าง	<b>SOUTHEAST: Trat</b> : Koh Chang, Ok Yam	Smith (1922a,b), Cochran (1930)
<i>Limnonectes kuhlii</i> (Tschudi, 1838)	<b>Kuhl's Stream Frog</b> Kob huai ka poom, Kob mun กบห้วยขาป้อม, กบหมื่น	<b>NORTH: Mae Hong Son</b> : Pang Tong; <i>Tak</i> : Thung Yai (eastern); <i>Phayao</i> : Doi Pha Chang; <i>Chiang Mai</i> : Doi inthanon, Doi Suthep-Pui, Doi Phahom Pok, Doi Chiang Dao, Tha Ton, Mae Ai; <i>Phrae</i>	Smith (1917b,c), Taylor and Elbel (1958), Taylor (1962b), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998), Chuaynkern (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Limnonectes laticeps</i> (Boulenger, 1882)	<b>Rivulet Frog</b> Kob Lang ta pab กบหลังตาพับ	<b>NORTHEAST:</b> <i>Loei:</i> Phu Luang, Phu Kradung <b>EASTERN:</b> <i>Chaiyaphum:</i> Phu Khieo <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Sai Yok, Thung Yai, Sangkhla Buri, Pilok, Tham Tarn Rod; <i>Phetchaburi:</i> Khaeng Khachan <b>SOUTH:</b> <i>Surat Thani:</i> Khlong Saeng, Khao Sok; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Yala:</i> Betong, Bang Lang Dam; <i>Narathiwat:</i> Hala-Bala <b>SOUTH:</b> <i>Chumphon:</i> Mamoh; <i>Yala:</i> Betong, Bang Lang Dam; <i>Narathiwat:</i> Hala-Bala	Taylor (1962b), Matsui <i>et al.</i> (1998), Chan-ard (per.com.)
<i>Limnonectes macrognathus</i> (Boulenger, 1917)	<b>Big-headed Frog</b> Kob hua to กบหัวโต	<b>NORTH:</b> <i>Mae Hong Son:</i> Salawin; <i>Tak:</i> Umphang; <i>Chiang Mai:</i> Doi Inthanon, Doi Suthep <b>SOUTH:</b> <i>Ranong:</i> Muang; <i>Surat Thani:</i> Khlong Saeng; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Trang:</i> Khao Chong <b>SOUTH:</b> <i>Narathiwat:</i> Hala-Bala	Smith (1922a,b), Taylor and Elbel (1958), Taylor (1962b), Matsui <i>et al.</i> (1996, 1998), Chan-ard (per.com.)
<i>Limnonectes malesianus</i> (Kiew, 1984)	<b>Peat Swamp Frog</b> Kob Tood Malayu กบตุ่มลายู	<b>SOUTH:</b> <i>Narathiwat:</i> Hala-Bala	Chan-ard (per.com.)
<i>Limnonectes paramacrodon</i> (Inger, 1966)	<b>Masked Swamp Frog</b> Kob pa phru กบป่าพรุ	<b>SOUTH:</b> <i>Narathiwat:</i> Phru Toh Daeng	Chan-ard (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Limnonectes pileatus</i> (Boulenger, 1916)	<b>Capped Frog</b> Kob ngon, Kob hua loh, Kob hon กบหนองน, กบหัวโล้, กบหนอง	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon, Doi Suthep-Pui, Doi Chiang Dao; <i>Lampang:</i> Doi Pha Muang, Doi Khun Than; <i>Phrae:</i> Khao Phung, Mae Song, Mae Yom; <i>Kamphaeng Phet:</i> Khlong Lan; <i>Uttaradit</i> <b>NORTHEAST:</b> <i>Loei:</i> Phu Kradung, Phu Luang; <i>Udon Thani;</i> <i>Nong Khai:</i> Phu Wua, Phon Phisai; <i>Sakon Nakhon:</i> Phu Phan; <i>Kalasin:</i> Phu Si Than <b>EAST:</b> <i>Chaiyaphum:</i> Phu Khieo; <i>Nakhon Ratchasima:</i> Khao Yai, Sakaerat; <i>Roi Et:</i> Phu Pha Namtip <b>SOUTHEAST:</b> <i>Sa Kaeo:</i> Ta Phraya, Pang Sida; <i>Prachin Buri:</i> Tub Lan; <i>Chachoengsao:</i> Khao Ang Ru Nai; <i>Chon Buri:</i> Si Racha, Khao Khieo; <i>Rayong:</i> Khao Chamao; <i>Chanthaburi:</i> Khao Sabap, Khao Soi Dao <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Thung Yai <b>SOUTH:</b> <i>Krabi:</i> Khao Pra Bangkram; <i>Yala:</i> Bang Lang Dam, Betong, Bannang Sata; <i>Narathiwat:</i> Hala-Bala	Smith (1917b, 1922a,b), Taylor (1962), Heyer (1917b), Inger and Colwell (1977), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998)
<i>Limnonectes plicatellus</i> (Stoliczka, 1873)	<b>Rhinoceros Frog</b> Kob rad, Kob ngon malayu กบแรด, กบหนองนมาเลย์	<b>SOUTH:</b> <i>Krabi:</i> Khao Pra Bangkram; <i>Yala:</i> Bang Lang Dam, Betong, Bannang Sata; <i>Narathiwat:</i> Hala-Bala	Smith (1922), Taylor (1962b), Matsui <i>et al.</i> (1998)
Genus <i>Paa</i> Dubois, 1975 <i>Paa bourreti</i> (Dubois, 1987)	<b>Bourret's Frog</b>	<b>NORTH:</b> Chiang Mai: Doi Phahom Pok,	Nabhitabhata (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Paa fasciculispina</i> (Inger, 1970)	Kob viet-nam กบเวียดนาม <b>Spiny-breasted Frog</b> Kob ok naam, Kob rad กบอกหนาม, กบแรด	Tha Thon; <i>Mae Hong Son</i> : Namtok Pha Seu <b>SOUTHEAST:</b> <i>Chanthaburi</i> : Khao Soi Dao, Khao Kitchakut	Inger (1970), Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<b>Genus <i>Rana</i> Linnaeus, 1758</b>			
<i>Rana alticola</i> Boulenger, 1882	<b>Hill Frog</b> Kob khao soog กบเขาสูง	<b>SOUTHWEST:</b> <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Kanchanaburi</i> : Thong Pha Phum, Sangkhla Buri, Sai Yok; <i>Prachuap Khiri Khan</i> : Pathiu <b>SOUTH:</b> <i>Chumphon</i> : Sadet Nai Khrom; <i>Ranong</i> : Khlong Naka; <i>Phangnga</i> : Khaolak lamru; <i>Surat Thani</i> : Khlong Saeng; <i>Nakhon Si Thammarat</i> <b>NORTH:</b> <i>Chiang Mai</i> : Doi Inthanon	Smith (1916, 1917b), Cochran (1930), Taylor (1962b), Matsui <i>et al.</i> (1996), Chuaynkern (per.com.)
<i>Rana andersonii</i> Boulenger, 1882	<b>Anderson's Frog</b> Kob Anderson กบแอนเดอสัน	<b>NORTH:</b> <i>Chiang Mai</i> : Doi Inthanon	Specimens deposited in Thailand Natural History Museum, National Science Museum, Pathum Thani, Thailand
<i>Rana archotaphus</i> Inger and Chan-ard, 1997	<b>Doi Inthanon Rock Frog</b> Kob cha nkon hin inthanon กบชะง่อนหินอินทนนท์	<b>NORTH:</b> <i>Chiang Mai</i> : Doi Inthanon; <i>Chiang Rai</i> : Mae Tum	Inger and Chan-ard (1997), Chan-ard (per.com.), and Nabhitabhata (per.com.)
<i>Rana baramica</i> Boetter, 1901	<b>Masked Frog</b> Kob Waak Lek กบว้ากเล็ก	<b>SOUTH:</b> <i>Narathiwat</i> : Hala-Bala	Chan-ard (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Rana cubitalis</i> Smith, 1917	Dark-eared Frog Kob hu dam กบหูดำ	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Chiang Dao, Doi Nga Chang <b>NORTHEAST:</b> <i>Phetchabun:</i> Nam Nao; <i>Loei:</i> Na Haeo, Dan Sai, Phu Luang <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng <b>SOUTH:</b> <i>Nakhon Si Thammarat;</i> Ranong; Khlong Naka All provinces, in lowland.	Smith (1917d), Taylor and Elbel (1958), Taylor (1962b), Chan-ard (1987), Chuaynkern (per.com.)
<i>Rana erythraea</i> (Schlegel, 1837)	Red-eared Frog, Green Paddy Frog Kob bua, Kiat chik กบบัว, เขียดจิก		Smith (1916b, 1917b,c), Cochran (1930), Taylor and Elbel (1958), Taylor (1962b), Inger and Colwell (1977), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997)
<i>Rana glandulosa</i> Boulenger, 1882	Rough-sided Frog, Waterdog Kob waak yai, Mah nam กบว้ากใหญ่, หมาน้ำ	<b>SOUTH:</b> <i>Chumphon:</i> Lang Suan; <i>Surat Thani:</i> Phru Kantuli; <i>Trang;</i> <i>Satun:</i> Thale Ban; <i>Yala:</i> Bang Lang dam, Betong; <i>Narathiwat:</i> Phru Toh Daeng, Hala-Bala; <i>Songkhla:</i> Ton Nga Chang	Smith (1916, 1917), Taylor (1962b), Manthey and Grossmann (1997), Matsui <i>et al.</i> (1998), Chan-ard (per.com.), Chuaynkern (per.com.)
<i>Rana hosii</i> Boulenger, 1891	Hose's Rock Frog Kob cha-ngon hin pak Tai กบชะง่อนหินภาคใต้	<b>SOUTH:</b> <i>Chumphon:</i> Tasan; <i>Phangnga:</i> Khaolak-lamru; <i>Surat Thani:</i> Khlong Saeng, Khao Sok; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Songkhla:</i> Ton Nga Chang; <i>Narathiwat:</i> Hala-Bala	Taylor (1962b), Chan-ard (1987), Matsui <i>et al.</i> (1998)



Taxon/Species	Local Common Name	Locality	Reference
<i>Rana johnsi</i> Smith, 1921	<b>Johns's Frog</b> Kob si chompoo กบสีชมพู	<b>NORTHEAST:</b> <i>Loei:</i> Phu Luang	Chan-ard (per.com.)
<i>Rana lateralis</i> Boulenger, 1887	<b>Yellow Frog</b> Kob Lang plai, Kiat Lueang, Kob Lueang กบหลังไพล, เขียดเหลือง, กบเหลือง	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Suthep-Pui, Kaeng Pan Tao; <i>Kamphaeng Phet:</i> Khlong Lan <b>NORTHEAST:</b> <i>Loei:</i> Dan Sai, Phu Rua; <i>Sakon Nakhon:</i> Phu Phan <b>EAST:</b> <i>Nakhon Ratchasima:</i> Sakaerat; <i>Sa kaeo:</i> Watthana Nakhon; <i>Ubon</i> <i>Ratchathani:</i> Yod Dom <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Muang	Smith (1917b,c), Cochran (1930), Taylor (1962b), Inger and Colwell (1977), Chan-ard (1987)
<i>Rana leptoglossa</i> (Cope, 1868)	<b>Cope's Frog</b> Kob sangkra กบสังขละ	<b>NORTH:</b> <i>Tak:</i> Thung Yai (eastern part) <b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Sangkhla Buri, Thong Pha Phum	Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Rana livida</i> (Blyth, 1856)	<b>Burmese Rock Frog</b> Kob cha-ngon hin pak nua กบชะงอนหินภาคเหนือ	<b>NORTH:</b> <i>Mae Hong Son:</i> Namtok Pha Sue; <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon, Tha Thon; <i>Kamphaeng Phet:</i> Khlong Lan <b>NORTHEAST:</b> <i>Loei:</i> Phu Luang <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Srinakarin dam, Salak Phra, Thong Pha Phum, Pilok, Erawan; <i>Prachuap Khiri Khan:</i> Pa La-U	Smith (1917b), Taylor (1962a), Heyer (1971a), Matsui <i>et al.</i> (1996)

Taxon/Species	Local Common Name	Locality	Reference
<i>Rana luctuosa</i> (Peters, 1871)	<b>Mahogany Frog</b> Kob khao tong lai กบเขาค้างลาย	<b>SOUTH:</b> <i>Trang</i> : Khao Chong <b>SOUTH:</b> <i>Nakhon Si Thammarat</i> : Khao Luang	Taylor (1962b)
<i>Rana macrodactyla</i> (Gunther, 1859)	<b>Long-toed Frog</b> Kob Lang keet กบหลังขีด	Found in all provinces, both in lowland and montane open areas.	Smith (1917b,c), Cochran (1930), Taylor (1962b), Manthey and Grossmann (1997)
<i>Rana milleti</i> Smith, 1921	<b>Millet's Frog</b> Kob khao yai กบเขายใหญ่	<b>EAST:</b> <i>Nakhon Ratchasima</i> : Khao Yai <b>SOUTHEAST:</b> <i>Chachoengsao</i> : Khao Ang Ru Nai; <i>Chanthaburi</i> : Namtok Plieo <b>CENTRAL:</b> <i>Nakhon Nayok</i> : Khao Yai	Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Rana miopus</i> Boulenger, 1918	<b>Three-striped Frog</b> Kob Lang Lai chi-ang กบหลังลายเฉียง	<b>SOUTH:</b> <i>Phangnga</i> : Khaolak lamru; <i>Nakhon Si Thammarat</i> : Khao Wang Hip; <i>Krabi</i> : Khao Phanom Bencha, Khao Pra Bangkram; <i>Yala</i> ; <i>Songkhla</i> : Ton Nga Chang	Taylor (1962b), Chan-ard (per.com.)
<i>Rana montivaga</i> Smith, 1921	<b>Stream Frog</b> Kob khao soi dao กบเขาสอยดาว	<b>SOUTHEAST:</b> <i>Chanthaburi</i> : Khao Soi Dao	Nabhitabhata (per.com.)
<i>Rana nicobariensis</i> (Stoliczka, 1870)	<b>Nicobar Cricket Frog</b> Kob nicobar กบนิโคบาร์	<b>SOUTH:</b> <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Yala</i>	Taylor (1962b)
<i>Rana nigrovittata</i> (Blyth, 1856)	<b>Dark-sided Frog</b> ( <i>Rana mortensii</i> Boulenger,	Frequenting all provinces, except those in the Central Plain; in all forest types	Smith (1917b, 1916a), Taylor (1934, 1962b),

Taxon/Species	Local Common Name	Locality	Reference
<i>Rana chalconota</i> (Schlegel, 1837)	1903) Kob ong, Kiat ong, Kiat ngot, Kiat ngo, Kiat ta -ot, Ngot, E-ngat กบอ่อง, เขียดอ่อง, เขียดโงด, เขียดโง้, เขียดตาโอด, โงด, ลีงาด <b>White-lipped Frog</b> Kob khao Lang tong กบเขาสีงดอง	from hill bases to high altitudes.  <b>SOUTHWEST:</b> <i>Prachuap Khiri Khan:</i> Bang Saphan Noi <b>SOUTH:</b> <i>Chumphon:</i> Tasan, Mamoh, Sadet Nai Khrom; <i>Ranong:</i> Muang, Khlung Naka; <i>Surat Thani:</i> Tha Chana, Na San, Khlung Saeng; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Trang:</i> Khao Bantad, Khao Chong; <i>Krabi:</i> Khao Pra Bangkram; <i>Phattalung:</i> Khao Bantad; <i>Songkhla:</i> Ton Nga Chang; <i>Yala:</i> Bang Lang dam, Betong; <i>Narathiwat:</i> Phru To Daeng, Hala-Bala	Taylor and Elbel (1958), Heyer (1971a), Inger and Colwell (1977), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998)  Cochran (1930), Taylor and Elbel (1958), Taylor (1962b), Matsui <i>et al.</i> (1998), Chuaynkern (per.com.)
<i>Rana schmackeri</i> Boettger, 1892	<b>Schmacker's Frog</b> Kob doi inthanon กบดอยอินทนนท์	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon, Doi Phahom Pok	Matsui <i>et al.</i> (1996), Nabhitabhata (per.com.)
<i>Rana signata</i> (Gunther, 1872)	<b>Spotted Stream Frog</b> Kob Lang chut กบหลังจุด	<b>SOUTH:</b> <i>Chumphon:</i> Tasan; <i>Surat Thani:</i> Khlung Saeng; <i>Trang:</i> Khao Bantad; <i>Songkhla:</i> Ton Nga Chang, Khao Nam Kang; <i>Narathiwat:</i> Hala-Bala	Taylor (1962b), Matsui <i>et al.</i> (1998), Chan-ard (per.com.), Chuaynkern (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Rana taipehensis</i> van Denburgh, 1909	Taiwanese Frog Kob Taiwan กบไต้หวัน	<b>NORTH:</b> <i>Phitsanulok:</i> Thung Salaeng Luang <b>NORTHEAST:</b> <i>Nong Khai:</i> Phu Wua <b>EAST:</b> <i>Nakhon Ratchasima:</i> Khao Yai	Matsui <i>et al.</i> (1998)
<b>Genus <i>Taylorana</i> Dubois, 1987"1985"</b>			
<i>Taylorana hascheana</i> (Stoliczka, 1870)	Hasche's Frog Kob pa phai กบป่าไฟ	<b>SOUTHWEST:</b> <i>Prachuap Khiri Khan:</i> Pa La-U; <i>Chumphon:</i> Mab Ammarit, Pathiu <b>SOUTH:</b> <i>Ranong:</i> Muang; <i>Surat Thani:</i> Khao Sok; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Trang:</i> Khao Chong	Taylor (1934, 1962b), Matsui <i>et al.</i> (1996,1998), Grossmann and Tillack (2000)
<i>Taylorana limborgi</i> (Sclater, 1892)	Stoliczka's Frog Kob kaa กบกา	<b>NORTH:</b> <i>Mae Hong Son:</i> Salawin; <i>Chiang Mai:</i> Doi Suthe-Pui; <i>Kamphaeng Phet:</i> Khlong Lan, Mae Wong <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Prachuap Khiri Khan:</i> Pa La-U <b>SOUTH:</b> <i>Renong:</i> Muang; <i>Trang:</i> Khao Chong; <i>Yala</i>	Smith (1916b, 1917b), Cochran (1930), Taylor (1962b), Chan-ard (1987)
<b>Family RHACOPHORIDAE</b>			<b>Tree Frogs</b>
<b>Genus <i>Philautus</i> Gistel, 1848</b>			
<i>Philautus gracilipes</i> Bourret, 1937	Slender-legged Bush Frog Pad krae ka rio ป่าดแคระขาเรียว	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon	Nabhitabhata (per.com.)
<i>Philautus carinensis</i> (Boulenger, 1893)	Burmese Bush Frog Pad krae Lang keet ป่าดแคระหลังขีด	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon, Omkoi	Nabhitabhata (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Philautus parvulus</i> (Boulenger, 1893)	Dwarf Bush Frog Pad krae pa ปาดกระป่า	<b>NORTH:</b> <i>Mae Hong Son:</i> Pang Tong; <i>Chiang Mai:</i> Doi Suthep-Pui, Mae Pan, Doi Inthanon, Doi Chiang Dao; <i>Tak:</i> Thung Yai (eastern) <b>NORTHEAST:</b> <i>Loei:</i> Phu Luang <b>SOUTHEAST:</b> <i>Chanthaburi:</i> Khao Soi Dao, Khao Kitchakut <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Petchaburi:</i> Khaeng Krachan <b>SOUTH:</b> <i>Nakhon Si Thammarat:</i> Khao Luang <b>SOUTH:</b> <i>Narathiwat:</i> Hala-Bala	Taylor (1962b), Heyer (1971a), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998)
<i>Philautus vermiculatus</i> (Boulenger, 1900)	Vermiculated Bush Frog Pad krae thong lai ปาดกระทองลาย		Chan-ard (per.com.)
<b>Genus <i>Rhacophorus</i> Kuhl and van Hasselt, 1822</b>			
<i>Rhacophorus appendiculatus</i> (Gunther, 1859)	Friiled Tree Frog Pad lai la-oe tai ปาดลายเลอะใต้	<b>SOUTH:</b> <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Narathiwat:</i> Hala-Bala	Matsui <i>et al.</i> (1986)
<i>Rhacophorus bipunctatus</i> Ahl, 1927	Twin-spotted Tree Frog Pad teen luang ปาดตีนเหลือง	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon, Doi Phahom Pok, Kaeng Pan Tao, Doi Chiang Dao <b>NORTHEAST:</b> <i>Sakon Nakhon:</i> Phu Phan; <i>Kalasin:</i> Phu Si Than; <i>Loei:</i> Phu Luang <b>EAST:</b> <i>Nakhon Ratchasima:</i> Sakaerat <b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Thung Yai;	Heyer (1971a), Inger and Colwell (1977), Matsui <i>et al.</i> (1996, 1998), Chan-ard (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Rhacophorus bisacculus</i> Taylor, 1962	Taylor's Tree Frog Pad lai la-oe isan ป่าดงลายเลอะอีสาน	<i>Phetchaburi</i> : Kaeng Krachan <b>SOUTH</b> : <i>Nakhon Si Thammarat</i> : Khao Luang <b>NORTHEAST</b> : <i>Nong Khai</i> : Phu Wua; <i>Loei</i> : Phu Kradung, Phu Luang <b>EAST</b> : <i>Nakhon Ratchasima</i> : Khao Yai, Sakaerat <b>SOUTHWEST</b> : <i>Chachoengsao</i> : Khao Ang Ru Nai; <i>Chanthaburi</i> : Khao Sabab	Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Rhacophorus cyanopunctatus</i> Manthey and Steiof, 1998	Blue-spotted Tree Frog Pad choot fah ป่าจุดฟ้า	<b>SOUTH</b> : <i>Chumphon</i> : Tasan; <i>Phattalung</i> : Khao Bantad; <i>Satun</i> ; <i>Songkhla</i> : Ton Nga Chang	Taylor (1962b), Chan-ard (per.com.)
<i>Rhacophorus maximus</i> Gunther, 1859	Giant Tree Frog Pad yak ป่ายักษ์	<b>SOUTHWEST</b> : <i>Ratchaburi</i> : Chom Bung; <i>Phetchaburi</i> : Kaeng Krachan	Nabhitabhata (per.com.)
<i>Rhacophorus nigropalmatus</i> Boulenger, 1896	Wallace's Tree Frog Pad khieo teen dam ป่าเขียวตีนดำ	<b>SOUTH</b> : <i>Ranong</i> : Kapur; <i>Pattani</i> : Khok Pho; <i>Yala</i> ; <i>Narathiwat</i> : Hala-Bala	Smith (1917), Taylor (1962b), Suwatt (per.com.)
<i>Rhacophorus orlovi</i> Zeigler and Kohler, 2001	Orlov's Tree Frog Pad Teen Loeng Isan ป่าดงตีนเหลืองอีสาน	<b>EAST</b> : <i>Amnat Charoen</i> : Muang, Na Chaluai	Chan-ard (per.com.)
<i>Rhacophorus pardalis</i> Gunther, 1858	Harlequin Tree Frog Pad Teen Daeng ป่าดงตีนแดง	<b>SOUTH</b> : <i>Narathiwat</i> : Hala-Bala	Chan-ard (per.com.) Chuaynkern (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Rhacophorus prominanus</i> Smith, 1914	Malayan Tree Frog Pad khieo teen Daeng ป่าเขียวดินแดง	<b>SOUTH:</b> <i>Yala:</i> Bannang Sata; <i>Narathiwat:</i> Hala-Bala	Taylor (1962b), Chan-ard (per.com.)
<i>Rhacophorus reinwardtii</i> Schlegel, 1837	Reinwardt's Tree Frog Pad khieo teen lai ป่าเขียวดินลาย	<b>SOUTHWEST:</b> <i>Phetchaburi:</i> Kaeng Krachan; <i>Kanchanaburi:</i> Thung Yai <b>SOUTH:</b> <i>Narathiwat:</i> Hala-Bala	Taylor (1962b)
<i>Rhacophorus robinsoni</i> Boulenger, 1903	Robinson's Tree Frog Pad ka Lai ป่าขาลาย	<b>SOUTH:</b> <i>Songkhla;</i> <i>Pattani:</i> Khok Pho; <i>Yala</i>	Taylor (1962b)
<i>Rhacophorus verrucosus</i> (Boulenger, 1893)	Boulenger's Tree Frog Pad Lai lo-ue nua ป่าลายเลอะเหนือ	<b>NORTH:</b> <i>Tak:</i> Umphang; <i>Phetchabun:</i> Nam Nao	Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<b>Genus <i>Polypedates</i> Tschudi, 1838</b>			
<i>Polypedates colletti</i> (Boulenger, 1890)	Collett's Tree Frog Pad nie-u yak malayu ปาดนิ้วแยกมลายู	<b>SOUTH:</b> <i>Yala:</i> Bannang Sata; <i>Narathiwat:</i> Phru To Daeng	Taylor (1962b), Chan-ard (per.com.)
<i>Polypedates feae</i> (Boulenger, 1893)	Fea's Tree Frog Pad doi inthanon ปาดดอยอินทนนท์	<b>NORTH:</b> <i>Chiang Mai:</i> Doi Inthanon; <i>Mae Hong Son:</i> Namtok Pha Sue <b>NORTHEAST:</b> <i>Loei:</i> Phu Luang	Matsui <i>et al.</i> (1996), Chan-ard (per.com.), Weewatana (per.com.)
<i>Polypedates leucomystax</i> (Gravenhorst, 1829)	Four-lined Tree Frog Pad ban ปาดบ้าน	<b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Thong Pha Phum; <i>Uthai Thani:</i> Huai Kha Khaeng, Sai Yok <b>SOUTH:</b> <i>Ranong:</i> Muang; <i>Surat Thani:</i> Koh Samui, Khlong Saeng; <i>Nakhon Si Thammarat:</i> Muang, Khao Luang; <i>Trang:</i>	Gairder and Smith (1915), Smith (1917b,c, 1916b), Cochran (1930), Taylor (1934, 1962b), Heyer (1971a), Inger and Colwell (1977), Chan-ard (1987),

Taxon/Species	Local Common Name	Locality	Reference
<i>Polypedates macrotis</i> (Boulenger, 1891)	Dark-eared Tree Frog, Masked Tree Frog Pad hu dam ปาดหูดำ	Khao Chong; <i>Yala; Narathiwat</i> : Phru Toh Daeng, Hala-Bala <b>SOUTH:</b> <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Narathiwat</i> : Hala-Bala	Matsui <i>et al.</i> (1996, 1998)  Matsui <i>et al.</i> (1996), Chan-ard (per.com.)
<i>Polypedates mutus</i> (Smith, 1940)	Northern Tree Frog Kiat ta-pad nua เขียดตะปาดเหนือ	Found in all provinces, both in highlands and lowlands. <b>EAST:</b> <i>Nakhon Ratchasima</i> : Sakaerat <b>SOUTHEAST:</b> <i>Sa Kaeo</i> : Pang Sida; <i>Chanthaburi</i> : Khao Kitchakut, Khao Soi Dao; <i>Rayong</i> : Khao Chamao-Khao Wong	Smith (1916, 1917), Cochran (1930), Taylor (1934, 1962b), Heyer (1971a), Inger and Cowell (1977), Matsui <i>et al.</i> (1996, 1998)
<b>Genus <i>Nyctixalus</i> Boulenger, 1882</b>			
<i>Nyctixalus pictus</i> (Peters, 1871)	Cinnamon Tree Frog, White-spotted Tree Frog Pad pah chut khao ปาดป่าจูดขาว	<b>SOUTH:</b> <i>Surat Thani</i> : Khlong Saeng, Khao Sok; <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Yala</i> : Bang Lang Dam, Betong; <i>Songkhla</i> : Ton Nga Chang; <i>Phangnga</i> : Khaolak-lamru	Taylor (1962b), Matsui <i>et al.</i> (1996), Grossmann and Tillack (2000), Chan-ard (per.com.)
<b>Genus <i>Theلودerma</i> Tschudi, 1838</b>			
<i>Theلودerma asperum</i> (Boulenger, 1886)	Pied Warted Tree Frog Pad ta-poom lek ปาดตะปุ่มเล็ก	<b>NORTH:</b> <i>Mae Hong Son</i> : Pang Ung; <i>Chiang Mai</i> : Doi Inthanon, Doi Chiang Dao; <i>Tak</i> : Thung Yai (eastern) <b>NORTHEAST:</b> <i>Loei</i> : Phu Luang <b>SOUTHEAST:</b> <i>Sa Kaeo</i> : Pang Sida <b>SOUTHWEST:</b> <i>Uthai Thani</i> : Huai Kha	Smith (1917), Taylor (1962b), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998)



Taxon/Species	Local Common Name	Locality	Reference
<i>Theلودerma horridum</i> (Boulenger, 1903)	<b>Thorny Warty Tree Frog</b> Pad ta-poom malayu ป่าดตะปุมมลายู	Khaeng; <i>Kanchanaburi</i> : Sri Nagarindra Dam <b>SOUTH</b> : <i>Pattani</i> : Khok Pho; <i>Narathiwat</i> : Hala-Bala	Smith (1917), Taylor (1962b), Chan-ard (per.com.), Chuaynkern (per.com.)
<i>Theلودerma gordonii</i> Taylor, 1962	<b>Large Warty Tree Frog</b> Pad ta-poom yai ป่าดตะปุมใหญ่	<b>NORTH</b> : <i>Chiang Mai</i> : Doi Suthep-Pui	Taylor (1962b)
<i>Theلودerma stellatum</i> Taylor, 1962	<b>Taylor's Warty Tree Frog</b> Pad ta-poom chanthaburee ป่าดตะปุมจันทบุรี	<b>NORTH</b> : <i>Phrae</i> : Mae Yom <b>EAST</b> : <i>Nakhon Ratchasima</i> : Sakaerat <b>SOUTHEAST</b> : <i>Chachoengsao</i> : Khao Ang Ru Nai; <i>Chanthaburi</i> : Khao Sabab, Khao Kitchakut	Inger and Colwell (1977), Taylor (1962b), Matsui <i>et al.</i> (1996), Chansuwan (per.com.)
<b>Genus <i>Chirixalus</i> Boulenger, 1893</b>			
<i>Chirixalus doriae</i> Boulenger, 1893	<b>Doria's Bush Frog</b> Pad chi-u Lang keet ป่าดจีวหลังซัด	<b>NORTH</b> : <i>Chiang Mai</i> : Doi Inthanon, Doi Suthep-Pui, Doi Chiang Dao, Chiang Dao <b>NORTHEAST</b> : <i>Loei</i> : Phu Luang, Phu Kradung <b>EAST</b> : <i>Chaiyaphum</i> : Phu Khieo <b>SOUTHWEST</b> : <i>Kanchanaburi</i> : Sangkra Buri, Thung Yai	Taylor (1962b), Matsui <i>et al.</i> (1996, 1998)
<i>Chirixalus hansenae</i> Cochran, 1927	<b>Eastern Bush Frog</b> Pad chi-u patawan aok ป่าดจีวป่าดะวันออก	<b>NORTH</b> : <i>Chiang Mai</i> : Kaeng Pang Tao <b>NORTHEAST</b> : <i>Loei</i> : Phu Kradung <b>EAST</b> : <i>Chon Buri</i> : Si Racha	Cochran (1927, 1930), Taylor (1962b)
<i>Chirixalus nongkhorensis</i> (Cochran, 1927)	<b>Nongkhor Bush Frog</b> Pad chi-u lai tam	<b>EAST</b> : <i>Nakhon Ratchasima</i> : Sakaerat <b>SOUTHEAST</b> : <i>Chachoengsao</i> : Khao	Cochran (1927, 1930), Taylor (1962b), Heyer (1971a),

Taxon/Species	Local Common Name	Locality	Reference
<i>Chirixalus vittatus</i> (Boulenger, 1887)	ปาดจิวลายแด้ม <b>Burmese Bush Frog</b> Pad chi-u phama ปาดจิวพม่า	Ang Ru Nai; <i>Chon Buri</i> : Si Racha; <i>Sa Kaeo</i> : Pang Sida <b>SOUTHWEST</b> : <i>Kanchanaburi</i> : Sangkhla Buri <b>NORTH</b> : <i>Chiang Mai</i> : Doi Suthep-Pui <b>NORTHEAST</b> : <i>Loei</i> : Phu Luang, Phu Kradung; <i>Sakon Nakhon</i> : Phu Phan; <i>Nong Khai</i> : Muang <b>EAST</b> : <i>Nakhon Ratchasima</i> : Sakaerat <b>CENTRAL</b> : <i>Phra Nakhon Si Ayutthaya</i> : Bang Pa-in <b>SOUTHWEST</b> : <i>Kanchanaburi</i> : Sangkhra Buri	Inger and Colwell (1977), Matsui <i>et al.</i> (1996)  Taylor (1962b), Heyer (1971a), Inger and Colwell (1977), Matsui <i>et al.</i> (1996, 1998)
<b>Family MICROHYLIDAE</b>			<b>Microhylids</b>
<b>Genus <i>Chaperina</i> Mocquard, 1892</b>			
<i>Chaperina fusca</i> Mocquard, 1892	<b>Saffron-bellied Frog, Spine-heeled Froglet</b> Ung Son Nam อึ่งสันหนาม	<b>SOUTH</b> : <i>Surat Thani</i> : Khlong Saeng	Taksintham (per.com.)
<b>Genus <i>Calluella</i> Stoliczka, 1872</b>			
<i>Calluella guttulata</i> (Blyth, 1855)	<b>Striped Spadefoot Frog</b> Ung Lai อึ่งลาย	<b>NORTH</b> : <i>Phrae</i> : Mae Yom <b>NORTHEAST</b> : all provinces <b>EAST</b> : all provinces; <i>Nakhon Ratchasima</i> : Sakaerat <b>SOUTHEAST</b> : all provinces; Sa Kaeo:	Smith (1917c), Cochran (1930), Taylor (1962b), Heyer (1971a), Chan-ard (1987), Matsui <i>et al.</i> (1998), Nabhitabhata (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
		Pang Sida <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Muang <b>SOUTH:</b> <i>Surat Thani:</i> Muang	
<b>Genus <i>Phrynella</i> Boulenger, 1889</b> <i>Phrynella pulchra</i> Boulenger, 1887	<b>Red-bellied Frog</b> Ung Thong Daeng สิ่งท้องแดง	<b>SOUTH:</b> <i>Narathiwat:</i> Hala-Bala	Chan-ard (per.com.) Chuaynkern (per.com.)
<b>Genus <i>Glyphoglossus</i> Gunther, 1869</b> "1868" <i>Glyphoglossus molossus</i> Gunther, 1869	<b>Truncate-snouted Spadefoot Frog</b> Ung pao, Ung pak khuat สิ่งเพ้า, สิ่งปากขวด	Inhabiting the lowlands in all provinces, except those in the South. <b>NORTHEAST:</b> <i>Sakon Nakhon:</i> Phu Phan; <i>Nong Bua Lam Phu:</i> Muang, Si Bun Ruang, Na Klang, Non Sang <b>EAST:</b> <i>Nakhon Ratchasima:</i> Sakaerat, Wang Nam Khieo <b>SOUTHEAST:</b> <i>Sa Kaeo:</i> Co Klan, Ta Phraya <b>SOUTHWEST:</b> <i>Uthai Thani:</i> Huai Kha Khaeng	Smith (1917b,c), Cochran (1930), Taylor and Elbel (1958), Taylor (1962b), Heyer (1971a), Chan-ard (1987), Nabhitabhata (per.com.)
<b>Genus <i>Kaloula</i> Gray, 1831</b> <i>Kaloula baleata</i> (Muller, 1836)	<b>Brown Bullfrog</b> Ung-ang Tai สิ่งอ่างไต้	<b>SOUTHWEST:</b> <i>Ratchaburi:</i> Chom Bung (Tako Pid Thong) <b>SOUTH:</b> <i>Krabi:</i> Koh Lantar, Khao Pra-Bangkram; <i>Trang:</i> Khao Chong; <i>Phuket;</i>	Chan-ard (per.com.), Nabhitabhata (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<p><i>Kaloula mediolineata</i> (Smith, 1917)</p> <p><i>Kaloula pulchra</i> Gray, 1831</p>	<p><b>Median-striped Bullfrog</b> Ung-ang kon keet อึ่งอ่างกันขีด</p> <p><b>Banded Bullfrog, Painted Burrowing Frog</b> Ung-ang ban, Ung yang อึ่งอ่างบ้าน</p>	<p><i>Yala</i>; Bang Lang Dam; <i>Surat Thani</i>: Khlong Saeng Frequently seen living in lowlands in all provinces, except those in the northern and southern parts. Found in all provinces. <b>NORTH:</b> <i>Chiang Mai</i>: Muang, Tah Ton, Doi Inthanon, Doi Chiang Dao; <i>Phrae</i>: Mae Yom <b>NORTHEAST:</b> <i>Nong Khai</i>: Muang; <i>Nong Bua Lam Phu</i>: Muang, Na Klang, Si Bun Ruang, Non Sang <b>EAST:</b> <i>Nakhon Ratchasima</i>: Sakaerat <b>SOUTEAST:</b> <i>Chachoengsao</i>: Khao Ang Ru Nai; <i>Sa Kaeo</i>: Pang Sida, Ko Khlan, Ta Praya <b>CENTRAL:</b> <i>Bangkok</i>: Bang Khen, Chulalongkorn University <b>SOUTHWEST:</b> <i>Kanchanaburi</i>: Thong Pha Phum; <i>Uthai Thani</i>: Huai Kha Khaeng <b>SOUTH:</b> <i>Nakhon Si Thammarat</i>: Muang; <i>Trang</i>: Khao Chong, Had Chao Mai, Koh Libong; <i>Pattani</i>: Muang; <i>Ranong</i>: Muang</p>	<p>Smith (1917a,b), Taylor (1962b), Heyer (1971a), Chan-ard (1987) Smith (1917b), Cochran (1930), Taylor (1934, 1962b), Taylor and Elbel (1958), Heyer (1971a), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)</p>

Taxon/Species	Local Common Name	Locality	Reference
<b>Genus <i>Kalophrynus</i> Tschudi, 1838</b>			
<i>Kalophrynus interlineatus</i> (Blyth, 1855)	<b>Striped Sticky Frog</b> Ung-pum lang lai สิ่งปุมหึ่งลาย	<b>NORTH:</b> <i>Phitsanulok</i> : Thung Salaeng Luang <b>NORTHEAST:</b> <i>Loei</i> : Phu Luang; <i>Chaiyaphum</i> : Phu Khieo <b>SOUTHEAST:</b> <i>Chanthaburi</i> : Khao Kitchakut, Namtok Pliew <b>SOUTH:</b> <i>Chumphon</i> : Pathiu; <i>Phangnga</i> : Khaolak-lamru	Nabhitabhata (per.com.)
<i>Kalophrynus pleurostigma</i> Tschudi, 1838	<b>Red-sided Sticky Frog</b> Ung-pum malayu สิ่งปุมมลายู		Parker (1934), Taylor (1962b)
<b>Genus <i>Microhyla</i> Tschudi, 1838</b>			
<i>Microhyla annectens</i> Boulenger, 1900	<b>Boulenger's Chorus Frog</b> Ung-nam tao malayu สิ่งน้ำเต้ามลายู	<b>SOUTH:</b> <i>Chumphon</i> : Pathiu	Smith (in Taylor, 1962)
<i>Microhyla annamensis</i> Smith, 1923	<b>Annam Chorus Frog</b> Ung annam สิ่งอันนัม	<b>SOUTHEAST:</b> <i>Chanthaburi</i> : Khao Sabab	Smith (1923b), Taylor (1962b)
<i>Microhyla berdmorei</i> (Blyth, 1856)	<b>Berdmore's Chorus Frog</b> Ung mae nao สิ่งแม่หนาว	<b>NORTH:</b> <i>Mae Hong Son</i> : Pang Tong; <i>Tak</i> : Thung Yai (eastern), Umpang; <i>Phrae</i> : Mae Yom <b>NORTHEAST:</b> <i>Loei</i> : Phu Luang; <i>Nong Khai</i> : Muang, Phu Wua; <i>Kalasin</i> : Phu Si Than; <i>Chaiyaphum</i> : Phu Khiew <b>EAST:</b> <i>Nakhon Ratchasima</i> : Khao Yai <b>SOUTHEAST:</b> <i>Chachoengsao</i> : Khao	Smith (1916a, 1917b), Cochran (1930), Taylor (1934, 1962b), Taylor and Elbel (1958), Heyer (1971a), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Nabhitabhata (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<i>Microhyla borneensis</i> Parker, 1926	Bornean Chorus Frog Ung borneo อีงบอร์เนียว	Ang Ru Nai; <i>Sa Kaeo</i> : Pang Sida <b>SOUTHWEST</b> : <i>Kanchanaburi</i> : Erawan; <i>Prachuap Khiri Khan</i> : Muang; <i>Uthai Thani</i> : Huai Kha Khlaeng <b>SOUTH</b> : <i>Trang</i> : Khao Chong <b>SOUTH</b> : <i>Narathiwat</i> : Hala-Bala	Chan-ard (per.com.), Chuaynkern (per.com.)
<i>Microhyla butleri</i> Boulenger, 1900	Noisy Chorus Frog Ung-lai tam อีงลายแต่ม	<b>NORTH</b> : <i>Chiang Mai</i> : Doi Suthep-Pui, Doi Chiang Dao; <i>Phrae</i> : Mae Yom <b>SOUTHWEST</b> : <i>Kanchanaburi</i> : Sangkhla Buri, Pilok <b>EAST</b> : <i>Nakhon Ratchasima</i> : Sakaerat <b>SOUTHEAST</b> : <i>Prachin Buri</i> : Prachantakham (Khao Yai) <b>SOUTH</b> : <i>Satun</i> ; <i>Surat Thani</i> : Khlong Saeng; <i>Trang</i> : Kantang	Smith (1917c, 1922a), Cochran (1930), Taylor (1962b), Heyer (1971a), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Microhyla heymonsi</i> Vogt, 1911	Dark-sided Chorus Frog, Heymon's Frog Ung khang dam อีงข้างดำ	<b>NORTH</b> : <i>Mae Hong Son</i> : Pang Tong; <i>Chiang Mai</i> : Doi Inthanon, Doi Suthep-Pui, Doi Chiang Dao; <i>Phrae</i> : Mae Yom <b>NORTHEAST</b> : <i>Loei</i> : Phu Luang; <i>Nong Khai</i> : Phu Wua <b>EAST</b> : <i>Nakhon Ratchasima</i> : Sakaerat; <i>Roi Et</i> : Phu Pha Nam Thip; <i>Ubon Ratchathani</i> : Yod Dom	Smith (1916d, 1917b). Cochran (1930), Taylor (1962b), Heyer (1971a), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998), Chuaynkern (2001), Nabhitabhata (per.com.)

Taxon/Species	Local Common Name	Locality	Reference
<p><i>Microhyla pulchra</i> (Hallowell, 1861)</p>	<p><b>Painted Chorus Frog</b> Ung kha kam, Khat kha kam อึ่งขาคำ, เขียดขาคำ</p>	<p><b>SOUTHEAST:</b> <i>Chachoengsao:</i> Khao Ang Ru Nai; <i>Chanthaburi:</i> Khao Kitchakut; <i>Trat:</i> Koh Chang; <i>Rayong:</i> Muang; <i>Sa Kaeo:</i> Pang Sida <b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Sangkhla Buri; <i>Uthai Thani:</i> Huai Kha Khaeng <b>SOUTH:</b> <i>Ranong:</i> Khlong Naka; <i>Narathiwat:</i> Hala-Bala; <i>Trang:</i> Khao Chong <b>NORTH:</b> <i>Phrae:</i> Mae Yom; <i>Chiang Mai:</i> Doi Chiang Dao <b>NORTHEAST:</b> <i>Nong Khai:</i> Phu Wua; <i>Kalasin:</i> Phu Si Than <b>EAST:</b> <i>Nakhon Ratchasima:</i> Sakaerat <b>SOUTHEAST:</b> <i>Chachoengsao:</i> Khao Ang Ru Nai; <i>Sa Kaeo:</i> Pang Sida, Ko Khlan, Ta Phraya <b>SOUTH:</b> Nakhon Si Thammarat</p>	<p>Smith (1916a, 1917b,c), Taylor (1934, 1962b), Heyer (1971a), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)</p>
<p><i>Microhyla ornata</i> (Dumeril and Bibron, 1841)</p>	<p><b>Ornate Chorus Frog</b> Ung-nam tao, Khiad nam tao อึ่งน้ำเต้า, เขียดน้ำเต้า</p>	<p><b>NORTH:</b> <i>Mae Hong Son:</i> Muang; <i>Phrae:</i> Mae Yom; <i>Chiang Mai:</i> Chiang Dao; <i>Tak:</i> Umphang, Thung Yai (eastern) <b>NORTHEAST:</b> <i>Nong Khai:</i> Phu Wua; <i>Kalasin:</i> Phu Si Than <b>EAST:</b> <i>Roi Et:</i> Phu Pha Nam Thip; <i>Ubon Ratchathani:</i> Yod Dom; <i>Nakhon Ratchasima:</i> Sakaerat</p>	<p>Smith (1917b,c), Taylor (1962b), Cochran (1930), Heyer (1971a), Chan-ard (1987), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)</p>

Taxon/Species	Local Common Name	Locality	Reference
		<p><b>SOUTHEAST:</b> <i>Chachoengsao:</i> Khao Ang Ru Nai; <i>Sa Kaeo:</i> Pang Sida, Kho Khlan, Ta Phraya</p> <p><b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Pilok, Thong Pha Phum, Erawan; <i>Phetchaburi:</i> Khaeng Krachan; <i>Uthai Thani:</i> Huai Kha Khaeng</p> <p><b>SOUTH:</b> <i>Ranong:</i> Muang; <i>Krabi:</i> Khao Pra Bangkram; <i>Surat Thani:</i> Koh Samui, Khlong Saeng; <i>Nakhon Si Thammarat:</i> Muang</p>	
<p>47</p> <p><b>Genus <i>Micryletta</i> Dubois, 1987</b> <b><i>Micryletta inornata</i> (Boulenger, 1890)</b></p>	<p><b>Inornate Chorus Frog</b> Ung-lang chut, Ung-lang kheet อีงหลังจุด, อีงหลังขีด</p>	<p><b>NORTH:</b> <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Chiang Dao; <i>Tak:</i> Thung Yai (eastern); <i>Phrae:</i> Mae Yom</p> <p><b>NORTHEAST:</b> <i>Loei:</i> Phu Luang; <i>Nong Khai:</i> Phu Wua</p> <p><b>SOUTHEAST:</b> <i>Prachin Buri:</i> Khao Yai (Prachantakham); <i>Chachoengsao:</i> Khao Ang Ru Nai; <i>Chanthaburi:</i> Khao Soi Dao; <i>Sa Kaeo:</i> Pang Sida</p> <p><b>SOUTHWEST:</b> <i>Kanchanaburi:</i> Thong Pha Phum; <i>Phetchaburi:</i> Khaeng Krachan; <i>Uthai Thani:</i> Huai Kha Khaeng</p> <p><b>SOUTH:</b> <i>Ranong:</i> Muang; <i>Phangnga:</i></p>	<p>Chan-ard (1987), Manthey and Grossmann (1977), Nabhitabhata (per.com.)</p>



Taxon/Species	Local Common Name	Locality	Reference
		Khaolak-lamru; <i>Surat Thani</i> : Khlong Saeng; <i>Nakhon Si Thammarat</i> : Muang	
<b>ORDER GYMNOPIHONA (APODA)</b>			
<b>Family ICHTHYOPHIIDAE</b>			
<b>Genus <i>Ichthyophis</i> Fitzinger, 1826</b>			
<i>Ichthyophis acuminatus</i> Taylor, 1960 *	<b>Pointed-snouted Caecilian</b> Khat ngu hua lam เขียดงหัวแหลม	<b>NORTH:</b> <i>Lampang</i> : Hup Mae Wang, Wang River	Taylor (1971)
<i>Ichthyophis kohtaoensis</i> Taylor, 1960 *	<b>Koh Tao Caecilian</b> Khat ngu koh tao เขียดงเกาะเต่า	<b>SOUTHEAST:</b> <i>Sa Kaeo</i> : Pang Sida <b>SOUTHWEST:</b> <i>Uthai Thani</i> : Huai Kha Khaeng <b>SOUTH:</b> <i>Surat Thani</i> : Koh Samui <b>SOUTH:</b> <i>Nakhon Si Thammarat</i> : ten kilometers west of Nakhon Si Thammarat	Taylor (1971), Chan-ard (1987), Nabhitabhata (per.com.)
<i>Ichthyophis supachaii</i> Taylor, 1960 *	<b>Supachai's Caecilian</b> Khat ngu supachai เขียดงศุภชัย	<b>NORTH:</b> <i>Chiang Mai</i> : Doi Suthep	Taylor (1971)
<i>Ichthyophis youngorum</i> Taylor, 1963 *	<b>Doi Suthep Caecilian</b> Khat ngu doi suthep เขียดงดอยสุเทพ		Taylor (1971)
<b>Genus <i>Caudacaecilia</i> Taylor, 1968</b>			
<i>Caudacaecilia asplenia</i> (Taylor, 1965)	<b>Malayan Caecilian</b> Khat ngu malayu เขียดงมลายู	<b>SOUTH:</b> <i>Yala</i> : Laboo	Taylor (1971), Nabhitabhata (per.com.)
<i>Caudacaecilia larutensis</i> (Taylor, 1960)	<b>Larut Hill Caecilian</b> Khat ngu Bala เขียดงบาลา	<b>SOUTH:</b> <i>Narathiwat</i> : Sukhirin	Chan-ard (per.com.) Chuaynkern (per.com.)

หมายเหตุ \* = endemic