

REPTILES

Toxon/Species	Local Common Name	Locality	Reference
CLASS REPTILIA			
ORDER CHELONIA (TESTUDINES)			
Family TRIONYCHIDAE			
Genus <i>Amyda</i> Geoffroy, 1809			
<i>Amyda cartilaginea</i> (Boddaert, 1770)	Common Asiatic Softshell Tapap Nam, Pla Fa ตะพานน้ำ, ปลาฝา	NORTH: <i>Kamphaeng Phet:</i> Khlong Lan CENTRAL: <i>Pathum Thani:</i> Rang Sit, Khlong 5 SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng, <i>Kanchanaburi:</i> Mae Khlong River NORTHEAST: Mae Khong River SOUTHEAST: <i>Sa Kaeo:</i> Pang Sida SOUTH: <i>Satur:</i> Thaleban; <i>Surat Thani:</i> Thung Song, Thung Tao	Smith (1916b), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Genus <i>Chitra</i> Gray, 1844			
<i>Chitra chitra</i> Nutphand, 1990	Thai Giant Softshell Tapap Maan Lai, Greu Lai ตะพานมานลาย, กวีลลาย	SOUTHWEST: <i>Kanchanaburi:</i> Mae Lamun, Mae Khlong River and Streamlet	Taylor (1970), Nutaphand (1990)
Genus <i>Dogania</i> Gray, 1844			
<i>Dogania subplana</i> (Geoffroy, 1809)	Malayan Softshell Tapap Gam Daeng ตะพานแกมแดง	SOUTHWEST: <i>Uthai Thani:</i> Hai Kha Khaeng; <i>Kanchanaburi:</i> Thong Pha Phum, Sai Yok; <i>Ratchaburi:</i> Suan Phung SOUTH: <i>Phangnga:</i> Khaolak lumru; <i>Songkhla:</i> Ton Nga Chang, Hat Yai; <i>Satur:</i> Tarutao, Thaleban; <i>Yala:</i> Betong; <i>Krabi:</i> Khao Phanom Bencha; <i>Surat</i>	Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
		<i>Thani</i> : Nasan; <i>Narathiwat</i> : Waeng	
Genus <i>Pelochelys</i> Gray, 1864 <i>Pelochelys cantorii</i> Gray, 1864	Asian Giant Softshell Tapap Hua Kob, Grao ตะพานหัวกบ, กราว	CENTRAL: <i>Bangkok</i> : Chao Phraya River SOUTH: <i>Yala</i> : Bang Lang	Smith (1916b), Taylor (1970), Nabhitabhata (per.com.)
Family DERMOCHELYIDAE			
Genus <i>Dermochelys</i> Blainville, 1816 <i>Dermochelys coriacea</i> (Linnaeus, 1766)	Leatherback Sea Turtle Tao Mafeong เต่ามะเฟือง	Gulf of Thailand and Andaman Sea	Taylor (1970)
Family CHELONIIDAE			
Genus <i>Caretta</i> Rafinesque, 1814 <i>Caretta caretta</i> (Linnaeus, 1758)	Loggerheaded Sea Turtle Tao Hua To, Tao Hua Kon เต่าหัวโต, เต่าหัวค้อน	SOUTH: <i>Phuket</i> , <i>Songkhla</i>	Taylor (1970)
Genus <i>Chelonia</i> Bronquiart, 1800 <i>Chelonia mydas</i> (Linnaeus, 1758)	Green Sea Turtle Tao Tanu เต่าตนุ	Gulf of Thailand and Andaman Sea: Kram Island, Kra Island	Taylor (1970), Penyapol (1958)
Genus <i>Eretmochelys</i> Fitzinger, 1843 <i>Eretmochelys imbricata</i> (Linnaeus, 1766)	Hawksbill Sea Turtle Tao Kra เต่ากระ	Gulf of Thailand and Andaman Sea: Kram Island, Kra Island	Taylor (1970), Penyapol (1958), Nabhitabhata (per.com.)
Genus <i>Lepidochelys</i> Fitzinger, 1843 <i>Lepidochelys olivacea</i>	Olive Ridley Sea Turtle	Gulf of Thailand and Andaman Sea	Taylor (1970)

Toxon/Species	Local Common Name	Locality	Reference
(Eschscholtz, 1829)	Tao Ya Ta Daeng, Tao Sangasi เตาหญาตาแดง, เตาสังกะสี		
Family PLATYSTERNIDAE			
Genus <i>Platysternon</i> Gray, 1831			
<i>Platysternon megacephalum</i> Gray, 1831	Big-headed turtle Tao Pulu เตาปูลู	NORTH: <i>Chiang Mai:</i> Doi Chiang Dao, Doi Suthep-Pui, Doi Inthanon, Doi Angkhang; <i>Mae Hong Son:</i> Khun Yuam NORTHEAST: <i>Loei:</i> Phu Luang, Dan Sai, Phu Kradung; <i>Phetchabun:</i> Nam Nao EAST: <i>Chaiyaphum:</i> Phu Khieo SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok, Thong Pha Phum	Taylor (1970), Gairder and Smith (1915), Chan-ard <i>et al.</i> (1999)
Family BATAGURIDAE			
Genus <i>Batagur</i> Gray, 1855			
<i>Batagur baska</i> (Gray, 1830)	River Terrapin Tao Ka-an, Tao Chaan เตากะอาน, เตาจาน	SOUTH: <i>Satun:</i> Langu; <i>Pattani;</i> <i>Ranong:</i> Pak Chan River	Smith (1916b), Taylor (1917), Nabhitabhata (per.com.)
Genus <i>Callagur</i> Gray, 1870			
<i>Callagur borneoensis</i> (Schlegel and Muller, 1844)	Painted Terrapin Tao Lai Teen Ped เตาลายดินเบ็ด	CENTRAL: Chao Phraya River? (Flower, 1899) SOUTH: <i>Satun:</i> Langu	Flower (1899), Smith (1916b), Nabhitabhata (per.com.)
Genus <i>Cuora</i> Gray, 1855			
<i>Cuora amboinensis</i> (Daudin, 1802)	Malayan Box Turtle Tao Hub, Tao G nub เตาหับ, เตางับ	NORTH: <i>Chiang Mai</i> CENTRAL: <i>Bangkok:</i> Bang Khen SOUTH: <i>Phangnga:</i> Khaolak-lamru;	Smith (1916b), Taylor (1970), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999),

Toxon/Species	Local Common Name	Locality	Reference
		<i>Surat Thani</i> : Thung Tao	Chuaynkern (per.com.), Nabhitabhata (per.com.)
Genus <i>Cyclemys</i> Bell, 1834			
<i>Cyclemys atripons</i> Iverson and McCord, 1997	Southeastern Leaf Turtle Tao huai khao Banthad เต่าหัวยเขาบรหัด	SOUTHEAST : <i>Trat</i> : Khao Kuap, Koh Chang, Koh Kut	Fritz and Bbst (1999)
<i>Cyclemys dentata</i> (Gray, 1831)	Asian Leaf Turtle Tao Bi-mi, Tao Daeng (P), Tao Nam (N,NE) เต่าใบไม้, เต่าแดง, เต่าน้ำ	NORTH : <i>Phayao</i> : Doi Pha Chang; <i>Tak</i> : Umphang NORTHEAST : <i>Loei</i> EAST : <i>Nakhon Ratchasima</i> : Sakaerat SOUTHEAST : <i>Trat</i> : Koh Chang; <i>Chon Buri</i> : Si Racha SOUTHWEST : <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Phetchaburi</i> : Khaeng Krachan SOUTH : <i>Surat Thani</i> : Thung Tao; <i>Narathiwat</i> : Phru To Daeng, Hala-Bala; <i>Yala</i> : Betong	Taylor (1970), Inger and Cowell (1977), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Cyclemys tcheponensis</i> (Bourret, 1939)	Indochinese Leaf Turtle Tao Huai Ko Lai (C), Tao Nam (E) เต่าหัวยคอลลาย, เต่าน้ำ	EAST : <i>Nakhon Ratchasima</i> : Tab Lan, Khao Yai SOUTHEAST : <i>Chantaburi</i> : Khao Soi Dao; <i>Chon Buri</i> : Khao Khieo; <i>Sa Kaeo</i> : Pang Sida	Nabhitabhata (per.com.)
Genus <i>Heosemys</i> Stejneger, 1834			
<i>Heosemys grandis</i> (Gray, 1860)	Giant Asian Pond Turtle Tao Wai	CENTRAL : <i>Bangkok</i> : Saphan Mai SOUTHWEST : <i>Uthai Thani</i> : Huai Kha	Smith (1916b), Taylor (1970), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Heosemys spinosa</i> (Gray, 1831)	เต่าหวาย Spiny Turtle Tao Chak เต่าจักร	Khaeng SOUTH: <i>Chumpon; Yala:</i> Betong; <i>Narathiwat:</i> Phru To Daeng, Hala-Bala SOUTHWEST: <i>Prachuap Khiri Khan:</i> Pran Buri SOUTH: <i>Surat Thani:</i> Khlong Saeng; <i>Nakhon Si Thammarat:</i> Khao Luang, Ron Phibun; <i>Pattani; Krabi:</i> Khao Pra Bangkram; <i>Songkhla:</i> Ton Nga Chang, Hat Yai; <i>Narathiwat:</i> Hala-Bala, Phru To Daeng	Smith (1916b), Taylor (1970), Manthey and Grossmann (1977), Nabhitabhata (per.com.)
<i>Hieremys annandalei</i> (Boulenger, 1903)	Yellow-headed Temple Turtle Tao Bung Hua Leong, Tao Wat (C), Tao Gon (Lao) เต่ามิ่งหัวเหลือง, เต่าวัด, เต่าถนน	CENTRAL: <i>Pathum Thani:</i> Rangsit; <i>Bangkok:</i> Bang Khen; <i>Samut Prakan:</i> Pak Nam SOUTH: <i>Pattani:</i> Yee Ngo	Smith (1916b), Taylor (1970), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
Genus <i>Malayemys</i> Lindholm, 1931 <i>Malayemys subtrijuga</i> (Schlegel and Muller, 1844)	Malayan Snail-eating Turtle Tao Na เต่านา	NORTH: <i>Chiang Mai:</i> Muang NORTHEAST: <i>Nong Bua Lam Phu:</i> Muang EAST: <i>Nakhon Ratchasima:</i> Sakaerat SOUTHEAST: <i>Chon Buri; Sa Kaeo:</i> Pang Sida; <i>Chanthaburi:</i> Khao Soi Dao CENTRAL: <i>Bangkok:</i> Bang Khen; <i>Pathum Thani:</i> Rangsit; <i>Nakhon Nayok:</i>	Smith (1916b), Taylor (1970), Manthey and Grossmann (1977), Chan-ard <i>et al.</i> (1999). Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
		Ongkharak SOUTH: <i>Pattani</i>	
Genus <i>Melanochelys</i> Gray, 1869			
<i>Melanochelys trijuga</i> (Schweigger, 1814)	Indian Black Turtle Tao Pak Leuang เต่าปากเหลือง	Limited to Thai-Burmese border area (Tak and Mae Hong Son Provinces)	Nutaphand (1979)
Genus <i>Notochelys</i> Gray, 1834			
<i>Notochelys platynota</i> (Gray, 1834)	Malayan Flat-shelled Turtle Tao Tabtim เต่าทับทิม	SOUTH: <i>Songkhla</i> : Ton Nga Chang; <i>Yala</i> ; <i>Narathiwat</i> ; Hala-Bala; <i>Pattani</i>	Taylor (1970), Smith (1916b), Nabhitabhata (per.com.)
Genus <i>Pyxidea</i> Gray, 1862			
<i>Pyxidea mouhotii</i> (Gray, 1862)	Keeled Box Turtle Tao Chan เต่าจัน	NORTH: Thai-Lao Broader	Taylor (1970)
Genus <i>Siebensockiella</i> Lindholm, 1929			
<i>Siebenrockiella crassicollis</i> (Gray, 1831)	Black Pond Turtle Tao Dam (C), Tao Ga (P) เต่าดำ, เต่ากา	CENTRAL: <i>Bangkok</i> SOUTHWEST: SOUTH: <i>Surat Thani</i> ; <i>Narathiwat</i> : Phru To Daeng	Smith (1916b), Taylor (1970), Nabhitabhata (per.com.)
Family TESTUDINIDAE			
Genus <i>Indotestudo</i> Lindholm, 1929			
<i>Indotestudo elongata</i> (Blyth, 1853)	Elongated Tortoise Tao Leuang (C), Tao Pek (Khorat), Tao Khok (N, NE, E) เต่าเหลือง, เต่าเพ็ก, เต่าโคก	NORTH: <i>Tak</i> : Thung Yai (eastern) NORTHEAST: <i>Loei</i> EAST: <i>Nakhon Ratchasima</i> : Sakaerat SOUTHEAST: <i>Chon Buri</i> : Khao Khieo;	Gairder and Smith (1915), Smith (1916b), Inger and Colwell (1977), Manthey and Grossmann (1977),

Toxon/Species	Local Common Name	Locality	Reference
		<i>Chanthaburi</i> : Khao Soi Dao; <i>Sa Kaeo</i> : Pang Sida, Ta Phraya, Kho Khlan SOUTHWEST : <i>Kanchanaburi</i> : Sai Yok SOUTH : <i>Surat Thani</i> : Khlong Saeng; <i>Krabi</i> : Khlong Phraya, Ban Kha Nom; <i>Narathiwat</i> : Hala-Bala	Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Genus <i>Manouria</i> Gray, 1852			
<i>Manouria emys</i> (Schlegel and Muller, 1844)	Asian Brown Tortoise Tao Hok เต่าหก	SOUTHWEST : <i>Uthai Thani</i> : Huai Kha Khang; <i>Kanchanaburi</i> : Sai Yok SOUTH : <i>Surat Thani</i> : Khlong Saeng; <i>Nakhon Si Thammarat</i> : Khao Wang Hip; <i>Songkhla</i> : Ton Nga Chang; Trang: Khao Ban Tad; <i>Narathiwat</i> : Hala-Bala	Gairder and Smith (1915), Smith (1916b), Nabhitabhata (per.com.)
<i>Manouria impressa</i> (Gunther, 1882)	Impressed Tortoise Tao Doui, Tao Khao Sung, Tao Ki Poeng เต่าเตี๋ยง, เต่าเขาสง, เต่าซี้ฝั้ง	NORTH : <i>Chiang Mai</i> : Doi Inthanon; <i>Tak</i> : Umphang, Mae Sot NORTHEAST : <i>Loei</i> : Phu Luang	Taylor (1970), Chan-ard <i>et al.</i> (1996), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
ORDER CROCODYLIA			
Family CROCODYLIA			Crocodyle
Genus <i>Crocodylus</i> Laurentus, 1768			
<i>Crocodylus porosus</i> Schneider, 1801	Estuarine Crocodile Chorake Nam Kem, Ai Khiem จระเข้แม่น้ำเค็ม, ไอเคียม	SOUTH : <i>Chumphon</i> ; <i>Surat Thani</i> : Muang, Ban Don; <i>Nakhon Si Thammarat</i> ; <i>Narathiwat</i> : Tak Bi	Smith (1916, 1919a), Siah (1957), Taylor (1970)
<i>Crocodylus siamensis</i> Schneider, 1801	Siamese Crocodile Chorake Nam Choet	NORTH : <i>Nakhon Sawan</i> : Bung Borapet, Pak Nam Po	Smith (1916, 1919a), Siah (1957), Taylor (1970),

Toxon/Species	Local Common Name	Locality	Reference
	จรเข้หน้าจืด		Nabhitabhata (per.com.)
Genus <i>Tomistoma</i> Muller, 1837 <i>Tomistoma schlegelii</i> (S.Muller, 1838)	False Gavia Ta-khong, Ai Khong ตะโขง, ไล่โขง	SOUTHWEST: <i>Prachuap Khiri Khan:</i> Pran Buri SOUTH: <i>Phattalung; Narathiwat:</i> Phru To Daeng	Smith (1916b), Taylor (1970), Nabhitabhata (per.com.)
ORDER SQUAMATA			
Suborder Sauria (Lacertilia)			
Family GEKKONIDAE			
Genus <i>Aeluroscalabotes</i> Boulenger, 1885 <i>Aeluroscalabotes felinus</i> (Gunther, 1864)	Fox Gecko , Malayan Cat Gecko Tuk-kae Pa Hua To ตุ๊กแกป่าหัวโต	SOUTH: <i>Yala:</i> Bannang Sata, Hala-Bala	Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.), Chan-ard (per.com.), Chuaynkern (per.com.)
Genus <i>Cnemaspis</i> Strauch, 1887 <i>Cnemaspis affinis</i> (Stoliczka, 1870) <i>Cnemaspis chanthaburiensis</i> Bauer and Das, 1998 *	Malayan Rock Gecko Ching-chok Neu Yao Malayu จิ้งจกนิ้วยาวมลายู Dring's Rock Gecko Ching-chok Neu Yao Chantabun จิ้งจกนิ้วยาวจันทบูรณ์	SOUTH: <i>Pattani:</i> Khok Pho SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao, Khao Kitchakut, Khao Sa Bab; <i>Rayong:</i> Khao Chamao-Khao Wong; Khao Ang Ru Nai	Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.) Taylor (1963), Bauer and Das (1998), Matsui <i>et al.</i> (1998), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.) Chuaynkern (per.com.)
<i>Cnemaspis flavolineatus</i> (Nicholls, 1949)	Striped Rock Gecko Ching-chok Neu Yao Lang Keet	SOUTH: <i>Narathiwat:</i> Hala-Bala	Chuaynkern (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Cnemaspis kumpoli</i> Taylor, 1963	จิ้งจกนิ้วยาวหลังขีด Kumpol's Rock Gecko Ching-chok Neu Yao Kumpol จิ้งจกนิ้วยาวกัมพล	SOUTHWEST: <i>Prachuap Khiri Khan:</i> Huai Yang SOUTH: <i>Songkhla:</i> Ton Nga Chang; <i>Trang:</i> Khao Chong; <i>Narathiwat:</i> Waeng, Hala-Bala; <i>Satur:</i> Thaleban	Taylor (1963), Welch <i>et al.</i> (1990), Manthey and Grossmann (1977), Matsui <i>et al.</i> (1998), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Cnemaspis mysoriensis</i> (Jerdon, 1853)	Mysore Rock Gecko Ching-chok Neu Yao India จิ้งจกนิ้วยาวอินเดีย	SOUTH: <i>Chumphon:</i> Tasan, Namtok Kra Po; <i>Ranong:</i> Koh Yan Yan, Koh Lang	Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
<i>Cnemaspis siamensis</i> (Smith, 1925)	Siamese Rock Gecko Ching-chok Neu Yao Thai จิ้งจกนิ้วยาวไทย	SOUTHWEST: <i>Prachuap Khiri Khan:</i> Pa La Au SOUTH: <i>Chumphon:</i> Pathiu, Tasan, Mab Ammarit; <i>Phangnga:</i> Khaolak-lamru; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Phuket, Krabi:</i> Khao Pra Bangkram; <i>Trang:</i> Khao Chong; <i>Surat Thani:</i> Koh Samui; <i>Satur:</i> Thaleban	Taylor (1963), Manthey and Grossmann (1997), Matsui <i>et al.</i> (1998), Welch <i>et al.</i> (1990, Nabhitabhata (per.com.))
Genus <i>Cosymbotus</i> Fitzinger, 1843			
<i>Cosymbotus craspedotus</i> (Mocquard, 1890)	Malayan Frilly Gecko Ching-chok Hang Ban Malayu จิ้งจกหางแบนมลายู	SOUTH: <i>Trang:</i> Khao Chong; <i>Narathiwat:</i> Hala-Bala; <i>Nakhon Si Thammarat:</i> Ron Phibun, Khao Luang; <i>Songkhla:</i> Ton Nga Chang; <i>Surat Thani:</i> Koh Samui	Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Cosymbotus platyurus</i> (Schneider, 1792)	Common Frilly Gecko Ching-chok Hang Ban จิ้งจกหางแบน	NORTH: <i>Chiang Mai:</i> Doi Inthanon, Mae Ai, Doi Chiang Dao; <i>Phrae:</i> Mae Yom NORTHEAST: <i>Nong Bua Lam Phu:</i> Muang; <i>Nong Khai:</i> Muang, Phu Wua EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Pak Chong; <i>Roi Et:</i> Phu Pha Nam Thip; <i>Ubon Ratchathani:</i> Yod Dom SOUTHEAST: <i>Sa Kaeo:</i> Pang Sida, Kho Khlan, Ta Phraya; <i>Chanthaburi:</i> Khao Soi Dao, Khao Sa Bab; <i>Trat:</i> Ko Chang; <i>Chachoengsao:</i> Khao Ang Ru Nai CENTRAL: <i>Bangkok:</i> Bang Khen, Chulalongkorn University SOUTHWEST: <i>Kanchanaburi:</i> Erawan; <i>Phetchaburi:</i> Khaeng Krachan; <i>Prachuap Khiri Khan:</i> Muang SOUTH: <i>Pattani:</i> Muang; <i>Ranong:</i> Muang; <i>Trang:</i> Kantang, Khao Chong, Libong Island, Hat Chao Mai; <i>Surat Thani:</i> Ko Samui; <i>Nakhon Si Thammarat:</i> Muang	Welch <i>et al.</i> (1990), Taylor (1963), Inger and Colwell (1977), Matsui <i>et al.</i> (1996), Matsui <i>et al.</i> (1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Genus <i>Cyrtodactylus</i> Gray, 1827 <i>Cyrtodactylus angularis</i> (Smith, 1921) *	Angular-spotted Gecko Tuk-kae-pa Dong Payayen ตุ๊กแกป่าดงพญาเย็น	EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Pak Chong, Dong Phaya Fai, Lad Bua Khao	Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Nabhitabhata

Toxon/Species	Local Common Name	Locality	Reference
<i>Cyrtodactylus brevipalmatus</i> (Smith, 1923)	Short-webbed Gecko Tuk-kae-pa Khon Neo Tit ตุ๊กแกป่าโคนนิ้วติด	CENTRAL: <i>Saraburi</i> : Hin Lab, Pha Sadet, Muak Lek NORTH: <i>Tak</i> : Rahang (Muang) SOUTHWEST: <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Phetchaburi</i> : Khaeng Krachan SOUTH: <i>Nakhon Si Thammarat</i> : Khao Luang SOUTH: <i>Narathiwat</i> : Hala-Bala; <i>Yala</i> : Bang Lang, Betong	(per.com.) Smith (1923b), Taylor (1963), Welch <i>et al.</i> (1990), Ulber (1993), Matsui <i>et al.</i> (1996), Manthey and Grossmann (1997), Nabhitabhata (per.com.) Dring (1979), Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.) Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.) Ulber (1993), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Cyrtodactylus consobrinus</i> (Peters, 1871)	Peter's Gecko Tuk-kae-pa Malayu ตุ๊กแกป่ามลายู	NORTH: <i>Tak</i> : Umphang SOUTHWEST: <i>Kanchanaburi</i> : Sai Yok	Chan-ard (per.com.), Nabhitabhata (per.com.) Ulber (1993), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Cyrtodactylus feae</i> (Boulenger, 1893)	Fea's Gecko Tuk-kae-pa Sai Yok ตุ๊กแกป่าไทรโยค	NORTHEAST: <i>Loei</i> : Phu Luang; <i>Phetchaburi</i> : Nam Nao; <i>Nong Khai</i> SOUTHWEST: <i>Uthai Thani</i> : Huai Kha Khaeng, Khao Pla Ra	Chan-ard (per.com.), Nabhitabhata (per.com.) Ulber (1993), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Cyrtodactylus interdigitalis</i> Ulber, 1993	Ulber's Gecko Tuk-kae-pa Nam Nao ตุ๊กแกป่าน่านาว	EAST: <i>Nakhon Ratchasima</i> : Sakaerat, Khao Yai, Tap Lan SOUTHEAST: <i>Chon Buri</i> : Khao Khieo; <i>Chanthaburi</i> : Khao Soi Dao, Khao Kitchakut, Khao Sa Bab; <i>Trat</i> : Koh Chang; <i>Sa Kaeo</i> : Pang Sida, Ta Phraya; <i>Chacheongsao</i> : Khao Ang Ru Nai	Smith (1917a), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Schaffer (1991), Matsui <i>et al.</i> (1996), Matsui <i>et al.</i> (1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Cyrtodactylus intermedius</i> (Smith, 1917)	Eastern Banded Gecko Tuk-kae-pa Tawan-ok ตุ๊กแกป่าตะวันออก		

Toxon/Species	Local Common Name	Locality	Reference
<i>Cyrtodactylus jarujini</i> Ulber, 1993	Jarujin's Gecko Tuk-kae-pa Jarujin ตุ๊กแกป่าจาร์จิ้น	NORTHEAST: <i>Nong Khai:</i> Phu Wua	Ulber (1993), Nabhitabhata (per.com.)
<i>Cyrtodactylus oldhami</i> (Theobald, 1876)	Oldham's Gecko Tuk-kae-pa Ko Kwan ตุ๊กแกป่าคองขวัน	NORTH: <i>Tak:</i> Umphang SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Thong Pha Phum, Sai Yok, Pilok, Lin Tin; <i>Phetchaburi:</i> Kaeng Krachan; <i>Prachuap Khiri Khan:</i> Khlong Bang Lai, Pa La-U SOUTH: <i>Chumphon:</i> Pa thiu, Thung Wua Lan, Mab Ammarit, Tasan; <i>Ranong:</i> Muang, Khlong Naka; <i>Surat Thani:</i> Khlong Saeng, Khao Sok; <i>Nakhon Si Thammarat</i>	Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Ulber (1993), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Cyrtodactylus papilionoides</i> Ulber and Grossmann, 1991	Butterfly Gecko Tuk-kae-pa Chut Lai Piseo ตุ๊กแกป่าจตุลลายผีเสื้อ	EAST: <i>Nakhon Ratchasima:</i> Khao Yai (Pak Chong); <i>Chaiyaphum:</i> Phu Khieo, Thep Sathit; <i>Roi Et:</i> Nong Pok (Phu Pha Nam Thip)	Schaffer (1991), Ulber and Grossmann (1991), Chan-ard <i>et al.</i> (1999)
<i>Cyrtodactylus peguensis</i> (Boulenger, 1894)	Spotted Gecko Tuk-kae-pa Lai Chut ตุ๊กแกป่าลายจุด	SOUTHWEST: <i>Rayong:</i> Khao Cha Mao SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Krabi:</i> Khao Pra-Bangkram; <i>Trang:</i> Khao Chong; <i>Nakon Si Thammarat:</i> Ron Pibun, Khao Luang, Khao Wang Hip, Nabon, Thung Song;	Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Cyrtodactylus pulchellus</i> Gray, 1828	Southern Banded Gecko Tuk-kae-pa Tai ตุ๊กแกป่าใต้	<i>Pattalung, Surat Thani</i> : Koh Samui; <i>Yala</i> : Le Kae SOUTH : <i>Phattalung, Nakhon Si Thammarat</i> : Khao Wang Hip, Khao Luang, Thung Song; <i>Trang</i> : Khao Chong; <i>Krabi</i> : Khao Pra-Bangkram; <i>Songkhla</i> : Ton Nga Chang; <i>Pattani</i> : Khok Pho; <i>Yala</i> : Yalor; <i>Narathiwat</i> : Hala-Bala	Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Cyrtodactylus quadrivirgatus</i> Taylor, 1962	Four-lined Gecko Tuk-kae-pa Lai Si Keet ตุ๊กแกป่าลายสี่ขีด	SOUTH : <i>Narathiwat</i> : Phru To Daeng, Hala-Bala; <i>Trang</i> : Khao Chong	Taylor (1963), Welch <i>et al.</i> (1990), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Cyrtodactylus variegatus</i> (Blyth, 1859)	Varigated Gecko Tuk-kae-pa Pama ตุ๊กแกป่าพม่า	NORTH : <i>Chiang Mai</i> : Doi Suthep-Pui, Doi Chiang Dao; <i>Tak</i> : Umphang, Doi Mon Jong; <i>Mae Hong Son</i> : Pang Ma Pha	Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)
Genus <i>Dixoneus</i> Bauer <i>et al.</i> 1997			
<i>Dixoneus melanostictus</i> (Taylor, 1962)	Dark-sided Ground Gecko Ching-chok-din Kang Dam จิ้งจกดินข้างดำ	EAST : <i>Nakhon Ratchasima</i> : Pak Chong, Khao Yai CENTRAL : <i>Saraburi</i> : Muak Lek	Taylor (1963), Welch <i>et al.</i> (1990), Schaffer (1991), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Dixoneus siamensis</i> (Boulenger, 1898)	Spotted Ground Gecko Ching-chok-din Lai Chut จิ้งจกดินลายจุด	NORTH : <i>Chiang Mai</i> : Doi Inthanon; <i>Phrae</i> : Mae Yom NORTHEAST : <i>Loei</i> : Phu Luang; <i>Udon Thani</i> : Phu Phan Kham; <i>Nong Khai</i> : Phu Wua; <i>Kalasin</i> : Phu Si Than, Khao Wong EAST : <i>Nakhon Ratchasima</i> : Sakaerat,	Smith (1916), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Nabhitabhata

Toxon/Species	Local Common Name	Locality	Reference
		Dong Phaya Fai; <i>Si Sa Ket</i> : Ban Mak Yang; <i>Chaiyaphum</i> : Muang; <i>Ubon Ratchathani</i> : Yod Dom; <i>Buri Ram</i> SOUTHEAST : <i>Prachin Buri</i> : Prachantakham; <i>Sa Kaeo</i> : Pang Sida, Kho Khlan, Ta Phraya, Wattana Nakhon; <i>Chon Buri</i> : Bang San SOUTHWEST : <i>Prachuap Khiri Khan</i> : Muang, Had Ao Noi, Bang Saphan; <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Kanchanaburi</i> : Pilok, Erawan; <i>Phetchaburi</i> : Kaeng Krachan, Cha-am SOUTH : <i>Chumphon</i> : Lang Suan; <i>Songkhla</i>	(per.com.)
Genus <i>Gehyra</i> Gray, 1834			
<i>Gehyra angusticaudata</i> (Taylor, 1963) *	Slender-tailed Four-clawed Gecko Ching-chok-hin Hang Rieo จิ้งจกตีนหางเรียว	SOUTHEAST : <i>Chon Buri</i> : Si Racha	Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
<i>Gehyra fehmanni</i> (Taylor, 1962)	Fehlmann's Four-clawed Gecko Ching-chok-hin Lai Kra จิ้งจกตีนลายกระ	EAST : <i>Nakhon Ratchasima</i> : Pak Chong, Khao Yai SOUTHWEST : <i>Kanchanaburi</i> SOUTH : <i>Nakhon Si Thammarat</i> : Ron Phibun	Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Gehyra lacerata</i> (Taylor, 1962) *	Western Four-clawed Gecko Ching-chok-hin Moeng Kan จิ้งจกหินเมืองกาญจน์	SOUTHWEST: <i>Kanchanaburi</i> EAST: <i>Nakhon Ratchasima:</i> Sakaerat SOUTHEAST: <i>Chon Buri:</i> Ang Si La; <i>Sa Kaeo:</i> Pang Sida, Kho Khlan NORTH: <i>Chiang Mai:</i> Doi Chiang Dao; <i>Phrae:</i> Mae Yom NORTHEAST: <i>Nong Khai:</i> Muang, Phu Wua; <i>Sakon Nakhon:</i> Phu Phan; <i>Kalasin:</i> Khao Wong EAST: <i>Nakhon Ratchasima:</i> Sakaerat; <i>Roi Et:</i> Nong Pok, Phu Pha Nam Thip; <i>Ubon Ratchathani:</i> Yod Dom SOUTHEAST: <i>Trat:</i> Koh Chang CENTRAL: <i>Bangkok:</i> Chulalongkorn University SOUTHWEST: <i>Kanchanaburi:</i> Pilok, Erawan, Thong Pha Phum; <i>Phetchaburi:</i> Khang Krachan; <i>Prachuap Khiri Khan:</i> Muang, Pa La-U SOUTH: <i>Ranong:</i> Muang; <i>Nakhon Si Thammarat:</i> Muang, Khao Luang; <i>Narathiwat:</i> Hala-Bala; <i>Surat Thani:</i> Koh Samui, Khlong Saeng, Khao Sok; <i>Trang:</i> Khao Chong	Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.) Smith (1916b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)
<i>Gehyra mutilata</i> (Weigmann, 1835)	Common Four-clawed Gecko Ching-chok-hin Si Chang จิ้งจกหินสี่จาง		

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Gekko</i> Laurenti, 1768 <i>Gekko gecko</i> (Linnaeus, 1758)	Tokay Gecko Tuk-kae Ban(C), Gub-gae (NE,E), To-gae (Kamir) ตุ๊กแกบ้าน, ก้างแก, เต้าแก	NORTH: <i>Chiang Mai:</i> Doi Inthanon, Mae Ai, Doi Chiang Dao; <i>Mae Hong Son,</i> Pang Tong NORTHEAST: <i>Loei:</i> Phu Luang EAST: <i>Nakhon Ratchasima:</i> Pak Chong, Sakaerat; <i>Si Sa Ket:</i> Ban Mak Yang; <i>Trat:</i> Koh Chang; <i>Chachoengsao:</i> Khao Ang Ru Nai SOUTHEAST: <i>Sa Kaeo:</i> Pang Sida, Ta Phraya, Kho Khlan; <i>Chanthaburi:</i> Khao Soi Dao, Khao Cha Mao SOUTH: <i>Phangnga:</i> Khaolak-lamru; <i>Pattani:</i> Muang; <i>Phuket;</i> <i>Narathiwat:</i> Muang, Hala-Bala, Phru To Daeng	Smith (1916b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Schaffer (1991), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard (1999), Nabhitabhata (per.com.)
<i>Gekko monarchus</i> (Dumeril and Bibron, 1830)	Malaysian House Gecko Tuk-kae Lang Chut Ku ตุ๊กแกหลังจตุ		Taylor (1963), Welch <i>et al.</i> (1990), Schafer (1992), Matsui <i>et al.</i> (1998), Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Gekko petricolus</i> Taylor, 1962	Sandstone Gecko Tuk-kae Khao Hin Zai ตุ๊กแกเขาหินทราย	NORTHEAST: <i>Mukdahan;</i> Kalasin: Khao Wong EAST: <i>Ubon Ratchathani:</i> Yod Dom, Sa Noi River, Khaeng Ta Na; <i>Roi Et:</i> Nong Pok, Phu Pha Nam Thip SOUTHEAST: <i>Sa Kaeo:</i> Ta Phraya, Kho Khlan	Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Gekko siamensis</i> Grossmann and Ulber, 1990 * <i>Gekko smithi</i> Gray, 1842	Siamese Gecko Tuk-kae Thai ตุ๊กแกไทย Smith's Gecko Tuk-kae Si Tao ตุ๊กแกสีเทา	NORTHEAST: <i>Phetchabun</i> EAST: <i>Nakhon Ratchasima</i> : Pak Chong, Khao Yai SOUTH: <i>Narathiwat</i> : Bang Nara, Hala-Bala, Waeng, Phru To Daeng; <i>Satun</i> : Thalebun; <i>Krabi</i> : Khao Pra Bangkokram; <i>Yala</i> : Betong	Grossmann and Ulber (1990), Chan-ard (per.com.), Nabhitabhata (per.com.) Taylor (1963), Welch <i>et al.</i> (1990), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
๑๓ Genus <i>Himidactylus</i> Okeu, 1817 <i>Hemidactylus frenatus</i> Dumeril and Bibron, 1836	Spiny-tailed House Gecko Ching-chok Hang Nam จิ้งจกหางหนาม	NORTH: <i>Chiang Mai</i> : Doi Inthanon, Doi Suthep-Pui, Mae Ai, Doi Chiang Dao; <i>Mae Hong Son</i> : Pang Tong; <i>Phrae</i> : Mae Yom NORTHEAST: <i>Nong Khai</i> : Muang, Phu Wua; <i>Kalasir</i> : Phu Si Than, Khao Wong; <i>Nong Bua Lam Phu</i> : Muang, Non Sang, Si Bun Ruang EAST: <i>Nakhon Ratchasima</i> : Sakaerat; <i>Roi Et</i> : Phu Pha Nam Thip; <i>Trat</i> : Koh Chang; <i>Chachoengsao</i> : Khao Ang Ru Nai SOUTHEAST: <i>Chanthaburi</i> : Khao Soi Dao, Khao Sa Bab CENTRAL: <i>Bangkok</i> : Chulalongkorn University, Kasetsart University, Bang Khen	Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Schaffer (1991), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
๖๓ <i>Hemidactylus garnotii</i> Dumeril and Bibron, 1836	Garnot's House Gecko Ching-chok Hang Reab จิ้งจกหางเรียบ	SOUTHEAST: <i>Kanchanaburi:</i> Thong Pha Phum, Erawan; <i>Phetchaburi:</i> Khaeng Krachan; <i>Prachuap Khiri Khan:</i> Muang, Pa La-U SOUTH: <i>Ranong:</i> Muang; <i>Surat Thani:</i> Khlong Saeng, Koh Samui, Khao Sok; <i>Trang:</i> Kantang, Koh Libong, Koh Chong; <i>Nakhon Si Thammarat:</i> Muang, Khao Luang NORTH: <i>Chiang Mai:</i> Muang, Doi Suthep, Doi Chiang Dao; <i>Mae Hong Son:</i> Pang Tong; <i>Phrae:</i> Mae Yom NORTHEAST: <i>Loei:</i> Phu Luang; <i>Nong Khai:</i> Phu Wua; <i>Kalasir:</i> Phu Si Than EAST: <i>Roi Et:</i> Phu Pha Nam Thip SOUTHEAST: <i>Trat:</i> Koh Chang SOUTHWEST: <i>Kanchanaburi:</i> Pilok, Erawan SOUTH: <i>Trang, Surat Thani:</i> Khao Sok; <i>Ranong:</i> Muang	Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)
Genus <i>Hemiphyllodactylus</i> Bleeker, <i>Hemiphyllodactylus typus</i> Bleeker, 1860	1860 Malayan Dwarf Gecko Ching-chok-khaosung Malayu จิ้งจกเขาสูงมลายู	SOUTHEAST: <i>Trat:</i> Khlong Ma Nao SOUTH: <i>Narathiwat:</i> Hala-Bala; <i>Trang:</i> Khao Chong; <i>Ranong:</i> Muang	Smith and Kloss (1915), Taylor (1963), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Hemiphyllodactylus yunnanensis</i> (Boulenger, 1903)	Yunnan Dwarf Gecko Ching-chok-khaosung Yunnan จิ้งจกเขาสงยูนนาน	NORTH: <i>Chiang Mai:</i> Doi Inthanon, Doi Suthep-Pui, Doi Chiang Dao; <i>Mae Hong Son:</i> Pang Tong; <i>Tak:</i> Umphang NORTHEAST: <i>Loei:</i> Phu Luang, Phu Kra Duang EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai SOUTH: <i>Surat Thani:</i> Koh Samui	Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
Genus <i>Ptychozoon</i> Kuhl, 1822			
<i>Ptychozoon horsfieldi</i> (Gray, 1827)	Horsfield's Parachute Gecko Tuk-kae-bin Hang Fern ตุ๊กแกบินหางเฟิน	SOUTH:	Welch <i>et al.</i> (1990)
<i>Ptychozoon kuhli</i> Stejneger, 1902	Kuhl's Parachute Gecko Tuk-kae-bin Hang Pan ตุ๊กแกบินหางแบน	SOUTH: <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Pattani:</i> Na Pra Du; <i>Satun:</i> Thaleban; <i>Narathiwat:</i> Waeng	Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Ptychozoon lionotum</i> Annadale, 1905	Common Parachute Gecko Tuk-kae-bin Hang Yak ตุ๊กแกบินหางหยัก	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui; <i>Mae Hong Son:</i> Pang Tong; <i>Tak:</i> Umphang NORTHEAST: EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Phetchaburi:</i> Khaeng Krachan SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab, Khao Kitchakut, Khao Soi Dao;	Smith (1916b), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Ptychozoon trinitoterra</i> Brown, 1999	Three-banded Parashute Gecko Tuk kae-bin Lai Sam Taeb ตุ๊กแกบินลายสามแถบ	<i>Chon Buri</i> : Hub Bon SOUTH : <i>Ranong</i> : Muang; <i>Trang</i> : Khao Chong; <i>Phangnga</i> : Khaolak-lamru; <i>Phattalung</i> : Tamot; <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Narathiwat</i> : Waeng, Hala-Bala; <i>Satun</i> : Thalebun; <i>Phuket</i> EAST : <i>Nakhon Ratchasima</i> : Sakaerat	Brown (1999)

Family AGAMIDAE

Subfamily Agaminae

Genus *Acanthosaura* Gray, 1831

Acanthosaura armata (Hardwicke and Gray, 1827)

Greater Spiny Lizard
Ging-ga-khao Nam Yao
กิ้งก่าเขานามยาว

SOUTH: *Nakhon Si Thammarat*: Khao Luang; *Pattani*: Na Pradoo; *Narathiwat*: Waeng; *Yala*: Bannang Sata

Taylor (1963), Steiof *et al.* (1991), Chan-ard *et al.* (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)

Acanthosaura crucigera Boulenger, 1885

Masked Spiny Lizard
Ging-ga-khao Nam San
กิ้งก่าเขานามสั้น

NORTH: *Phrae*, *Tak*: Thungyai (eastern)
SOUTHWEST: *Uthai Thani*: Huai Kha Khaeng; *Ratchaburi*: Pachi River; *Phetchaburi*: Khaeng Krachan; *Kanchanaburi*: Sai Yok
EAST: *Nakhon Ratchasima*: Dong Phraya

Gairder and Smith (1915), Welch *et al.* (1990), Matsui *et al.* (1998), Inger and Colwell (1977), Manthey and Grossmann (1997), Chan-ard *et al.* (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Acanthosaura lepidogaster</i> (Cuvier, 1829)	Cuvier's Spiny Lizard Ging-ga-khao Lek กิ้งก่าเขาเล็ก	Fai, Sakaerat, Khao Yai; <i>Roi Et</i> : Phu Pha Num Thip SOUTHEAST: <i>Chon Buri</i> : Khao Khieo; <i>Chanthaburi</i> : Khao Soi Dao; <i>Trat</i> : Koh Chang; <i>Chachoengsao</i> : Khao Ang Ru Nai; <i>Sa Kaeo</i> : Pang Sida; <i>Trat</i> : Koh Chang SOUTH: <i>Ranong</i> : Muang; <i>Nakhon Si Thammarat</i> : Na Bon, Khao Luang; <i>Songkhla</i> : Ton Nga Chang; <i>Trang</i> : Khao Chong; <i>Phangnga</i> : Khaolak-lamru; <i>Krabi</i> : Khao Pra Bangkram; <i>Surat Thani</i> : Khlong Saeng, Khao Sok; <i>Pattani</i> : Na Pradoo NORTH: <i>Chiang Mai</i> : Doi Suthep-Pui, Doi Inthanon, Doi Chiang Dao; <i>Lampang</i> : Ban Huai Tad: Doi Khun Tan; <i>Tak</i> : Doi Mon Jong NORTHEAST: <i>Loei</i> : Phu Luang; <i>Phetchabun</i> : Num Nao EAST: <i>Chaiyaphum</i> : Phu Kheio SOUTHWEST: <i>Phetchaburi</i> : Khaeng Krachan	Taylor (1963), Check (1973c), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)
Genus <i>Aphaniotis</i> Peters, 1864 <i>Aphaniotis fusca</i> (Peters, 1864)	Malayan Blue-mouthed Lizard Ging-ga Pra Inthra	SOUTH: <i>Yala</i> : Bannang Sata; <i>Narathiwat</i> : Waeng, Hala-Bala; <i>Pattani</i> : Na Pradoo	Smith (1930), Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard (per.com.),

Toxon/Species	Local Common Name	Locality	Reference
	กิ้งก่าพระอินทร์		Nabhitabhata (per.com.)
Genus <i>Bronchocela</i> Kaup, 1827			
<i>Bronchocela cristatella</i> (Kuhl, 1820)	Green Crested Lizard Ging-ga Kieo กิ้งก่าเขียว	SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao CENTRAL: <i>Nakhon Nayok:</i> Khao Yai (Haeo Narok) SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Chumphon:</i> Phathiu; <i>Pattani:</i> Na Pradoo; <i>Yala:</i> Bannang Sata; <i>Narathiwat:</i> Than To, Phru To Daeng, Bang Nara, Sungai Kolok, Waeng, Hala-Bala; <i>Surat Thani:</i> Khlong Saeng, Nasarn; <i>Trang:</i> Koh Libong; <i>Nakorn Si Thammarat:</i> Khao Luang SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao, Namtok Trog Nong	Gairder and Smith (1915), Smith (1915a, 1916b, 1930), Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Bronchocela smaragdina</i> Gunther, 1885	Chanthabun green tree lizard Ging-ga Kieo Chantabun กิ้งก่าเขียวจันทบูรณ์		Chan-ard (per.com.)
Genus <i>Calotes</i> Cuvier, 1817			
<i>Calotes emma</i> Gray, 1845	Forest Crested Lizard Ging-ga Kaeo กิ้งก่าแก้ว	NORTH: <i>Tak:</i> Umphang, Doi Mon Jong, Thung Yai (eastern); <i>Kamphaeng Phet:</i> Khlong Lan; <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon, Doi Chiang Dao; <i>Phrae:</i> Mae Yom; <i>Mae Hong Son:</i> Pang Tong NORTHEAST: <i>Loei:</i> Phu Luang;	Gairder and Smith (1915), Checke (1973c), Smith (1916b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1988),

Toxon/Species	Local Common Name	Locality	Reference
<p><i>Calotes mystaceus</i> Dumeril and Bibron, 1837</p>	<p>Blue Crested Lizard Ging-ga Hua Si Fa, Ging-ga Suan (C), Gapom (NE, E) กิ้งก่าหัวสีฟ้า, กิ้งก่าสวน, กะปอม</p>	<p><i>Nong Khai</i>: Phu Wua; <i>Sakon Nakhon</i>: Phu Phan EAST: <i>Nakhon Ratchasima</i>: Sakaerat, Khao Yai; <i>Chaiyaphum</i>: Phu Kheio SOUTHEAST: <i>Sa Kaeo</i>: Pang Sida, Ta Phraya; <i>Prachin Buri</i>: Tab Lan; <i>Chanthaburi</i>: Khao Soi Dao, Khao Sa Bab; <i>Trat</i>: Khao Chong SOUTHWEST: <i>Uthai Thani</i>: Huai Kha Khaeng; <i>Kanchanaburi</i>: Thong Pha Phum, Erawan, Sai Yok; <i>Ratchaburi</i>: Suan Phung; <i>Prachuap Khiri Khan</i>: Khaeng Krachan, Huai Yang, Pa La-U SOUTH: <i>Trang</i>: Khao Chong; <i>Nakhon Si Thammarat</i>: Nabon, Khao Luang; <i>Phattalung</i>; <i>Pattani</i>; <i>Surat Thani</i>: Khao Sok, Khlong Saeng, Koh Samui; <i>Narathiwat</i>: Hala-Bala; <i>Yala</i>: Bannang Sata; <i>Ranong</i>: Muang; <i>Phuket</i>; <i>Krabi</i>: Khao Pra Bangkram NORTH: <i>Nakhon Sawan</i>; <i>Chiang Mai</i>: Doi Inthanon, Doi Chiang Dao; <i>Mae Hong Son</i>: Pang Tong; <i>Phrae</i>: Mae Yom NORTHEAST: <i>Udon Thani</i>; Khon Khaen; <i>Loei</i>; <i>Nong Khai</i></p>	<p>Manthey and Grossmann (1977), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)</p> <p>Gairdner and Smith (1915), Smith (1915b, 1916b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990),</p>

Toxon/Species	Local Common Name	Locality	Reference
<p><i>Calotes versicolor</i> (Daudin, 1802)</p>	<p>Changeable lizard, Red-headed Ging-ga Hua Daeng, Ging-ga Rua (C), Gapom NE, E) กิ้งก่าหัวแดง, กิ้งก่าหัว, กะปอม</p>	<p>EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai, Pak Chong; <i>Ubon Ratchathani;</i> <i>Chaiyaphum</i> CENTRAL: <i>Bangkok:</i> Bang Khen, Chulalongkorn University, Kasetsart University; <i>Saraburi;</i> <i>Nakhon Pathom</i> SOUTHEAST: <i>Sa Kaeo:</i> Kho Khlan SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Ratchaburi:</i> Khao Pra Tab Chang; <i>Kanchanaburi:</i> Sai Yok; <i>Prachuap Khiri Khan:</i> Hua Hin, Bang Saphan; <i>Phetchaburi</i> NORTH: <i>Chiang Mai:</i> Doi Inthanon, Doi Chiang Dao; <i>Mae Hong Son:</i> Pang Tong; <i>Phrae:</i> Mae Yom NORTHEAST: <i>Loei:</i> Phu Luang; <i>Nong Khai:</i> Muang, Phu Wuua; <i>Kalasir:</i> Phu Si Than, Khao Wong EAST: <i>Ubon Ratchathani:</i> Yod Dom; <i>Nakhon Ratchasima:</i> Sakaerat; <i>Roi Et:</i> Phu Pha Num Thip SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab; <i>Chachoengsao:</i> Khao Ang Ru Nai CENTRAL: <i>Bangkok:</i> Chulalongkorn University</p>	<p>Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)</p> <p>Gairder and Smith (1915), Smith (1916b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)</p>

Toxon/Species	Local Common Name	Locality	Reference
		<p>SOUTHWEST: <i>Kanchanaburi:</i> Thong Pha Phum, Sai Yok; <i>Phetchaburi:</i> Khaeng Krachan</p> <p>SOUTH: <i>Ranong:</i> Muang; <i>Trang:</i> Khao Chong; <i>Surat Thani:</i> Khlong Saeng, Koh Samui, Khao Sok; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Narathiwat:</i> Sungai Kolok</p>	
<p>Genus <i>Draco</i> Linnaeus, 1758</p> <p><i>Draco blanfordii</i> Boulenger, 1885</p>	<p>Blanford's Flying Lizard</p> <p>Ging-ga-bin Ko Daeng</p> <p>กิ้งก่าบินคอแดง</p>	<p>NORTH: <i>Chiang Rai;</i> <i>Chiang Mai:</i> Doi Suthep-Pui; <i>Phrae</i></p> <p>NORTHEAST: <i>Loei:</i> Phu Luang</p> <p>SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Erawan, Sai Yok; <i>Prachuap Khiri Khan:</i> Pa La-U</p> <p>SOUTH: <i>Krabi:</i> Khao Pra Bangkram, Nong Kok; <i>Chumphon:</i> Tabli, Tasan; <i>Ranong;</i> <i>Phuket;</i> <i>Pattani;</i> <i>Yala;</i> <i>Phangnga;</i> Koh Pee Pee Don; <i>Surat Thani:</i> Khlong Saeng, Khao Sok; <i>Trang:</i> Khao Chong; <i>Songkhla:</i> Ton Nga Chang; <i>Narathiwat:</i> Waeng; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Satun:</i> Thalebun</p>	<p>Gairder and Smith (1915), Smith (1935), Taylor (1963), Muster (1983), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)</p>

Toxon/Species	Local Common Name	Locality	Reference
<i>Draco fimbriatus</i> Kuhl, 1820	Orange-bearded Flying Lizard Ging-ga-bin Ko Si Som กิ้งก่าบินคอสีส้ม	SOUTHEAST: <i>Chanthaburi</i> SOUTH: <i>Nakhon Si Thammarat:</i> Nabon, Khao Luang; <i>Trang:</i> Khao Chong; <i>Yala:</i> Bang Lang; <i>Narathiwat:</i> Waeng; <i>Pattani:</i> Na Pra Doo SOUTH: <i>Surat Thani:</i> Koh Phangan	Smith (1916b), Taylor (1934, 1963), Taylor and Elbel (1958), Muster (1983), Welch <i>et al.</i> (1990), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Draco haematopogon</i> Gray, 1831	Red-bearded Flying Lizard Ging-ga-bin Peek Daeng กิ้งก่าบินปีกแดง	SOUTH: <i>Surat Thani:</i> Koh Phangan	Robinson and Kloss (1914), Smith (1916b), Taylor (1963), Muster (1983), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
75 <i>Draco maculatus</i> (Gray, 1851)	Orange-winged Flying Lizard Ging-ga-bin Peek Som กิ้งก่าบินปีกส้ม	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui; <i>Phrae:</i> Mae Yom SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi</i> NORHTEAST: <i>Loei:</i> Phu Lung; <i>Nong Khai:</i> Phu Wua CENTRAL: <i>Nakhon Nayok</i> EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Wang Nam Khieo, Muang; <i>Ubon Ratchathani:</i> Sa Noi River; <i>Chaiyaphum:</i> Phu Khieo SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab, Khao Soi Dao, Khao Kitchakut; <i>Sa Kaeo:</i> Pang Sida; <i>Trat:</i> Koh Chang SOUTH: <i>Ranong:</i> Muang; <i>Krabi:</i> Khao Pra Bangkram; <i>Surat Thani:</i> Khlong	Smith (1916b, 1921), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Manthey and Grossmann (1997), Matsui <i>et al.</i> (1996, 1998), Chan-ard (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Draco melanopogon</i> Boulenger, 1887	Black-bearded Flying Lizard Ging-ga-bin Ko Dam กิ้งก่าบินคอดำ	Saeng, Koh Samui, Khao Sok; <i>Trang</i> : Kantang, Khao Chong; <i>Songkhla</i> : Ton Nga Chang; <i>Phattalung</i> : Thale Noi; <i>Narathiwat</i> : Phru To Daeng, Hala-Bala; <i>Nakhon Si Thammarat</i> : Had Nai Phloy, Kha Nom, Khlong Wang Hip, Nabon SOUTH : <i>Trang</i> : Khao Chong; <i>Nakhon Si Thammarat</i> : Ron Phibon, Chawang, Khao Luang, Nabon; <i>Yala</i> : Betong, Bang Lang; <i>Krabi</i> ; <i>Surat Thani</i> ; <i>Narathiwat</i> : Bang Nara, Hala-Bala; <i>Phattalung</i>	Smith (1916b, 1930), Taylor (1963), Muster (1983), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Draco obscurus</i> Boulenger, 1887	Malayan Flying Lizard Ging-ga-bin Malayu กิ้งก่าบินมลายู	SOUTH : <i>Chumphon</i> : Pathiu, Mabrid; <i>Nakhon Si Thammarat</i> : Khao Wang Hip; <i>Trang</i> : Khao Chong; <i>Pattani</i> : Na Pradoo; <i>Narathiwat</i> : Waeng; <i>Yala</i> : Bannang Sata, Betong, Bang Lang	Taylor (1963), Muster (1983), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
<i>Draco quinquefasciatus</i> Hardwicke and Gray, 1827	Five-banded Flying Lizard Ging-ga-bin Peek Ha Taeb กิ้งก่าบินปีกห้าแถบ	SOUTH : <i>Surat Thani</i> : Khlong Saeng; <i>Pattani</i> ; <i>Trang</i> ; <i>Yala</i> ; <i>Narathiwat</i> : Tan Yong Mut, Waeng, Sungai Kolok (Phru To Daeng), Hala-Bala	Smith (1916b, 1930), Muster (1983), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Draco taeniopterus</i> Gunther, 1861	Banded-winged Flying Lizard Ging-ga-bin Peek Lai กิ้งก่าบินปีกลาย	NORTH : <i>Phrae</i> : Song; <i>Chiang Mai</i> EAST : <i>Nakhon Ratchasima</i> SOUTHEAST : <i>Chanthaburi</i> : Khao Soi Dao, Khao Sa Bab; <i>Trad</i> : Koh Chang	Smith (1916b), Taylor (1963), Inger and Colwell (1977), Muster (1983), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996,

Toxon/Species	Local Common Name	Locality	Reference
77 <i>Draco volans</i> Linnaeus, 1758	Blue-necked Flying Lizard Ging-ga-bin Hua Si Fa กิ้งก่าบินหัวสีฟ้า	SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Thong Pha Phum SOUTH: <i>Krabi:</i> Khao Pra Bangkram, Play Phraya, Koh Ra, Nong Kok; <i>Phuket:</i> Thung Phran; <i>Ranong:</i> Pak Chan, Mamoh, Muang; <i>Chumphon:</i> Tabli; <i>Trang:</i> Kantang, Khao Chong; <i>Surat Thani:</i> Khao Sok; <i>Nakhon Si Thammarat:</i> Had Nai Ploy, Khanom, Nabon SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Trang:</i> Khao Chong; <i>Nakhon Si Thammarat;</i> <i>Narathiwat:</i> Bang Nara, Hala-Bala; <i>Yala:</i> Betong, Bang Lang	1998), Nabhitabhata (per.com.) Gairder and Smith (1915), Smith (1930), Taylor (1963), Muster (1983), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
Genus <i>Gonocephalus</i> Kaup, 1825			
<i>Gonocephalus bellii</i> (Dumeril and Bibron, 1837)	Blue-necked Angled-headed Lizard Ging-ga-dong Ko fa กิ้งก่าดงคอฟ้า	SOUTH: <i>Surat Thani:</i> Ban Don (Khao Nang), Ban Khok Khlab; <i>Narathiwat:</i> Waeng	Robinson and Kloss (1914), Smith (1916b), Welch <i>et al.</i> (1990), Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Gonocephalus doriae</i> (Peters, 1871)	Doria's Angled-headed Lizard Ging-ga-dong Keu San กิ้งก่าดงคิ้วสั้น	SOUTH: <i>Trang:</i> Khao Chong; <i>Yala:</i> Bannang Sata; <i>Narathiwat:</i> Waeng, Hala-Bala	Cochran (1922), Smith (1930), Taylor (1963), Welch <i>et al.</i> (1990), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Gonocephalus grandis</i> (Gray, 1845)	Great Angled-headed Lizard Ging-ga-dong Yai	SOUTH: <i>Satur:</i> Thalebun; <i>Yala:</i> Betong; <i>Narathiwat:</i> Waeng, Hala-Bala;	Smith (1930), Taylor (1963), Welch <i>et al.</i> (1990),

Toxon/Species	Local Common Name	Locality	Reference
	กิ้งก่าแดงใหญ่	<i>Songkhla</i> : Na Thawi, Hat Yai, Ton Nga Chang; <i>Pattani</i>	Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
Genus <i>Physignathus</i> Cuvier, 1829 <i>Physignathus cocincinus</i> Cuvier, 1829	Indochinese Water Dragon Takok, Lung (C), Gatang (E) ตะกอก, ลั้ง, กะท่าง	NORTHEAST: <i>Sakon Nakhon</i> : Phu Phan EAST: <i>Nakhon Ratchasima</i> : Sakaerat, Khao Yai; <i>Nakhon Nayok</i> : Salika; <i>Ubon Ratchathani</i> : Sa Noi River SOUTHEAST: <i>Chanthaburi</i> : Khao Soi Dao, Khao Kitchakut, Namtok Phlie, Khao Sa Bab; <i>Trat</i> : Koh Chang, Koh Kut, Khlong Manao; <i>Chon Buri</i> : Khao Khieo; <i>Sa Kaeo</i> : Pang Sida; <i>Rayong</i> : Khao Chamao; <i>Prachin Buri</i> : Tab Lan; <i>Chachoengsao</i> : Khao Ang Ru Nai CENTRAL: <i>Saraburi</i> : Muak Lek	Smith (1916b, 1923b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1997), Chan-ard (1999), Nabhitabhata (per.com.)
Genus <i>Pseudocalotes</i> Fitzinger, 1843 <i>Pseudocalotes floweri</i> (Boulenger, 1912)	Flower's Long-headed Lizard Ging-ga Khao Soidao, Ging-ga Hua Yao กิ้งก่าเขาสอยดาว, กิ้งก่าหัวยาว	SOUTHEAST: <i>Chanthaburi</i> : Khao Soi Dao	Boulenger (1912), Taylor and Elbel (1958), Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
<i>Pseudocalotes microlepis</i> (Boulenger, 1888)	Boulenger's Long-headed Lizard	NORTH: <i>Chiang Mai</i> : Doi Inthanon, Doi Suthep-Pui	Chan-ard (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
	Ging-ga Khao Sung กิ้งก่าเขาสูง	NORTHEAST: <i>Loei:</i> Phuluang EAST: <i>Chaiyaphum:</i> Phukhieo	
Genus <i>Ptyctolaemus</i> Peters, 1864 <i>Ptyctolaemus phuwuaensis</i> Manthey and Nabhitabhata, 1991	Phu Wua Lizard Ging-ga Phu Wua กิ้งก่าภูวูว	NORTHEAST: <i>Nong Khai:</i> Phu Wua	Manthey and Nabhitabhata (1991)
Subfamily UROMASTYCINAE			
Genus <i>Leiolepis</i> Cuvier, 1829			
<i>Leiolepis belliana</i> (Gray, 1827)	Butterfly Lizard, Small-scaled Lizard Yae Tai แย้ใต้	SOUTHEAST: <i>Chon Buri:</i> Koh Kram SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Ratchaburi:</i> Pha Chi River; <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Trang:</i> Kantang, Sikao; <i>Narathiwat:</i> Tak Bai; <i>Pattani:</i> Na Pradoo; <i>Songkhla</i> SOUTH: <i>Song Khla</i>	Gairder and Smith (1915), Penyapol (1958), Taylor (1963), Peters (1971), Bohme (1982), Welch <i>et al.</i> (1990)
<i>Leiolepis boehmei</i> Darevsky and Kupryanova, 1993	Boehme's Butterfly Lizard Yae Song Khla แย้สงขลา		Darevsky and Kupryanova (1993)
<i>Leiolepis reevesii</i> (Gray, 1831)	Northern Butterfly Lizard Yae Noe แย้เหนือ	NORTH: <i>Chiang Mai</i> NORTHEAST: <i>Khon Kher:</i> Phu Wiang EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Pak Chong; <i>Si Sa Ket;</i> <i>Chaiyaphum:</i> Ban Mak Yang	Peters (1971), Inger and Colwell (1977), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Leiolepis triploida</i> Peters, 1971	Triploid Butterfly Lizard Yae Malayu แยมลายุ	Thai-Malay Braoder	Peters (1971), Welch <i>et al.</i> (1990)
Family DIBAMIDAE			
Genus <i>Dibamus</i> Dumeril and Bibron, 1839			
<i>Dibamus alfredi</i> Taylor, 1962	Alfred's Snake Skink Ching-len Duang Si Muang จิ้งเหลนดั่งสีม่วง	SOUTH: <i>Pattani:</i> Na Pradoo	Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
<i>Dibamus somsaki</i> Honda <i>et al.</i> , 1997 *	Khao Soi Dao Snake Skink Ching-len Duang Khao Soidao จิ้งเหลนดั่งเขาสอยดาว	SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao	Honda <i>et al.</i> ; (1997), Nabhitabhata (per.com.)
Family SCINCIDAE			
Genus <i>Dasia</i> Gray, 1839			
<i>Dasia olivacea</i> Gray, 1839	Olivaceous Tree Skink Ching-laen Tonmi จิ้งเหลนต้นไม้	EAST: <i>Nakhon Ratchasima:</i> Sakaerat SOUTHEAST: <i>Sa Kaeo:</i> Pang Sida; <i>Chanthaburi:</i> Plieo SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Surat Thani:</i> Muang, Koh Samui, Koh Tao; <i>Phangnga:</i> Phangnga Bay; <i>Pattani:</i> Na Pradoo; <i>Yala:</i> Bang Lang; <i>Phuket;</i> <i>Narathiwat:</i> Waeng, Sungai Kolok; <i>Trang:</i> Kantang; <i>Satun:</i> Thalebun	Gairder and Smith (1915), Smith (1916b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Davewakeum</i> Heyer, 1972 <i>Davewakeum miriamae</i> Heyer, 1972 *	Miriam's Legless Skink Ching-laen-duang Pakthongchai จิ้งเหลนดั่งปีกธงชัย	EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Wang Nam Khieo	Heyer (1972), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
Genus <i>Eumeces</i> Weigmann, 1834 <i>Eumeces quadrilineatus</i> (Blyth, 1853)	Blue-tailed Skink Ching-laen Hang Si Fa จิ้งเหลนหางสีฟ้า	NORTH: <i>Chiang Mai:</i> Doi Ang Kha NORTHEAST: <i>Loei:</i> Phu Kradung, Dan Sai CENTRAL: <i>Saraburi:</i> Muak Lek; Dong Phraya Fai	Smith (1929), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
Genus <i>Isopachys</i> Lonnberg, 1916 <i>Isopachys anguinoides</i> (Boulenger, 1914) *	Striped Legless Skink Ching-laen-duang Prachuap จิ้งเหลนดั่งประจวบ	SOUTHWEST: <i>Phetchaburi:</i> Khaeng Krachan; <i>Prachuap Khiri Khan:</i> Bang Saphan, Pathiu, Hua Hin SOUTH: <i>Chumphon:</i> Mab Ammarit; <i>Surat Thani:</i> Koh Tao	Smith (1914), Cochran (1930), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)
<i>Isopachys borealis</i> Lang and Bohme, 1990	Western Legless Skink Ching-laen-duang Tawantok จิ้งเหลนดั่งตะวันตก	NORTH: <i>Nakhon Sawan:</i> Taling Sung; <i>Tak:</i> Mae Sot NORTHEAST: <i>Khon Khen; Phetchabun:</i> Nam Len	Lang and Bohme (1990), Nabhitabhata (per.com.)
<i>Isopachys gyldenstolpei</i> Lonnberg, 1916 *	Gyldenstolpe's Legless Skink Ching-laen-duang Lai จิ้งเหลนดั่งलय	SOUTHWEST: <i>Prachuap Khiri Khan:</i> Koh Lak, Hua Hin, Muang; <i>Kanchanaburi</i>	Lonnberg (1916), Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Isopachys roulei</i> (Angel, 1920) *	Roule's Legless Skink Ching-laen-duang Chonburi จิ้งเหลนดั่งวงชลบุรี	SOUTHEAST: <i>Chon Buri:</i> Bang Saen, Ang Sila	Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
Genus <i>Leptocephs</i> Greer, 1845 <i>Leptocephs osellai</i> (Bohme, 1981) *	Bohme's Larut Skink Ching-laen-phukhao Sam Neu จิ้งเหลนภูเขาสามนี้ว	NORTH: <i>Chiang Mai:</i> Mae Kwuang NORTHEAST: <i>Phetchaburi:</i> Nam Nao	Bohme (1981), Welch <i>et al.</i> (1990), Chan-ard (per.com.), Nabhitabhata (per.com.)
Genus <i>Lipinia</i> Gray, 1845 <i>Lipinia surdas</i> (Boulenger, 1900)	Malayan Striped Skink Ching-laen-lai Malayu จิ้งเหลนลายมลายู	SOUTH: <i>Yala</i>	Damman (per.com.)
<i>Lipinia vittigera</i> (Boulenger, 1894)	Common Striped Skink Ching-laen-lai จิ้งเหลนลาย	NORTH: <i>Chiang Mai:</i> Doi Inthanon; <i>Phrae:</i> Mae Yom; <i>Tak, Lamphang?</i> NORTHEAST: <i>Loei:</i> Muang EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai; <i>Ubon Ratchathani:</i> Sa Noi, Lam Dom Yai, Yod Dom CENTRAL: <i>Nakhon Nayok:</i> Muang SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao, Khao Sa Bab; <i>Sa Kaeo:</i> Pang Sida SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Sai Yok; <i>Phetchaburi:</i> Kaeng Krachan; <i>Prachuap Khiri Khan:</i> Phran Buri, Khlong Bang Lai SOUTH: <i>Chumphon:</i> Tasan	Gairder and Smith (1915), Smith (1916b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Lygosoma</i> Hardwicke and Gray, 1827			
<i>Lygosoma anguinum</i> (Theobald, 1868)	Burmese Slender Skink Ching-laen-reao Pama จิ้งเหลนเรียวพมา	NORTH: <i>Mae Hong Son:</i> Lum Nam Pai SOUTH: <i>Prachuap Khiri Khan:</i> Bang Saphan; <i>Chumphon:</i> Mab Ammarit	Smith (1916b), Nabhitabhata (per.com.)
<i>Lygosoma corpulentum</i> Smith, 1921	Annamese Slender Skink Chiang-laen-reao khao Soidao จิ้งเหลนเรียวเขาสอยดาว	SOUTHEAST: <i>Chanthaburi:</i> Kao Soi Dao, <i>Chachoengsao:</i> Khao Ang Ru Nai	Chan-ard (per.com.), Chuaynkern (per.com.)
<i>Lygosoma haroldyoungi</i> (Taylor, 1962) *	Banded Slender Skink Ching-laen-reao Lai จิ้งเหลนเรียวลาย	NORTH: <i>Chiang Mai:</i> Doi Suthep, Phang; <i>Chiang Rai;</i> <i>Phitsanulok:</i> Thung Salang Luang NORTHEAST: <i>Loei:</i> Phu Luang; <i>Nong Khai:</i> Bung Khan, Rattanawapee; <i>Phetchabun:</i> Nam Nao EAST: <i>Chaiyaphum:</i> Phu Khieo SOUTHEAST: <i>Chachoengsao:</i> Khao Ang Ru Nai; <i>Chanthaburi:</i> Khao Soi Dao	Taylor (1963), Way (1975), Welch <i>et al.</i> (1990), Popinit (1991), Chan-ard (per.com.), Nabhitabhata (per.com.), Pongsena (per.com.)
<i>Lygosoma isodactylum</i> (Gunther, 1864)	Central Slender Skink Ching-laen-reao Pak Klang จิ้งเหลนเรียวภาคกลาง	CENTRAL: <i>Nakhon Sawan:</i> <i>Saraburi:</i> Muak Lek, Chong Khae; <i>Phra Nakhon Si Ayutthaya</i> SOUTHEAST: <i>Chachoengsao:</i> Khao Ang Ru Nai	Smith (1916b, 1935), Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
<i>Lygosoma koratensis</i> (Smith, 1917) *	Khorat Slender Skink Ching-laen-reao Khorat จิ้งเหลนเรียวโคราช	EAST: <i>Nakhon Ratchasima:</i> Lad Bua Khao, Non Thai, Dong Lek CENTRAL: <i>Saraburi:</i> Muak Lek	Smith (1917a, 1935), Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Lygosoma quadrupes</i> (Linnaeus, 1766)	Common Slender Skink Ching-laen-reao Ka Lek, Mea Ngu จิ้งเหลนเรียวขาลีง, เมียง	NORTHEAST: <i>Loei:</i> Phu Luang SOUTHEAST: <i>Sa kae:</i> Ta Phraya; <i>Chon Buri:</i> Ang Sila, Sri Racha; <i>Chachoengsao:</i> Khao Ang Ru Nai CENTRAL: <i>Bangkok:</i> Chulalongkorn University, Kasetsart University; <i>Saraburi;</i> <i>Phra Nakhon Si Ayutthaya</i> SOUTHWEST: <i>Kanchanaburi;</i> <i>Prachuap Khiri Khan</i> SOUTH: <i>Nakhon Si Thammarat;</i> <i>Narathiwat;</i> <i>Pattani;</i> <i>Yala;</i> <i>Songkhla;</i> <i>Trang</i>	Taylor (1963), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Lygosoma stellatum</i> Boulenger, 1900	Cambodian Forest Skink Ching-laen-phukhao Kamir จิ้งเหลนภูเขาเขมร	NORTHEAST: <i>Khon Khaen:</i> Phu Wiang SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab	Smith (1935), Taylor (1963), Nabhitabhata (per.com.)
<i>Lygosoma tersum</i> Smith, 1916	Pale Forest Skink Ching-laen-phukhao Si Chang จิ้งเหลนภูเขาสีจาง	SOUTHWEST: <i>Phetchaburi:</i> Khaeng Krachan SOUTH: <i>Nakhon Si Thammarat:</i> Khao Wang Hip; <i>Chumphon:</i> Tasan; <i>Trang:</i> Khao Chong	Smith (1916c, 1935), Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
Genus <i>Mabuya</i> Fitzinger, 1826			
<i>Mabuya longicaudata</i> (Hallowell, 1857)	Long-tailed Skink Ching-laen Hang Yao จิ้งเหลนหางยาว	NORTH: <i>Chiang Mai:</i> Doi Chiang Dao NORTHEAST: <i>Loei:</i> Phu Luang; <i>Nakhon Phanom;</i> <i>Udon Thani;</i> <i>Nong Khai:</i> Phu Wu	Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999),

Toxon/Species	Local Common Name	Locality	Reference
<p>๘ <i>Mabuya macularia</i> (Blyth, 1853)</p> <p><i>Mabuya multifasciata</i> (Kuhl, 1820)</p>	<p>Valiablee Skink Ching-laen Lak Lai จิ้งเหลนหลากลาย</p> <p>Common Sun Skink Ching-laen Ban จิ้งเหลนบ้าน</p>	<p>EAST: <i>Chaiyaphum</i>; <i>Ubon Ratchathani</i>: Yod Dom; <i>Nakhon Ratchasima</i>: Sakaerat SOUTHEAST: <i>Sa Kaeo</i>: Pang Sida; <i>Chon Buri</i>: Bang Saphan CENTRAL: <i>Bangkok</i>: Thon Buri; <i>Saraburi</i> SOUTHWEST: <i>Kanchanaburi</i>: Sai Yok; <i>Ratchaburi</i> SOUTH: <i>Phattalung</i> NORTH: <i>Chiang Mai</i>: Doi Suthep; <i>Phrae</i>: Mae Yom NORTHEAST: <i>Loei</i>: Nam Lang, Dan Sai, Phu Luang; <i>Nong Khai</i>: Phu Wua EAST: <i>Nakhon Ratchasima</i>: Sakaerat; <i>Chaiyaphum</i>: Phu Khieo; <i>Roi Et</i>: Phu Pha Nam Thip; <i>Ubon Ratchathani</i>: Yod Dom SOUTHEAST: <i>Sa Kaeo</i>: Pang Sida, Kho Khlan SOUTH: <i>Phattalung</i> NORTH: <i>Chiang Mai</i>: Doi Inthanon, Doi Chiang Dao; <i>Mae Hong Son</i>: Pang Tong NORTHEAST: <i>Nong Khai</i>: Muang, Phu Wua EAST: <i>Ubon Ratchathani</i>: Yod Dom; <i>Nakhon Ratchasima</i>, Khao Yai, Sakaerat;</p>	<p>Nabhitabhata (per.com.)</p> <p>Smith (1916b), Taylor and Elbel (1958), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996), Chan-ard <i>et al.</i> (1999)</p> <p>Smith (1916b), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996), Chan-ard <i>et al.</i> (1999). Nabhitabhata (per.com.)</p>

Toxon/Species	Local Common Name	Locality	Reference
<i>Mabuya novemcarinata</i> (Anderson, 1871)	Keeled Skink Ching-laen Kled San จิ้งเหลนเกล็ดสัน	<i>Roi Et</i> : Phu Pha Nam Thip SOUTHEAST : <i>Chanthaburi</i> : Khao Soi Dao; <i>Trat</i> : Koh Chang; <i>Chachoengsao</i> : Khao Ang Ru Nai CENTRAL : <i>Bangkok</i> : <i>Kanchanaburi</i> : Muang SOUTH : <i>Phuket</i> : Pa Thong Bay; <i>Surat Thani</i> : Khlong Saeng, Koh Samui, Khao Sok; <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Narathiwat</i> : Hala-Bala; <i>Trang</i> : Khao Chong	Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Mabuya rugifera</i> (Stoliczka, 1870)	Nicobar Skink Ching-laen Lai Keet จิ้งเหลนลายขีด	SOUTH : <i>Nakhon Si Thammarat</i> : Nabon; <i>Yala</i> : Bukit Bersa; <i>Pattani</i> : Na Pradoo; <i>Narathiwat</i> : Hala-Bala; <i>Trang</i> : Khao Chong	Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard (per.com.), Nabhitabhata (per.com.)
Genus <i>Riopa</i> Gray, 1839 <i>Riopa bowringii</i> (Gunther, 1864)	Bowring's Slender Skink Ching-laen-reao Tong Loeng จิ้งเหลนเรียวท้องเหลือง	NORTH : <i>Chiang Mai</i> : Doi Inthanon; <i>Phrae</i> : Mae Yom NORTHEAST : <i>Nong Khai</i> : Phu Wua EAST : <i>Roi Et</i> : Phu Pha Nam Thip; <i>Ubon Ratchathani</i> : Yod Dom; <i>Nakhon Ratchasima</i> : Sakaerat	Gairder and Smith (1915), Taylor (1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996), Chan-ard <i>et al.</i> (1999),

Toxon/Species	Local Common Name	Locality	Reference
<i>Riopa herberti</i> (Smith, 1916)	Herbert's Slender Skink Ching-laen-reao Tai จิ้งเหลนเรียวใต้	SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao, Khao Kitchakut; <i>Sa Kaeo:</i> Pang Sida, Kho Khlan CENTRAL: <i>Bangkok:</i> Chulalongkorn University SOUTHWEST: <i>Prachuap Khiri Khan:</i> Huai Yang, Had Wanakorn; <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Phuket;</i> <i>Surat Thani:</i> Koh Samui; <i>Trang:</i> Khao Chong, Koh Libong, Had Chao Mai SOUTH: <i>Phangnga:</i> Khao Lak; <i>Phuket:</i> Khlong Ton Sai; <i>Ranong:</i> Pak Chan River; <i>Nakhon Si Thammarat:</i> Ron Phibun, Khao Luang; <i>Surat Thani:</i> Khlong Saeng, Koh Tao, Tha Chana	Nabhitabhata (per.com.) Smith (1916b,c, 1930), Cochran (1930), Taylor (1963), Nabhitabhata (per.com.)
Genus <i>Scincella</i> Mittleman, 1950			
<i>Scincella doriae</i> (Boulenger, 1887)	Doria's Ground Skink Ching-laen-din Doria จิ้งเหลนดินดอร์เรีย	NORTH: <i>Chiang Mai:</i> Doi Inthanon, Doi Suthep-Pui NORTHEAST: <i>Loei:</i> Phu Luang	Matsui <i>et al.</i> (1996), Nabhitabhata (per.com.)
<i>Scincella melanosticta</i> (Boulenger, 1887)	Black-spotted Ground Skink Ching-laen-din Chut Dam จิ้งเหลนดินจุดดำ	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon; <i>Nakhon Sawan:</i> Chong Khae NORTHEAST: <i>Nakhon Phanom:</i> Na Kae; <i>Udon Thani:</i> Phu Phan Kam; <i>Loei:</i> Phu Luang; <i>Nong Khai:</i> Phu Wuua;	Smith (1935), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<p><i>Scincella punctatolineata</i> (Boulenger, 1893)</p> <p><i>Scincella reevesi</i> (Gray, 1839)</p>	<p>Western Ground Skink Ching-laen-din Moeng Kan จังหวัดฉะเชิงเทรา</p> <p>Reeves's Ground Skink Ching-laen-din Dong Payayen จังหวัดฉะเชิงเทรา</p>	<p><i>Kalasin</i>: Phu Si Than, Somdet; <i>Sakon Nakhon</i>: Phu Phan</p> <p>EAST: <i>Nakhon Ratchasima</i>: Sakaerat; <i>Ubon Ratchathani</i>: Sri Chiang Mai, Sa Noi River, Phu Pha Nam Thip, Yod Dom; <i>Roi Et</i>: Nong Pok; <i>Si Sa Ket</i>: Khao Phra Wi Han</p> <p>SOUTHEAST: <i>Chanthaburi</i>: Khao Soi Dao, Khao Sa Bab; <i>Trat</i>: Koh Chang</p> <p>SOUTHWEST: <i>Kanchanaburi</i>: Thong Pha Phum; <i>Uthai Thani</i>: Huai Kha Khaeng</p> <p>SOUTH: <i>Nakhon Si Thammarat</i>: Khao Luang</p> <p>SOUTHWEST: <i>Kanchanaburi</i>: Sai Yok, Erawan</p> <p>NORTH: <i>Lampang</i>: Doi Khun Tan; <i>Chiang Mai</i>: Doi Ang Ka, Doi Inthanon, Doi Suthep-Pui, Doi Chiang Dao; <i>Mae Hong Son</i>; <i>Phrae</i>: Mae Yom</p> <p>NORTHEAST: <i>Loei</i>: Phu Luang, Tha Li</p> <p>EAST: <i>Nakhon Ratchasima</i>: Pak Chong, Sakaerat; <i>Ubon Ratchathani</i>; Sa Noi River</p> <p>SOUTHEAST: <i>Prachin Buri</i>: Kabin Buri</p>	<p>Smith (1935), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)</p> <p>Cochran (1927, 1941), Taylor (1962a, 1963), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)</p>

Toxon/Species	Local Common Name	Locality	Reference
		SOUTH: <i>Surat Thani:</i> Koh Tao; <i>Nakhon Si Thammarat</i>	
Genus <i>Sphenomorphus</i> Fitzinger, 1843			
<i>Sphenomorphus butleri</i> (Boulenger, 1912)	Butler's Forest Skink Ching-laen-phukhao Malayu จิ้งเหลนภูเขามลายู	SOUTH: <i>Nakhon Si Thammarat:</i> Khao Rama	Taylor (1962a, 1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)
<i>Sphenomorphus helenae</i> Cochran, 1927	Helen's Forest Skink Ching-laen phukhao Lek จิ้งเหลนภูเขาลี	NORTHEAST: <i>Loei:</i> Phu Luang EAST: <i>Nakhon Ratchasima:</i> Pak Chong, Dong Phaya Fai CENTRAL: <i>Nonthaburi</i>	Taylor (1962a), Welch <i>et al.</i> (1990), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Sphenomorphus indicus</i> (Gray, 1853)	Indian Forest Skink Ching-laen-phukhao India จิ้งเหลนภูเขอินเดีย	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon, Doi Chiang Dao; <i>Lampang:</i> Doi Khun Tan; <i>Phrae:</i> Tak; Thung Yai (eastern) NORTHEAST: <i>Loei:</i> Phu Kradung, Phu Luang EAST: <i>Nakhon Ratchasima:</i> Sakaerat; <i>Ubon Ratchathani:</i> Sa Noi River SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng	Smith (1916b), Inger and Colwell (1977), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Sphenomorphus maculatus</i> (Blyth, 1853)	Common Forest Skink Ching-laen-phukhao Kled Reab จิ้งเหลนภูเขากล็ดเรียบ	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon, Doi Chiang Dao; <i>Mae Hong Son:</i> Pang Tong; <i>Phrae:</i> Mae Yom NORTHEAST: <i>Nakhon Phanom;</i> <i>Kalasir:</i> Phu Si Than; <i>Nong Khai:</i>	Gairder and Smith (1915), Smith (1916), Inger and Colwell (1927), Taylor and Elbel (1958), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996),

Toxon/Species	Local Common Name	Locality	Reference
<p><i>Sphenomorphus praesignis</i> (Boulenger, 1900)</p> <p><i>Sphenomorphus scotophilus</i> (Boulenger, 1900)</p>	<p>Larut Forest Skink Ching-laen-phukhao Lai Kra จิ้งเหลนภูเขาลายกระ</p> <p>Selangor Forest Skink Ching-laen-phukhao Lai Chak จิ้งเหลนภูเขาลายแฉก</p>	<p>Phu Wua; <i>Sakon Nakhon</i>: Phu Phan EAST: <i>Nakhon Ratchasima</i>: Sakaerat SOUTHEAST: <i>Chanthaburi</i>: Khao Soi Dao, Khao Kitchakut, Khao Sa Bab; <i>Chachoengsao</i>: Khao Ang Ru Nai; <i>Trat</i>: Koh Chang, Koh Kut, Koh Mak; <i>Sa Kaeo</i>: Pang Sida CENTRAL: <i>Nakhon Nayok</i>: Salika SOUTHWEST: <i>Uthai Thani</i>: Huai Kha Khaeng; <i>Kanchanaburi</i>: Salak Phra, Thong Pha Phum, Pilok, Sai Yok, Erawan; <i>Phetchaburi</i>: Kaeng Krachan SOUTH: <i>Chumphon</i>; <i>Ranong</i>: Muang; <i>Nakhon Si Thammarat</i>: Nabon; <i>Surat Thani</i>: Khlong Saeng, Khao Sok; <i>Trang</i> SOUTH: <i>Nakhon Si Thammarat</i>: Khao Wang Hip SOUTH: <i>Trang</i>: Khao Chong</p>	<p>Nabhitabhata (per.com.)</p> <p>Smith (1916b, 1930), Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.) Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)</p>