

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Tropidophorus</i> Dumeril and Bibron, 1839 <i>Tropidophorus berdmorei</i> (Blyth, 1853)	Berdmore's Stream Skink Ching-laen-huai Tong Daeng จิ้งเหลนห้วยทองแดง	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Mae Wang, Pha Muang, Doi Inthanon; <i>Mae Hong Son:</i> Namtok Mae Surin, Lam Nam Pai; <i>Phrae:</i> Khao Phlueng, Ban Khao Phlueng; <i>Tak:</i> Umphang, Thung Yai (eastern) NORTHEAST: <i>Loei:</i> Phu Luang SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Lin Thin, Tarn Lod Cave	Smith (1916b, 1919b), Taylor (1963), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.), Chuaynkern (per.com.)
<i>Tropidophorus cocincinensis</i> Dumeril and Bibron, 1893	Indochinese Stream Skink Ching-laen-huai Vietnam จิ้งเหลนห้วยเวียดนาม	EAST: <i>Surin:</i> Sangka SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab	Smith (1919b, 1916b), Nabhitabhata (per.com.)
<i>Tropidophorus laotus</i> Smith, 1923	Laotian Stream Skink Ching-laen-huai Lao จิ้งเหลนห้วยลาว	NORTHEAST: <i>Loei:</i> Phu Kradung, Phu Luang; <i>Nong Khai:</i> Phu Wua	Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Tropidophorus microlepis</i> Gunther, 1861	Cambodian Stream Skink Ching-laen-huai Kamir จิ้งเหลนห้วยเขมร	SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab, Khao Soi Dao; <i>Sa Kaeo:</i> Pang Sida	Smith (1919b, 1935), Gunther (1961), Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Tropidophorus robinsoni</i> Smith, 1919	Robinson's Stream Skink Ching-laen-huai Tai จิ้งเหลนห้วยใต้	SOUTH: <i>Chumphon:</i> Tasan	Smith (1919b), Taylor (1963), Welch <i>et al.</i> (1990), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Tropidophorus thai</i> Smith, 1919	Thai Stream Skink Ching-laen-huai Thai จิ้งเหลนห้วยไทย	NORTH: <i>Chiang Mai:</i> Pa Miang, Mae Wang, Doi Pha Khao, Doi Inthanon; <i>Mae Hong Son</i>	Smith (1919b), Taylor (1963), Welch <i>et al.</i> (1990), Matsui <i>et al.</i> (1996), Nabhitabhata (per.com.)
Family LACERTIDAE			
Genus <i>Takydromus</i> Daudin, 1802			
<i>Takydromus sexlineatus</i> Daudin, 1802	Long-tailed Lizard Ging-ga-noi Hang Yao, Ngu Ka กิ้งก่าหางยาว, งูคา	EAST: <i>Roi Et:</i> Phu Pha Nam Thip; <i>Ubon Ratchathani:</i> Yod Dom; <i>Nakhon Ratchasima:</i> Sakaerat SOUTHEAST: <i>Chachoengsao:</i> Khao Ang Ru Nai; <i>Sa Kaeo:</i> Pang Sida SOUTH: <i>Chumphon:</i> Thung Wua Lan	Smith (1916b), Taylor (1963), Inger and Elbel (1977), Welch <i>et al.</i> (1990), Manthey and Grossmann (1977), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Family ANGUIDAE			
Genus <i>Ophisaurus</i> Daudin, 1803			
<i>Ophisaurus gracilis</i> (Gray, 1845)	Burmese Glass Lizard Gin-ga-ngu กิ้งก่างู	NORTH: <i>Chiang Mai:</i> Doi Pha Hom Pok; <i>Mae Hong Son:</i> Pang Tong NORTHEAST: <i>Loei:</i> Phu Luang	Matsui <i>et al.</i> (1996, 1998), Chan-ard (per.com.), Nabhitabhata (per.com.)
Family VARANIDAE			
Genus <i>Varanus</i> Merrem, 1820			
<i>Varanus dumerilii</i> (Schlegel, 1839)	Dumeril's Monitor Tut-tu ตุตตุ	SOUTHWEST: <i>Ratchaburi:</i> Lam Mae Pradon, Pha Chi River; <i>Kanchanaburi:</i> Thong Pha Phum SOUTH: <i>Narathiwat:</i> Phru To Daeng, Hala-Bala; <i>Surat Thani:</i> Khlong Saeng, Tha Chana, Nasan; <i>Trang:</i> Khao Chong,	Taylor (1963), Welch <i>et al.</i> (1990), Chuaynkern (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Varanus bengalensis nebulosus</i> (Gray, 1831)	Clouded Monitor Ta-kuad, Laen ตะกวด, แลน	Khao Pu Khao Ya; <i>Phattalung</i> : Tamot, Khao Pu Khao Ya; <i>Nakhon Si Thammarat</i> : Tai Rom Yen, Thung Song NORTH : <i>Chiang Mai</i> NORTHEAST : <i>Loei</i> : Phu Luang SOUTHEAST : <i>Sa Kaeo</i> : Pang Sida SOUTHWEST : <i>Prachuap Khiri Khan</i> ; <i>Uthai Thani</i> ; <i>Kanchanaburi</i> : Sai Yok SOUTH : <i>Nakhon Si Thammarat</i> : Chawang, Thung Song; <i>Pattani</i> ; <i>Chumphon</i> : Sawee, Sri Phangnga, Mu Koh Phayam; <i>Ranong</i> : Suk Samran; <i>Surat Thani</i> : Khao Sok, Kanchanadit; <i>Phuket</i> : Khao Phra Taw; <i>Trang</i> : Khao Chong; <i>Phattalung</i> : Khao Pu Khao Ya; <i>Narathiwat</i> : Ruso, Hala-Bala, Yaha, Sungai Kolok; <i>Yala</i> : Bannang Sata, Betong; <i>Satun</i> : Thaleban	Gairder and Smith (1915), Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard <i>et al.</i> (1999), Chuaynkern (2001), Nabhitabhata (per.com.)
<i>Varanus rudicollis</i> (Gray, 1845)	Rough-necked Monitor Hao-chang เห่าช้าง	NORTH : <i>Tak</i> : Umphang SOUTHWEST : <i>Uthai Thani</i> : Huai Kha Khaeng SOUTH : <i>Krabi</i> : Khao Pra Bangkram; <i>Trang</i> : Khao Chong; <i>Ranong</i> : Khlong Naka, Kra Buri; <i>Phattalung</i> : Khao Pu Khao Ya; <i>Narathiwat</i> : Hala-Bala; <i>Satun</i> :	Boulenger (1912), Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Manthey and Grossmann (1997), Lauprasert and Thirakhupt (2001)

Toxon/Species	Local Common Name	Locality	Reference
<i>Varanus salvator</i> (Laurenti, 1768)	Water Monitor Hea เหี้ย	Thaleban; <i>Surat Thani</i> : Khao Sok; <i>Nakhon Si Thammarat</i> : Tai Rom Yen, Thung Song EAST: <i>Nakhon Ratchasima</i> : Khao Yai; <i>Chaiyaphum</i> : Phu Khieo SOUTHEAST: <i>Sa Kaeo</i> : Pang Sida CENTRAL: <i>Bangkok</i> : Bang Khen; <i>Pathum Thani</i> : Khlong 5 SOUTHWEST: <i>Uthai Thani</i> : Huay Kha Khaeng SOUTH: <i>Nakhon Si Thammarat</i> : Tai Rom Yen, Thung Song; <i>Pattani</i> ; <i>Phangnga</i> : Khaolak-lamru; <i>Chumphon</i> : Muang, Sawee, La Ma, Mu Koh Phayam; <i>Ranong</i> : Kra Buri, Suk Sam Ran; <i>Surat Thani</i> : Phun Phin, Khao Sok, Kanchanadit; <i>Phuket</i> : Khao Phra Taw; <i>Trang</i> : Khao Pu Khao Ya, Khao Chong; <i>Phattalung</i> : Khao Pu Khao Ya, Khao Chai Son; <i>Satun</i> : Muang; <i>Narathiwat</i> : Ruso, Tak Bi, Hala-Balaa; <i>Yala</i> : Bannang Sata, Betong	Smith (1916b), Taylor (1963), Welch <i>et al.</i> (1990), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Suborder Serpentes (Ophidea)			
Family TYPHLOPIDAE			Blind Snake
Genus <i>Ramphotyphlops</i> Fitzinger, 1843			
<i>Ramphotyphlops albiceps</i> (Boulenger, 1898)	White-headed Blind Snake Ngu-din Hua Kao งูดินหัวขาว	NORTH: <i>Chiang Mai:</i> Doi Pui SOUTHWEST: <i>Ratchaburi:</i> Khao Pra Tub Chang, Chom Bung CENTRAL: <i>Bangkok</i> EAST: <i>Nakhon Ratchasima:</i> San Kam Phaeng Mountains SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab, Khao Soi Dao SOUTH: <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Pattani, Phangnga:</i> Koh Similan; <i>Yala:</i> Betong	Smith (1914a, b), Welch (1988), Taylor (1965), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Niyomwan (1999), Nabhitabhata (per.com.)
<i>Ramphotyphlops braminus</i> (Daudin, 1803)	Common Blind Snake Ngu-din Ban งูดินบ้าน	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Chiang Mai University; <i>Phrae:</i> Mae Yom NORTHEAST: <i>Udon Thani</i> EAST: <i>Nakhon Ratchasima:</i> Sakaerat SOUTHEAST: <i>Chon Buri:</i> Sri Racha; <i>Prachin Buri:</i> Tab Lan; <i>Chanthaburi:</i> Khao Soi Dao CENTRAL: <i>Saraburi; Pathum Thani;</i> <i>Bangkok:</i> Lat Krabang SOUTHWEST: <i>Prachuap Khiri Khan:</i> Muang	Smith (1914a, b), Taylor (1965), Check (1973b), Frith (1977a), Inger and Colwell (1977), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Niyomwan (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Ramphotyphlops lineatus</i> (Schlegel, 1839)	Striped Blind Snake Ngu-din Lai Keet งูดินลายขีด	SOUTH: <i>Phuket; Phattalung; Nakhon Si Thammarat:</i> Had Nai Phloi; <i>Trang:</i> Koh Libong; <i>Phangnga:</i> Khaolak-lamru SOUTH: <i>Pattani:</i> Na Pradoo; <i>Narathiwat:</i> Muang	Taylor (1965), Welch (1988), Cox (1991), Niyomwan (1999), Nabhitabhata (per.com.)
Genus <i>Typhlops</i> Opperl, 1811			
<i>Typhlops diardi</i> Schlegel, 1839	Diard's Blind Snake Ngu-din Yai Indochine งูดินใหญ่อินโดจีน	NORTH: <i>Chiang Mai:</i> Doi Chiang Dao; <i>Tak:</i> Umphang SOUTHWEST: <i>Uthai Thani:</i> Khao Nang Rum (Huai Kha Khaeng) NORTHEAST: <i>Nakhon Phanom; Loei:</i> Phu Luang EAST: <i>Nakhon Ratchasima:</i> Sakaerat; <i>Chaiyaphum:</i> Phu Khieo SOUTHEAST: <i>Prachin Buri:</i> Tab Lan; <i>Chon Buri:</i> Koh Lan CENTRAL: <i>Bangkok</i> SOUTH: <i>Trang; Narathiwat:</i> Hala-Bala SOUTHEAST: <i>Chanthaburi.</i>	Smith (1923b), Welch (1988), Inger and Colwell (1977), Cox (1991), Niyomwan (1999), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Typhlops floweri</i> Boulenger, 1899	Flower's Blind Snake Ngu-din Hua Leuang งูดินหัวเหลือง	SOUTH: <i>Trang; Narathiwat:</i> Hala-Bala SOUTHEAST: <i>Chanthaburi.</i> CENTRAL: <i>Bangkok; Pathum Thani:</i> Ransit, Khlong 7	Smith (1923b), Welch (1988), Inger and Colwell (1977), Cox (1991), Niyomwan (1999), Chan-ard (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Typhlops khoratensis</i> Taylor, 1962 *	Khorat Blind Snake Ngu-din Khorat งูดินโคราช	NORTH: <i>Chiang Mai</i> EAST: <i>Nakhon Ratchasima</i> : Sakaerat CENTRAL: <i>Saraburi</i> : Muak Lek	Taylor (1962a, 1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Niyomwan (1999), Nabhitabhata (per.com.)
<i>Typhlops muelleri</i> Schlegel, 1839	Mueller's Blind Snake Ngu-din Yai Malayu งูดินใหญ่มลายู	EAST: <i>Nakhon Ratchasima</i> : Sakaerat SOUTH: Below 14° North latitude; <i>Surat Thani</i> : Koh Samui, Khao Sok; <i>Phattalung</i> : Thale Noi; <i>Pattani</i> ; <i>Yala</i> : Betong	Taylor (1965), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Niyomwan (1999), Nabhitabhata (per.com.)
97 <i>Typhlops porrectus</i> Stoliczka, 1871	Doi Pui Blind Snake Ngu-din Doi Pui งูดินดอยปุย	NORTH: <i>Chiang Mai</i> : Doi Suthep-Pui CENTRAL: <i>Pathum Thani</i> : Rangsit, Khlong 7: <i>Bangkok</i> : Chulalongkorn University, Lat Phra Khao, Su Khum Wit	Niyomwan (1999), Nabhitabhata (per.com.)
<i>Typhlops siamensis</i> Gunther, 1864	Siamese Blind Snake Ngu-din Thai งูดินไทย	SOUTHEAST: <i>Chanthaburi</i> : (the type specimens was collected by Mouhot in Siam (Taylor, 1965))	Taylor (1965), Welch (1988), Niyomwan (1999), Nabhitabhata (per.com.)
<i>Typhlops trangensis</i> Taylor, 1962 *	Trang Blind Snake Ngu-din Trang งูดินตรัง	SOUTH: <i>Trang</i> : Khao Chong	Taylor (1962a, 1965), Welch (1988), Niyomwan (1999), Nabhitabhata (per.com.)
Family XENOPELTIDAE			
Genus <i>Xenopeltis</i> Reinwardt, 1827			
<i>Xenopeltis unicolor</i> Boie, 1827	Sunbeam Snake Ngu Saeng-a-tit (C), Ngu Leuam Din (Lao)	NORTH: <i>Chiang Mai</i> ; <i>Phrae</i> CENTRAL: <i>Saraburi</i> ; <i>Bangkok</i> SOUTHEAST: <i>Chon Buri</i> : Bang Saen	Smith (1914a, b, 1930), Taylor (1965), Frith (1977a), Inger and Colwell (1977),

Toxon/Species	Local Common Name	Locality	Reference
	งูแสงอาทิตย์, งูเหลื่อมดิน	SOUTHWEST: <i>Prachuap Khiri Khan:</i> Hua Hin SOUTH: <i>Surat Thani:</i> Koh Samui, Khao Tha Phet; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Phangnga:</i> Khao Sok; <i>Phuket;</i> <i>Narathiwat:</i> Phru To Daeng	Welch (1988), Murphy <i>et al.</i> (1999), Nabhitabhata (per.com.)
Family CYLINDROPHIIDAE			Pipe Snake
Genus <i>Cylindrophis</i> Wagler, 1828			
<i>Cylindrophis rufus</i> (Laurenti, 1768)	Red-tailed Pipe Snake Ngu Kon-kob (C), Ngu Song Hua (N, NE, E, Lao) งูก้นชมพู	NORTH: <i>Chiang Mai:</i> Chiang Mai University NORTHEAST: <i>Nong Khai:</i> Phu Wua; <i>Nong Bua Lam Phu:</i> Muang CENTRAL: <i>Bangkok:</i> Bang Khen, Lat Krabang; <i>Saraburi:</i> Muang SOUTHWEST: <i>Phetchaburi:</i> Khaeng Krachan SOUTH: <i>Phuket;</i> <i>Trang;</i> <i>Phangnga:</i> Khaolak-lamru; <i>Surat Thani:</i> Koh Samui; <i>Ranong:</i> Khlong Naka	Smith (1914a, b), Taylor (1965), Checke (1973b), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Murphy <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
Family PYTHONIDAE			
Genus <i>Python</i> Daudin, 1803			
<i>Python curtus</i> Schlegel, 1872	Blood Python Ngu Larm Pak Ped งูหลามปากเป็ด	SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Phangnga:</i> Khaolak-lamru; <i>Surat Thani:</i> Khlong Saeng; <i>Songkhla:</i> Ton Nga Chang; <i>Narathiwat:</i> Hala-Bala;	Taylor (1965), Welch (1988), Cox (1991), Chan-ard <i>et al.</i> (1999), Grossmann and Tillack (2001), Duang-kae (per.com.),

Toxon/Species	Local Common Name	Locality	Reference
<i>Python molurus</i> (Linnaeus, 1766)	Burmese Python Ngu Larm งูหลาม	<i>Krabi</i> : 20 km to the south; <i>Pattani</i> : Na Pradoo NORTH : <i>Tak</i> NORTHEAST : <i>Phetchaburi</i> : Nam Nao; <i>Loei</i> : Phu Luang CENTRAL : <i>Lop Buri</i> SOUTHEAST : <i>Chon Buri</i> : Sri Racha; <i>Chachoengsao</i> : Khao Ang Ru Nai SOUTHWEST : <i>Uthai Thani</i> : Huai Kha Khaeng	Nabhitabhata (per.com.) Smith (1914a, b), Taylor (1965), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
๒๐ <i>Python reticulatus</i> (Schneider, 1801)	Reticulated Python Ngu Leuam งูเห่ล้อม	NORTH : NORTHEAST : <i>Phetchaburi</i> : Nam Nao; <i>Nong Khai</i> : Phu Wua EAST : <i>Chaiyaphum</i> : Phu Khieo; <i>Ubon Ratchathani</i> : Yod Dom SOUTHEAST : <i>Chanthaburi</i> : Khao Soi Dao; <i>Trat</i> : Koh Chang; <i>Sa Kaeo</i> : Pang Sida, Chong Khlum Bon, Ta Phraya, Kho Khlan CENTRAL : <i>Bangkok</i> SOUTHWEST : <i>Kanchanaburi</i> : Sai Yok SOUTH : <i>Surat Thani</i> : Koh Samui, Koh Tao; <i>Phangnga</i> : Khaolak-lamru; <i>Phuket</i> ; <i>Narathiwat</i> : Hala-Bala	Smith (1914a, b), Gairder and Smith (1915a), Ellis (1934), Taylor (1965), Frith (1977a), Inger and Colwell (1977), Welch (1988), Matsui <i>et al.</i> (1996), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Family ACROCHORDIDAE			
Genus <i>Acrochordus</i> Hornstedt, 1787			
<i>Acrochordus granulatus</i> Schneider, 1799	Granular File Snake Ngu Pa-ki-reu, Ngu Pa ki-reu lai (Songkhla) งูผ้าขี้ริ้ว	SOUTHEAST: <i>Trat</i> : Koh Chang CENTRAL: <i>Bangkok</i> SOUTHWEST: <i>Prachuap Khiri Khan</i> : Muang SOUTH: <i>Sonkhla</i> : Muang; <i>Phangnga</i> : Phangnga Bay; <i>Phuket</i>	Smith (1914a, b), Taylor (1965), Frith (1977a), Welch (1988), Cox (1991), Heatwhole (1999), Nabhitabhata (per.com.)
<i>Acrochordus javanicus</i> Hornstedt, 1787	Javan File Snake Ngu Nguang-chang งูวงช้าง	CENTRAL: <i>Bangkok</i> SOUTHEAST: SOUTH: <i>Narathiwat</i> : Sungai Kolok, Tak Bi, Phru To Daeng	Smith (1914a, b), Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
Family COLUBRIDAE			
Subfamily Xenodermidae			
Genus <i>Xenodermus</i> Reinhardt, 1836			
<i>Xenodermus javanicus</i> Reinhardt, 1836	Javan White-bellied Snake Ngu Tong Kao งูท้องขาว	SOUTH: <i>Yala</i> : Bannang Sata	Taylor (1965), Welch (1988), Nabhitabhata (per.com.)
Subfamily Pareasinae			
Genus <i>Aplopeltura</i> Dumeril, 1853			
<i>Aplopeltura boa</i> (Boie, 1828)	Blunt-headed Tree Snake Gnu Kin Tak Hua Nok, Ngu Boa งูกินதாகหัวโหนก	SOUTH: <i>Chumphon</i> : any Mountains in province; <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Narathiwat</i> : Waeng: Hala-Bala; <i>Pattani</i> : Na Pradoo	Taylor (1962), Matsui <i>et al.</i> (1996, 1998), Welch (1988), Chuaynkern (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Internatus</i> Rao and Yang, 1992			
<i>Internatus laevis</i> (Boie, 1827)	Smooth Slug Snake Ngu Kin Tak Gled Reab งูกินதாகเกล็ดเรียบ	SOUTH: <i>Nakhon Si Thammarat:</i> Khao Rama	Smith (1930), Taylor (1965), Cox (1988), Welch (1988), Nabhitabhata (per.com.)
<i>Internatus malaccanus</i> (Peters, 1864)	Malaccan Slug Snake Ngu Kin Tak Malayu งูกินதாகมลายู	SOUTH: <i>Narathiwat:</i> Waeng; <i>Yala:</i> Betong	Taylor (1965), Welch (1988), Cox (1991), Chuaynkern (per.com.), Nabhitabhata (per.com.)
Genus <i>Pareas</i> Wagler, 1830			
<i>Pareas carinatus</i> (Boie, 1828)	Keeled Slug Snake Ngu Kin Tak Gled San งูกินதாகเกล็ดสัน	NORTH: <i>Chiang Mai:</i> Doi Inthanon, Doi Suthep-Pui, Doi Chiang Dao; <i>Mae Hong Son:</i> Pang Thong NORTHEAST: <i>Loei:</i> Phu Luang EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Pak Chong SOUTHEAST: <i>Sa Kaeo:</i> Pang Sida; <i>Chanthaburi:</i> Khao Soi Dao; <i>Chachoengsao:</i> Khao Ang Ru Nai SOUTH: <i>Chumphon:</i> Khlong Ton Sai; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Narathiwat</i> SOUTH: <i>Narathiwat:</i> Bang Nara	Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)
<i>Pareas hamptoni</i> (Boulenger, 1905)	Hampton's Slug Snake Ngu Kin Tak Lai Kwan งูกินதாகลายขั้ว		Smith (1930), Taylor (1965), Welch (1988), Cox (1991)

Toxon/Species	Local Common Name	Locality	Reference
<i>Pareas macularius</i> Theobald, 1868	Black-spotted Slug Snake Ngu Kin Tak Chut Dam งูกินதாகจุดดำ	NORTH: <i>Chiang Mai:</i> Doi Inthanon NORTHEAST: <i>Loei:</i> Phu Luang	Taylor (1965), Welch (1988), Cox (1991), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Pareas margaritophorus</i> (Jan, 1866)	White-spotted Slug Snake Ngu Kin Tak Chut Khao งูกินதாகจุดขาว	NORTH: <i>Chiang Mai:</i> Doi Ang Khang, Doi Suthep-Pui, Doi Inthanon; <i>Prae:</i> Mae Yom SOUTHWEST: <i>Ratchaburi:</i> Mae Nam Pa Chi; <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Thong Pha Phum NORTHEAST: <i>Loei:</i> Phu Luang, Phu Kradung; <i>Phetchaburi:</i> Nam Nao EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao SOUTH: <i>Ranong:</i> Khlong Naka; <i>Narathiwat:</i> Hala-Bala; <i>Pattani:</i> Na Pradoo	Taylor (1965), Inger <i>et al.</i> (1977), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Subfamily Calamariidae			
Genus <i>Calamaria</i> Boie, 1827			
<i>Calamaria lumbricoidea</i> Boie, 1827	Variable Reed Snake Ngu Pong-oa Lak Lai งูพงอ้อหลากลาย	SOUTH: <i>Pattani:</i> Na Pradoo; <i>Narathiwat:</i> Bang Nara	Smith (1916b), Taylor (1965), Welch (1987), Cox (1991), Nabhitabhata (per.com.)
<i>Calamaria pavimentata</i> Dumeril, Bibron and Dumeril, 1854	Collared Reed Snake Ngu Pong-oa Tong Loeng งูพงอ้อท้องเหลือง	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai; <i>Roi Et:</i> Nong Phok	Taylor (1965), Inger and Colwell (1977), Cox (1991),

Toxon/Species	Local Common Name	Locality	Reference
<i>Calamaria schlegeli</i> Dumeril, Bibron and Dumeril, 1854	Red-headed Reed Snake Ngu Pong-oa Hua Daeng งูพงอ้อหัวแดง	SOUTHEAST: <i>Chanthaburi</i> : Khao Soi Dao; <i>Prachin Buri</i> : Tab Lan SOUTH: <i>Pattani</i> : Na Pradoo SOUTH: <i>Pattani</i> : Na Pradoo	Nabhitabhata (per.com.) Cox (1991)
Genus <i>Pseudorhabdion</i> Jan, 1862			
<i>Pseudorhabdion longiceps</i> (Cantor, 1847)	Long-headed Reed Snake Ngu Pong-oa Hua Yao งูพงอ้อหัวยาว	SOUTH: <i>Narathiwat</i> : Hala-Bala; <i>Yala</i> : Betong	Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
Subfamily Homalopsinae			
Genus <i>Bitia</i> Gray, 1842			
<i>Bitia hydroides</i> Gray, 1842	Keel-bellied Water Snake Ngu Pak-kwang Tong San งูปากกว้างท้องสั้น	CENTRAL: <i>Bangkok</i>	Taylor (1965), Welch (1988), Cox (1991), Heatwhole (1999), Nabhitabhata (per.com.)
Genus <i>Cantoria</i> Girard, 1857			
<i>Cantoria violacea</i> Girard, 1857	Cantor's Water Snake Ngu Pak Kwang Lai งูปากกว้างลาย	SOUTHWEST: <i>Kanchanaburi</i> : Sai Yok SOUTH: <i>Phuket</i>	Gairder and Smith (1915), Frith (1978)
Genus <i>Cerberus</i> Cuvier, 1829			
<i>Cerberus rynchops</i> (Schneider, 1799)	Dog-faced Water Snake Ngu Pak Kwang Nam Khem งูปากกว้างน้ำเค็ม	SOUTHEAST: <i>Chon Buri</i> : Ang Hin CENTRAL: <i>Bangkok</i> ; <i>Samut Prakan</i> : Bang Pu SOUTHWEST: <i>Phetchaburi</i> : Ban Laem SOUTH: <i>Nakhon Si Thammarat</i> : Pak	Smith (1914a, b), Taylor (1965), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Heatwhole (1999),

Toxon/Species	Local Common Name	Locality	Reference
		Phanang; <i>Trang</i> : Kantang, Koh Libong, Had Chao Mai; <i>Phangnga</i> : Phangnga Bay; <i>Phuket</i> ; <i>Satur</i> : Tam Ma Lang; <i>Pattani</i> : Yaring	Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
Genus <i>Enhydris</i> Sonnini and Latreille, 1802			
<i>Enhydris bocourti</i> (Jan, 1865)	Bocourt's Water Snake Ngu Zi, Ngu Leuam-ao งูไซ	NORTH: <i>Nakhon Sawan</i> : Bung Boraphet CENTRAL: <i>Bangkok</i> SOUTH: <i>Surat Thani</i> : Nong Thung Thong; <i>Phattalung</i> : Thale Noi; <i>Pattani</i>	Smith (1914a, b), Taylor (1965), Welch (1988), Cox (1991), Murphy <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Enhydris enhydris</i> (Schneider, 1799)	Rainbow Water Snake Ngu Sai-rung, Ngu Pla งูสายรุ้ง, งูปลา	NORTH: <i>Chiang Mai</i> : Chiang Mai University NORTHEAST: <i>Khon Khaen</i> ; <i>Kalasin</i> : Phu Si Than EAST: <i>Chaiyaphum</i> : Phu Khieo SOUTHEAST: <i>Sa Kaeo</i> : Pang Sida CENTRAL: <i>Bangkok</i> ; <i>Pathum Thani</i> : Rangsit, Khlong 5 SOUTHWEST: <i>Uthai Thani</i> ; <i>Prachuap Khiri Khan</i> : Hua Hin SOUTH: <i>Phattalung</i> : Thale Noi; <i>Songkhla</i> : Songkhla Lake; <i>Satur</i> ; <i>Pattani</i> ; <i>Narathiwat</i> ; <i>Nakhon Si Thammarat</i>	Smith (1914a, b, 1929), Checke (1973b), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Murphu <i>et al.</i> (1999), Karns <i>et al.</i> (1999-2000), Nabhitabhata (per.com.)
<i>Enhydris jagorii</i> (Peters, 1863)	Jagor's Water Snake Ngu Sai-rung Lai Kwang งูสายรุ้งลายขวาง	NORTH: <i>Nakhon Sawan</i> : Bung Boraphet NORTHEAST: <i>Udon Thani</i> ; Khon	Smith (1914a, b), Smith (1943), Taylor (1965), Welch (1988), Cox (1991),

Toxon/Species	Local Common Name	Locality	Reference
<i>Enhydris plumbea</i> (Boie, 1827)	Plumbeous Water Snake Ngu Pling งูปลิง	Khaen: Phu Wiang CENTRAL: <i>Bangkok</i> NORTH: <i>Mae Hong Son</i> : Pang Thong; <i>Nakhon Sawan</i> : Bung Boraphet; <i>Lampang</i> : Doi Pha Muang; <i>Phrae</i> : Mae Yom SOUTHWEST: <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Kanchanaburi</i> : Sai Yok; <i>Prachuap Khiri Khan</i> : Ao Noi NOKTHEAST: <i>Nong Khai</i> : Phu Wua; <i>Loei</i> : Phu Luang; <i>Khon Khaen</i> : Sum Sung EAST: <i>Nakhon Ratchasima</i> : Sakaerat; <i>Ubon Ratchathani</i> : Khaeng Tana SOUTHEAST: <i>Sa Kaeo</i> : Ta Phraya, Pang Sida, Kho Khlan; <i>Chon Buri</i> : Bang Saen; <i>Chachoengsao</i> : Khao Ang Ru Nai CENTRAL: <i>Bangkok</i> SOUTH: <i>Songkhla</i> : Songkhla Lake; <i>Phattalung</i> : Thale Noi; <i>Narathiwat</i> : Phru To Daeng	Nabhitabhata (per.com.), Chan-ard (per.com.) Gairder and Smith (1915), Taylor (1965), Colwell <i>et al.</i> (1977), Matsui <i>et al.</i> (1996), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Murphy <i>et al.</i> (1999), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Enhydris innominata</i> (Maurice, 1875)	Maurice's Water Snake Ngu Sai-rung Dam งูสายรุ้งดำ	NORTH: <i>Nakhon Sawan</i> : Bung Boraphet CENTRAL: <i>Bangkok</i> SOUTH: <i>Prachuap Khiri Khan</i> : Hua Hin	Smith (1914a, b), Boulenger (1914), Taylor (1965), Welch (1988), Chan-ard (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Erpeton</i> Lacepede, 1800 <i>Erpeton tentaculatum</i> Lacepede, 1801	Tentacled Snake, Fishing Snake Ngu Kra Daeng งูกระด้าง	CENTRAL: <i>Bangkok:</i> Bang Khen; <i>Pathum Thani;</i> <i>Nakhon Pathom:</i> Bang Len SOUTH: <i>Phattalung:</i> Thale Noi; <i>Songkhla:</i> Songkhla Lake; <i>Nakhon Si Thammarat</i>	Smith (1943), Taylor (1965), Welch (1988), Manthey and Grossmann (1997), Murphy <i>et al.</i> (1999), Chan-ard (per.com.), Nabhitabhata (per.com.)
Genus <i>Fordonia</i> Gray, 1842 <i>Fordonia leucobalia</i> (Schlegel, 1837)	Crab-eating Water Snake Ngu Pla Hua Tao งูปลาหัวเทา	SOUTH: <i>Satun:</i> Tum Ma Rang; <i>Phuket</i>	Chan-ard (per.com.), Nabhitabhata (per.com.)
Genus <i>Gerarda</i> Gray, 1849 <i>Gerarda prevostiana</i> (Eydoux and Gervais, 1837)	Cat-eyed Water Snake Ngu Pla Ta Maeo งูปลาตาแมว	SOUTHEAST: <i>Chon Buri:</i> Ang Sila	Taylor (1965), Welch (1988), Cox (1991), Heatwhole (1999), Nabhitabhata (per.com.)
Genus <i>Homalopsis</i> Kuhl and Hasselt, 1822 <i>Homalopsis buccata</i> (Linnaeus, 1758)	Puff-faced Water Snake Ngu Hua-kra-lok, Ngu Leuam-ao(C), Ngu Leuam Nam, Ngu Hao Nam (Lao) งูหัวกระโหลก, งูเหลี่ยมอ้อ, งูเหลี่ยมน้ำ, งูเห่าน้ำ	NORTHEAST: <i>Sakon Nakhon:</i> Phu Phan SOUTHEAST: <i>Chachoengsao:</i> Khao Ang Ru Nai EAST: <i>Ubon Ratchathani:</i> Khaeng Tana; <i>Chaiyaphum:</i> Phu Khieo CENTRAL: <i>Samut Prakan;</i> <i>Bangkok:</i> Lat Krabang SOUTHWEST: <i>Ratchaburi</i> SOUTH: <i>Surat Thani:</i> Khlong Saeng,	Smith (1914a, b), Taylor (1965), Frith (1977a), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Murphy <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
		Koh Samui; <i>Phattalung</i> : Thale Noi; <i>Songkhla</i> : Songkhla Lake; <i>Phuket</i> ; <i>Nakhon Si Thammarat</i> ; <i>Pattani</i> : Muang, Na Pradoo; <i>Trang</i> : Khao Chong; <i>Narathiwat</i> : Phru To Daeng; <i>Phangnga</i> : Khaolak-lamru; <i>Ranong</i> : Muang	
Subfamily Colubrinae			
Genus <i>Ahaetulla</i> Link, 1807			
<i>Ahaetulla fasciolata</i> (Fischer, 1885)	Speckle-headed Whip Snake Ngu Kieo Hua Lai Kra งูเขียวหัวลายกระ	SOUTH:	Cox (1991)
<i>Ahaetulla mycterizans</i> (Linnaeus, 1758)	Malayan Green Whip Snake Ngu Kieo Hua Ching-chok งูเขียวหัวจิ้งจก	SOUTH: <i>Krabi</i> : Khao Pra Bangkram; <i>Chumphon</i> : Tasan, Pak Nam; <i>Trang</i>	Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Ahaetulla nasuta</i> (Lacepede, 1789)	Long-nosed Whip Snake Ngu Kieo Pak Nab งูเขียวปากแหลม	NORTH: <i>Chiang Mai</i> : Doi Suthep, Chiang Mai University; <i>Phrae</i> : Mae Yom CENTRAL: <i>Bangkok</i> ; Sing Buri: Muang SOUTHEAST: <i>Sa Kaeo</i> : Pang Sida, Kho Khlan, Watthana Nakhon SOUTHWEST: <i>Prachuap Khiri Khan</i>	Smith (1915a), Checke (1973b), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
<i>Ahaetulla prasina</i> (Boie, 1827)	Oriental Whip Snake Ngu Kieo Hua Ching-chok Pa (C), Ngu Nguang Klang Dong, Ngu Klom Nang Non (NE), Ngu Chuak Klouay, Ngu Lak Klouay,	NORTH: <i>Chiang Mai</i> : Doi Inthanon; <i>Mae Hong Son</i> ; <i>Phrae</i> : Mae Yom NORHTEAST: <i>Loei</i> : Phu Kradung, Phu Luang; <i>Nong Khai</i> : Phu Wua EAST: <i>Chaiyaphum</i> : Phu Khieo; <i>Nakhon</i>	Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997),

Toxon/Species	Local Common Name	Locality	Reference
	Ngu Heo (Lao) งูเขียวหัวจิ้งจกป่า	<i>Ratchasima</i> : Sakaerat, Khao Yai, Pak Chong SOUTHEAST : <i>Sa Kaeo</i> : Pang Sida; <i>Chanthaburi</i> : Khao Soi Dao; <i>Chachoengsao</i> : Khao Ang Ru Nai SOUTHWEST : <i>Uthai Thani</i> : Huai Kha Khaeng SOUTH : <i>Songkhla</i> ; <i>Trang</i> : Khao Chong, Namtok Ton Tiew; <i>Phuket</i> ; <i>Surat Thani</i> : Khao Tha Phet, Koh Samui, Koh Tao, Khlong Saeng; <i>Phangnga</i> : Khaolak-lamru	Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Genus <i>Boiga</i> Fitzinger, 1826 <i>Boiga cyanea</i> (Dumeril, Bibron and Dumeril, 1854)	Green Cat Snake Ngu Kieo Bon งูเขียวบอน	NORTH : <i>Lampang</i> NORHTEAST : <i>Loei</i> : Dan Sai, Na Haeo; <i>Nong Khai</i> : Phu Wua; <i>Khon Khaen</i> : Phu Wiang; <i>Sakon Nakhon</i> : Phu Phan EAST : <i>Nakhon Ratchasima</i> : Sakaerat; <i>Chaiyaphum</i> : Phu Khieo; <i>Ubon</i> <i>Ratchathani</i> : Muang, Khaeng Tana SOUTHEAST : <i>Chanthaburi</i> : Khao Soi Dao; <i>Trat</i> : Khlong Manao SOUTHWEST : <i>Uthai Thani</i> : Huai Kha Khaeng SOUTH : <i>Trang</i> : Kantang; <i>Surat Thani</i> : Ban Na San, Koh Phangan, Khao Tha Phet, Thung Tao; <i>Phuket</i> ; <i>Nakhon Si</i> <i>Thammarat</i>	Inger and Colwell (1977), Frith (1978, 1988), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Boiga cynodon</i> (Boie, 1827)	Dog-toothed Cat Snake Ngu Sae Hang-ma งูแส้หางม้า	SOUTH: <i>Phangnga:</i> Khaolak-lamru; <i>Surat Thani:</i> Khlong Saeng, Koh Samui, Tha Chana, Khao Tha Phet; <i>Trang:</i> Khao Chong; <i>Pattani:</i> Na Pradoo; <i>Narathiwat:</i> Waeng, Phru To Daeng	Taylor (1965), Matsui <i>et al.</i> (1996, 1998), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
<i>Boiga dendrophila</i> (Boie, 1827)	Mangrove Snake, Yellow- ringed Cat Snake Ngu Plong-tong (C), Ngu Pa-lai (P) งูปล้องทอง	SOUTH: <i>Chumphon, Phangnga:</i> Khaolak-lamru; <i>Surat Thani:</i> Khlong Saeng; <i>Trang:</i> Khao Chong; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Phattalung:</i> Muang; <i>Krabi:</i> Khao Phanom Bencha; <i>Songkhla, Narathiwat:</i> Phru To Daeng; <i>Pattani:</i> Na Pradoo; <i>Phattalung</i>	Taylor (1965), Frith (1977a), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Boiga drapiezii</i> (Boie, 1827)	White-spotted Cat Snake Ngu Dong-ka Tong งูดงคาทอง	SOUTH: <i>Pattani:</i> Na Pradoo; <i>Phangnga:</i> Khaolak-lamru; <i>Songkhla:</i> Ton Nga Chang; <i>Narathiwat:</i> Phru To Daeng, Hala-Bala	Taylor (1965), Welch (1988), Cox (1991), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Boiga jaspidea</i> (Dumeril, Bibron and Dumeril, 1854)	Jasper Cat Snake Ngu Kra งูกระ	SOUTH: <i>Phuket, Phangnga, Pattani:</i> Na Pradoo	Welch (1988), Cox (1991), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
<i>Boiga sangsomi</i> Nutphand, 1983	Banded Cat Snake Ngu Kieo-dong Lai งูเขี้ยวดงลาย	SOUTH: <i>Trang, Krabi:</i> Ban Khanom, Khao Phanom; <i>Nakhon Si Thammarat,</i> Ron Phibun; <i>Surat Thani:</i> Khlong Saeng	Cox (1991), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
<i>Boiga multomaculata</i> (Boie, 1827)	Many-spotted Cat Snake Ngu Me-ta-ngao Rang-nok งูแม่ตะงาวรังนก	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Chiang Mai University NORHTEAST: <i>Loei:</i> Phu Luang, Phu Kradung; <i>Kalasin:</i> Phu Si Than	Smith (1915a), Taylor (1965), Checke (1973b), Inger and Colwell (1977), Welch (1988), Cox (1991), Manthey and

Toxon/Species	Local Common Name	Locality	Reference
<p><i>Boiga nigriceps</i> (Gunther, 1863)</p> <p><i>Boiga ocellata</i> Kroon, 1973</p>	<p>Red Cat Snake Ngu Tong-fi งูดองไฟ</p> <p>Grey Cat Snake Ngu Sae Hang-ma Tao งูแส้หางม้าเทา</p>	<p>EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Tab Lan</p> <p>CENTRAL: <i>Nakhon Pathom:</i> Bang Len; <i>Bangkok</i></p> <p>SOUTHEAST: <i>Chon Buri:</i> Muang, Ang Sila; <i>Sa Kaeo:</i> Pang Sida; <i>Chanthaburi:</i> Khao Soi Dao</p> <p>SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng</p> <p>SOUTH: <i>Trang:</i> Khao Chong; <i>Songkhla:</i> Khao Nam Khang; <i>Narathiwat:</i> Waeng, Hala-Bala; <i>Pattani:</i> Na Pradoo</p> <p>NORTH: <i>Kamphaeng Phet:</i> Khlong Lan</p> <p>EAST: <i>Nakhon Ratchasima:</i> Sakaerat; <i>Ubon Ratchathani:</i> Khaeng Tana</p> <p>SOUTHEAST: <i>Sa Kaeo:</i> Pang Sida; <i>Chachoengsao:</i> Khao Ang Ru Nai</p> <p>SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng</p> <p>Except Southern Thailand</p>	<p>Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)</p> <p>Taylor (1965), Welch (1988), Matsui <i>et al.</i> (1996), Nabhitabhata (per.com.)</p> <p>Kroon (1973), Inger and Colwell (1977), Welch (1988), Cox (1991), Nabhitabhata (per.com.)</p>
<p>Genus <i>Chrysopelea</i> Boie, 1826</p> <p><i>Chrysopelea ornata</i> (Shaw, 1802)</p>	<p>Golden Tree Snake Ngu Kieo Lai Dok-mak (C), Ngu Daeng Hae, Ngu Dok Mak (Lao)</p>	<p>NORTH: <i>Chiang Mai:</i> Doi Chiang Dao, Chiang Mai University</p> <p>EAST: <i>Ubon Ratchathani:</i> Khaeng Tana</p> <p>NORTHEAST: <i>Loei:</i> Phu Luang</p>	<p>Smith (1914a, b, 1915a), Taylor (1965), Checke (1973b), Inger and Colwell (1977), Welch (1988), Cox (1991),</p>

Toxon/Species	Local Common Name	Locality	Reference
	งเขี้ยวลายดอกหมาก	EAST: <i>Chaiyaphum</i> : Phu Kheio; <i>Nakhon Ratchasima</i> : Sikhiu, Sakaerat, Pak Chong SOUTHEAST: <i>Sa Kaeo</i> : Pang Sida; <i>Chanthaburi</i> : Khao Kitchakut; <i>Trat</i> : Koh Chang; <i>Rayong</i> ; <i>Chachoengsao</i> : Khao Ang Ru Nai CENTRAL: <i>Bangkok</i> : Lat Krabang, Bang Khen; <i>Nakhon Nayok</i> : Ongkharak SOUTHWEST: <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Prachuap Khiri Khan</i> : Muang, Had Ao Noi, Hua Hin SOUTH: <i>Trang</i> : Koh Libong, Hat Chao Mai; <i>Phangnga</i> : Khaolak-lamru; <i>Songkhla</i> : Koh Maw, Koh Nu; <i>Pattani</i> : Muang; <i>Narathiwat</i> ; <i>Krabi</i> SOUTH: <i>Phuket</i> ; <i>Phangnga</i> : Khaolak-lamru	Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Grossmann and Tillack (2001), Nabhitabhata (per.com.)
<i>Chrysopelea paradisi</i> Boie, 1827	Paradise Tree Snake Ngu Kieo Ron งเขี้ยวร้อน		Taylor (1965), Frith (1978), Wilch (1988), Cox (1991), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
<i>Chrysopelea pelias</i> (Linnaeus, 1758)	Red Tree Snake Ngu Dog-mak Daeng งดอกหมากแดง	SOUTH: <i>Songkhla</i> : Ton Nga Chang	Cox (1991), Nabhitabhata (per.com.)
Genus <i>Dendrelaphis</i> Boulenger, 1890			
<i>Dendrelaphis caudolineatus</i> (Gray, 1834)	Striped Bronzeback Ngu Sai-man Lang Lai	SOUTH: <i>Chumphon</i> : Khlong Aon, Tapli; <i>Ranong</i> : Tabli; <i>Phangnga</i> : Khaolak-	Taylor (1965), Frith (1977a), Welch (1988), Cox (1991),

Toxon/Species	Local Common Name	Locality	Reference
<i>Dendrelaphis cyanochloris</i> (Wall, 1921)	งูสายม่านหลังลาย Blue Bronzeback Ngu Sai-man Fa Kieo	Iamru; <i>Pattani</i> : Na Pradoo; <i>Phuket</i> , <i>Narathiwat</i> NORTH: <i>Chiang Mai</i> : Doi Inthanon SOUTH: <i>Trang</i> : Kantang; <i>Phuket</i>	Nabhitabhata (per.com.) Taylor (1965), Frith (1977a), Cox (1991), Nabhitabhata (per.com.)
<i>Dendrelaphis formosus</i> (Boie, 1827)	งูสายม่านฟ้าเขียว Elegant Bronzeback Ngu Sai-man Lang Tong	SOUTH: <i>Phuket</i> ; <i>Narathiwat</i> ; <i>Yala</i> : Bannang Sata; <i>Pattani</i>	Taylor (1965), Welch (1988), Cox (1991)
<i>Dendrelaphis pictus</i> (Gmelin, 1789)	งูสายม่านหลังทอง Common Bronzeback Ngu Sai-man Pra Inthra(C), Ngu Kan-chauk, Ngu Lauk-chauk (NE, E), Ngu Lak Klouay (Lao) งูสายม่านพระอินทร์	NORTH: <i>Chiang Mai</i> : Doi Suthep; <i>Nakhon Sawan</i> NORTHEAST: <i>Kalasir</i> : Phu Si Than; <i>Nong Khai</i> : Phu Wua EAST: <i>Nakhon Ratchasima</i> : Sakaerat SOUTHEAST: <i>Sa Kaeo</i> : Pang Sida, Kho Khlan, Watthana Nakhon, Ta Phraya CENTRAL: <i>Bangkok</i> SOUTH: <i>Phuket</i> ; <i>Surat Thani</i> : Thung Tao SOUTHWEST: <i>Phetchaburi</i> : Kaeng Krachan	Smith (1914a, b), Frith (1977a), Inger and Colwell (1977), Welch (1988), Cox (1991), Chan-ard et al. (1999), Nabhitabhata (per.com.)
<i>Dendrelaphis striatus</i> (Cohn, 1906)	Banded Bronzeback Ngu Sai-man Lai Chieng งูสายม่านลายเฉียง	SOUTH:	Cox (1991)
<i>Dendrelaphis subocularis</i> (Boulenger, 1888)	Mountain Bronzeback Ngu Sai-man Kled Tai Ta Yai งูสายม่านเกล็ดใต้ตาใหญ่	NORTH: <i>Chiang Mai</i> : Chiang Dao SOUTHWEST: <i>Uthai Thani</i> : Huai Kha Khaeng EAST: <i>Nakhon Ratchasima</i> : Sakaerat SOUTH: <i>Chumphon</i> : Tasan	Taylor (1965), Cox (1991), Inger and Colwell (1977), Welch (1988), Chan-ard (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Dinodon</i> Dumeril, 1853 <i>Dinodon septentrionale</i> (Gunther, 1875)	Hill Wolf Snake Ngu Plong-chanuan Phu-khao งูปล่องฉนวนภูเขา	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon	Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
Genus <i>Dryocalamus</i> Gunther, 1858 <i>Dryocalamus davisonii</i> (Blanford, 1878)	Common Bridle Snake Ngu Plong-chanuan India (C), Ngu Kan Plong (Lao) งูปล่องฉนวนอินเดีย	EAST: <i>Nakhon Ratchasima:</i> Sakaerat SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab, Khao Soi Dao; <i>Chon Buri:</i> Si Racha CENTRAL: <i>Bangkok</i> SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng SOUTH: <i>Surat Thani:</i> Khlong Saeng, Thung Tao	Smith (1914a, b), Inger and Colwell (1977), Welch (1988), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Dryocalamus subannulatus</i> (Dumeril, Bibron and Dumeril, 1854)	Malayan Bridle Snake Ngu Plong-chanuan Malayu งูปล่องฉนวนมลายู	SOUTH: <i>Narathiwat:</i> Waeng; <i>Nakhon Si Thammarat</i>	Cox (1991), Manthey and Grossmann (1997), Chan-ard (per.com.)
Genus <i>Dryophiops</i> Boulenger, 1896 <i>Dryophiops rubescens</i> (Gray, 1835)	Brown Whip Snake Ngu Tao งูเถา	SOUTH: <i>Surat Thani:</i> Khlong Saeng; <i>Phuket;</i> <i>Trang:</i> Muang, Kantang; <i>Pattani:</i> Na Pradoo, Sai Khao	Taylor (1965), Frith (1977a), Welch (1988), Cox (1991), Chan-ard (per.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
Genus <i>Elaphe</i> Fitzinger, 1828 <i>Elaphe flavolineata</i> (Schlegel, 1837)	Common Malayan Racer Ngu Tang-ma-prao Dam	EAST: <i>Nakhon Ratchasima:</i> Khao Yai SOUTH: <i>Surat Thani:</i> Khlong Saeng;	Taylor (1965), Frith (1977a), Welch (1988), Cox (1991),

Toxon/Species	Local Common Name	Locality	Reference
<i>Elaphe porphyracea</i> (Cantor, 1839)	งูทางมะพร้าวดำ Red Mountain Racer Ngu Tang-ma-prao Daeng งูทางมะพร้าวแดง	<i>Phuket; Narathiwat:</i> Bang Nara; <i>Satun; Phangnga</i> NORTH: <i>Chiang Mai:</i> Doi Inthanon, Doi Suthep-Pui, Doi Ang Khang; Mae Hong Son NORTHEAST: <i>Loei:</i> Phu Luang EAST: <i>Chaiyaphum:</i> Phu Khieo	Grossmann (1996), Schulz (1996), Nabhitabhata (per.com.) Taylor (1965), Inger and Colwell (1977), Welch (1988), Chan-ard <i>et al.</i> (1999), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Schulz (1996), Nabhitabhata (per.com.)
<i>Elaphe radiata</i> (Boie, 1827)	Copperheaded Racer Ngu Tang-ma-prao Lai Keet (C), Ngu Sa (N, NE, E), Ngu Sing Sa, Ngu Sing Plouak (Lao) งูทางมะพร้าวลายขีด	NORTH: <i>Chiang Mai:</i> Chiang Mai University; <i>Tak:</i> Umphang; <i>Mae Hong Son</i> NORTHEAST: <i>Phetchabun:</i> Nam Nao; <i>Loei:</i> Phu Luang; <i>Khon Khaen:</i> Phu Wiang; <i>Sakon Nakhon:</i> Phu Phan; <i>Kalasin:</i> Phu Si Than EAST: <i>Chaiyaphum:</i> Phu Khieo; <i>Nakhon Rachasima:</i> Khao Yai, Sakaerat; <i>Ubon Ratchathani:</i> Khaeng Tana, Yod Dom SOUTHEAST: <i>Chon Buri</i> CENTRAL: <i>Saraburi:</i> Muak Lek; <i>Bangkok</i> SOUTHWEST: <i>Phetchaburi:</i> Khao Yoi; <i>Uthai Thani:</i> Khao Pla Ra; <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Chumphon:</i> Muang; <i>Songkhla:</i> Rattaphum; <i>Surat Thani:</i> Khlong Saeng;	Smith (1914a, b), Gairder and Smith (1915a), Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Schulz (1996), Manthey and Grossmann (1997), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Elaphe taeniura</i> (Cope, 1861)	Stripe-tailed Racer Ngu Gab-mak Dam งูหางหมากดำ	<i>Phuket; Trang:</i> Khao Chong; <i>Pattani; Narathiwat:</i> Phru To Daeng NORTHEAST: <i>Loei:</i> Phu Luang SOUTHWEST: <i>Kanchanaburi:</i> Salak Phra, Sai Yok; <i>Phetchaburi:</i> Khao Yoi SOUTH: <i>Surat Thani:</i> Khlong Saeng; <i>Satur:</i> Thalebun; <i>Songkhla:</i> Ton Nga Chang; <i>Yala</i>	Taylor (1965), Welch (1988), Cox (1991), Schulz (1996)
Genus <i>Gonyosoma</i> Wagler, 1828			
<i>Gonyosoma prasina</i> (Blyth, 1854)	Green Mountain Racer Ngu Tang-ma-prao Kieo งูทางมะพร้าวเขียว	NORTHEAST: <i>Loei:</i> Phu Luang	Schulz (1996), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Gonyosoma oxycephalum</i> (Boie, 1827)	Red-tailed Racer Ngu Kieo Kab-mak, Ngu Kieo Chang (Lao, Loei) งูเขียวหางหมาก	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon NORTHEAST: <i>Phetchabun:</i> Nam Nao; <i>Loei:</i> Phu Luang; <i>Kalasin:</i> Phu Si Than EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai; <i>Roi Et:</i> Nong Pok; <i>Ubon Ratchathani:</i> Yod Dom SOUTHEAST: <i>Chanthaburi:</i> Khao Kitchakut SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok SOUTH: <i>Surat Thani:</i> Koh Tan; <i>Phangnga; Trang:</i> Khao Chong; <i>Satur:</i> Thalabun; <i>Narathiwat; Pattani</i>	Gairder and Smith (1915), Taylor (1965), Frith (1977a), Welch (1988), Chan-ard <i>et al.</i> (1999), Cox (1991), Schulz (1996), Inger and Colwell (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Leiopeltis</i> Boulenger, 1900 <i>Leiopeltis baliodeirus</i> (Boie, 1827)	Striped Ringneck Ngu Sai-tong Lai taeb งูสายทองลายแถบ	SOUTH: <i>Narathiwat</i> : Hala-Bala; <i>Nakhon Si Thammarat</i> ; Khao Luang, Ron Phibun; <i>Phuket</i>	Taylor (1965), Welch (1988), Cox (1991)
<i>Liopeltis scriptus</i> (Theobald, 1868)	Common Ringneck Ngu Sai-tong Ko Waen งูสายทองคอแหวน	EAST: <i>Nakhon Ratchasima</i> : Sakaerat; <i>Chaiyaphum</i> : Phu Khieo SOUTHWEST: <i>Kanchanaburi</i> : Sai Yok; <i>Phetchaburi</i> : Phetchaburi River; <i>Uthai Thani</i> : Huai Kha Khaeng SOUTH: <i>Nakhon Si Thammarat</i> : Khao Luang, Ron Phibun; <i>Phuket</i> : Ta Lo Po SOUTH:	Taylor (1965), Frith (1977a), Inger and Colwell (1977), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
<i>Liopeltis tricolor</i> (Schlegel, 1872)	Malayan Ringneck Ngu Sai-tong Malayu งูสายทองมลายู		Cox (1991)
Genus <i>Lepturophis</i> Boulenger, 1900 <i>Lepturophis albofuscus</i> (Dumeril, Bibron and Dumeril, 1854)	Slender Wolf Snake Ngu Plong-chanuanm Borneo งูปล้องฉนวนบอร์เนียว	EAST: <i>Nakhon Ratchasima</i> : Sakaerat SOUTH: <i>Nakhon Si Thammarat</i> : Thung Song	Manthey and Grossmann (1977), Nabhitabhata (per.com.)
Genus <i>Lycodon</i> Boie, 1826 <i>Lycodon butleri</i> Boulenger, 1900	Butler's Wolf Snake Ngu Plong-chanuan Malayu งูปล้องฉนวนมลายู	SOUTH: <i>Nakhon Si Thammarat</i> : Thung Song	Nabhitabhata (per.com.)
<i>Lycodon capucinus</i> Boie, 1827	Common Wolf Snake Ngu Soi-luang งูสร้อยเหลือง	NORTH: <i>Chiang Mai</i> : Doi Suthep-Pui, Doi Inthanon; <i>Phrae</i> : Mae Yom NORTHEAST: <i>Phetchaburi</i> : Nam Nao;	Smith (1914a, b), Taylor (1965), Inger and Colwell (1977), Welch (1980), Matsui <i>et al.</i>

Toxon/Species	Local Common Name	Locality	Reference
<i>Lycodon effraensis</i> (Cantor, 1847)	Brown Wolf Snake Ngu Plong-chanuan Malayu งูปล้องฉนวนมลายู	<i>Loei</i> : Phu Luang EAST : <i>Nakhon Ratchasima</i> : Sakaerat, Khao Yai; <i>Roi Et</i> : Nong Pok (Phu Pha Nam Thip) SOUTHEAST : <i>Sa Kaeo</i> : Ta Phraya, Kho Khlan; <i>Chon Buri</i> CENTRAL : <i>Bangkok</i> : Lop Buri SOUTHWEST : <i>Prachuap Khiri Khan</i> : Muang, Huai Yang, Tab Sakae, Ao Noi; <i>Uthai Thani</i> : Huai Kha Khaeng; <i>Ratchaburi</i> , <i>Kanchanaburi</i> : Salak Pra; <i>Phetchaburi</i> : Khaeng Krachan SOUTH : <i>Ranong</i> : Muang; <i>Phangnga</i> : Phangnga Bay; <i>Phuket</i> SOUTH : <i>Nakhon Si Thammarat</i> : Thung Song	(1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Lycodon fasciatus</i> (Anderson, 1879)	Indian anded Wolf Snake Ngu Plong-chanuan Moeng Noe (C), Ngu Kan Plong (Lao) งูปล้องฉนวนเมืองเหนือ, งูก้านปล้อง	NORTH : <i>Mae Hong Son</i> : Pang Tong; <i>Chiang Mai</i> : Doi Suthep-Pui, Doi Inthanon; <i>Tak</i> : Umphang; <i>Phrae</i> : Mae Yom NORTHEAST : <i>Phetchaburi</i> : Nam Nao; <i>Loei</i> : Phu Luang EAST : <i>Nakhon Ratchasima</i> : Sakaerat, Khao Yai	Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.) Inger and Colwell (1977), Welch (1988), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Lycodon laoensis</i> Gunther, 1864	Laotian Wolf Snake Ngu Plong-chanuan Lao (C), Ngu Kan Plong (Lao) งูปล่องฉนวนลาว, งูก้านปล่อง	SOUTHEAST: <i>Chachoengsao</i> : Khao Ang Ru Nai NORTH: <i>Chiang Mai</i> : Chiang Mai University NORTHEAST: <i>Nong Khai</i> : Phu Wua EAST: <i>Nakhon Ratchasima</i> : Sakaerat, Khao Yai; <i>Si Sa Ket</i> : Ban Mak Yang SOUTHEAST: <i>Sa Kaeo</i> : Pang Sida, Kho Khlan; <i>Rayong</i> ; <i>Trat</i> : Koh Chang CENTRAL: <i>Saraburi</i> : Muak Lek SOUTHWEST: <i>Prachuap Khiri Khan</i> : Tab Sakae, Huai Yang SOUTH: <i>Nakhon Si Thammarat</i> : Thong Song, Nabon, Khao Luang; <i>Surat Thani</i> : Khao Tha Phet; <i>Krabi</i> : Khao Phanom Bencha; <i>Trang</i> : Had Chao Mai; <i>Pattani</i> ; <i>Narathiwat</i>	Taylor (1965), Checke (1973b), Inger and Colwell (1977), Welch (1988), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
<i>Lycodon subcinctus</i> Boie, 1827	Malayan Banded Wolf Snake Ngu Plong-chanuan Ban งูปล่องฉนวนบ้าน	NORTH: <i>Phrae</i> : Mae Yom EAST: <i>Nakhon Ratchasima</i> : Sakaerat SOUTHEAST: <i>Sa Kaeo</i> : Pang Sida SOUTH: <i>Narathiwat</i> : Hala-Bala, Tak Bi; <i>Surat Thani</i> : Khlong Saeng; <i>Nakhon Si Thammarat</i> : Thung Song, Ron Phibun; <i>Pattani</i> : Na Pradoo	Taylor (1965), Inger and Colwell (1977), Welch (1988), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Oligodon</i> Boie, 1827 <i>Oligodon barroni</i> (Smith, 1916)	Barron's Kukri Snake Ngu Pi-kaeo Hua Lai Hua-ji งูบีแก้วหลายหัวใจ	SOUTHEAST: <i>Chon Buri</i> : Sri Racha (Hub Bon, Ang Sila); <i>Rayong</i> : Muang CENTRAL: <i>Saraburi</i> : Muak Lek	Smith (1916b, c), Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
<i>Oligodon cinereus</i> (Gunther, 1864)	Ashy Kukri Snake Ngu Pi-kaeo Lai Kra งูบีแก้วลายกระ	NORTH: <i>Chiang Mai</i> : Muang, Chiang Dao EAST: <i>Nakhon Ratchasima</i> : Sakaerat	Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
<i>Oligodon fasciolatus</i> (Gunther, 1864)	Banded Kukri Snake Ngu Pi-kaeo Lai Taem งูบีแก้วลายแถม	NORTH: <i>Chiang Mai</i> : Chiang Mai University EAST: <i>Nakhon Ratchasima</i> : Sakaerat; <i>Ubon Ratchathani</i> : Yod Dom SOUTHEAST: <i>Chanthaburi</i> : Khao Soi Dao; <i>Chon Buri</i> : Bang Lamung; <i>Sa Kaeo</i> : Ta Phraya CENTRAL: <i>Bangkok</i> SOUTH: <i>Chumphon</i>	Smith (1914a, b), Taylor (1965), Checke (1973b), Inger and Colwell (1977), Welch (1988), Grossmann (1992), Chan-ard et al. (1999)
<i>Oligodon catenatus</i> (Blyth, 1854)	Blyth's Kukri Snake Ngu Pi-kaeo Phu Luang งูบีแก้วภูหลวง	NORTHEAST: <i>Loei</i> : Phu Luang	Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Oligodon inornatus</i> (Boulenger, 1914)	Inornate Kukri Snake Ngu Pi-kaeo Si Jang งูบีแก้วสีจาง	NORTH: <i>Tak</i> NORTHEAST: <i>Loei</i> SOUTHEAST: <i>Chon Buri</i> : Sri Racha; Trat	Welch (1988), Cox (1991), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Oligodon joynseni</i> (Smith, 1917)	Grey Kukri Snake Ngu Pi-kaeoYai งูปีแก้วใหญ่	SOUTHWEST: <i>Uthai Thani</i> NORTH: <i>Lampang</i> : Ngao, Mae Wang; <i>Kamphaeng Phet</i> : Khlong Lan EAST: <i>Nakhon Ratchasima</i> : Khao Yai NORTHEAST:	Smith (1917d), Taylor (1965), Cox (1991), Chan-ard (per.com.), Nabhitabhata (per.com.) Welch (1988), Cox (1991)
<i>Oligodon mouhoti</i> (Boulenger, 1914)	Cambodian Kukri Snake Ngu Ngod Kamir งูจอตเขมร		
<i>Oligodon purpurascens</i> (Schlegel, 1837)	Brown Kukri snake Ngu Kut งูคุด	SOUTH: <i>Surat Thani</i> : Khao Tha Phet; <i>Narathiwat</i> : Hala-Bala, Phru To Daeng; <i>Pattani</i> : Na Pradoo	Taylor (1965), Welch (1988), Cox (1991), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Oligodon quadrilineatus</i> (Jan, 1865)	Four-lined Kukri Snake Ngu Ngod Lai Si Keet งูจอตลายสี่ขีด	EAST: <i>Chaiyaphum</i> : Phu Khieo; <i>Nakhon Ratchasima</i> : Pak Chong; <i>Si Sa Ket</i> : Bung Bun CENTRAL: <i>Bangkok</i> ; <i>Nonthaburi</i> ; <i>Saraburi</i>	Taylor (1965), Welch (1988), Cox (1991), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Oligodon taeniatus</i> (Gunther, 1861)	Striped Kukri Snake Ngu Ngod Thai งูจอตไทย	EAST: <i>Si Sa Ket</i> CENTRAL: <i>Bangkok</i> SOUTHWEST: <i>Prachuap Khiri Khan</i> : Hua Hin SOUTH: <i>Songkhla</i> ; <i>Pattani</i> : Na Pradoo	Smith (1914a, b), Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Nabhitabhata (per.com.) Nabhitabhata (per.com.)
<i>Oligodon theobaldi</i> (Gunther, 1868)	Theobald's Kukri Snake Ngu Pi-kaeo Pama งูปีแก้วพม่า	NORTH: <i>Kamphaeng Phet</i> : Mae Wong	

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Ptyas</i> Fitzinger, 1843 <i>Ptyas carinatus</i> (Gunther, 1858)	Keeled Rat Snake Ngu Sing Hang Dam งูสิงหางดำ	NORTH: <i>Chiang Mai</i> ; <i>Lampang</i> : Ngao; <i>Tak</i> : Umphang SOUTHWEST: <i>Kanchanaburi</i> : Sri Sawat (Salak Pra) SOUTH: <i>Trang</i> : Khao Chong; <i>Nakhon Si Thammarat</i> ; <i>Pattani</i> ; <i>Yala</i> SOUTH: from animal dealer	Taylor (1965), Frith (1977a), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Ptyas fuscus</i> (Gunther, 1858)	Gunther's Rat Snake Ngu Sing Tai งูสิงใต้		Chan-ard (per.com.)
<i>Ptyas korros</i> (Schlegel, 1837)	Indochinese Rat Snake Ngu Sing Ban, Ngu Hao Ta-lan (C), Ngu Sing Na, Ngu Sing Dong (Lao) งูสิงบ้าน, งูเห่าตาลาน, งูสิงนา, งูสิงดง	NORTH: <i>Tak</i> : Thung Yai (eastern); <i>Chiang Mai</i> : Chiang Mai University NORTHEAST: <i>Nong Bua Lam Phu</i> : Muang, Si Bun Ruang; <i>Nong Khai</i> : Phu Wua; <i>Kalasir</i> : Phu Si Than EAST: <i>Chaiyaphum</i> : <i>Nakhon Ratchasima</i> ; <i>Ubon Ratchathani</i> : Khaeng Thana, Yod Dom; <i>Si Sa Ket</i> : Bung Bun SOUTHEAST: <i>Sa Kaeo</i> : Pang Sida; <i>Chanthaburi</i> : Khao Kitchakut; <i>Chon Buri</i> CENTRAL: <i>Bangkok</i> : Bang Khen, Lat Krabang; <i>Pathum Thani</i> : Khlong Luang; <i>Saraburi</i> SOUTH: <i>Chumphon</i> : Tabli; <i>Songkhla</i> : Muang; <i>Phattalung</i> ; <i>Trang</i> ; <i>Nakhon Si</i>	Smith (1914a, b), Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Matsui <i>et al.</i> (1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Ptyas mucosus</i> (Linnaeus, 1758)	Oriental Rat Snake Ngu Sing Hang Lai, Ngu Sing Dong (C), Ngu Kan Tao, Ngu Sing Soe (Lao) งูสิงหางลาย, งูสิงดง, งูก้านเต้า, งูสิงเสื่อ	<i>Thammarat</i> : Muang; <i>Pattani</i> : Khok Pho; <i>Narathiwat</i> ; <i>Yala</i> NORTH : <i>Chiang Mai</i> NORTHEAST : <i>Phetchabun</i> : Nam Nao; <i>Nong Khai</i> : Phu Wuua; <i>Kalasin</i> : Phu Si Than; <i>Nakhon Phanom</i> EAST : <i>Si Sa Ket</i> : Bung Bun; <i>Ubon Ratchathani</i> : Khaeng Thana, Yod Dom CENTRAL : <i>Bangkok</i>	Smith (1914a, b), Taylor (1965), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Genus <i>Sibynophis</i> Fitzinger, 1843 <i>Sibynophis collaris</i> (Gray, 1853)	Common Blackhead Ngu Ko-kwan Dam งูคอขวันดำ	NORTH : <i>Chiang Mai</i> : Doi Suthep-Pui, Khaeng Pan Tao EAST : <i>Nakhon Ratchasima</i> : Sakaerat, Khao Yai SOUTHEAST : <i>Trat</i> : Koh Chang SOUTHWEST : <i>Kanchanaburi</i> : Sai Yok SOUTH : <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Pattani</i> : Na Pradoo; <i>Narathiwat</i>	Gairder and Smith (1915), Smith (1930), Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
<i>Sibynophis melanocephalus</i> (Gray, 1834)	Malayan Blackhead Ngu Ko-kwan Hua Dam งูคอขวันหัวดำ	NORTH : <i>Chiang Mai</i> : Doi Suthep-Pui NORTHEAST : <i>Loei</i> : Phu Luang EAST : <i>Chaiyaphum</i> : Phu Khieo; <i>Nakhon Ratchasima</i> : Khao Yai SOUTHEAST : <i>Chon Buri</i> : Sri Racha; <i>Chachoengsao</i> : Khao Ang Ru Nai;	Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
<i>Sibynophis triangularis</i> Taylor and Elbel, 1958	Triangle Blackhead Ngu Ko-kwan Hua Lai Sam-laem งูคอขวันหัวลายสามเหลี่ยม		Taylor and Elbel (1958), Soderberg (1966), Taylor (1965), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
		<i>Chanthaburi</i> : Khao Kitchakut, Khao Soi Dao; <i>Trat</i> : Koh Chang	
Genus <i>Stegonotus</i> Dumeril and Bibron, 1853			
<i>Stegonotus borneensis</i> Inger, 1967	Borneo Red Snake Ngu Daeng Borneo งูแดงบอร์เนียว	SOUTH:	Nabhitabhata (per.com.)
Genus <i>Xenelaphis</i> Gunther, 1864			
<i>Xenelaphis hexagonotus</i> (Cantor, 1847)	Malayan Brown Snake Ngu Kuan Kanun, Ngu Bong-la Nam งูควนขนุน, งูบองหลาน้ำ	SOUTH: <i>Surat Thani</i> ; <i>Phattalung</i> : Thale Noi, Khuan Khanun; <i>Narathiwat</i> : Phru To Daeng	Welch (1988), Cox (1991), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Subfamily Psammophiinae			
Genus <i>Psammophis</i> Fitzinger, 1826			
<i>Psammophis condenarus</i> (Merrem, 1820)	Indochinese Sand Snake Ngu Man-tong งูมันทอง	NORTH: <i>Chiang Mai</i> : Doi Suthep-Pui CENTRAL: <i>Bangkok</i> : Sala Daeng; <i>Nonthaburi</i> ; <i>Lop Buri</i> ; <i>Pathum Thani</i> ; <i>Saraburi</i> EAST: <i>Chaiyaphum</i> : Phu Khieo SOUTHWEST: <i>Ratchaburi</i> : Photharam	Smith (1914a, b), Taylor (1965), Welch (1988), Cox (1991), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Subfamily Pseudoxenodontinae			
Genus <i>Plagiopholis</i> Boulenger, 1893			
<i>Plagiopholis nuchalis</i> (Boulenger, 1893)	Assamese Mountain Snake Ngu Hua Lai Luk-son งูหัวลายลูกศร	NORTH: <i>Chiang Mai</i> : Doi Suthep-Pui, Doi Pha Hom Pok, Doi Inthanon; <i>Lampang</i> : Doi Khun Tan NORTHEAST: <i>Loei</i> : Phu Luang	Gairder and Smith (1915), Taylor (1965), Checke (1973b), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996),

Toxon/Species	Local Common Name	Locality	Reference
		SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok	Matsui <i>et al.</i> (1998), Chan-ard (per.com.), Nabhitabhata (per.com.)
Genus <i>Pseudoxenodon</i> Boulenger, 1890 <i>Pseudoxenodon macrops</i> (Blyth, 1855)	Big-eyed Mountain Keelback Ngu Lai-Sab Ta To งูลายสามตาโต	NORTH: <i>Phitsanulok:</i> Phu Hin Rong Khla; <i>Chiang Mai:</i> Pha Muang, Doi Suthep-Pui, Doi Inthanon NORTHEAST: <i>Loei:</i> Phu Luang, Ban Khok, Don Sai; <i>Phetchaburi:</i> Nam Nao EAST: <i>Nakhon Ratchasima:</i> Khao Yai SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao	Taylor (1965), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Subfamily Natricinae			
Genus <i>Amphiesma</i> Dumeril, Bibron and Dumeril, 1854 <i>Amphiesma deschauenseei</i> Taylor, 1934	Northern Keelback Ngu Lai-sab Tong Sam Keet งูลายสามห้องสามขีด	NORTH: <i>Chiang Mai</i> SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng	Taylor (1934, 1965), Welch (1988), Cox (1991)
<i>Amphiesma groundwateri</i> (Smith, 1921)	Groundwater's Keelback Ngu Lai-sab Tasan งูลายสามท่าसान	SOUTH: <i>Chumphon:</i> Tasan	Smith (1921), Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
<i>Amphiesma inas</i> (Laidlaw, 1901)	Malayan Mountain Keelback Ngu Lai-sab Malayu งูลายสามมลายู	NORTHEAST: <i>Loei:</i> Phu Luang EAST: <i>Nakhon Ratchasima:</i> Khao Yai SOUTHWEST: <i>Prachuap Khiri Khan:</i> Huai Tam Pra SOUTH: <i>Nakhon Si Thammarat:</i> Khao Luang	Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Amphiesma stolata</i> (Linnaeus, 1758)	White-striped Keelback Ngu Lai-sab Dok-ya งูลายสามดอกหญ้า	NORTH: <i>Chiang Mai:</i> Doi Suthep, Chiang Mai University; <i>Lamphun:</i> Muang; <i>Nakhon Sawan</i> NORTHEAST: <i>Phetchabun:</i> Nam Nao; <i>Nakhon Phanom:</i> Nakae; <i>Khon Khaen</i> EAST: <i>Nakhon Ratchasima:</i> Sakaerat; <i>Si Sa Ket:</i> Ban Mak Taeng CENTRAL: <i>Bangkok, Saraburi,</i> Chainat; <i>Lop Buri</i> SOUTHWEST: <i>Ratchaburi:</i> Khao Pra Tab Chang	Smith (1914a, b), Taylor (1965), Checke (1973b), Welch (1988), Cox (1991), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
Genus <i>Macropisthodon</i> Boulenger, 1893			
<i>Macropisthodon flaviceps</i> (Dumeril, Bibron and Dumeril)	Red-headed Keelback Ngu Rang-hae Hua Daeng งูรังแห้วแดง	SOUTH: <i>Surat Thani:</i> Muang; Ban Don (Muang)	Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
<i>Macropisthodon rhodomias</i> (Boie, 1827)	Blue-necked Keelback Ngu Rang-hae Lang Son งูรังแห้วหลังคร	SOUTH: <i>Trang:</i> Khao Chong; <i>Nakhon Si Thammarat</i>	Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
Genus <i>Opisthotropis</i> Gunther, 1872			
<i>Opisthotropis boonsongi</i> (Taylor and Elbel, 1958)	Boonsong's Keelback Ngu Lai-so Mo Boonsong งูลายสอหมอบนุญสง	NORTHEAST: <i>Loei:</i> Phu Luang, Dan Sai, Na Phang	Taylor and Elbel (1958), Taylor (1965), Welch (1988), Cox (1991), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Opisthotropis praemaxillaris</i> (Angel, 1929)	Angel's Mountain Keelback Ngu Lai-so Lao Noe งูลายสอลลาวเหนือ	NORTH: <i>Chiang Mai:</i> Doi Saket	Welch (1988), Cox (1991)
<i>Opisthotropis spenceri</i> Smith, 1918	Spencer's Mountain Keelback Ngu Lai-so Song Si งูลายสอลสองสี	NORTH: <i>Lampang:</i> Ngao	Smith (1918), Taylor (1965), Welch (1988), Nabhitabhata (per.com.)
Genus <i>Rhabdophis</i> Fitzinger, 1843			
<i>Rhabdophis chrysargos</i> (Schlegel, 1837)	Speckled-bellied Keelback Ngu Lai-sab Chut Dam Kao งูลายสามจุดดำขาว	NORTH: <i>Tak:</i> Thung Yai (eastern); <i>Chiang Mai</i> EAST: <i>Nakhon Ratchasima:</i> Tab Lan, Khao Yai; <i>Roi Et:</i> Nak Prok SOUTHEAST: <i>Trat:</i> Khlong Manao, Koh Chang; <i>Khao Soi Dao;</i> <i>Rayong:</i> Khao Chamao SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok; <i>Prachuap Khiri Khan:</i> Khlong Bang Lai SOUTH: <i>Chumphon:</i> Mab Ammarit; <i>Nakhon Si Thammarat:</i> Khao Luang, Khao Wang Hip; <i>Narathiwat:</i> Hala-Bala; <i>Trang:</i> Khao Chong; <i>Phangnga:</i> Khaolak-lamru; <i>Krabi:</i> Sa Bok Khoranee; <i>Yala:</i> Betong	Gairder and Smith (1915), Taylor (1965), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Rhabdophis nigrocinctus</i> (Blyth, 1856)	Green Keelback Ngu Lai-sab Kieo Kwan Dam งูลายสามเขียวขวันดำ	NORTH: <i>Chiang Mai:</i> Phang, Doi Suthep-Pui, Doi Inthanon NORHEAST: <i>Loei:</i> Phu Luang	Taylor (1965), Frith (1977), Welch (1988), Cox (1991), Matsui <i>et al.</i> (1996, 1998),

Toxon/Species	Local Common Name	Locality	Reference
<p><i>Rhabdophis subminiatus</i> (Schlegel, 1837)</p>	<p>Red-necked Keelback Ngu Lai-Sab Ko Daeng (C), Ngu Daeng Hae, Ngu Ta Hae, Ngu soi (NE, E, Lao), Ngu Ko Mak-phrik, Ngu Pao, Ngu Hao Fi (Lao) งูลายสามคอแดง, งูดางแห, งูดานแห, งูสร้อย, งูคอหมากพริก, งูเฒ่า, งูเห่าไฟ</p>	<p>EAST: <i>Nakhon Ratchasima:</i> Khao Yai SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab; <i>Sa Kaeo:</i> Pang Sida SOUTHWEST: <i>Kanchanaburi</i> SOUTH: <i>Chumphon:</i> Tasan, Tapli; <i>Phangnga:</i> Khaolak-lamru; <i>Trang:</i> Khao Chong; <i>Surat Thani:</i> Khlong Saeng; <i>Phuket</i> NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui, Doi Inthanon, Doi Chiang Dao NORTHEAST: <i>Loei:</i> Phu Luang; <i>Phetchabun:</i> Nam Nao; <i>Nong Khai:</i> Phu Wua; <i>Kalasir:</i> Phu Si Than EAST: <i>Chaiyaphum:</i> Phu Khieo; <i>Ubon Ratchathani:</i> Yod Dom, Khaeng Thana; <i>Buri Ram:</i> Huai Sala; <i>Nakhon Ratchasima:</i> Khao Yai, Pak Chong SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao, Khao Kitchakut CENTRAL: <i>Bangkok</i> SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok, Thong Pha Phum SOUTH: <i>Ranong:</i> Muang; <i>Surat Thani:</i> Khlong Saeng; <i>Nakhon Si Thammarat:</i> Khao Luang; <i>Phangnga:</i> Hat Thai Muang,</p>	<p>Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)</p> <p>Smith (1914a, b), Taylor (1965), Frith (1977a), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)</p>

Toxon/Species	Local Common Name	Locality	Reference
		Khaolak-lamru; <i>Phuket</i> ; <i>Trang</i> . Khaosong; <i>Narathiwat</i>	
Genus <i>Sinonatrix</i> Rossman and Eble, 1977			
<i>Sinonatrix percarinata</i> (Boulenger, 1899)	Chinese Keelback Ngu Lai-so Chine งูลายสอจีน	NORTH: <i>Chiang Mai</i> : Doi Suthep-Pui NORTHEAST: <i>Loei</i> : Phu Luang	Smith (1923), Taylor (1965), Welch (1988), Cox (1991), Nabhitabhata (per.com.)
Genus <i>Xenochrophis</i> Gunther, 1864			
<i>Xenochrophis flavipunctatus</i> (Hallowell, 1860)	Common Keelback Ngu Lai-so Suan(C), Ngu Daeng Hae (NE, E, Lao) งูลายสอสวน, งูแดงเห	NORTH: <i>Chiang Mai</i> : Muang; <i>Phrae</i> : Mae Yom NORTHEAST: <i>Khon Khaen</i> : Phu Wiang; <i>Mukdahan</i> ; <i>Nong Khai</i> : Phu Wua; <i>Kalasin</i> : Phu Si Than EAST: <i>Nakhon Ratchasima</i> : Khao Yai, Pak Chong; <i>Chaiyaphum</i> : Khon San, Phu Khieo; <i>Ubon Ratchathani</i> : Khaeng Thana, Yod Dom; <i>Si Sa Ket</i> : Ban Mak Yang SOUTHEAST: <i>Chon Buri</i> CENTRAL: <i>Bangkok</i> : Lat Krabang, Chatujak SOUTHWEST: <i>Prachuap Khiri Khan</i> : Ao Noi; <i>Kanchanaburi</i> : Sai Yok SOUTH: <i>Phattalung</i> : Thale Noi; <i>Surat Thani</i> : Khao Tha Phet, Tha Chana, Nasan; <i>Ranong</i> : Khlong Naka; <i>Narathiwat</i> ; <i>Satun</i> : Thalebun	Smith (1914a, b), Gairder and Smith (1915), Taylor (1965), Frith (1977), Welch (1988), Cox (1991), Manthey and Grossmann (1997), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Murphy <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Xenochrophis piscator</i> (Schneider, 1799)	Checkered Keelback Ngu Lai-so Yai (C), Ngu Daeng Hae, Ngu Ta Hae (NE, E, Lao) งูลายสอใหญ่, งูต่างแห, งูตาแห	NORTH: <i>Chiang Mai:</i> Muang, Chaing Mai University; <i>Mae Hong Son:</i> <i>Salawin</i> ; <i>Tak:</i> Thung Yai (eastern) NORTHEAST: <i>Loei:</i> Phu Kradung, Phu Luang EAST: <i>Nakhon Ratchasima:</i> Sakaerat SOUTHEAST: <i>Trat:</i> Muang, Koh Chang; <i>Sa Kaeo:</i> Pang Sida CENTRAL: <i>Bangkok:</i> Bang Khen; <i>Pathum Thani:</i> Rangsit SOUTHWEST: <i>Uthai Thani:</i> Huay Kha Khaeng; <i>Kanchanaburi:</i> Sai Yok SOUTHWEST: <i>Kanchanaburi:</i> Sangkhla Buri, Thong Pha Phum SOUTH: <i>Chumphon:</i> Pathiu; <i>Ranong:</i> Muang; <i>Trang:</i> Khao Chong; <i>Pattani:</i> Na Pradoo; <i>Phangnga:</i> Khaolak-lamru; <i>Narathiwat:</i> Hala-Bala; <i>Nakhon Si Thammarat:</i> Khlong Wang Hip	Checke (1973b), Chan-ard (perk.com.), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Xenochrophis trianguligerus</i> (Boie, 1827)	Triangle Keelback Ngu Lai-so Lai Sam-laem งูลายสอลายสามเหลี่ยม		Taylor (1965), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
Natricinae incertae sedis			
Genus <i>Psammodynastes</i> Gunther, 1858			
<i>Psammodynastes pulverulentus</i> (Boie, 1827)	Mock Viper Ngu Mok งูหมอก	NORTH: <i>Phrae</i> ; <i>Chiang Mai:</i> Doi Suthep-Pui, Kaeng Pan Tao; <i>Lampang:</i> Doi Khun Tan NORTHEAST: <i>Loei:</i> Phu Luang; <i>Nong Khai</i>	Gairder and Smith (1915), Smith (1915a), Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991),

Toxon/Species	Local Common Name	Locality	Reference
		EAST: <i>Nakhon Ratchasima</i> : Sakaerat, Pak Chong, Khao Yai SOUTHEAST: <i>Chon Buri</i> : Sri Racha; <i>Sa Kaeo</i> : Pang Sida; <i>Trat</i> : Khao Saming; <i>Chanthaburi</i> : Plieo CENTRAL: <i>Bangkok</i> SOUTHWEST: <i>Kanchanaburi</i> : Sai Yok; <i>Prachuap Khiri Khan</i> : Phran Buri SOUTH: <i>Pattani</i> ; <i>Narathiwat</i> ; <i>Nakhon Si Thammarat</i> : Thung Song, Khao Luang; <i>Surat Thani</i> : Thung Tao, Khlong Saeng, Khao Sok; <i>Phuket</i>	Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Family ELAPIDAE			
Subfamily Bungarinae			
Genus <i>Bungarus</i> Daudin, 1803			
<i>Bungarus candidus</i> (Linnaeus, 1758)	Blue Krait Ngu Tab-sa-ming-khla (C), Ngu Kan Plong, Ngu Tam Tan, Ngu Tap Tan (Lao) งูทับสมิงคลา, งูก้านปล้อง, งูตามธาร, งูทับธาร	NORTH: <i>Chiang Mai</i> : Doi Chiang Dao, Chiang Mai University NORTHEAST: <i>Phetchabun</i> : Nam Nao; <i>Loei</i> : Phu Luang; <i>Mukdahan</i> : Phu Si Than; <i>Nong Khai</i> : Phu Wu; <i>Kalasin</i> : Phu Si Than EAST: <i>Nakhon Ratchasima</i> : Sakaerat, Khao Yai; Buri Ram: Ta Phraya, Nang Rong; <i>Ubon Ratchathani</i> : Yod Dom, Kaeng Thana	Smith (1914a, b), Taylor (1965), Checke (1973b), Frith (1977a), Inger and Colwell (1977), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Matsui <i>et al.</i> (1996, 1998)

Toxon/Species	Local Common Name	Locality	Reference
<i>Bungarus fasciatus</i> (Schneider, 1801)	Banded Krait Ngu Samlaem (C), Ngu Kan Plong, Ngu Tam Tan, Ngu Tap Tan (NE,E, Lao) งูสามเหลี่ยม, งูค้ำปปล้อง, งูตามธาร, งูทับธาร	SOUTHEAST: <i>Chon Buri:</i> Sri Racha; <i>Trat:</i> Koh Kut SOUTH: <i>Trang:</i> Khao Chong; <i>Pattani:</i> Na Pradoo NORTH: <i>Chiang Mai:</i> Muang NORTHEAST: <i>Phetchaburi:</i> Nam Nao; <i>Loei:</i> Phu Luang; <i>Nong Khai:</i> Phu Wua; <i>Kalasin:</i> Phu Si Than EAST: <i>Chaiyaphum:</i> Phu Khieo; <i>Roi Et:</i> Nong Phok; <i>Ubon Ratchathani:</i> Yod Dom, Kaeng Thana; <i>Nakhon Ratchasima:</i> Khao Yai SOUTHEAST: <i>Chanthaburi:</i> Khao Kitchakut CENTRAL: <i>Bangkok:</i> Nong Jok, Bangkok Noi, Bangkok Yai SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng; <i>Kanchanaburi:</i> Khao Laem SOUTH: <i>Ranong:</i> Khlong Naka; <i>Surat Thani:</i> Khao Tha Phet, Thung Tao; <i>Narathiwat:</i> Phru To Daeng SOUTHWEST: <i>Ratchaburi:</i> Chom Bung SOUTH: <i>Surat Thani:</i> Khlong Saeng; <i>Narathiwat:</i> Hala-Bala; <i>Ranong:</i> Khlong Naka; <i>Phangnga:</i> Kura Buri, Khao Sok;	Smith (1914a, b, 1915a), Taylor (1965), Frith (1977a), Inger and Colwell (1977), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Chan ard <i>et al.</i> (1999), Murphy <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Bungarus flaviceps</i> Reinhardt, 1843	Red-headed Krait Ngu Samlaem Hua Hang Daeng งูสามเหลี่ยมหัวหางแดง	SOUTH: <i>Surat Thani:</i> Khlong Saeng; <i>Narathiwat:</i> Hala-Bala; <i>Ranong:</i> Khlong Naka; <i>Phangnga:</i> Kura Buri, Khao Sok;	Smith (1923), Cochran (1930), Taylor (1965), Welch (1988), Round and Treesucon (1989), Chan-ard (per.com.),

Toxon/Species	Local Common Name	Locality	Reference
		<i>Nakhon Si Thammarat</i> : Khao Luang	Cox (1991), Golay <i>et al.</i> (1993), Nabhitabhata (per.com.)
Genus <i>Naja</i> Laurenti, 1768			
<i>Naja kaouthia</i> Lesson, 1831	Monocled Cobra Ngu Hao Mo (C), Ngu Hao Hom (E) งูเห่าหม้อ, งูเห่าฮ่อม	NORTH: NORTHEAST: CENTRAL: <i>Bangkok</i> : Phra Nakhon Si Ayutthaya; <i>Nonthaburi</i> ; <i>Pathum Thani</i> : Bang Len; <i>Suphan Buri</i> ; <i>Ang Thong</i> ; <i>Chai Nat</i> ; <i>Lop Buri</i> : Khok Somrong SOUTHWEST: <i>Kanchanaburi</i> SOUTH: <i>Phattalung</i> : Thale Noi; <i>Pattani</i> : Na Pradoo; <i>Narathiwat</i> : Phru To Daeng; <i>Phangnga</i> : Khaolak-lamru; <i>Phuket</i> ; <i>Chumphon</i> NORTH: <i>Phrae</i> : Mae Yom NORTHEAST: <i>Phetchaburi</i> : Nam Nao; <i>Nong Khai</i> : Phu Wua; <i>Kalasin</i> : Phu Si Than EAST: <i>Ubon Ratchathani</i> : Yod Dom, Kaeng Thana; <i>Chaiyaphum</i> : Phu Khieo; <i>Si Sa Ket</i> : Ban Mak Yang CENTRAL: <i>Lop Buri</i> : Chai Badan, Khok Samrong; <i>Saraburi</i> : Muak Lek SOUTHEAST: <i>Chon Buri</i> : Bang Saen; <i>Chanthaburi</i> : Khao Kitchakut	Smith (1915a), Taylor (1965), Welch (1988), Frith (1977a), Inger and Colwell (1977), Cox (1991), Wuster <i>et al.</i> (1995), Chan-ard (1999), Murphy <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Naja siamensis</i> Laurenti, 1768	Siamese Cobra Ngu Hao Pleuk (NE, E, Lao), Ngu Hao Daeng Pon-pit, Ngu Hao Ki-raun (C) งูเห่าปลวก, งูเห่าต่างพันพิษ, งูเห่าขี้เรื้อน		Wuster <i>et al.</i> (1995, 1997), Matsui <i>et al.</i> (1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Naja sumatrana</i> Muller, 1890	Sumatran Cobra Ngu Hao Tong Pon Pit งูเห่าทองพอนพิษ, งูบองกลาง, งูเห่าช้าง, งูล่าช้างเหลืออง	Except Southern Thailand SOUTH: <i>Phangnga:</i> Khaolak-lamru; <i>Songkhla:</i> Ton Nga Chang; <i>Narathiwat:</i> Hala-Bala; <i>Krabi:</i> Khao Nor Chu-chi; <i>Yala</i>	Wuster and Thorpe (1990), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
Genus <i>Ophiophagus</i> Gunther, 1864 <i>Ophiophagus hannah</i> (Cantor, 1836)	King Cobra, Hamadryad Ngu Chong-ang (C), Ngu Bong- la (P), Ngu Hao Chang, Ngu La Khang Leuang (Lao) งูจงอาง, งูบองกลาง, งูเห่าช้าง, งูล่าช้างเหลืออง	NORTH: <i>Tak:</i> Thung Yai (eastern); <i>Chiang Mai:</i> Doi Inthanon; <i>Mae Hong Son</i> NORTHEAST: <i>Phetchaburi:</i> Nam Nao; <i>Nong Khai:</i> Phu Wua; <i>Kalasin:</i> Phu Si Than; <i>Loei:</i> Phu Luang EAST: <i>Chaiyaphum:</i> Phu Khieo; <i>Nakhon Ratchasima:</i> Khao Yai, Sakaerat; <i>Buri Ram:</i> Nang Rong; <i>Ubon Ratchathani:</i> Yod Dom, Kaeng Thana SOUTHEAST: <i>Sa Kaeo:</i> Pang Sida; <i>Prachin Buri:</i> Tab Lan; <i>Chanthaburi:</i> Khao Kitchakut SOUTH: <i>Krabi:</i> Khao Phanom Bencha; <i>Nakhon Si Thammarat,</i> <i>Yala:</i> Khao kampan; <i>Narathiwat</i>	Taylor (1965), Inger and Colwell (1977), Frith (1978), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
Subfamily Elapinae Genus <i>Calliophis</i> Gray, 1835 <i>Calliophis gracilis</i> Gray, 1835	Gray Coral Snake	SOUTH: <i>Pattani:</i> Na Pradoo	Taylor (1965), Welch (1988),

Toxon/Species	Local Common Name	Locality	Reference
<i>Calliophis macclellandii</i> (Reinhardt, 1844)	Ngu Plong-wai Malayu งูปล่องหวายมลายู McClelland's Coral Snake Ngu Plong-wai Lai Kwan Dam (C), Ngu Tong Daeng (NE, Lao) งูปล่องหวายลายขั้วตีนดำ, งูห้องแดง	NORTH: <i>Chiang Mai:</i> Doi Suthep-Pui NORTHEAST: <i>Loei:</i> Phu Luang EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai SOUTHEAST: <i>Chachoengsao:</i> Khao Ang Ru Nai	Cox (1991), Nabhitabhata (per.com.) Taylor (1965), Soderberg (1966), Inger and Colwell (1977), Golay <i>et al.</i> (1993), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.) Smith (1914a, b), Taylor (1965), Frith (1978), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
<i>Calliophis maculiceps</i> (Gunther, 1858)	Small-spotted Coral Snake Ngu Plong-wai hua Dam งูปล่องหวายหัวดำ	NORTH: <i>Chiang Mai:</i> Doi Chiang Dao NORTHEAST: <i>Nong Khai; Phetchabun</i> EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Khao Yai, Pak Chong SOUTHEAST: <i>Chon Buri:</i> Bang Saen, Sri Racha, Koh Si Chang CENTRAL: <i>Saraburi:</i> Muang, Muak Lek; <i>Lop Buri</i> SOUTHWEST: <i>Kanchanaburi</i> SOUTH: <i>Nakhon Si Thammarat:</i> Ron Phibun, Khao Luang; <i>Surat Thani:</i> Koh Tao, Khao Tha Phet; <i>Pattani:</i> Na Pradoo; <i>Trang:</i> Khao Chong; <i>Phuket</i>	Taylor (1965), Frith (1978), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Manthey and Grossmann (1997), Nabhitabhata (per.com.)
Genus <i>Maticora</i> Gray, 1834 (1835) <i>Maticora bivirgata</i> (Boie, 1827)	Blue Long-glanded Coral Snake	SOUTH: <i>Trang:</i> Khao Bantad, Khao Chong, <i>Songkhla:</i> Muang, Ton Nga	Taylor (1965), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993),

Toxon/Species	Local Common Name	Locality	Reference
<i>Maticora intestinalis</i> (Laurenti, 1768)	Ngu Prig Tong Daeng งูพริกทองแดง Brown Long-glanded Coral Snake Ngu Prig Si Nam-tan งูพริกสีน้ำตาล	Chang; <i>Pattani</i> : Yi Ngo; <i>Yala</i> : Betong; <i>Narathiwat</i> : Hala-Bala SOUTH : <i>Nakhon Si Thammarat</i> : Khao Luang; <i>Surat Thani</i> : <i>Pattani</i> : Na Pradoo; <i>Yala</i> : Betong	Chan-ard (per.com.), Nabhitabhata (per.com.) Taylor (1965), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Nabhitabhata (per.com.)
Family HYDROPHIIDAE			Sea Snake
Genus <i>Acalyptophis</i> Boulenger, 1896			
<i>Acalyptophis peronii</i> (Dumeril, 1853)	Peron's Sea Snake Ngu Tak-lai Tong Kao งูทากลายท้องขาว	Gulf of Thailand	Taylor (1965), Heatwhole (1999)
Genus <i>Aipysurus</i> Lacepede, 1804			
<i>Aipysurus eydouxii</i> (Gray, 1849)	White-spotted Sea Snake Ngu Chai-thong Nuan งูชายธงนวล	Gulf of Thailand	Taylor (1965), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
Genus <i>Astrotia</i> Fischew, 1855			
<i>Disteira stokesii</i> (Gray, 1846)	Stokes' Sea Snake Ngu Tak-lai งูทากลาย	Gulf of Thailand : <i>Chon Buri</i> : Ang Sila; <i>Pattani</i>	Taylor (1965), Cox (1991), Heatwhole (1999)
Genus <i>Enhydrina</i> Gray, 1849			
<i>Enhydrina schistosa</i> Daudin, 1803	Beaked Sea Snake Ngu Ko-on Pak Cha-ngoi งูคออ่อนปากจะงอย	Gulf of Thailand and Andaman sea	Taylor (1965), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
Genus <i>Hydrophis</i> Latreille, 1801			
<i>Hydrophis bitubercalotus</i> Peters,	Bitubercled Sea Snake	Usually found along Ceylon Coastal	Golay <i>et al.</i> (1993)

Toxon/Species	Local Common Name	Locality	Reference
1872	Ngu Samae-rang Kled Song Tum งูแสมรังเกล็ดสองตุ้ม	and Andaman	
<i>Hydrophis brookii</i> Gunther, 1872	Brooke's Sea Snake Ngu Samae-rang Tong Loeng (Songkhla) งูแสมรังท้องเหลือง	Gulf of Thailand, southern Thailand found in Songkhla Lake	Taylor (1965), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999), Murphy <i>et al.</i> (1999)
<i>Hydrophis caeruleus</i> (Shaw, 1802)	Dark Blue-banded Sea Snake Ngu Samae-rang Lai Yoeng งูแสมรังลายเยื้อง	Gulf of Thailand and Andaman, southern Thailand found in Songkhla Lake	Taylor (1965), Bussarawit <i>et al.</i> (1989), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
136 <i>Hydrophis cantoris</i> Gunther, 1864	Gunther's Sea Snake Ngu Samae-rang Gunther งูแสมรังกุนเทอร์	Found in Mae Khlong Estuarine, Chanthaburi Estuarine and Koh Chang	Taylor (1965), Golay <i>et al.</i> (1993)
<i>Hydrophis fasciatus</i> (Schneider, 1799)	Striped Sea Snake Ngu Samae-Hua Dam งูแสมรังหัวดำ	Gulf of Thailand and Andaman	Taylor (1965), Bussarawit <i>et al.</i> (1989), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
<i>Hydrophis inornatus</i> (Gray, 1849)	Inornate Sea Snake Ngu Samae-rang Tap si Chang งูแสมรังแถบสีจาง	Usually found in Philippines Coastal (Heatwhole, 1999), Gulf of Thailand	Nabhitabhata (per.com.)
<i>Hydrophis klossi</i> Boulenger, 1912	Kloss's Sea Snake Ngu Fak-ma-rum งูฝักมะรุม	Found in Gulf of Thailand	Taylor (1965), Golay <i>et al.</i> (1993), Heatwhole (1999)
<i>Hydrophis lamberti</i> Smith, 1917	Lambert's Sea Snake Ngu Samae-rang Smith งูแสมรังสมิธ	Gulf of Thailand	Smith (1917), Golay <i>et al.</i> (1993)

Toxon/Species	Local Common Name	Locality	Reference
<i>Hydrophis lapemoides</i> (Gray, 1849)	Persian Gulf Sea Snake Ngu Samae-rang Ao Persia งูแสมร้างอ่าวเปอร์เซีย	Andaman: <i>Phuket</i>	Frith (1987), Rasmussen (1987), Cox (1991), Golay <i>et al.</i> (1993)
<i>Hydrophis melanosoma</i> Gunther, 1864	Black Sea Snake Ngu Samae-rang Dam งูแสมร้างดำ	Eastern Coastal of Malay peninsular, Gulf of Thailand	Cox (1991), Nabhitabhata (per.com.)
<i>Hydrophis cyanocincta</i> (Daudin, 1803)	Blue-banded Sea Snake Ngu Samae-rang Loeng Li Kram, Ngu Samae-rang Lai Fa งูแสมร้างเหลือ้งลายคราม, งูแสมร้าง ลายฟ้า	SOUTH: <i>Songkhla; Pattani; Phuket</i>	Taylor (1965), Bussarawit <i>et al.</i> (1989), Heatwhole (1999)
<i>Hydrophis spiralis</i> (Shaw, 1802)	Yellow Sea Snake Ngu Samae-Lai Loeng งูแสมร้างเหลือ้ง	Andaman: <i>Phuket</i>	Frith (1977), Cox (1991)
<i>Hydrophis gracilis</i> Shaw, 1802	Graceful Sea Snake Ngu Ko-on Hua Khem งูคออ่อนหัวเข็ม	Gulf of Thailand and Phuket	Bussarawit <i>et al.</i> (1989), Taylor (1965), Cox (1991)
Genus <i>Disteira</i> Laupede, 1804			
<i>Disteira nigrocinctus</i> Daudin, 1803	Back-banded Sea Snake Ngu Samae-rang Lai Kwan Dam งูแสมร้างลายขวันดำ		Nabhitabhata (per.com.)
<i>Disteira obscurus</i> Daudin, 1803	Daudin's Sea Snake Ngu Samae-rang Daudin งูแสมร้าง...	Coastal of India, Ceylon and Burma (Heatwhole, 1999), Andaman	Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Disteira ornatus</i> (Gray, 1842)	Reef Sea Snake Ngu Samae-rang Hang Khao งูแสมรังหางขาว	Gulf of Thailand: <i>Phuket</i>	Taylor (1965), Bussarawit <i>et al.</i> (1989), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
<i>Disteira torquatus</i> Gunther, 1864	Black-headed Sea Snake Ngu Samae-rang Tao งูแสมรังเทา	Gulf of Thailand	Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
Genus <i>Kerilia</i> Gray, 1849			
<i>Kerilia jerdonii</i> Gray, 1849	Jerdon's Sea Snake Ngu Chai-thong Kao-lam-tat งูชายธงข้าวหลามตัด	Gulf of Thailand's coastal: <i>Songkhla; Pattani</i>	Taylor (1965), Bussarawit <i>et al.</i> (1989), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
Genus <i>Lapemis</i> Gray, 1834			
<i>Lapemis curtus</i> Shaw, 1802 Note: Syn. <i>Lapemis hardwickii</i> Gray, 1834 see Golay <i>et al.</i> (1993)	Hardwicke's Sea Snake Ngu Ai-ngua งูอ้ายจั่ว		Golay <i>et al.</i> (1993)
Genus <i>Laticauda</i> Laurenti, 1768			
<i>Laticauda colubrina</i> (Schneider, 1799)	Yellow-lipped Sea Krait Ngu Sa-ming-tale Pak loeng งูส้มิงทะเลปากเหลือง	A report of specimen from Hamburg Museum (from Siam) and Phuket Museum Biological Center Andaman Coastal: <i>Phuket</i>	Taylor (1965), Frith (1974, 1977), Bussarawit <i>et al.</i> (1989), Heatwhole (1999) Smith (1926), Taylor (1965), Bussarawit <i>et al.</i> (1989), Rasmussen (1989), Cox (1991), Heatwhole (1999)
<i>Laticauda laticaudata</i> (Linnaeus, 1758)	Black Banded Sea Krait Ngu Saming-tale Pak Dam งูส้มิงทะเลปากดำ		

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Pelamis</i> Daudin, 1803			
<i>Pelamis platyurus</i> (Linnaeus, 1766)	Yellow-bellied Sea Snake Ngu Chai-thong Lang Dam, Ngu Pin-kaeo Tale งูชายธงหลังดำ, งูปิ่นแก้วทะเล	Andaman and Gulf of Thailand, Phuket	Taylor (1965), Bussarawit <i>et al.</i> (1989), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
Genus <i>Thalassophis</i> Schmidt, 1852			
<i>Thalassophis annandalei</i> (Laidlaw, 1901)	Annandale's Sea Snake Ngu Chai-thong Hua To งูชายธงหัวโต	Gulf of Thailand's Coastal: <i>Pattani</i> ; <i>Songkhla</i> : Songkhla Lake	Taylor (1965), Cox (1991), Heatwhole (1999)
<i>Thalassophis anomalous</i> Schmidt, 1852	Anomalous Sea Snake Ngu Sa-mien-rang Hua San งูเสมียนรังหัวสั้น	Northern part of Gulf of Thailand and Southeastern part	Taylor (1965), Cox (1991), Golay <i>et al.</i> (1993), Heatwhole (1999)
Genus <i>Thalassophina</i> Smit, 1962			
<i>Thalassophina viperina</i> (Schmidt, 1852)	Viperine Sea Snake Ngu Chai-thong Tong Kao งูชายธงทองขาว	Andaman and Gulf of Thailand's Coastal: <i>Phuket</i>	Taylor (1965), Bussarawit <i>et al.</i> (1989), Rasmussen (1989), Golay <i>et al.</i> (1993), Heatwhole (1999)
Family VIPERIDAE			Viper
Subfamily Viperinae			
Genus <i>Daboia</i> Gray, 1842			
<i>Daboia russelii</i> (Shaw, 1797)	Russell's Viper Ngu Maeo-zao งูแมวเซา	NORTH: <i>Nakhon Sawan</i> CENTRAL: <i>Bangkok</i> ; <i>Nakhon Nayok</i> ; <i>Lop Buri</i> ; <i>Saraburi</i> ; <i>Chai Nat</i> ; <i>Phra</i> <i>Nakhon Si Ayutthaya</i> : Bang Pa-in; <i>Ang</i> <i>Thong</i> ; <i>Pathum Thani</i> : Lat Lum Kaeo;	Smith (1915a, 1917a), Taylor (1965), Welch (1988), Cox (1991), Adler <i>et al.</i> (2000), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<p>Subfamily Crotalinae <i>Calloselasma rhodostoma</i> (Boie, 1827)</p>	<p>Malayan Pit Viper Ngu Kapa (P), Ngu Kaba (NE, E, Lao), Ngu Hao Ka-ba (Lao) ງຸກະປະ, ງຸກະບາ, ງຸເຟາກະບາ</p>	<p><i>Nonthaburi</i>: Sai Noi; <i>Nakhon Pathom</i>: Bang Len EAST: <i>Nakhon Ratchasima</i> SOUTHEAST: <i>Sa Kaeo</i>; <i>Prachin Buri</i> SOUTH: <i>Chumphon</i>: Lang Suan</p> <p>NORTH: <i>Chiang Mai</i>; <i>Chiang Rai</i> NORTHEAST: <i>Phetchabun</i>: Nam Nao; <i>Sakon Nakhon</i>; <i>Nong Khai</i>: Phu Wua; <i>Kalasin</i>: Phu Si Than; <i>Udon Thani</i>: Kumphawapi EAST: <i>Chaiyaphum</i>: Phu Khieo; <i>Nakhon Ratchasima</i>: Sakaerat; <i>Ubon Ratchathani</i>: Kaeng Thana, Yod Dom; <i>Roi Et</i>: Nong Phok SOUTHEAST: <i>Sa Kaeo</i>: Pang Sida, Kho Khlan; <i>Rayong</i>: Khao Chamao; <i>Chon Buri</i>: Sri Racha CENTRAL: <i>Lop Buri</i> SOUTHWEST: <i>Kanchanaburi</i>; <i>Uthai Thani</i> Huai Kha Khaeng SOUTH: <i>Prachuap Khiri Khan</i>: Bang Saphan; <i>Chumphon</i>: Thung Wua Lan; <i>Trang</i>; <i>Nakhon Si Thammarat</i>: Ron Phibun; <i>Pattani</i>; <i>Phuket</i></p>	<p>Smith (1914b), Puranananda (1957), Taylor (1965), Frith (1977a), Inger and Colwell (1977), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Matsui <i>et al.</i> (1996, 1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)</p>

Toxon/Species	Local Common Name	Locality	Reference
Genus <i>Ovophis</i> Burger, 1981 <i>Ovophis monticola</i> (Gunther, 1864)	Mountain Pit Viper Ngu Hang-ham Phu-khao งูหางแสมภูเขา	NORTH: <i>Tak:</i> Umphang, Thung Yai (eastern); <i>Chiang Mai:</i> Doi Ang Khang NORTHEAST: <i>Loei:</i> Phu Luang SOUTHWEST: <i>Kanchanaburi:</i> Thong Pha Phum SOUTH: <i>Chumphon:</i> hills coastal; <i>Ranong:</i> Khlong Naka	Taylor (1965), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Chan-ard (per.com.)
Genus <i>Trimeresurus</i> Lacepede, 1804 <i>Trimeresurus albolabris</i> Gray, 1842	Yellow-lipped Green Pit Viper Ngu Kieo Hang-mi Tong Loeng (C), Ngu Kieo Hang Haem, Ngu Hang Haem, Ngu Kieo Hang Mi (NE, Lao), Ngu Hua Po (Lao) งูเขียวหางไหม้ท้องเหลือง, งูเขียวหางแสม, งูหางแสม, งูเขียวหางไหม้, งูหัวโป	NORTH: <i>Mae Hong Son:</i> Pang Thong; <i>Chiang Mai:</i> Doi Suthep, Doi Chiang Dao NORTHEAST: <i>Loei:</i> Phu Luang, Phu Reu; <i>Phetchabun:</i> Nam Nao; <i>Nong Khai:</i> Phu Wua EAST: <i>Nakhon Ratchasima:</i> Sakaerat; <i>Ubon Ratchathani:</i> Kaeng Thana; <i>Roi Et:</i> Phu Pha Nam Thip SOUTHEAST: <i>Chanthaburi:</i> Khao Sa Bab CENTRAL: <i>Bangkok:</i> <i>Phra Nakhon Si Ayutthaya</i> SOUTHWEST: <i>Prachuap Khiri Khan:</i> Huai Yang SOUTH: <i>Surat Thani:</i> Khlong Saeng, Thung Tao	Taylor (1965), Inger and Colwell (1977), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Matsui <i>et al.</i> (1996, 1998), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)

Toxon/Species	Local Common Name	Locality	Reference
<i>Trimeresurus borneensis</i> Peters, 1872	Bornean Pit Viper, Palm Pit Viper Ngu Palm งูปาล์ม	SOUTH: <i>Nakhon Si Thammarat:</i> Ron Phibun; <i>Narathiwat:</i> Phru To Daeng	Cox (1991), Golay <i>et al.</i> (1993), Manthey and Grossmann (1997), Gumphrecht and Tepedelegu (1999), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Trimeresurus hageni</i> (Lidht de Jeude, 1886)	Hagen's Green Pit Viper Ngu Kieo Hang-mi Hagen งูเขียวหางไม่ฮาเงิน	SOUTH: <i>Songkhla:</i> Ton Nga Chang; <i>Surat Thani;</i> <i>Trang</i>	Cox (1991), Chan-ard (per.com.), Nabhitabhata (per.com.)
<i>Trimeresurus kanburiensis</i> Smith, 1943 (= <i>T. venustus</i> Vogel, 1991)	Kanburi Green Pit Viper Ngu Hang-ham Kan งูหางแสมกาญจน์	SOUTHWEST: <i>Kanchanaburi:</i> Sai Yok, Nong Wa, Muang SOUTH: <i>Krabi:</i> Khao Pra Bangkram; <i>Surat Thani:</i> Khao Tha Phet, Tai Rom Yen; <i>Nakhon Si Thammarat:</i> Thung Song	Welch (1988), Taylor (1965), Cox (1991), Warell <i>et al.</i> (1992), Golay <i>et al.</i> (1993), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Trimeresurus macrops</i> Kramer, 1977	Large-eyed Green Pit Viper Ngu Kieo Hang-mi Ta To งูเขียวหางไหม้ตาโต	EAST: <i>Nakhon Ratchasima:</i> Sakaerat, Pak Chong, Khao Yai SOUTHEAST: <i>Chanthaburi:</i> Khao Soi Dao, Khao Sa Bab CENTRAL: <i>Sing Buri:</i> <i>Phrom Buri;</i> <i>Bangkok;</i> <i>Sumut Prakan;</i> <i>Pathum Thani</i> NORTH: <i>Chiang Mai:</i> Doi Inthanon; <i>Chiang Rai</i> NORTHEAST: <i>Loei:</i> Dan Sai; Phu Luang EAST: <i>Nakhon Ratchasima:</i> Sakaerat	Kramer (1977), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Matsui <i>et al.</i> (1996, 1998), Gumphrecht (1998), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Trimeresurus popeorum</i> Smith, 1937	Pope's Green Pit Viper Ngu Kieo Hang-mi Tong Kieo งูเขียวหางไหม้ท้องเขียว	Taylor (1965), Inger and Colwell (1977), Golay <i>et al.</i> (1993), Nabhitabhata (per.com.)	

Toxon/Species	Local Common Name	Locality	Reference
<i>Trimeresurus purpureomaculatus</i> (Gray, 1832)	Mangrove Pit Viper Ngu Pang-ka งูพังกา	SOUTHWEST: <i>Uthai Thani:</i> Huai Kha Khaeng SOUTH: <i>Surat Thani:</i> Tha Chana; <i>Phangnga:</i> Khaolak-lamru CENTRAL: <i>Bangkok</i> SOUTHWEST: SOUTH: <i>Ranong:</i> Koh Surin, Mae Nam La-un; <i>Trang:</i> Had Chao Mai, Kantang, Koh Libong; <i>Satun; Phuket; Phangnga; Surat Thani; Nakhon Si Thammarat; Krabi</i>	Taylor (1965), Cox (1991), Golay <i>et al.</i> (1993), Gumprecht (1997), Manthey and Grossmann (1997), Chan-ard <i>et al.</i> (1999), Chuaynkern (per.com.), Nabhitabhata (per.com.)
<i>Trimeresurus stejnegeri</i> Schmidt, 1925	Bamboo Pit Viper Ngu Kieo Pi งูเขี้ยวไผ่	NORTHEAST: <i>Loei:</i> Phu Luang; <i>Phechabun:</i> Nam Nao EAST: <i>Nakhon Ratchasima:</i> Sakaerat; <i>Chaiyaphum:</i> Phu Khieo SOUTHEAST: <i>Chon Buri:</i> Sri Racha SOUTH: <i>Pattani; Narathiwat</i>	Taylor (1965), Golay <i>et al.</i> (1993), Gumprecht (1997), Chan-ard <i>et al.</i> (1999), Nabhitabhata (per.com.)
<i>Trimeresurus sumatranus</i> (Raffles, 1822)	Grey-tailed Green Pit Viper Ngu Kieo Hang-mi Sumatra งูเขี้ยวหางไหม้สุมาตรา		Taylor (1965), Cox (1991), Golay <i>et al.</i> (1993), Nabhitabhata (per.com.)
Genus <i>Tropidolaemus</i> Wagler, 1830			
<i>Tropidolaemus wagleri</i> (Schlegel, 1827)	Wagler's Pit Viper Ngu Kieo Tuk-kae งูเขี้ยวตุ๊กแก	SOUTH: <i>Phangnga:</i> Khaolak-lamru; <i>Surat Thani:</i> Khlong Saeng; <i>Narathiwat:</i> Phru To Daeng; <i>Pattani:</i> Na Pradoo; <i>Yala</i>	Taylor (1965), Welch (1988), Cox (1991), Golay <i>et al.</i> (1993), Nabhitabhata (per.com.)

หมายเหตุ * = endemic