



L YCOPODIOPHYTA

The most significant feature of lycophytes are microphylls. The member of this division have a single sporangium borne in the axil of a scale-like or leaf-like sporophyll. In Thailand this division of fern allies is represented by the *Huperzia*, *Lycopodiella*, *Lycopodium*, *Selaginella*, and *Isoetes*.

Order/Family : LYCOPODIALES/LYCOPODIACEAE
Botanical Name : *Huperzia carinata* (Desv. ex Poir.) Trevis.
Synonym : *Lycopodium carinatum* Desv. ex Poir.
Vernacular : Hang nu (หางหนู), Hang pia chek (หางเปียเจ๊ก), Soi Nari (สรอยนารี)
Source : 38




Order/Family : LYCOPODIALES/LYCOPODIACEAE
Botanical Name : *Huperzia hamiltonii* (Spreng.) Trevis.
Synonym : *Lycopodium hamiltonii* Spr.
Vernacular : -
Source : 5, 37, 38



Order/Family : LYCOPODIALES/LYCOPODIACEAE
Botanical Name : *Huperzia serrata* (Thunb. ex Murray) Trevis.
Synonym : *Lycopodium serratum* Thunb. ex Murray
Vernacular : -
Source : 38



Order/Family : LYCOPODIALES/LYCOPODIACEAE
Botanical Name : *Huperzia squarrosa* (G. Forst.) Trevis.
Synonym : *Lycopodium squarrosus* G. Forst.
Vernacular : Chong nang khli (ชองนางค्ली), Hang khang (หางค่าง)
Source : 38



Order/Family : LYCOPODIALES/LYCOPODIACEAE

Botanical Name : *Lycopodiella cernua* (L.) Pic. Serm.

Synonym : *Lycopodium cernuum* L.

Vernacular : Kut khon (กูดขน), Ya kan phiang (หญ่ากานูเพี้ยง), Yaeng yae (แยงแยง), Slap (สลาบ), Dok hin (ดอกหิน), Rang kai (รังไค), Ruai kai (รวยไค), Sam roi yot (สามรอยยอด).

Source : 30, 37, 38, 39



Order/Family : LYCOPODIALES/LYCOPODIACEAE

Botanical Name : *Lycopodium casuarinoides* Spring

Synonym : -

Vernacular : -

Source : BCU



Order/Family : LYCOPODIALES/LYCOPODIACEAE

Botanical Name : *Lycopodium clavatum* L.

Synonym : -

Vernacular : Kut khon (กูดขน), Sam roi yot (สามรอยยอด)

Source : 38



Order/Family : LYCOPODIALES/LYCOPODIACEAE

Botanical Name : *Lycopodium complanatum* L.

Synonym : -

Vernacular : -

Source : BCU



Order/Family : LYCOPODIALES/LYCOPODIACEAE

Botanical Name : *Lycopodium nummularifolium* Blume

Synonym : -

Vernacular : Raya klet hoi (ระยาเกล็ดหอย)

Source : 38




Order/Family : LYCOPODIALES/LYCOPODIACEAE

Botanical Name : *Lycopodium phlegmaria* L.

Synonym : -

Vernacular : Chong nang khli (ชองนางค्ली),
Klet nakkharat (เกล็ดนาคราช),
Raya (ระยา), Yom doi (ยมโดย).

Source : 9, 10, 30, 38, 39



Order/Family : LYCOPODIALES/LYCOPODIACEAE

Botanical Name : *Lycopodium piscium* (Hert.) Tagawa & K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella amblyphylla* Alston

Synonym : -

Vernacular : -

Source : 37, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella argentea* (Wall. ex Hook. & Grev.) Spring

Synonym : -

Vernacular : Kapkae (กั๊ปกั๊ก), Phokha ti mia (พอกชาติเม็ย)

Source : 38




Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella biformis* A. Braun ex Kuhn

Synonym : -

Vernacular : Foen phaeng (เฟิ่นแพง)

Source : 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella bisulcata* Spring

Synonym : -

Vernacular : -

Source : 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella chrysorrhizos* Spring

Synonym : -

Vernacular : -

Source : 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella ciliaris* (Retz.) Spring

Synonym : -

Vernacular : -

Source : BCU




Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella delicatula* (Desv. ex Poir.) Alston

Synonym : -

Vernacular : Kut pha (กูดผา), Phak kut hin (ผักกูดหิน)

Source : 5, 28, 37, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella griffithii* Spring

Synonym : -

Vernacular : Ya rang kai tua mai (หญารังไก่อ้วเมีย)

Source : 38




Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella helferi* Warb.

Synonym : -

Vernacular : Ya rong hai (หญารองไห)

Source : 37, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella inaequalifolia* (Hook. & Grev.) Spring

Synonym : -

Vernacular : -

Source : 37, 38




Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella intermedia* (Blume) Spring

Synonym : -

Vernacular : Hi moi sao kae (หิมอยสาวแก)

Source : 28, 38




Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella involvens* (Sw.) Spring

Synonym : -

Vernacular : Foen phaeng (เฟินแฝง)

Source : 5, 37, 38




Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella kurzii* Baker

Synonym : -

Vernacular : -

Source : 37, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella lindhardii* Hieron.

Synonym : -

Vernacular : -

Source : 37, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella minuifolia* Spring

Synonym : -

Vernacular : Kut yi (กูดยี)

Source : 11, 28, 37, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella monospora* Spring

Synonym : -

Vernacular : -


Source : 5, 37, 38



- Order/Family :** SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella ornata* (Hook. & Grev.) Spring
Synonym : -
Vernacular : -
Source : 38



- Order/Family :** SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella ostenfeldii* Hieron.
Synonym : -
Vernacular : Phak khwa (ผักควา), Moi sao kae (มอยสาวเก)
Source : 28, 38



- Order/Family :** SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella pennata* (Don) Spring
Synonym : -
Vernacular : Ya non bua (หญ้าหนอนเปื้อ),
 Kut hom (กูดหอม)
Source : 37, 38



- Order/Family :** SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella pubescens* (Wall. ex Hook. & Grev.)
 Spring
Synonym : -
Vernacular : Fuai nok (เฟื้อชนก)
Source : 38




Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella repanda* (Desv. ex Poir.) Spring

Synonym : -

Vernacular : -

Source : 28, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella roxburghii* (Hook. & Grev.) Spring

Synonym : -

Vernacular : -

Source : 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella siamensis* Hieron.

Synonym : -

Vernacular : Phak nok yung (ผักนกกุ้ง)

Source : 1, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE

Botanical Name : *Selaginella strigosa* Bedd.

Synonym : -

Vernacular : -

Source : 38



- Order/Family :** SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella tamariscina* (P. Beauv.) Spring
Synonym : -
Vernacular : Dok hin (ดอกหิน)
Source : 5, 38



- Order/Family :** SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella tenuifolia* Spring
Synonym : -
Vernacular : -
Source : 5, 37, 38



- Order/Family :** SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella trachyphylla* A. Braun ex Hieron.
Synonym : -
Vernacular : -
Source : 38



- Order/Family :** SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella vaginata* Spring
Synonym : -
Vernacular : -
Source : 5, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella wallichii* (Hook. & Grev.) Spring
Synonym : -
Vernacular : -
Source : 37, 38



Order/Family : SELAGINELLALES/SELAGINELLACEAE
Botanical Name : *Selaginella willdenowii* (Desv. ex Poir.) Baker
Synonym : -
Vernacular : Rang kai (รังไค)
Source : 38



Order/Family : ISOETALES/ISOETACEAE

Botanical Name : *Isoetes coromandelina* L. f.

Synonym : -

Vernacular : -

Source : 38





EQUISETOPHYTA

Members of this division are commonly called “horsetails”. This is another ancient group of seedless plants. The group reached its peak during the Carboniferous period. Spores are produced in sporangia, which are borne on the tightly packed sporangiophores that make up a cone, or strobilus. Living horsetails are homosporous, produced only one type of spore. This division is represented only one extant genus, *Equisetum*. So far two species occur naturally in Thailand.

EQUISETALES

Order/Family : EQUISETALES/EQUISETACEAE

Botanical Name : *Equisetum debile* Roxb. ex Vauch.

Synonym : -

Vernacular : Ya nguak (หญ้าเงือก),
Ya thot bong (หญ้าถอดปล้อง),
Ya hu nuak (หญ้าหุหนวก)

Source : 37, 38



.....
Order/Family : EQUISETALES/EQUISETACEAE

Botanical Name : *Equisetum diffusum* D. Don

Synonym : -

Vernacular : -

Source : QBG



.....

.....



POLYPODIOPHYTA

We here treat the Psilophytes with true ferns. Despite their least complex of all terrestrial vascular plants. They are the only living vascular plants to lack both roots and leaves. Though, the uncertainty of their relationships, the dichotomous branching and relatively simple form are similar to certain early vascular plants. So far 611 species, 29 varieties and 4 subspecies are recognised in Thailand.

PSILOTALES

Order/Family : PSILOTALES/PSILOTACEAE

Botanical Name : *Psilotum complanatum* Sw.

Synonym : -

Vernacular : -

Source : 38




.....
Order/Family : PSILOTALES/PSILOTACEAE

Botanical Name : *Psilotum nudum* (L.) Beauv.

Synonym : -

Vernacular : พวาชตะนอย

Source : 38



Order/Family : MARATTIALES/MARATTIACEAE

Botanical Name : *Angiopteris evecta* (G. Forst.) Hoffm.

Synonym : -

Vernacular : Wan kip ma (ว่านกีบมา),
Wan kip raet (ว่านกีบแรด),
Kip ma lom (กีบมาลอม), Kip raet
(กีบแรด), Duku (ดูกู).

Source : 2, 11, 29, 37, 38



Order/Family : MARATTIALES/MARATTIACEAE

Botanical Name : *Christensenia aesculifolia* (Blume) Maxon

Synonym : -

Vernacular : -

Source : 38



Order/Family : MARATTIALES/MARATTIACEAE

Botanical Name : *Marattia sambucina* Blume

Synonym : -

Vernacular : -

Source : 38



Order/Family : OPHIOGLOSSALES/OPHIOGLOSSACEAE

Botanical Name : *Botrychium lanuginosum* Wall. ex Hook. & Grev.

Synonym : *Japanobotrychium lanuginosum* (Wall. ex Hook. et. Grev.) Nichida ex Tagawa

Vernacular : -

Source : 5, 37, 38



Order/Family : OPHIOGLOSSALES/OPHIOGLOSSACEAE

Botanical Name : *Helminthostachys zeylanica* (L.) Hook.

Synonym : -

Vernacular : Kut chong (กุศจ้อง), Kut sang (กุศซัง), Kut tin hung (กุศตีนสูง), Phak tin kwang (ผักตีนกวาง), Tin nok yung (ตีนนกยูง), Phak nok yung (ผักนกยูง).

Source : 28, 34, 38



Order/Family : OPHIOGLOSSALES/OPHIOGLOSSACEAE

Botanical Name : *Ophioglossum costatum* R. Br.

Synonym : -

Vernacular : -

Source : 28, 38



Order/Family : OPHIOGLOSSALES/OPHIOGLOSSACEAE

Botanical Name : *Ophioglossum gramineum* Willd.

Synonym : -

Vernacular : -

Source : 38




Order/Family : OPHIOGLOSSALES/OPHIOGLOSSACEAE

Botanical Name : *Ophioglossum pendulum* L.

Synonym : -

Vernacular : -

Source : 3, 38



.....
Order/Family : OPHIOGLOSSALES/OPHIOGLOSSACEAE

Botanical Name : *Ophioglossum petiolatum* Hook.

Synonym : -

Vernacular : -

Source : 37, 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Cephalomanes apiifolium* (C. Presl) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Cephalomanes gemmatum* (J. Smith ex Baker)
K. Iwats.

Synonym : -

Vernacular : Luklui (ลुकлуй)

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Cephalomanes javanicum* (Blume) Bosch

Synonym : -

Vernacular : -

Source : 11, 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Cephalomanes meifolium* (Bory ex Willd.) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Cephalomanes obscurum* (Blume) K. Iwats.
var. *obscurum*

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Cephalomanes obscurum* var. *siamense* (H. Christ)
K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes auriculatum* (Blume) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes bipunctatum* (Poir.) Copel.

Synonym : -

Vernacular : -

Source : 29, 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes birmanicum* (Bedd.) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes brevipes* (C. Presl) Copel.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes christii* (Copel.) Copel.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes digitatum* (Sw.) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes humilis* (G. Forst.) Bosch

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes kurzii* (Bedd.) Tagawa & K. Iwats.

Synonym : -

Vernacular : -

Source : 38




Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes latealatum* (Bosch) Copel.

Synonym : -

Vernacular : -

Source : 5, 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes latemarginale* (Eaton) Copel.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes maximum* (Blume) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes megistostomum* (Copel.) Copel.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes minutum* (Blume) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes pallidum* (Blume) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Crepidomanes parvifolium* (Baker) K. Iwats.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum acanthoides* (Bosch) Rosenst.

Synonym : -

Vernacular : -

Source : 11, 38




Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum badium* Hook. & Grev.

Synonym : -

Vernacular : -

Source : 5, 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum barbatum* (Bosch) Baker

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum blandum* Racib.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum bontocense* Copel.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum denticulatum* Sw.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum exsertum* Wall. ex Hook.

Synonym : -

Vernacular : -

Source : 37, 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum holochilum* (Bosch) C. Chr.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum javanicum* Spreng.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum polyanthos* (Sw.) Sw.

Synonym : -

Vernacular : -

Source : 5, 37, 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum productum* Kunze

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum riukiense* H. Christ

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Hymenophyllum serrulatum* (C. Presl) C. Chr.

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Trichomanes bimarginatum* Bosch

Synonym : -

Vernacular : -

Source : 37, 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE

Botanical Name : *Trichomanes exiguum* (Bedd.) Baker

Synonym : -

Vernacular : -

Source : 38



Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE
Botanical Name : *Trichomanes motleyi* Bosch
Synonym : -
Vernacular : -
Source : 38



.....
Order/Family : HYMENOPHYLLALES/
HYMENOPHYLLACEAE
Botanical Name : *Trichomanes sublimbatum* Mull. Stuttg.
Synonym : -
Vernacular : -
Source : 38



Order/Family : OSMUNDALES/OSMUNDACEAE

Botanical Name : *Osmunda angustifolia* Ching

Synonym : -

Vernacular : Hatsadam (หัตถ์ดำ)

Source : 38



Order/Family : OSMUNDALES/OSMUNDACEAE

Botanical Name : *Osmunda cinnamomea* L.

Synonym : -

Vernacular : Hatsadaeng (หัตถ์แดง)

Source : 38



Order/Family : OSMUNDALES/OSMUNDACEAE

Botanical Name : *Osmunda javanica* Blume

Synonym : -

Vernacular : -

Source : BCU



Order/Family : OSMUNDALES/OSMUNDACEAE

Botanical Name : *Osmunda vachellii* Hook.

Synonym : -

Vernacular : Hatsadam (หัตถ์ดำ), Kasodu (กาซอด้).

Source : 6, 38



Order/Family : GLEICHENIALES/CHEIROPLEURACEAE

Botanical Name : *Cheiropleuria bicuspis* (Blume) C. Presl

Synonym : -

Vernacular : Bua chaek (บัวแฉก)

Source : 41



Order/Family : GLEICHENIALES/DIPTERIDACEAE

Botanical Name : *Dipteris conjugata* Reinw.

Synonym : -

Vernacular : Bau Chaek (บัวแฉก)

Source : 41



Order/Family : GLEICHENIALES/GLEICHENIACEAE

Botanical Name : *Dicranopteris curranii* Copel.

Synonym : -

Vernacular : -

Source : 37, 38



Order/Family : GLEICHENIALES/GLEICHENIACEAE

Botanical Name : *Dicranopteris linearis* (Burm. f.) Underw.
var. *linearis*

Synonym : -

Vernacular : Kiku kachoei (กึ๋กัจะเจ็ย), Kut pit (กุดปี๊ด), Kut muk (กุดหมัก), Kut taem (กุดแต่ม), Chon lek (โจนเหล็ก), Chon (โจน), Kuekae (กือแก), Ruesae (รือแซ)

Source : 6, 37, 38



- Order/Family :** GLEICHENIALES/GLEICHENIACEAE
Botanical Name : *Dicranopteris linearis* (Burm. f.) Underw.
 var. *montana* Holttum
Synonym : -
Vernacular : -
Source : BCU



- Order/Family :** GLEICHENIALES/GLEICHENIACEAE
Botanical Name : *Dicranopteris linearis* (Burm. f.) Underw.
 var. *subpectinata* (H. Christ) Holttum
Synonym : -
Vernacular : -
Source : 38



- Order/Family :** GLEICHENIALES/GLEICHENIACEAE
Botanical Name : *Dicranopteris linearis* (Burm. f.) Underw.
 var. *tetraphylla* (Rosenst.) Nakai
Synonym : -
Vernacular : -
Source : 38



- Order/Family :** GLEICHENIALES/GLEICHENIACEAE
Botanical Name : *Dicranopteris speciosa* (C. Presl) Holttum
Synonym : -
Vernacular : -
Source : 38



Order/Family : GLEICHENIALES/GLEICHENIACEAE
Botanical Name : *Dicranopteris splendida* (Hand.- Mazz.) Tagawa
Synonym : -
Vernacular : -
Source : 38



Order/Family : GLEICHENIALES/GLEICHENIACEAE
Botanical Name : *Gleichenia blotiana* C. Chr.
Synonym : -
Vernacular : -
Source : 38



Order/Family : GLEICHENIALES/GLEICHENIACEAE
Botanical Name : *Gleichenia longissima* Blume
Synonym : -
Vernacular : -
Source : 38



Order/Family : GLEICHENIALES/GLEICHENIACEAE
Botanical Name : *Gleichenia microphylla* R. Br.
Synonym : -
Vernacular : -
Source : 38



Order/Family : GLEICHENIALES/GLEICHENIACEAE

Botanical Name : *Gleichenia norrisii* Mett. ex Kuhn

Synonym : -

Vernacular : -

Source : 38



.....
Order/Family : GLEICHENIALES/GLEICHENIACEAE

Botanical Name : *Gleichenia truncata* (Willd.) Spr.

Synonym : -

Vernacular : -

Source : 38



Order/Family : SCHIZAEALES/SCHIZAEACEAE

Botanical Name : *Lygodium circinatum* (Burm. f.) Sw.

Synonym : -

Vernacular : Liphao hang kai (ลิเภาทางไก่อ),
Ribu (ริบู).

Source : 38




Order/Family : SCHIZAEALES/SCHIZAEACEAE

Botanical Name : *Lygodium flexuosum* (L.) Sw.

Synonym : -

Vernacular : Kut kong (กูดก้อง), Kut Doi (กูดดอย), Kut ngot ngaet (กูดงอดแงด), Kut phae (กูดแพะ), Kut yong (กูดย่อง), Kachot (กะจอต), Taphao khuen hon (ตะเภ่าขึ้นหน), Tin mangkon (ตีนมังกร), tin takhap (ตีนตะขาบ), Liphao yai (ลิเภ่าใหญ่).

Source : 1, 6, 11, 28, 29, 33, 37, 38



Order/Family : SCHIZAEALES/SCHIZAEACEAE

Botanical Name : *Lygodium giganteum* Tagawa & K. Iwats.

Synonym : -

Vernacular :-

Source : 38



Order/Family : SCHIZAEALES/SCHIZAEACEAE

Botanical Name : *Lygodium japonicum* (Thunb. ex Murray) Sw.


Synonym : -

Vernacular : Ngo - ngae (งอแง)

Source : 38




- Order/Family :** SCHIZAEALES/SCHIZAEACEAE
Botanical Name : *Lygodium microphyllum* (Cav.) R. Br.
Synonym : -
Vernacular : Kachot nu (กะฉอดหนู),
 Liphao yung (ลิเภายุง).
Source : 6, 11, 34, 38




- Order/Family :** SCHIZAEALES/SCHIZAEACEAE
Botanical Name : *Lygodium polystachyum* Wall. ex T. Moore
Synonym : -
Vernacular : Kut khua (กูดเคื้อ), Kut kong
 (กูดก้อง), Liphao (ลิเภ่า), Liphao
 yong (ลิเภายอง).
Source : 2, 28, 29, 37, 38



- Order/Family :** SCHIZAEALES/SCHIZAEACEAE
Botanical Name : *Lygodium salicifolium* C. Presl
Synonym : -
Vernacular : Kut khue (กูดเคื้อ), Saiphān phi
 (สายพานผี), U-taphao (อุตะเภ่า),
 Kachot (กะฉอด), Kachot nu
 (กะฉอดหนู), Yan I-phao
 (ยานอีเภ่า), Yan yai phao
 (ยานยายเภ่า), Libu (ลิโบ).
Source : 34, 37, 38



- Order/Family :** SCHIZAEALES/SCHIZAEACEAE
Botanical Name : *Schizaea dichotoma* (L.) J.Sm.
Synonym : -
Vernacular : Tan klong (ตานกล่อม), Tan phrao
 (ตานพร้าว), Tan san (ตานसान),
 Wan dok din (วานดุกดิน),
 Ya hang ma ba (หญ้าหางหมาบา),
 Misa rima (มีชาริมา), Purasae
 (ปุระแซ).
Source : 38



Order/Family : SCHIZAEALES/SCHIZAEACEAE

Botanical Name : *Schizaea digitata* (L.) Sw.

Synonym : -

Vernacular : Tan bit (ตานบีด), Tan sai (ตานทราย).

Source : 11, 38



Order/Family : PLAGIOGYRIALES/PLAGIOGYRIACEAE

Botanical Name : *Plagiogyria adnata* (Blume) Bedd.

Synonym : -

Vernacular : -

Source : 38



.....
Order/Family : PLAGIOGYRIALES/PLAGIOGYRIACEAE

Botanical Name : *Plagiogyria communis* Ching

Synonym : -

Vernacular : -

Source : 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE
Botanical Name : *Dennstaedtia scabra* (Wall. ex Hook.) T. Moore
Synonym : -
Vernacular : -
Source : 38




Order/Family : DICKSONIALES/DENNSTAEDTIACEAE
Botanical Name : *Histiopteris incisa* (Thunb.) J. Sm.
Synonym : -
Vernacular : -
Source : 6, 11, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE
Botanical Name : *Hypolepis punctata* (Thunb.) Mett. ex Kuhn
Synonym : -
Vernacular : -
Source : 6, 11, 37, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE
Botanical Name : *Microlepia calvescens* (Wall. ex Hook.) C. Presl
Synonym : -
Vernacular : -
Source : 7, 11, 37, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia firma* Mett. ex Kuhn

Synonym : -

Vernacular : -

Source : 38




Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia herbacea* Ching & C. Chr. ex C.
Chr. & Tardieu

Synonym : -

Vernacular : -

Source : 2, 7, 11, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia hookeriana* (Wall. ex Hook.) C. Presl

Synonym : -

Vernacular : -

Source : 7, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia kurzii* (C.B. Clarke) Bedd.

Synonym : -

Vernacular : -

Source : 7, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia platyphylla* (D. Don) J. Sm.

Synonym : -

Vernacular : Hora khao nua (โหราขานัว),
Hora phak kut (โหราผักกูด),
Hora khao krabu
(โหราขากระบือ).

Source : 7, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia puberula* v. A. v. R.

Synonym : -

Vernacular : -

Source : 7, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia ridleyi* Copel.

Synonym : -

Vernacular : -

Source : 38




Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia speluncae* (L.) T. Moore

Synonym : -

Vernacular : Kut phi (กูดผี), Kut yi (กูดยี),
Hora phak kut (โหราผักกูด),
Chon (โชน), Neraphusi
(เนระพูสี).

Source : 11, 28, 29, 37, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia strigosa* (Thunb.) C. Presl

Synonym : -

Vernacular : -

Source : 29, 37, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia taiwaniana* Tagawa

Synonym : -

Vernacular : -

Source : 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Microlepia trapeziformis* (Roxb.) Kuhn

Synonym : -

Vernacular : -

Source : 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Pteridium aquilinum* var. *latiusculum* (Desv.)

Underw. ex A. Heller

Synonym : -

Vernacular : -

Source : BCU




Order/Family : DICKSONIALES/DENNSTAEDTIACEAE
Botanical Name : *Pteridium aquilinum* var. *wightianum* (J. Agardh)
 R.M. Tryon

Synonym : -

Vernacular : Kut Kia (กูดเกียะ, Chon (โชน),
 Chon yai (โชนใหญ่).

Source : 37, 38



Order/Family : DICKSONIALES/DENNSTAEDTIACEAE

Botanical Name : *Pteridium aquilinum* var. *yarrabense* Domin

Synonym : -

Vernacular : Kut Kin (กูดกิน).

Source : 1, 37, 38



Order/Family : DICKSONIALES/DICKSONIACEAE

Botanical Name : *Cibotium barometz* J. Sm.

Synonym : -

Vernacular : Kut phipa (กูดผีป่า), Kut phan
 (กูดพาน), Khon kai noi (ขนไก่อ
 นอย), Hatsadaeng (หัตสแดง),
 La-ong faifa (ละอองไฟฟ้า, Wan
 kai noi (วานไก่อนอย), Kut sua
 (กูดเสือ), Pho si (โพสี), Ninla
 phosi (นินลาโพสี).

Source : 29, 37, 38



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea bouillodii* H. Christ

Synonym : -

Vernacular : -

Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea chienii* Ching

Synonym : -

Vernacular : Kut hang nok yung
(กุดหางนกยูง)

Source : 39



.....
Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea cultrata* (Willd.) Sw.

Synonym : -

Vernacular : -

Source : 39



.....
Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea divergens* Hook. & Grev.

Synonym : -

Vernacular : -

Source : 39



.....
Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea doryphora* Kramer

Synonym : -

Vernacular : -

Source : 34, 39




Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea ensifolia* Sw.

Synonym : -

Vernacular : Hang nok kaling (หางนกกระจีตึง)

Source : 1, 11, 29, 37, 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea heterophylla* Dryand

Synonym : -

Vernacular : -

Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea integra* Holttum

Synonym : -

Vernacular : -

Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea javanensis* Blume

Synonym : -

Vernacular : -

Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea lucida* Blume

Synonym : -

Vernacular : -

Source : 39



.....
Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea malayensis* Holttum

Synonym : -

Vernacular : -

Source : 39



.....
Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea napaea* v. A. v. Ros.

Synonym : -

Vernacular : -

Source : 39



.....
Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea oblanceolata* v. A. v. Ros.

Synonym : -

Vernacular : -

Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea odorata* Roxb.

Synonym : -

Vernacular : -

Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea orbiculata* (Lamk.) Mett. ex Kuhn
var. *commixta* (Tagawa) K.U. Kramer

Synonym : -

Vernacular : -

Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea orbiculata* (Lamk.) Mett. ex Kuhn
var. *orbiculata*

Synonym : -

Vernacular : -

Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE

Botanical Name : *Lindsaea parallelogramma* v. A. v. Ros.

Synonym : -

Vernacular : -

Source : 39



- Order/Family :** DICKSONIALES/LINDSAEACEAE
Botanical Name : *Lindsaea parasitica* (Roxb. ex Griff.) Hieron.
Synonym : -
Vernacular : -
Source : 39



- Order/Family :** DICKSONIALES/LINDSAEACEAE
Botanical Name : *Lindsaea repens* (Bory) Thwaites var. *pectinata* (Blume) Mett. ex Kuhn
Synonym : -
Vernacular : -
Source : 8, 11, 39



- Order/Family :** DICKSONIALES/LINDSAEACEAE
Botanical Name : *Lindsaea tenera* Dryand.
Synonym : -
Vernacular : -
Source : BKF



- Order/Family :** DICKSONIALES/LINDSAEACEAE
Botanical Name : *Sphenomeris chinensis* (L.) Maxon var. *divaricata* (H. Christ) K.U. Kramer
Synonym : -
Vernacular : -
Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE
Botanical Name : *Sphenomeris chinensis* (L.) Maxon var. *chinensis*
Synonym : -
Vernacular : -
Source : 37, 39



Order/Family : DICKSONIALES/LINDSAEACEAE
Botanical Name : *Tapeinidium luzonicum* (Hook.) K.U. Kramer
Synonym : -
Vernacular : -
Source : 39



Order/Family : DICKSONIALES/LINDSAEACEAE
Botanical Name : *Tapeinidium pinnatum* (Cav.) C. Chr.
Synonym : -
Vernacular : -
Source : 39

