

# Status NT

Scientific Name	Thai name/Common name	Habitat	Site
<i>Tylototriton verrucosus</i>	กะท่าง Boulenger's Tree Frog	Breeds in pools in mountain forest . streams; terrestrial phase in montane forest. and possibly scrub. Occurred above 1,000 m.	Chiang Mai (Doi Chiang Dao, Doi Inthanon, Doi Suthep-Pui, Doi Ang Khang); Mae Hong Son (Nam Tok Mae Surin NP); Nan (Doi Phu Ka); Loei (Phu Luang WS).
<i>Brachytarsophrys carinense</i>	อึ่งกรายขางแถบ Burmese Horned Frog	Inhabits evergreen forests. Male was found guarding the fertilized eggs which attached the crevice roof under stream current (Stuart, per.com.).	Chiang Mai (Doi Chiang Dao, Doi Suthep-Pui); Lampang (Mae Toh); Kamphaeng Phet (Khlong Lan NP); Uthai Thani (Hau Khakhaeng WS); Phetchaburi (Kaengkrachan NP); Surat Thani (Khlong Saeng WS) and Phangnga (Khao Lak-Lam Ru NP).
<i>Megophrys nasuta</i>	อึ่งกรายหัวแหลม Long-nosed Horned Frog	Inhabits lowland moist evergreen forest.	Songkhla (Ton Ngachang); Yala (Betong, Bannangstar); Narathiwat (Tanjong Mas, Waeng).
<i>Ophryophryne microstoma</i>	อึ่งกรายปากแคบ Narrow-mouthed Horned Frog	The specimens from Thailand have been reported from the high elevation of mountain forest.	Nan (Doi Phu Kha).
<i>Xenophrys aceras</i>	อึ่งกรายหัวมน Malayan Horned Frog	Inhabits lowland moist evergreen forest.	Surat Thani (Khlong Saeng, Khao Sok); Phangnga; Nakhon Si Thammarat (Khao Luang, Thung Song); Trang (Khao Bantat, Khao Chong); Pattani (Nam Tok Sai Khao); Yala (Betong, Bannangstar); Narathiwat (Waeng).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Xenophrys longipes</i>	อึ่งกรายขายาว Long-legged Horned Frog	Inhabits evergreen forest in high altitude.	Ranong (Khlung Naka); Phangnga; Nakhon Si Thammarat (Khao Luang); Yala (Betong, Bannangstar); Narathiwat (Waeng).
<i>Xenophrys major</i>	อึ่งกรายห้วยใหญ่ Greater Stream Horned Frog	Inhabits evergreen forest.	Mae Hong Son (Muang); Chiang Mai (Doi Inthanon, Doi Suthep-Pui, Tha Ton, Mae Ai); Loei (Phu Luang); Tak (Umpang); Kanchanaburi (Tan Lot Cave, Thong Pa Phum); Phetchaburi (Kaengkrachan).
<i>Xenophrys minor</i>	อึ่งกรายห้วยแคระ Dwarf Horned Frog	Inhabits high altitude evergreen forest.	Chiang Mai (Doi Inthanon).
<i>Xenophrys parva</i>	อึ่งกรายเล็ก Lesser Stream Horned Frog	Inhabits evergreen forest.	Mae Hong Son (Pha Sue Falls); Chiang Mai (Doi Inthanon, Doi Suthep-Pui); Uthai Thani (Hau Khakhaeng); Phuket.
<i>Ansonia inthanon</i>	คางคกห้วยอินทนนท์ Inthanon Stream Toad	The endemic species inhabits in high altitude of mountain forest, but the population in Kanchanaburi is probably swampy area in lowland evergreen forest.	Chiang Mai (Doi Inthanon); Kanchanaburi (Thong Pa Phum).
<i>Ansonia siamensis</i>	คางคกห้วยไทย Siamese Stream Toad	Inhabits near streams of evergreen forest.	Trang (Khao Chong).
<i>Glyphoglossus molossus</i>	อึ่งเพา, อึ่งปากขวด	Inhabits deciduous and secondary forests.	Sakon Nakhon (Phu Phan); Nong Bua Lumpoo (Muang, Si

Scientific Name	Thai name/Common name	Habitat	Site
	Truncat-snouted Spadefoot Frog		Boonruang, Na Klang, Noan Sang); Nakhon Ratchasima (Wang Nam Kieo); Srakaew (Ko Klan, Tapraya); Kamphaeng Phet; Uthai Thani (Hau Khakhaeng); Phra Nakhon Si Ayutthaya; Chon Buri, Chanthaburi; Ratchaburi.
<i>Kaloula mediolineata</i>	อึ่งอ่างก้นขีด Mediam-striped Bullfrog	Inhabits deciduous and secondary forests. Usually found in mass breeding in the same areas with other edible species.	Known from Thailand and Laos.
<i>Bourretia kohchangae</i>	กบเกาะช้าง Koh Chang Frog	Inhabits evergreen forest along mountain streams.	Trat (Koh Chang).
<i>Ingerana tasanae</i>	กบท่าสาร Tasan Frog	Inhabits mountain streams in evergreen forest.	Chumphon (Tasan); Ranong (Khlong Naka); Surat Thani (Khao Sok, Khlong Saeng); Phangnga (Khao Lak Lam Ru).
<i>Ingerana tenasserimensis</i>	กบตะนาวศรี Tenasserim Frog	Inhabits the forest floor in vicinity of mountain streams.	Kanchanaburi (Pilok, Sai Yok, Thung Yai); Ratchaburi (Mae Nam Pachi); Nakhon Sithammarat (Khao Ram, Khao Ron Pibun); Trang (Khao Chong).
<i>Limnnectes blythii</i>	กบพุด, เขียดแฉว Blyth's Frog	Inhabits mountain streams in evergreen forest.	Mae Hong Son (Salawin); Tak (Thung Yai); Kamphaeng Phet (Khlong Lan); Uthai Thani (Hau Khakhaeng); Kachanaburi (Erawan, Lin Tin, Sangkhlaburi, Sai Yok, Thong Pa Phum); Ratchaburi (Mae Nam Pa Chi); Phetchaburi (Kaengkrachan);

Scientific Name	Thai name/Common name	Habitat	Site
<i>Limnnectes kuhlii</i>	กบหัวขานุ่ม, กบมีน Kuhl's Stream Frog	Inhabits mountain streams in evergreen forest.	Prachuap Khirikhan (Pa-La-U); Ranong (Khlung Naka, Muang); Surat Thani (Koh Samui, Khao Sok, Khlung Saeng); Phangnga (Khao Lak Lum Ru); Krabi (Khao Panom Bencha, Khao Pra Bang Kram); Nakhon Si Thammarat (Khao Luang); Trang (Khao Chong, Koh Libong); Songkhla (Ton Nga Chang); Yala (Banangstar, Betong); Narathiwat (Waeng). Mae Hong Son (Pang Tong); Chiang Mai (Doi Chiang Dao, Doi Inthanon, Doi Pa Hom Pok, Doi Suthep-Pui, Mae Ai, Tha Ton); Pa Yao (Doi Pa Chang); Phrae; Tak (Thung Yai); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Pi Lok, Sai Yok, Sangkhlaburi, Tham Tan Lot); Phetchaburi (Kaengkrachan); Surat Thani (Khao Sok, Khlung Saeng); Nakhon Si Thammarat (Khao Luang); Yala (Bang Lang, Betong); Narathiwat (Waeng); Loei (Phu Luang, Phu Kradung); Chaiyaphum (Phu Kieo); Nakhon Ratchasima (Kao Yai, Sakaerat).
<i>Limnnectes malesianus</i>	กบตุ้มตาชู Peat Swamp Frog	Inhabits small swampy patches in lowland evergreen forest.	Narathiwat (Waeng).
<i>Limnnectes paramacrodon</i>	กบป่าพรุ Masked Swamp Frog	Inhabits scattered areas of peat swamp forest.	Narathiwat (Tak Bai and Sungai Kolok).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Rana chapaensis</i>	กบภูเขาหลวง Chapa Frog	Inhabits mountain streams and shallow wetlands in hill evergreen forest.	Loei (Phu Luang).
<i>Rana lateralis</i>	กบหลังไพล, เขียดเหลือง Yellow Frog	Inhabits dry deciduous forest. Breeding in deep rainpools in rainy season.	Chiang Mai (Doi Suthep-Pui, Kaeng Pan Tao); Kamphaeng Phet (Khlung Lan); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Muang); Phitsanulok (Wat Bos); Loei (Dan Sai, Phu Rue); Sakon Nakhon (Phu Phan); Nakhon Ratchasima (Sakaerat); Ubon Ratchathani (Yod Dome); Umnajjareon (Phu Singh); Srakaew (Wattana Nakhon).
<i>Rana leptoglossa</i>	กบสังขละ Cope's Frog	Inhabits evergreen forest along mountain streams.	Kanchanaburi (Sangkhlaburi, Thong Pa Phum); Tak (Thung Yai).
<i>Rana miopus</i>	กบหลังลายเขียว Three Striped Frog	Inhabits lowland evergreen forest.	Phangnga (Khao Lak Lam Ru); Krabi (Ao Luk, Khao Panombencha, Khao Pra Bang Kram); Nakhon Si Thammarat; Songkhla (Ton Ngachang); Yala (Banangstar).
<i>Rana faber</i>	กบเขาสอยดาว Smith's Frog	Inhabits mountain streams in high altitude forest.	Chanthaburi (Khao Soi Dao).
<i>Rana signata</i>	กบหลังจุด Spotted Stream Frog	Mainly found among tangled vegetation and root mass along muddy streams in lowland evergreen forest.	Chumphon (Tasan); Surat Thani (Khlung Saeng); Trang (Khao Bantat); Songkhla (Khao Nam Kang, Ton Ngachang); Yala (Banangstar); Narathiwat (Sukirin, Waeng).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Rhacophorus feae</i>	ปาดคอดอยอินทนนท์ Fea's Tree Frog	Inhabits submontane forest.	Mae Hong Son (Pa Sue Falls); Chiang Mai (Doi Inthanon); Loei (Phu Luang).
<i>Rhacophorus maximus</i>	ปาดยักษ์ Giant Tree Frog	Inhabits lowland and submontane forest.	Kanchanaburi (Thong Pha Phum); Ratchaburi (Tako Pidtong); Phetchaburi (Kaengkrachan).
<i>Rhacophorus nigropalmatus</i>	ปาดเขียวตีนดำ Wallace's Tree Frog	Inhabits primary evergreen forest.	Ranong (Ka Pur), Pattani (Kok Po); Yala (Banangstar); Narathiwat (Waeng).
<i>Rhacophorus pardalis</i>	ปาดตีนแดง Harlequin Tree Frog	Inhabits lowland evergreen forest.	Narathiwat (Waeng).
<i>Rhacophorus prominanus</i>	ปาดเขียวตีนแดง Malayan Tree Frog	Inhabits lowland evergreen forest.	Narathiwat (Waeng); Yala (Bannangstar).
<i>Rhacophorus reinwardtii</i>	ปาดเขียวตีนลาย Reinwardt's Tree Frog	Inhabits lowland and submontane forests.	Chiang Mai (Doi Chiang Dao); Kanchanaburi (Thung Yai); Phetchaburi (Kaengkrachan); Narathiwat (Waeng).
<i>Rhacophorus robinsoni</i>	ปาดขาลาย Robinson's Tree Frog	Inhabits closed canopy forest.	Pattani (Bakit Besar), reported since 1903.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Leptobrachium hendricksoni</i>	อึ่งกรายลายจุด Spotted Litter Frog	Inhabits lowland evergreen forests, degraded forest and plantations adjoining forest.	Trang (Khao Bantat WS); Songkhla (Ton Ngachang WS); Yala and Narathiwat (Hala-Bala WS).
<i>Leptobrachium smithi</i>	อึ่งกรายลายเลอะ Dark Litter Frog	Evergreen forest as well as moist deciduous forest. Tadpoles inhabit in forest streams with little current.	Mae Hong Son (Lam Nam Pai, Pa Sue Falls); Chiang Mai (Doi Chiang Dao, Doi Inthanon, Doi Saket, Doi Suthep-Pui); Tak (Thung Yai WS); Uthai Thani (Hau Khakhaeng WS); Kanchanaburi (Erawan, Piloc, Sangkhlaburi, Thong Pa Phum); Phetchaburi (Kaengkrachan); Prachuap Khirikhan (Hau Yang Falls, Pa-La-U Falls); Loei (Na Haeo, Dan Sai, Phu Luang, Phu Rue, Phu Kradung); Phangnga; Nakhon Si Thammarat (Khao Luang); Trang (Khao Bantat, Khao Chong); Krabi (Khao Panombencha, Khao Pra Bang Kram); Songkhla (Ton Ngachang WS); Yala and Narathiwat (Hala-Bala WS).
<i>Leptolalax heteropus</i>	อึ่งกรายหลากลาย Variable Litter Frog	Inhabits mid-altitude rainforest between 400-1,000 m. elevation.	Narathiwat (Waeng District).
<i>Leptolalax pelodytoides</i>	อึ่งกรายหนังปุ่ม Mud Slender Frog	Streamside evergreen forest in mid altitude.	Mae Hong Son (Muang); Chiang Mai (Doi Chiang Dao, Doi Inthanon, Doi Suthep-Pui); Loei (Wang Sapung, Phu Luang); Chaiyaphum (Phu Kieo); Uthai Thani (Hau Khakhaeng);

Scientific Name	Thai name/Common name	Habitat	Site
<i>Ansonia malayana</i>	คางคกหัวขมลาย Malayan Stream Toad	Inhabits near streams of evergreen forest.	Kanchanaburi (Erawan); Phetchaburi (Kaengkrachan); Prachuap Khirikhan (Pa-La-U Falls); Surat Thani (Khlung Saeng). Chumphon (Tasan); Ranong (La-Un); Phangnga (Khao Lak Lam Ru); Phuket; Nakhon Si Thammarat (Thung Song); Pattani; Satun (Koh Tarutao); Yala (Betong); Narathiwat (Waeng).
<i>Bufo asper</i>	จิ้งโคร่ง Giant Asiatic Toad	Inhabits rain forest streams as well as the caves in vicinity areas.	Mae Hong Son (Pha Sue Falls); Tak (Umpang); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Sai Yok, Salak Pra, Sangkhlaburi, Thong Pha Phum); Ratchaburi (Mae Nam Pa Chi); Phetchaburi (Kaengkrachan); Prachuap Khirikhan (Pa-La-U); Chumphon (Ta San); Ranong (Muang); Surat Thani (Khao Sok, Khlung Saeng); Phangnga (Khao Lak Lam Ru); Nakhon Si Thammarat (Na Bon, Khao Luang); Trang (Khao Bantat, Khao Chong); Krabi (Hat Thai Muang, Khoa Panombencha, Khao Pra Bang Kram); Songkhla (Ton Ngachang); Yala (Banangstar, Betong, Than To); Narathiwat (Waeng).
<i>Bufo divergens</i>	คางคกแคระมลายู Malayan Dwarf Toad	Inhabits moist evergreen forest.	Yala (Banangstar, Betong, Than To); Narathiwat (Waeng).
<i>Bufo macrotis</i>	คางคกหัวراب Large-eared Toad	Almost found in deciduous forest.	Chiang Mai (Doi Chiang Dao, Doi Kram, Mong Huad); Phrae (Mae Yom); Prachin Buri (Kabin Buri); Nakhon Nayok (Nong

Scientific Name	Thai name/Common name	Habitat	Site
<i>Bufo melanostictus</i>	คางคกบ้าน Black-spined Toad	Mainly of disturbed areas, uncommon in closed forests.	Ree); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Salak Pra, Sai Yok); Phangnga (Hat Tai Muang); Pattani (Sai Buri). All provinces throughout the country.
<i>Bufo parvus</i>	คางคกแคระอินโดจีน Dwarf Toad	Mainly inhabits in evergreen forests.	Chanthaburi (Khao Kitchakud, Khao Sebab, Khao Soi Dao ); Uthai Thani (Hau Khakakaeng); Kanchanaburi (Huai Mae La Mun, Pilok, Sangkhlaburi); Phetchaburi (Kaengkrachan); Prachuap Khirikhan (Hau Yang Falls, Pa-La-U); Chumphon (Pa Tiu); Ranong (Muang, Khlong Naka); Surat Thani (Khao Sok, Khlong Saeng); Nakhon Si Thammarat (Khao Luang); Trang (Khao Bantat, Khao Chong); Songkhla (Ton Ngachang).
<i>Leptophryne borbonica</i>	คางคกขาขาว Long-legged Slender Toad	Inhabits streams in primary evergreen forests.	Trang (Khao Bantat, Khao Chong); Phatthalung (Kuan Nieng); Songkhla (Ton Ngachang); Narathiwat (Waeng).
<i>Pedostibes hosii</i>	คางคกต้นไม้ Brown Tree Toad	Found in moist evergreen forest. Calling males in breeding season are easily seen on the trees along forest streams.	Trang (Khao Chong); Satun (Tha Le Ban); Yala (Bannangstar); Narathiwat (Waeng).
<i>Calluella guttulata</i>	อึ่งลาย Striped Spadefoot Frog	Most populations were observed from secondary and mixed deciduous forests.	Phrae (Mae Yom); all provinces in western, northeast and southeast regions; Surat Thani (Muang).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Kalophrynus interlineatus</i>	อึ่งปทุมหลังลาย Striped Sticky Frog	Inhabits montane forest.	Loei (Phu Luang); Chaiyaphum (Phu Kieo); Phitsanulok (Thung Salaeng Luang); Chanthaburi (Khao Kitchakud, Khao Sebab).
<i>Kalophrynus pleurostigma</i>	อึ่งปทุมมลายู Red-sided Sticky Frog	Inhabits lowland forest.	Chumphon (Pa Tiu); Phangnga (Khao Lak Lam Ru).
<i>Kaloula baleata</i>	อึ่งอ่างมลายู Brown Bullfrog	Inhabits evergreen forest.	Ratchaburi (Tako Pid Tong); Surat Thani (Khao Sok, Khlong Saeng); Krabi (Khao Pra Bang Kram, Koh Lan Ta); Trang (Khao Chong); Nakhon Si Thammarat (Khao Luang); Phuket.
<i>Kaloula pulchra</i>	อึ่งอ่างบ้าน Banded Bullfrog	Inhabits all habitats including beach forest and urban areas.	All provinces of the country.
<i>Microhyla berdmorei</i>	อึ่งแม่หนาว Berdmore's Chorus Frog	Inhabits the forest floor closed to the streams. Breeds in side pools of streams.	Mae Hong Son (Pang Tong); Chiang Mai (Mae Rim); Loei (Phu Luang); Nong Khai (Phu Wua); Kalasin (Phu Si Than); Chaiyaphum (Phu Kieo); Nakhon Ratchasima (Khao Yai, Sakaerat); Srakaew (Pang Sida); Chachengsao (Khao Ang Rue Ni); Tak (Thung Yai, Um Pang); Phrae (Mae Yom); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Erawan); Phetchaburi (Kaengkrachan); Prachuap Khirikhan (Pa-La-U); Surat Thani (Khao Sok); Krabi (Khao Panom Bencha); Nakhon Si Thammarat (Khao Luang); Trang (Khao Chong); Songkhla (Ton Ngachang); Yala (Banangstar); Narathiwat (Waeng).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Microhyla butleri</i>	อึ่งลายแถม Noisy Chorus Frog	Inhabits forest edge to the primary forest.	Chiang Mai (Doi Chiang Dao, Doi Suthep-Pui); Phrae (Mae Yom); Nakhon Ratchasima (Skaerat); Prachin Buri (Pra Chantakhom); Kanchanaburi (Pilok, Sankhlaburi); Surat Thani (Khlong Saeng); Trang (Kan Tang); Satun; Narathiwat (Tak Bai, Waeng).
<i>Microhyla heymonsi</i>	อึ่งข้างดำ Dark-sided Chorus Frog	Inhabits disturbed areas such as gardens, crop plantations, secondary forests and primary forests.	All provinces.
<i>Microhyla ornata</i>	อึ่งน้ำเต้า Ornate Chorus Frog	Inhabits most of disturbed areas, gardens, crop plantations, secondary forests and primary forests.	Mae Hog Son (Muang); Chiang Mai (Doi Chiang Dao); Phrae (Mae Yom); Tak (Um Pang, Thung Yai); Phitsanulok (Wat Bos); Nong Khai (Phu Wua); Kalasin (Phu Si Than); Roi Et (Phu Pha Namthip); Ubon Ratchathani (Yod Dome); Nakhon Ratchasima (Sakaerat); Chachoengsao (Khao Ang Rue Ni); Srakaew (Ko Klan, Pang Si Da, Ta Praya); Chanthaburi (Khao Sebab); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Erawan, Pilok, Thong Pha Phum); Phetchaburi (Kaengkrachan); Surat Thani (Khlong Saeng, Koh Samui); Ranong (Muang); Krabi (Khao Pra Bang Kram); Nakhon Si Thammarat (Muang, Khao Luang); Songkhla (Ton Ngachang).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Microhyla pulchra</i>	อึ่งขาคำ Painted Chorus Frog	Inhabits deciduous forest.	Chiang Mai (Doi Chiang Dao); Phrae (Mae Yom); Phitsanulok (Wat Bos); Loei (Phu Rue); Nong Khai (Phu Wua); Kalasin (Phu Si Than); Nakhon Ratchasima (Sakaerat); Chachoengsao (Khao Ang Rue Ni); Srakaew (Ko Klan, Pang Sida, Ta Praya); Chanthaburi (Khao Sebab); Uthai Thani (Hau Khakhaeng); Nakhon Si Thammarat.
<i>Micryletta inornata inornata</i>	อึ่งหลังจุด Inornate Chorus Frog	Inhabits evergreen forest and disturbed Areas.	Chiang Mai (Doi Chiang Dao, Doi Suthep-Pui); Phrae (Mae Yom); Tak (Thung Yai); Loei (Phu Luang); Nong Khai (Phu Wua); Nakhon Ratchasima (Sakaerat); Prachin Buri (Prachantakham); Chachoengsao (Khao Ang Rue Ni); Srakaew (Pang Sida, Ta Praya); Chanthaburi (Khao Sebab, Khao Soi Dao); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Thong Pha Phum).
<i>Micryletta inornata lineata</i>	อึ่งหลังขีด Striped Chorus Frog	Inhabits evergreen forest and disturbed Areas.	Ratchaburi (Chaum Bung); Phetchaburi (Kaengkrachan); Ranong, Surat Thani; Phangnga, Nakhon Si Thammarat; Trang; Pattani; Narathiwat.
<i>Amolops larutensis</i>	กบลายหินเมืองใต้ Larut Cascade Frog	Exclusively occurs on boulders and bedrock in fast flowing water forest streams.	Trang (Khao Bantat); Pattani, Yala (Bang Lang, Betong); Narathiwat (Waeng).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Amolops marmoratus</i>	กบลายหินเมืองเหนือ Marbled Cascade Frog	Exclusively occurs on boulders and bedrock in fast flowing water forest streams.	Mae Hong Son (Muang, Pa Sue Falls, Namtok Mae Surin); Chiang Mai (Doi Inthanon, Doi Suthep-Pui); Kamphang Phet (Khlung Lan).
<i>Limnnectes gyldenstolpei</i>	กบทอง Gyldeustolpe's Frog	Inhabits evergreen forest along mountain streams.	Chiang Mai (Doi Chiang Dao, Doi Inthanon, Doi Suthep-Pui); Lam Pang (Doi Pa Muang, Doi Khun Tan); Phrae (Khao Pluang, Mae Song, Mae Yom); Kamphaeng Phet (Khlung Lan); Uttaradit; Loei (Phu Luang); Chaiyaphum (Phu Kieo); Udon Thani; Nong Khai (Phu Wua); Sakon Nakhon (Phu Phan); Kalasin (Phu Si Than); Nakhon Ratchasima (Khao Yai, Sakaerat); Roi Et (Phu Pa Nam Tip); Srakaew (Pang Sida, Tapraya); Prachin Buri (Tap Lan); Chachoengsao (Khao Ang Rue Ni); Chanthaburi (Khao Sebab, Khao Soidao); Rayong (Khao Cha Mao); Chon Buri (Khao Kieo); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Thung Yai).
<i>Limnnectes macrognathus</i>	กบหัวโต Big-headed Frog	Inhabits evergreen forest along mountain streams.	Mae Hong Son (Salawin); Chiang Mai (Doi Inthanon, Doi Suthep-Pui); Tak (Um Pang); Ranong (Muang); Surat Thani (Khao Sok; Khlung Saeng); Krabi (Khao Panombencha, Khao Pra Bang Kram); Nakhon Si Thammarat (Khao Luang); Trang (Khao Chong); Songkhla (Ton Ngachang).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Limnonectes plicatellus</i>	กบแรด Rhinoceros Frog	Inhabits evergreen forest along mountain streams.	Yala (Betong, Banangstar); Narathiwat Waeng).
<i>Limnonectes laticeps</i>	กบหลังตาพับ Rivulet Frog	Inhabits mountain streams in evergreen forest.	Chumphon (Mamoh); Yala (Bang Lang, Betong); Narathiwat (Waeng).
<i>Fejervarya cancrivora</i>	กบน้ำเค็ม Mangrove Frog	Inhabits mangrove forest, estuarine habitats, swamp and open wet areas.	Chon Buri (Ang Sila); Chachoengsao (Bang Pakong); Samut Prakan (Bang Pu, Khlong Dan); Bangkok (Bang Khun Tien); Prachuap Khirikhan (Sam Roi Yod); Chumphon (Swi); Nakhon Si Thammarat (Pak Panang); Sonkhla (Sating Pra); Narathiwat (Tak Bai); Trang (Kan Tang, Koh Libong, Hat Chao Mai); Phangnga (Ao Phangnga).
<i>Hoplobatrachus chinensis</i>	กบนา Chinese Bullfrog	Inhabits plain wetlands.	All provinces.
<i>Occidozyga laevis</i>	เขียดคลื่น Spotted Puddle Frog	Inhabits shallow muddy puddles and pools near small forest streams and forest edge.	Songkhla (Kor Hong); Pattani; Narathiwat (Sungai Kolok, Waeng)
<i>Occidozyga lima</i>	เขียดจระนา Common Puddle Frog	Inhabits lowland wetlands including wet paddy areas.	All provinces.
<i>Occidozyga magnapustulosa</i>	เขียดหลังปุ่ม Tubercled Frog	Occurs in seepages, puddles and shallow waters in high altitude forest.	Chiang Mai; Loei; Nakhon Phanom; Ubon Ratchathani.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Occidozyga martensii</i>	เขียดทราย Marten's Puddle Frog	Primarily occurs in streamside puddles, seepages and other damp patches along streams and rivers, as well as rain puddles and pools.	All provinces.
<i>Rana cf. alticola</i>	กบเขาสูง Hillstream Frog	Inhabits mountain streams in evergreen forest.	Uthai Thani (Hauai Khakhaeng); Kanchanaburi (Sai Yok, Sangkhlaburi, Thong Pa Phum); Phetchaburi (Kaengkrachan); Prachuap Khirikhan (Pa-La-U); Chumphon (Tasan); Ranong (Khlung Naka); Surat Thani (Khao Sok, Khlung Saeng); Phangnga (Khao Lak Lum Ru).
<i>Rana archotaphus</i>	กบชะง่อนผาอินทนนท์ Doi Inthanon Cascade Frog	Inhabits mountain streams fast water flows in high altitude forest.	Chiang Mai (Doi Inthanon); Chiang Rai (Mae Tum).
<i>Rana baramica</i>	กบวากเล็ก Masked Frog	Inhabits swampy areas lowland evergreen forest.	Narathiwat (Waeng).
<i>Rana cubitalis</i>	กบหูดำ Dark-eared Frog	Inhabits mountain streams in evergreen forest.	Chiang Mai (Doi Chiang Dao, Doi Nga Chang); Uthai Thani (Hauai Khakhaeng); Ratchaburi (Suan Pung); Phetchaburi (Kaengkrachan); Ranong (Khlung Naka); Nakhon Si Thammarat; Loei (Dan Sai, Na Haeo, Phu Luang); Phetchabun (Nam Nao).
<i>Rana erythraea</i>	เขียดฉีก Green Paddy Frog	Inhabits lowlands wetlands including garden ponds.	All provinces.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Rana glandulosa</i>	กบวากใหญ่ Rough-sided Frog	Inhabits swampy areas in forests and crops plantations.	Chumphon (Lang Suan); Phangnga (Khao Lak Lam Ru); Surat Thani (Pru Kantuli); Nakhon Si Thammarat (Khao Luang); Songkhla (Ton Ngachang); Trang; Satun (Tale Ban); Yala (Bannangstar, Betong); Narathiwat (Sungai Kolok, Waeng).
<i>Rana hosii</i>	กบชะง่อนผาใต้ Hose's Cascade Frog	Exclusively occurs on boulders and bedrock in fast flowing water forest streams.	Chumphon (Ta San); Surat Thani (Khao Sok, Khlong Saeng); Phangnga (Khao Lak Lam Ru); Krabi (Khao Panombencha); Nakhon Si Thammarat (Khao Luang); Songkhla (Ton Ngachang); Yala (Banangstar); Narathiwat (Waeng).
<i>Rana johnsi</i>	กบสี่ชมพู Johns's Frog	Inhabits the high altitude forest.	Loei (Phu Luang).
<i>Rana livida</i>	กบชะง่อนผาเหนือ Burmese Cascade Frog	Exclusively occurs on boulders and bedrock in fast flowing water forest streams.	Mae Hong Son (Pha Sue Falls); Chiang Mai (Doi Suthep-Pui); Kamphaeng Phet (Khlong Lan); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Hau Mae Kamin; Pilok, Salak Pra, Thong Pha Phum); Prachuap Khirikhan (Kui Buri, Pa-La-U).
<i>Rana macrodactyla</i>	กบหลังขี้ด Long-toed Frog	Known from lowland wetlands.	All provinces.
<i>Rana nicobariensis</i>	กบนิโคบาร์ Nicobar Cricket Frog	Occurs in disturbed areas and crop plantations.	Nakhon Si Thammarat, Yala.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Rana nigrovittata</i>	กบอองเล็ก Dark-sided Frog	Inhabits gentle streams in evergreen forest.	All provinces except the Central Plain.
<i>Rana raniceps</i>	กบเขากลิ้งตอง White-lipped Frog	Individuals are seen on rocks or vegetation along small lowland forest streams.	Prachuap Khirikhan (Bang Sapan Noi); Chumphon (Mamoh, Tasae, Tasan); Ranong (Muang, Khlong Naka); Surat Thani (Khao Sok, Khlong Saeng, Na San, Ta Chana); Krabi (Khao Panom Bencha, Khao Pra Bang Kram); Nakhon Si Thammarat (Khao Luang); Trang (Khao Bantat, Khao Chong); Songkhla (Ton Ngachang); Yala (Bannangstar, Betong); Narathiwat (Sukirin, Sungai Kolok, Tak Bai, Waeng).
<i>Rana taipehensis</i>	กบไต้หวัน Taiwanese Frog	Inhabits grassy wetland areas, forest ponds and streams of deciduous and evergreen forests.	Phitsanulok (Thung Salaeng Luang); Loei (Phu Luang); Nong Khai (Phu Wua); Nakhon Ratchasima (Khao Yai).
<i>Chirixalus doriae</i>	ปาดจิวหลังซิด Doria's Bush Frog	Inhabits open grassy areas. Breeds in swampy pools.	Chiang Mai (Doi Chiang Dao, Doi Inthanon, Doi Suthep-Pui); Loei (Phu Kradung, Phu Luang); Chaiyaphum (Phu Kieo); Uthai Thani (Ban Rai); Kanchanaburi (Sangkhlaburi, Thung Yai).
<i>Chirixalus nongkhorensis</i>	ปาดจิวลายเต็ม Nongkhor Bush Frog	Inhabits open grassy areas surrounding with bamboo forest. Breeds in swampy pools.	Nakhon Ratchasima (Sakaerat); Srakaew (Pang Sida); Chachoengsao (Khao Ang Rue Ni); Chanthaburi (Khao Sebab); Chon Buri (Siracha).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Chirixalus vittatus</i>	ปาดจิวพม่า Burmese Bush Frog	Inhabits open grassy areas. Breeds in swampy pools.	Uthai Thani (Ban Rai); Kanchanaburi (Sangkhlaburi); Phra Nakhon Si Ayutthaya.
<i>Nyctixalus pictus</i>	ปาดป่าจูดขาว Cinnamon Tree Frog	Inhabits evergreen forest as well as bamboo forest.	Surat Thani (Khao Sok, Khlong Saeng); Phangnga (Khao Lak Lam Ru); Nakhon Si Thammarat (Khao Luang); Songkhla (Ton Ngachang); Yala (Bang Lang, Betong).
<i>Philautus parvulus</i>	ปาดแคระป่า Dwarf Bush Frog	Inhabits evergreen forest.	Mae Hong Son (Pang Tong); Chiang Mai (Doi Chiang Dao, Doi Inthanon, Doi Suthep-Pui); Pa Yao (Doi Pa Chang); Loei (Phu Kradung, Phu Luang); Chanthaburi (Khao Soi Dao, Khao Sebab); Tak (Thung Yai); Uthai Thani (Ban Rai); Phetchaburi (Kaengkrachan); Nakhon Si Thammarat (Khao Luang).
<i>Philautus petersi</i>	ปาดแคระทองเหลือง Peters's Bush Frog	Inhabits evergreen forest.	Narathiwat (Waeng).
<i>Polypedates colleti</i>	ปาดนิ้วแถมกลาย Collett's Tree Frog	Inhabits evergreen forest as well as Peat Swamp Forest.	Yala (Banangstar); Narathiwat (Sungai Kolok).
<i>Polypedates leucomystax</i>	ปาดบาน Four-lined Tree Frog	Found widespread in all habitats, from beach vegetation to primary evergreen forest as well as urban areas.	All Provinces.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Polypedates macrotis</i>	ปาดหูดำ Dark-eared Tree Frog	Inhabits evergreen forest.	Nakhon Si Thammarat (Khao Luang); Yala (Bannagstar); Narathiwat (Waeng).
<i>Polypedates mutus</i>	เขียดตะปาด Northern Tree Frog	Inhabits primary and secondary forests.	Main provinces in the North and Northeast of the country.
<i>Rhacophorus appendiculatus</i>	ปาดลายเลอะไต Fringed Tree Frog	Inhabits evergreen forest.	Nakhon Si Thammarat (Khao Luang); Narathiwat (Waeng).
<i>Rhacophorus bipunctatus</i>	ปาดตีนเหลือง Twin-spotted Tree Frog	Inhabits lowland evergreen forest up to submontane forest.	Chiang Mai (Doi Chiang Dao, Doi Inthanon, Doi Suthep-Pui, Doi Pahom Pok, Kaeng Pan Tao); Loei (Phu Luang); Sakon Nakhon (Phu Phan); Kalasin (Phu Si Than); Nakhon Ratchasima (Sakaerat); Kamphaeng Phet (Khlung Lan); Kanchanaburi (Thung Yai); Phetchaburi (Kaengkrachan); Nakhon Si Thammarat (Khao Luang).
<i>Rhacophorus bisacculus</i>	ปาดลายเลอะอีสาน Taylor's Tree Frog	Inhabits lowland forest as well as rubber plantation surrounding the forest. Breeding in large temporary pool.	Phetchabun (Nam Nao); Loei ((Phu Kradung, Phu Luang); Nong Khai (Phu Wua); Nakhon Ratchasima (Sakaerat, Khao Yai); Chachoengsao (Khao Ang Rue Ni); Chanthaburi (Khao Sebab).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Rhacophorus cyanopunctatus</i>	ปาดจุดฟ้า Blue-spotted Tree Frog	Inhabits lowland and submontane forests along mountain streams.	Surat Thani (Khao Sok); Nakhon Si Thammarat (Khao Luang); Songkhla (Ton Ngachang); Satun; Narathiwat (Waeng).
<i>Theلودerma asperum</i>	ปาดตะปุ่มตะป่ำ Pied Warted Tree Frog	Inhabits lowland and submontane forest.	Mae Hong Son (Pang Ung); Chiang Mai (Doi Chiang Dao, Doi Inthanon); Loei (Phu Luang); Tak (Thung Yai); Uthai Thani (Hau Khakhaeng); Ratchaburi (Maenam Pachi); Kanchanaburi (Si Nakharin); Srakaew (Pang Sida); Chanthaburi (Khao Kitchakud, Khao Sebab).

# Status **DD**

Scientific Name	Thai name/Common name	Habitat	Site
<i>Caudacaecilia asplenica</i>	เขียดจุมต่าย Malayan Caecilian	Fossorial dwells underground of moist evergreen forest.	Yala (La Doo Tin Mine).
<i>Caudacaecilia larutensis</i>	เขียดจูงคำ, เขียดจูงบารา Larut Hill Caecilian	Fossorial dwells underground of moist evergreen forest.	Narathiwat (Khlong Tan Tong, Su Kirin District; Sirindhorn Waterfall, Waeng District).
<i>Ichthyophis acuminatus</i>	เขียดจูงหัวแหลม Pointed-snouted Caecilian	Fossorial dwells underground of moist evergreen forest.	Chiang Mai (Mae Wang Valley).
<i>Ichthyophis kohtaoensis</i>	เขียดจูงเกาะเต่า Koh Tao Caecilian	Fossorial dwells underground of evergreen forest and agricultural areas.	Chiang Mai (Doi Suthep); Uthai Thani (Hau Kha Khaeng WS); Sing Buri (Prom Buri District); Loei (Phu Luang WS); Chaiyaphum (Phu Kieo WS); Nakhon Ratchasima (Wang Nam Kieo District); Srakaew (Pang Sida NP); Surat Thani (Koh Tao, Koh Samui).
<i>Ichthyophis supachaii</i>	เขียดจูงศุภชัย Supachai's Caecilian	Fossorial dwells underground of evergreen forest and agricultural areas.	Nakhon Si Thammarat (Khao Luang NP); Trang (Khao Bantat WS); Phthalung (Tale Noi WS); Yala (Than To Falls); Narathiwat (Waeng District).
<i>Ichthyophis youngorum</i>	เขียดจูงดอยสุเทพ Doi Suthep Caecilian	Fossorial dwells underground of montane forest about 1,000 m elevation.	Chiang Mai (Doi Suthep).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Brachytarsophrys feae</i>	อึ่งกรายพม่า Fea's Horned Frog	Inhabits evergreen forests in high elevation. Only one specimens collected from Angka Luang 2,800 m elevation in Doi Inthanon now is depicted in FMNH Collection.	Chiang Mai (Doi Inthanon).
<i>Leptobrachium chapaense</i>	อึ่งกรายตาขาว White-eyed Litter Frog	Inhabits evergreen forests in high elevation.	Chiang Mai (Doi Inthanon).
<i>Leptolalax bourreti</i>	อึ่งกรายคอดยอินทนนท์ Bourret's Litter Frog	Hill evergreen forest in high elevation closed to 2,800 m.	Chiang Mai (Doi Inthanon).
<i>Leptolalax cf. gracilis</i>	อึ่งกรายทองผาภูมิ Thong Pa Pum Litter Frog	Ecological information of this species is confined to primary and old secondary rain forests. Adults and juveniles live in the floor litter and underground covered vegetation.	Doubtful record of tadpole from Thong Pa Phum in Kanchanaburi.
<i>Hyla annectans</i>	ป่าดเมืองจีน Chinese Tree Frog	Probably found in moist rain forest.	Mae Hong Son.
<i>Chaperina cf. fusca</i>	อึ่งทองเหล็อง Spiny-heeled Froglet	Inhabits primary evergreen forest.	Surat Thani (Khlung Saeng).
<i>Microhyla annamensis</i>	อึ่งอันนัม Annam Chorus Frog	Inhabits swampy areas in evergreen forest.	Chanthaburi (Khao Sebab).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Microhyla annectens</i>	อึ่งน้ำตามลาชู Boulenger's Chorus Frog	Inhabits the forest floor.	Chumphon (Pa Tiu).
<i>Microhyla borneensis</i>	อึ่งบอร์เนียว Bornean Chorus Frog	Inhabits the forest floor closed to the streams.	Narathiwat (Waeng).
<i>Phrynella pulchra</i>	อึ่งทองแดง Red-bellied Frog	Inhabits evergreen forest.	Narathiwat (Waeng).
<i>Limnodynastes doriae</i>	กบดอร์เรีย Doria's Frog	Inhabits evergreen forest.	Tak; Uthai Thani (Hau Khakhaeng); Kanchanaburi (Pi Lok, Sai Yok, Sangkhlaburi, Thong Pha Phum); Prachuap Khirikhan (Huai Yang Falls); Chumphon (Ta Sae).
<i>Chaparana aenea</i>	กบดอยช้าง Doi Chang Frog	Inhabits evergreen forest.	Chiang Mai (Doi Chang, Doi Inthanon).
<i>Fejervarya limnocharis</i>	กบหนอง Paddy Frog	Inhabits most open wetlands, rarely found in closed canopy forest.	All provinces.
<i>Fejervarya raja</i>	กบราชา Raja Frog	Inhabits marsh areas.	Phatthalung (Thale Noi); Songkhla (Thale Sap); Pattani (Ru Samilae); Narathiwat (Tak Bai).
<i>Huia melasma</i>	กบชะง่อนผาไทย Siamese Cascade Frog	Exclusively occurs on boulders and bedrock in fast flowing.	Chiang Mai (Doi Chiang Dao); Kanchanaburi (Tan Lot Cave); Prachuap Khirikhan (Pa-La-U).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Rana banjarana</i>	กบหลังจุดมลายู Banja Frog	Inhabits mountain streams in high altitude forest.	Yala (Banangstar).
<i>Rana chloronota</i>	กบชะง่อนผาอีสัม Assamese Cascade Frog	Exclusively occurs on boulders and bedrock in fast flowing water forest streams.	Prachuap Khirikhan (Pa-La-U); Surat Thani (Khao Sok); Krabi (Khao Panombencha).
<i>Rana luctuosa</i>	กบเขาทองลาย Mahogany Frog	Inhabits forest floor of lowland evergreen forest. Breeding in wet wild boar hallows.	Nakhon Si Thammarat (Khao Ram).
<i>Rana milleti</i>	กบเขาใหญ่ Millet's Frog	Known from mountain streams in degraded and primary forests.	Umnajjareon (Phu Sing); Nakhon Ratchasima (Khao Yai), Chachoengsao (Khao Ang Rue Ni); Chanthaburi (Khao Sebab).
<i>Rana mortenseni</i>	กบอ่องใหญ่ Mortensen's Frog	Inhabits forest streams in evergreen forest.	Trat (Koh Chang); Chanthaburi (Khao Sebab).
<i>Rana schmackeri</i>	กบคอยอินทนนท์ Schmacker's Cascade Frog	Known from mountain stream in hill evergreen forest.	Chiang Mai (Doi Inthanon).
<i>Taylorana hascheana</i>	กบป่าไผ่ Hasche's Frog	Inhabits bamboo forest, usually found in dense leaf litter layer on soil.	Mae Hong Son (Salawin); Chiang Mai (Doi Suthep-Pui); Kamphaeng Phet (Khlung Lan, Mae Wong); Uthai Thani (Hau Khakhaeng); Kanchanaburi (Thong Pa Phum); Phetchaburi (Kaengkrachan); Prachuap Khirikhan (Pa-La-U); Ranong (Maung); Surat Thani (Khao Sok); Krabi (Khao Panombencha).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Taylorana limborgii</i>	กบกา Stoliczlea's Frog	Inhabits bamboo forest, usually found in dense leaf litter layer on soil.	Nakhon Si Thammarat (Khao Luang); Trang (Khao Chong); Songkhla (Ton Ngachang); Narathiwat (Waeng).
<i>Chirixalus hansenae</i>	ปาดจิวัวตะวันออก Hansen Bush Frog	Inhabits open grassy areas. Breeds in swampy pools.	Chiang Mai (Kaeng Paeng Tao, Nong Pung); Loei (Phu Kradung, Phu Luang); Nakhon Ratchasima (Sakaerat); Chon Buri (Siracha).
<i>Philautus carinensis</i>	ปาดกระพม่า Burmese Bush Frog	Inhabits tropical submontane forest.	Chiang Mai (Doi Chiang Dao, Doi Inthanon).
<i>Philautus gracilipes</i>	ปาดกระขาเรียว Slender-legged Bush Frog	Inhabits high altitude hill evergreen forest.	Chiang Mai (Doi Inthanon).
<i>Philautus vermiculatus</i>	ปาดกระทองลาย Vermiculated Bush Frog	Inhabits evergreen forest.	Narathiwat (Waeng).
<i>Rhacophorus orlovi</i>	ปาดตีนเหลืองอีสาน Orlov's Tree Frog	Inhabits along sandstone mountain streams in deciduous and evergreen forests.	Umnajjareon (Muang); Ubon Ratchathani (Nachaluai).
<i>Rhacophorus verrucosus</i>	ปาดลายเลอะเหนื่อ Boulenger's Tree Frog	Inhabits lowland evergreen forest.	Tak (Um Pang); Prachuap Khirikhan (Pa-La-U).

## Status **Endemic**

Scientific Name	Thai name/Common name	Habitat	Site
<i>Ichthyophis acuminatus</i>	เขียดคู้หัวแหลม Pointed-snouted Caecilian	Fossorial dwells underground of moist evergreen forest.	Chiang Mai (Mae Wang Valley).
<i>Ichthyophis kohtaoensis</i>	เขียดคู้เกาะเต่า Koh Tao Caecilian	Fossorial dwells underground of evergreen forest and agricultural areas.	Chiang Mai (Doi Suthep); Uthai Thani (Hau Kha Khaeng WS); Sing Buri (Prom Buri Distric); Loei (Phu Luang WS); Chaiyaphum (Phu Kieo WS); Nakhon Ratchasima (Wang Nam Kieo District); Srakaew (Pang Sida NP); Surat Thani (Koh Tao, Koh Samui).
<i>Ichthyophis youngorum</i>	เขียดคู้ดอยสุเทพ Doi Suthep Caecilian	Fossorial dwells underground of montane forest about 1,000 m elevation.	Chiang Mai (Doi Suthep).
<i>Ansonia inthanon</i>	คางคกห้วยอินทนนท์ Inthanon Stream Toad	The endemic species inhabits in high altitude of mountain forest, but the population in Kanchanaburi is probably swampy area in lowland evergreen forest.	Chiang Mai (Doi Inthanon); Kanchanaburi (Thong Pa Phum).
<i>Ansonia siamensis</i>	คางคกห้วยไทย Siamses Stream Toad	Inhabits near streams of evergreen forest.	Trang (Khao Chong).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Huia melasma</i>	กบชะง่อนผาไทย Siamses Cascade Frog	Exclusively occurs on boulders and bedrock in fast flowing.	Chiang Mai (Doi Chiang Dao); Kanchanaburi (Tan Lot Cave); Prachuap Khirikhan (Pa-La-U).
<i>Ingerana tasanae</i>	กบทาสาร Tasan Frog	Inhabits mountain streams in evergreen forest.	Chumphon (Tasan); Ranong (Khlong Naka); Surat Thani (Khao Sok, Khlong Saeng); Phangnga (Khao Lak Lam Ru).