

Scientific Name	Thai name/Common name	Habitat	Site
<i>Arborophila orientalis</i>	นกกระทาดอกเทา Grey-breasted Partridge	evergreen forest 1,000-1,600 m.	Resident, known only from Yala (Hala-Bala WS).
<i>Argusianus argus</i>	นกหว่า Great Argus	evergreen forest, up to 950 m.	Uncommon resident in peninsular region, now much reduced.
<i>Anser cygnoides</i>	ห่านเทาปากดำ Swan Goose	lake, river, marshy freshwater.	Globally threatened, very rare vagrant, recorded Chiang Rai.
<i>Anas formosa</i>	เป็ดหน้าเหลือง Baikal Teal	freshwater lake.	Very rare winter visitor, recorded from N and C.
<i>Aythya nyroca</i>	เป็ดดำหัวสีน้ำตาล Ferruginous Pochard	freshwater lake.	Regular wintering in NW, NE and C.
<i>Mergus squamatus</i>	เป็ดปากยาวข้างลาย Scaly-sided Merganser	lake, large river.	Globally threatened, very rare vagrant, only recorded from Chiang Mai.
<i>Dendrocopos hyperythrus</i>	นกกหัวขวานแดง ทองน้ำตาลแดง Rufous-bellied Woodpecker	deciduous forest and oak mixed coniferous.	Uncommon to resident with scattered in NW and NE.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Dendrocopos cathpharius</i>	นกหัวขวานอกแดง Crimson-breasted Woodpecker	Hill evergreen forest 1,600-1,800 m.	Very local resident in NW (Doi Ang Khang, Doi Pha Hom Pok).
<i>Anorrhinus tickelli</i>	นกเงือกสีน้ำตาล Brown Hornbill	evergreen forest, up to 1,600 m.	Uncommon resident in NW, W, and NE, now much reduced.
<i>Harpactes diardii</i>	นกขุนแผนหัวดำ Diard's Trogon	lowland evergreen forest, up to 600 m.	Uncommon resident in peninsular region.
<i>Alcedo euryzona</i>	นกกระเต็นน้อยแถบอกดำ Blue-banded Kingfisher	streams in evergreen forest.	Uncommon to rare resident in W and S.
<i>Actenoides concretus</i>	นกกระเต็นสร้อยคอสีน้ำตาล Rufous-collared Kingfisher	evergreen forest, up to 1,200 m.	Rare resident in W(s) and S.
<i>Carpococcyx renauldi</i>	นกโกโรโกโส Coral-billed Ground-Cuckoo	Dry evergreen forest, up to 1,200 m.	Uncommon Resident in NE.
<i>Apus acuticauda</i>	นกแอ่นทองลาย Dark-rumped Swiftlet	forest areas, cliffs, 1,000-1,200 m.	Occasionally wintering in NW, little known.
<i>Strix seloputo</i>	นกเค้าป่าหลังจุด Spotted Wood-Owl	lowland open forest, plantation.	Historically recorded from NE and C now still present in S, much reduced.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Columba pulchricollis</i>	นกพิราบเขาสูง Ashy Wood Pigeon	hill evergreen forest, 1,400-2,565 m.	Very local resident in NW.
<i>Columba punicea</i>	นกคลุมพู่แดง Pale-capped Pigeon	various forest, up to 1,400 m.	Rare winter and passage throughout the country, frequent seen along coasts.
<i>Treron phoenicoptera</i>	นกเป็ดขาเหลือง Yellow-footed Green Pigeon	mixed deciduous forest, lowland.	Uncommon resident in NW, W and NE, now much reduced.
<i>Treron seimundi</i>	นกเป็ดหางเข้มหัวปีกแดง Yellow-vented Green Pigeon	evergreen forest, 250-1,525 m.	Uncommon resident in NW and W.
<i>Treron sieboldii</i>	นกเป็ดทองขาว White-bellied Green Pigeon	evergreen forest, 600-2,000 m.	Uncommon resident and passage in NW, W and NE.
<i>Caloenas nicobarica</i>	นกขาปีไหน Nicobar Pigeon	Island forest.	Least disturbed offshore islands in the west coast of Thailand.
<i>Gallinago nemoricola</i>	นกปากซ่อมมพง Wood Snipe	marshy areas, 520-1,830 m.	Rare winter visitor in NW.
<i>Limnodromus semipalmatus</i>	นกซ่อมทะเลอกแดง Asian Dowitcher	mudflats, coastal marshes.	Regular wintering in the gulf of Thailand and both coasts.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Vanellus duvaucelii</i>	นกกระแตหาด River Lapwing	large river and surrounds.	Uncommon resident throughout in suitable habitats, threatened by human persecution.
<i>Rynchops albicollis</i>	นกกรีดน้ำ Indian Skimmer	lake, large river, rarely coasts.	Historically records NE, now very rare visitor in C and W(s).
<i>Haliaeetus leucoryphus</i>	นกอินทรีหัวสีนวล Pallas's Fish Eagle	large river, marshes, lowlands.	Historically records NW, uncertain status.
<i>Ichthyophaga humilis</i>	เหยี่ยวปลาเล็กหัวเทา Lesser Fish Eagle	forest streams.	Rare resident in W and S.
<i>Polihierax insignis</i>	เหยี่ยวเล็กตะโพกขาว White-rumped Falcon	deciduous forest.	Rare resident in NW, W and NE, now very much reduced.
<i>Falco peregrinus</i>	เหยี่ยวเพเรกริน Peregrine Falcon	various open habit, up to 2,565 m.	Uncommon resident and winter visitor throughout in suitable habitats, threatened by human persecution.
<i>Ardea purpurea</i>	นกกระสาแดง Purple Heron	various marshy areas.	In winter widespread over most of country, small number breeder.
<i>Mycteria leucocephala</i>	นกกาบบัว Painted Strork	marshy areas.	Uncommon resident and winter visitor in NE, W, C and S.
<i>Pitta megarhyncha</i>	นกแต้วแล้วป่าชายเลน Mangrove Pitta	mangrove forest.	Uncommon resident in west coast of peninsular.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Eupetes macrocerus</i>	นกคอสามสี Malaysian Rail Babbler	evergreen forest.	Uncommon resident in peninsular region.
<i>Platysmurus leucopterus</i>	นกกาน้อยปีกแถบขาว Black Magpie	lowland evergreen forest, up to 200 m.	Rare resident in peninsular region, threatened by habitat destruction.
<i>Temnurus temnurus</i>	นกกะลิ่งเขียดหางหนาม Ratchet-tailed Treepie	evergreen forest, bamboo, 700-1,500 m.	Very local resident in Phetchaburi (Kaeng Krachan NP).
<i>Oriolus mellianus</i>	นกขมิ้นขาว Silver Oriole	evergreen forest , up to 800 m.	Rare winter visitor in NW, W, NE and SE.
<i>Lalage nigra</i>	นกเขนน้อยคิ้วขาว Pied Triller	coastal scrup, plantation.	Rare resident in peninsular region.
<i>Pericrocotus igneus</i>	นกพญาไฟเล็กคอดำ Fiery Minivet	lowland evergreen forest.	Rare resident in peninsular region.
<i>Hemipus hirundinaceus</i>	นกเขนน้อยปีกดำ Black-winged Flycatcher-shrike	evergreen forest, freshwater swamp forest, mangrove forest, lowland.	Rare resident in peninsular region.
<i>Rhipidura perlata</i>	นกอีแพรดดอกกลาย Spotted Fantail	evergreen forest, up to 1,060 m.	Rare resident in peninsular region.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Rhipidura aureola</i>	นกอีแพรดคิ้วขาว White-browed Fantail	deciduous forest.	Uncommon to rare resident in NW, W and NE.
<i>Turdus feae</i>	นกเดินดงอกเทา Grey-sided Thrush	hill evergreen forest.	Rare but regular winter visitor in NW, NE, and W(s).
<i>Brachypteryx montana</i>	นกปีกสั้นสีน้ำเงิน White-browed Shortwing	hill evergreen forest.	Very local resident in NW and W.
<i>Rhinomyias brunneata</i>	นกจับแมลงอกสีน้ำตาลอ่อน Brown-chested Jungle-Flycatcher	evergreen forest, up to 1,000 m.	Rare passage migrant in W, C and S.
<i>Rhinomyias umbratilis</i>	นกจับแมลงอกเทา Grey-chested Jungle	evergreen forest.	Rare resident in peninsular region.
<i>Cyornis rufigastra</i>	นกจับแมลงป่าชายเลน Mangrove Blue Flycatcher	mangrove forest.	Uncommon resident in west coast of peninsular.
<i>Cyornis turcosus</i>	นกจับแมลงคอสีฟ้าสด Malaysian Blue Flycatcher	freshwater swamp forest.	Very local resident in extreme south (Cha lerm Prakait WS).
<i>Ficedula dumetoria</i>	นกจับแมลงอกสีส้ม Rufous-chested Flycatcher	lowland evergreen forest.	Rare resident in extreme south

Scientific Name	Thai name/Common name	Habitat	Site
<i>Muscicapella hodgsoni</i>	นกจับแมลงสีฟ้าจิ๋ว Pygmy Blue Flycatcher	evergreen forest, 600-2,565 m.	Rare resident in NW, W and S.
<i>Luscinia obscura</i>	นกเขนน้อยหัวดำ Blackthroat	dense thickets, grass, scrub, bamboo, 300-395 m.	Very rare winter visitor in NW.
<i>Enicurus immaculatus</i>	นกกางเขนน้ำหลังดำ Black-backed Forktail	streams in forest, up to 800 m.	Uncommon to rare resident in NW, threatened by human persecution.
<i>Certhia discolor</i>	นกเปลือกไม้ Brown-throated Treecreeper	hill evergreen forest.	Uncommon resident in NW and W.
<i>Aegithalos concinnus</i>	นกคิตหัวแดง Black-throated Tit	hill evergreen forest, above 1,800 m.	Very local resident in NW.
<i>Riparia paludicola</i>	นกนางแอ่นทรายสีน้ำตาล Plain Martin	large river.	Uncommon resident in NW, now much reduced.
<i>Pycnonotus eutilotus</i>	นกปรอดทองหลังลาย Puff-backed Bulbul	lowland evergreen forest.	Uncommon to rare resident in peninsular region, threatened by habitat destruction.
<i>Alophoixus finschii</i>	นกปรอดสีคล้ำใต้คอเหลือง Finsch's Bulbul	lowland evergreen forest.	Uncommon to rare resident in extreme south.
<i>Tesia castaneocoronata</i>	นกจุนจูหัวสีตาล Chestnut-headed Tesia	hill evergreen forest.	Very local and uncommon resident in NW and W.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Phylloscopus maculipennis</i>	นกกระจัดคอสีเทา Ashy-throated Warbler	hill evergreen forest, 1,500-2,565 m.	Very local resident in Chiang Mai (Doi Inthanon NP) Common.
<i>Phylloscopus cantator</i>	นกกระจัดคิ้วดำทองขาว Yellow-vented Warbler	evergreen forest, 500-1,700 m.	Rare winter visitor in NW.
<i>Garrulax merulinus</i>	นกกระรางอกลาย Spot-breasted Laughingthrush	hill evergreen forest, bamboo.	Rare and local resident in NW.
<i>Liocichla phoenicea</i>	นกกระรางแกมแดง Red-faced Liocichla	hill evergreen forest, secondary growth.	Uncommon resident in NW.
<i>Stachyris nigricollis</i>	นกกิ้งแมลงคอดำ Black-throated Babbler	lowland evergreen forest.	Uncommon to rare in peninsular region, now much reduced by habitat loss.
<i>Stachyris maculata</i>	นกกิ้งแมลงตะโพกแดง Chestnut-rumped Babbler	lowland evergreen forest.	Uncommon in peninsular region, now much reduced by habitat loss.
<i>Macronous ptilosus</i>	นกกิ้งแมลงหลังฟู Fluffy-backed Tit-Babbler	freshwater swamp forest, lowland evergreen forest.	Uncommon in peninsular region, now much reduced by habitat loss.
<i>Minla strigula</i>	นกสีวะหางสีตาล Chestnut-tailed Minla	hill evergreen forest, 1,600-2,565 m.	Very local resident in NW and W.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Yuhina humilis</i>	นกภูหงอนพม่า Burmese Yuhina	evergreen forest.	Umcommon and very local resident in W.
<i>Paradoxornis davidianus</i>	นกปากนกแก้วหางสั้น Short-tailed Parrotbill	bamboo, 600-1,000 m.	Rare resident in NW and NE.
<i>Paradoxornis atrosuperciliaris</i>	นกปากนกแก้วคิ้วดำ Lesser Rufous-headed Parrotbill	bamboo, 600-2,000 m.	Rare resident in NW and W.
<i>Nectarinia calcostetha</i>	นกกินปลีคอสีทองแดง Copper-throated Sunbird	mangrove, coastal forest.	Uncommon resident in coatal of SE and S.
<i>Lonchura maja</i>	นกกระต๊อหัวขาว White-headed Munia	grassland, paddyfield, scrub.	Uncommon to rare resident in S, threatened by bird trade.
<i>Mycerobas melanozanthos</i>	นกกระต๊อใหญ่ปีกลาย Spot-winged Grosbeak	Mixed deciduous forest, evergreen forest.	Uncommon resident in NW.

Status NT

Scientific Name	Thai name/Common name	Habitat	Site
<i>Coturnix coromandelica</i>	นกคุ่มอกดำ Rain Quail	grassland, cultivation.	Uncommon resident in NW, W, NE, C, and SE.
<i>Coturnix chinensis</i>	นกคุ่มสี Blue-breasted Quail	grassland, cultivation.	uncommon resident, recorded throughtout.
<i>Arborophila rufogularis</i>	นกกระทาดงคอสีแสด Rufous-throated Partridge	hill evergreen forest, 1,200-2,565 m.	Uncommon resident in NW, W and NE, threatened by hunting pressure.
<i>Arborophila brunneopectus</i>	นกกระทาดงอกสีน้ำตาล Bar-backed Partridge	evergreen forest, 500-1,450 m.	Uncommon resident in NW, W and NE, threatened by hunting pressure.
<i>Lophura nycthemera</i>	ไก่ฟ้าหลังขาว Silver Pheasant	evergreen forest, 700-2,000 m.	Uncommon resident in NW, W , NE and SE, threatened by hunting pressure.
<i>Lophura diardi</i>	ไก่ฟ้าพญาลอ Siamese Pheasant	evergreen forest, up to 800 m.	Uncommon resident in NE and SE, threatened by hunting pressure.
<i>Reinwardtipicus validus</i>	นกหัวขวานหลังสีส้ม Orange-backed Woodpecker	evergreen forest, up ot 700 m.	Uncommon resident in W(s) and S, threatened by habitat destruction.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Dryocopus javensis</i>	นกหัวขวานใหญ่สีดํา White-bellied Woodpecker	deciduous forest, evergreen forest, mangrove.	Uncommon resident throughout, now much reduced due to habitat destruction.
<i>Mulleripicus pulverulentus</i>	นกหัวขวานใหญ่สีเทา Great Slaty Woodpecker	mixed deciduous forest, evergreen forest.	Uncommon resident throughout threatened by habitat destruction.
<i>Buceros bicornis</i>	นกกก นกกาฮัง Great Hornbill	mixed deciduous forest, evergreen forest, up to 1,525 m.	Uncommon resident throughout, now much reduced due to habitat destruction.
<i>Anorrhinus galeritus</i>	นกเงือกปากดํา Bushy-crested Hornbill	evergreen forest.	Uncommon resident in peninsular region, threatened by habitat destruction.
<i>Aceros undulatus</i>	นกเงือกกรามช้าง Wreathed Hornbill	mixed deciduous forest, evergreen forest.	Uncommon resident throughout threatened by habitat destruction.
<i>Harpactes duvaucelii</i>	นกขุนแผนตะโพกแดง Scarlet-rumped Trogon	mixed deciduous forest, evergreen forest, up to 1,525 m.	Uncommon resident in W(s) and S.
<i>Halcyon amauroptera</i>	นกกะเต็นใหญ่ปีกสีน้ำตาล Brown-winged Kingfisher	mangrove.	Uncommon resident in west coast of peninsular, threatened by habitat destruction.
<i>Halcyon coromanda</i>	นกกะเต็นแดง Ruddy Kingfisher	evergreen forest, mangrove.	Uncommon resident in S and passage migrant throughout.
<i>Phaenicophaeus sumatranus</i>	นกบั้งรอกเล็กทองแดง Chestnut-beilled Malkoha	freshwater swamp forest, evergreen forest.	Uncommon resident in W(s) and S.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Psittacula roseata</i>	นกแก้วหัวแพร Blossom-headed Parakeet	NW, W, NE.	Uncommon resident in NW, W, NE, threatened by human persecution.
<i>Collocalia esculenta</i>	นกแอ่นทองขาว Glossy Swiftlet	evergreen forest, open areas.	Uncommon to rare in peninsular region.
<i>Collocalia maxima</i>	นกแอ่นทางสีเหลี่ยม Black-nest Swiftlet	offshore islets, open areas.	Uncommon resident in S and SE, threatened by human persecution.
<i>Tyto alba</i>	นกแสก Barn Owl	urban and open areas, cultivations.	Uncommon resident throughout, threatened by human persecution.
<i>Bubo nipalensis</i>	นกเค้าใหญ่พันธุ์เนปาล Spot-bellied Eagle Owl	evergreen forest, 400-1,200 m.	Uncommon to rare resident in NW, W, NE and SE.
<i>Bubo sumatranus</i>	นกเค้าใหญ่พันธุ์สุมาตรา Barred Eagle Owl	evergreen forest, up to 600 m.	Uncommon resident in W(s) and S.
<i>Ketupa zeylonensis</i>	นกที่ดื้อที่พันธุ์เหนือ Brown Fish Owl	evergreen forest near water, up to 800 m.	Uncommon resident in NW, W, NE and S.
<i>Ketupa ketupa</i>	นกที่ดื้อที่พันธุ์มลายู Buffy Fish Owl	evergreen forest near water, up to 800 m.	Uncommon resident in W(s), NE, SE and S.
<i>Batrachostomus hodgsoni</i>	นกปากกบลายคำ Hodgson's Frogmouth	evergreen forest, mixed evergreen and coniferous forest. 900-1,900 m.	Uncommon resident in NW and W.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Batrachostomus javensis</i>	นกปากกบพันธุ์ขาว Javan Frogmouth	evergreen forest, up to 800 m.	Uncommon resident in NW, NE, W, SE and S.
<i>Treron bicincta</i>	นกเปล้าอกสีม่วงน้ำตาล Orange-breasted Green Pigeon	beach forest, various dry open forest.	Uncommon resident in NE, W, C, SE and S.
<i>Treron pompadora</i>	นกเปล้าหน้าเหลือง Pompadour Green Pigeon	evergreen forest, up to 800 m.	Uncommon to rare resident in NW, NE, W, C and SE.
<i>Treron apicauda</i>	นกเปล้าหางเข็ม Pin-tailed Green Pigeon	evergreen forest, 500-1,800 m.	Uncommon resident in NW, NE and W.
<i>Ducula aenea</i>	นกคুমพู Green Imperial Pigeon	island forest, evergreen forest.	Uncommon resident throughout. Much reduced.
<i>Rallina fasciata</i>	นกอี๊ดชันป่าเขาแดง Red-legged Crake	wet areas in forest.	Uncommon resident and winter visitor in NW, W, SE and S.
<i>Rallina eurizonoides</i>	นกอี๊ดชันป่าเขาเทา Slaty-legged Crake	wet areas in forest.	Uncommon to rare in NW, NE, W, C and S, Status uncertain.
<i>Porzana paykullii</i>	นกอี๊ดชันจีน Band-bellied Crake	vegetated freshwater wetlands.	Very rare winter visitor, only two recorded from Bangkok.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Gallixrex cinerea</i>	นกอีลุ้ม Watercock	freshwater marshes, rice paddies.	Uncommon resident and breeding visitor throughout, very much reduced by hunting pressure.
<i>Numenius madagascariensis</i>	นกอีโก้ยตะโพกน้ำตาล Eastern Curlew	coastal mudflats, sandflats.	Rare winter visitor and passage migrant C, W(s), S.
<i>Burhinus oedicephalus</i>	นกกระแตผีเสื้อ Eurasian Thick-knee	dry open areas, cultivations.	Uncommon resident and winter visitor in NW, NE, W and C.
<i>Charadrius placidus</i>	นกหัวโตปากยาว Long-billed Plover	large river.	Rare winter in NW and C.
<i>Charadrius veredus</i>	นกหัวโตขาขาว Oriental Plover	dry mud near water, short grassy areas.	Rare passage migrant in W(s), SE and S.
<i>Vanellus cinereus</i>	นกกระแตหัวเทา Grey-headed Lapwing	marshes, wet paddies.	Uncommon winter visitor throughout.
<i>Glareola lactea</i>	นกแอนทุ่งเล็ก Small Pratincole	large river, dry lake margins.	Uncommon resident and non-breeding visitor in NW, NE, C and W(s).
<i>Sterna sumatrana</i>	นกนางนวลแถบเทาขาคดำ Black-naped Tern	islets, open seas.	Uncommon resident in SE, W(s) and S, threatened by human persecution.
<i>Sterna albifrons</i>	นกนางนวลแถบเล็ก Little Tern	coastal, beaches, salt pans.	Common winter visitor in W(coastal), SE, and S and very local breeder in W(s).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Sterna anaethetus</i>	นกนางนวลแกลบคิ้วขาว Bridled Tern	islets, open seas.	Uncommon resident in SE and S, threatened by human psecution.
<i>Aviceda jerdoni</i>	เหยี่ยวกิ่งก้าน้ำตาล Jerdon's Baza	evergreen forest, up to 1,700 m.	Uncommon resident throughout.
<i>Butastur liventer</i>	เหยี่ยวปีกแดง Rufous-winged Buzzard	open forest, up to 800 m.	Uncommon resident in NW, W and NE, threatened by human persecution.
<i>Haliaeetus leucogaster</i>	นกออก White-bellied Sea Eagle	coastal forest, islets.	Uncommon resident in SE and S, threatened by human psecution.
<i>Haliaeetus albicilla</i>	นกอินทรีหางขาว White-tailed Eagle	large rivers, lakes.	Only one recorded from C.
<i>Gyps himalayensis</i>	อีแร้งสีน้ำตาลหิมาลัย Himalayan Griffon	open country, lowlands.	Rare passage migrant and winter visitor, recorded from NW, W(s), C and S. threatened by hunting pressure.
<i>Aegypius monachus</i>	อีแร้งดำหิมาลัย Cinerosus Vulture	open country, lowlands.	Rare passage migrant and winter visitor , recorded from NW, W(s), C and S., threatened by hunting pressure.
<i>Ictinaetus malayensis</i>	นกอินทรีดำ Black Eagle	evergreen forest, 800-2,565 m.	Uncommon resident throughout, now very much reduced by habitat destruction.
<i>Aquila rapax</i>	นกอินทรีสีน้ำตาล Tawny Eagle	open country, lowlands.	Very rare, status uncertain.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Aquila nipalensis</i>	นกอินทรีทุ่งหญ้าสเตปป์ Steppe Eagle	open country, lowlands.	Rare passage migrant and winter visitor in W(s) and S, threatened by human persecution.
<i>Hieraaetus kienerii</i>	เหยี่ยวท้องแดง Rufous-bellied Eagle	evergreen forest.	Uncommon resident throughout.
<i>Spizaetus nipalensis</i>	เหยี่ยวภูเขา Mountain Hawk Eagle	evergreen forest, 600-2,565 m.	Uncommon resident in NW, NE, W and S.
<i>Spizaetus alboniger</i>	เหยี่ยวดำทองขาว Blyth's Eagle	evergreen forest.	Uncommon resident in peninsular region.
<i>Falco severus</i>	เหยี่ยวฮอบบี้พันธุ์เอเชีย Oriental Hobby	open areas in forest, cliffs.	Uncommon resident in NW, NE, W and S.
<i>Phalacrocorax fuscicollis</i>	นกกาน้ำปากขาว Indian Cormorant	freshwater wetlands.	Uncommon local resident in C and NE.
<i>Gorsachius melanolophus</i>	นกยางกลางเสือดอ Malayan Night-Heron	wetlands in forest.	Uncommon resident and breeding visitor throughout.
<i>Oceanodroma monorhis</i>	นกโตคลื่นสีคล้ำ Swinhoe's Storm-Petrel	openseas.	Rare visitor.
<i>Pitta oatesi</i>	นกแตวแล้วใหญ่หัวสีน้ำตาล Rusty-naped Pitta	evergreen forest, 400-2,565 m.	Uncommon resident in NW, NE and W.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Oriolus xanthonotus</i>	นกขมิ้นหัวดำเล็ก Dark-throated Oriole	evergreen forest, up to 300 m.	Uncommon resident in peninsular region.
<i>Rhipidura hypoxantha</i>	นกอีแพรดท้องเหลือง Yellow-bellied Fantail	hill evergreen forest, 2,000-2,565 m.	Common but very local resident in NW and W.
<i>Terpsiphone atrocaudata</i>	นกแซวสวรรค์หางดำ Japanese Paradise-Flycatcher	evergreen forest, migrants also in various habitat.	Rare passage migrant, recorded from W, C, SE and S.
<i>Philentoma velatum</i>	นกจับแมลงอกแดง Maroon-breasted Philentoma	evergreen forest.	Uncommon resident in W and S.
<i>Muscicapa williamsoni</i>	นกจับแมลงสีน้ำตาลทองลาย Brown-streaked Flycatcher	evergreen forest.	Uncommon resident in W, C and S.
<i>Cyornis concretus</i>	นกจับแมลงสีคล้ำ หางแถบขาว White-tailed Flycatcher	evergreen forest.	Uncommon to rare resident in NW, W and S.
<i>Cochoa viridis</i>	นกปีกแพรสีเขียว Green Cochoa	evergreen forest, 400-2,565 m.	Uncommon resident in NW, NE, W and SE.
<i>Acridotheres fuscus</i>	นกเอี้ยงควาย Jungle Myna	open areas, paddies, cultivations.	Uncommon resident in peninsular region.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Gracula religiosa</i>	นกขุนทอง Hill Myna	mixed deciduous forest, evergreen forest.	Fairly common resident throughout, threatened by bird traded.
<i>Hirundo smithii</i>	นกนางแอ่นหางลวด Wire-tailed Swallow	river, lake and surrounds.	Uncommon resident in NW and NE, threatened by human persecution.
<i>Hirundo concolor</i>	นกนางแอ่นผาสีคล้ำ Dusky Crag Martin	open areas near cliffs.	Uncommon resident in NW, NE, W and S.
<i>Pycnonotus jocosus</i>	นกปรอดหัวโขน Red-whiskered Bulbul	secondary growth, open areas.	Common resident throughout, very much reduced and possibly extirpated from southern peninsular, threatened by bird traded.
<i>Alophoixus bres</i>	นกปรอดโองแก้มเทา Grey-cheeked Bulbul	evergreen forest.	Uncommon resident in peninsular region.
<i>Garrulax chinensis</i>	นกกระจ่างคอดำ Black-throated Laughingthrush	evergreen forest, bamboo.	Uncommon resident in NW, NE and W, threatened by bird traded.
<i>Malacopteron magnum</i>	นกกิ้งแมลงหัวแดงใหญ่ Rufous-crowned Babbler	evergreen forest.	Uncommon resident in peninsular region, threatened by habitat destruction.
<i>Trichastoma rostratum</i>	นกกิ้งแมลงป่าชายเลน White-chested Babbler	mangrove, freshwater swamp forest, lowland evergreen forest.	Uncommon to rare resident in peninsular region, threatened by habitat destruction.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Trichastoma bicolor</i>	นกกินแมลงสีน้ำตาลแดง Ferruginous Babbler	evergreen forest.	Uncommon to rare resident in peninsular region, threatened by habitat destruction.
<i>Spelaornis chocolatinus</i>	นกจู้เตนจิวหางยาว Long-tailed Wren Babbler	evergreen forest, above 1,400 m.	Very local resident, only recorded from W (Umphang WS).
<i>Alcippe dubia</i>	นกมุนรทหน้าผากน้ำตาล Rusty-capped Fulvetta	evergreen forest above 1,600 m.	Very local resident, only recorded from W (Umphang WS, Mae Wong NP).
<i>Alcippe grotei</i>	นกมุนรทคิ้วดำ Black-browed Fulvetta	evergreen forest, up to 1,100 m.	Very local resident in SE.
<i>Alcippe peracensis</i>	นกมุนรทภูเขา Mountain Fulvetta	evergreen forest, above 900 m.	Very local resident in extreme S (Hala-Bala WS).
<i>Dicaeum melanoxanthum</i>	นกกาฝากทองเหลือง Yellow-bellied Flowerpecker	evergreen forest, above 1,200 m.	Uncommon resident in NW and NE.
<i>Aethopyga nipalensis</i>	นกกินปลีหางยาวเขียว Green-tailed Sunbird	hill evergreen forest, 1,400-2,565 m.	Very local in NW, W and S.
<i>Arachnothera robusta</i>	นกปลีกล้วยปากยาว Long-billed Spiderhunter	evergreen forest.	Uncommon to rare resident in peninsular region.
<i>Ploceus hypoxanthus</i>	นกกระจาบทอง Asian Golden Weaver	marshes, rice paddies, grassland nearwater.	Uncommon resident in NE, W(s) and C, much reduced by human persecution.

Scientific Name	Thai name/Common name	Habitat	Site
<i>Ploceus manyar</i>	นกกระจาปกอลาย Streaked Weaver	marshes, rice paddies, grassland.	Uncommon resident in NW and C, much reduced by human persecution.
<i>Ploceus philippinus</i>	นกกระจาบทรรมดา Baya Weaver	marshes, rice paddies, grassland.	Common resident throughout, very much reduced by human persecution and bird traded.
<i>Amandava amandava</i>	นกกระตีดั้ง Red Avadavat	marshes, rice paddies, grassland.	Uncommon resident throughout, very much reduced by human persecution and bird traded.
<i>Erythrura prasina</i>	นกกระตีดั้งเขียว Pin-tailed Parrotfinch	bamboo, evergreen forest, up to 1,500 m.	Uncommon resident throughout.

Status DD

Scientific Name	Thai name/Common name	Habitat	Site
<i>Sterna bergii</i>	นกนางนวลแกลบ หงอนใหญ่ Great Crested Tern	open seas, islets, seacoasts, sandy beaches.	C (coastal), SE, S.
<i>Hieraaetus fasciatus</i>	นกอินทรีแถบปีกดำ Bonelli's Eagle	evergreen forest, near cliff.	Chiang Mai (Doi Inthanon NP), Little know, possibly very rare resident.
<i>Ixobrychus eurhythmus</i>	นกยางไฟหัวเทา Schrenck's Bittern	wetlands in forest.	Rare passage migrant throughout.
<i>Turnix sylvatica</i>	นกคุ้มอีดเล็ก Small Buttonquail	grassland	NW, C.
<i>Cinclidium frontale</i>	นกเขนน้ำเงิน Blue-fronted Robin	hill evergreen forest.	Chiang Mai (Doi Pha Hom Pok, Doi Inthanon); Nan.
<i>Acrocephalus stentoreus</i>	นกพงใหญ่พันธุ์อินเดีย Clamorous Reed-Warbler	tall vegetation in freshwater marshes.	NW.
<i>Stachyris rodolpheii</i>	นกกิ้งแมลงเด็กแนน Deignan's Babbler	bamboo, evergreen forest.	Recorded only from Chiang Mai (Doi Chiang Dao).

Scientific Name	Thai name/Common name	Habitat	Site
<i>Motacilla samvasenae</i>	นกเดาตมแม่น้ำโขง Mekong Wagtail	rocky rapids and shingle bars.	Restricted to Mekong Basin (Thailand, Lao, Cambodia and Vietnam). Collected two specimens from Ubon Ratchathani in 1972, possibly rare resident.
<i>Emberiza aureola</i>	นกจาบปีกอ่อนนอกเหลือง Yellow-breasted Bunting	glassland and cultivations.	Common winter visitor throughout but according to assumption many of them were trapped for food consumption also.

Status **Endemic**

Scientific Name	Thai name/Common name	Habitat	Site
<i>Pseudochelidon sirintarae</i>	นกเจ้าฟ้าหญิงสิรินธร White-eyed River Martin	found in lake side reeds, lowland.	Endemic and little know. This species was discovered by the late Kitti Thonglongya in 1968 when ten birds were netted at Bung Boraphet, Nakhon Sawan province, the latest being a sighting of six birds in 1977.
<i>Stachyris rodolphei</i>	นกกิ้งแมลงเด็กแนน Deignan's Babbler	bamboo, evergreen forest.	Recorded only from Chiang Mai (Doi Ching Dao).