

Taxon/Species	Locality	Endemic Area
<b>Order Decapoda Latreille, 1803</b>		
<b>Suborder Dendrobranchiata Bate, 1888</b>		
<b>Infraorder Penaeidea Rafinesque, 1815</b>		
<b>Superfamily Penaeoidea Rafinesque, 1815</b>		
<b>Family Penaeidae Rafinesque, 1815</b>		
<i>Atypopenaeus stenodactylus</i> (Stimpson, 1860)	Chon Buri, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Metapenaeopsis barbata</i> (De Haan, 1850)	Chon Buri, Rayong, Chanthaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Phuket, Trang, Andaman Sea.	
<i>M. ceylonica</i> Starobogatov, 1972	Ranong, Andaman Sea.	
<i>M. crassissima</i> Racek & Dall, 1965	Chon Buri, Gulf of Thailand.	
<i>M. distincta</i> (De Man, 1907)	Chon Buri, Gulf of Thailand.	
<i>M. lamellata</i> (De Haan, 1850)	Chon Buri, Pattani, Gulf of Thailand.	
<i>M. mogiensis</i> (Rathbun, 1902)	Chon Buri, Songkhla, Pattani, Gulf of Thailand.	
<i>M. mogiensis intermedia</i> Crosnier, 1991	Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. palmensis</i> (Haswell, 1879)	Chon Buri, Rayong, Chanthaburi, Trat, Prachup Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ranong, Phuket, Trang, Andaman Sea.	
<i>M. sinica</i> Lui & Zhong, 1988	Chon Buri, Gulf of Thailand.	
<i>M. stridulans</i> (Alcock, 1905)	Chon Buri, Rayong, Chanthaburi, Trat, Prachup Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Krabi, Trang, Ranong, Phangnga, Phuket, Andaman Sea.	
<i>M. toloensis</i> Hall, 1962	Rayong, Songkhla, Pattani, Gulf of Thailand; Ranong, Phuket, Trang, Andaman Sea.	
<i>Metapenaeus affinis</i> (H. Milne Edwards, 1837)	Chon Buri, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachup Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Krabi, Phuket, Satun, Andaman Sea.	
<i>M. anchistus</i> (De Man, 1920)	Trang, Phuket, Phangnga, Andaman Sea.	
<i>M. brevicornis</i> (H. Milne Edwards, 1837)	Samut Prakan, Samut Sakhon, Samut Songkhram, Chachoengsao, Phetchaburi, Surat Thani, Nakhon Si	

Taxon/Species	Locality	Endemic Area
<i>M. conjunctus</i> Racek & Dall, 1965	Thammarat, Phatthalung, Pattani, Chumphon, Gulf of Thailand; Phangnga, Krabi, Satun, Andaman Sea.	
<i>M. dobsoni</i> (Miers, 1878)	Trat, Gulf of Thailand; Phangnga, Andaman Sea.	
<i>M. elegans</i> De Man, 1907	Chumphon, Phatthalung, Gulf of Thailand; Ranong, Krabi, Satun, Andaman Sea.	
<i>M. ensis</i> (De Haan, 1844)	Samut Sakhon, Songkhla, Pattani, Gulf of Thailand.	
	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Chachoengsao, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Pattani, Gulf of Thailand; Ranong, Phuket, Phangnga, Krabi, Trang, Satun, Andaman Sea.	
<i>M. intermedius</i> (Kishinouye, 1900)	Trat, Chumphon, Surat Thani, Songkhla, Pattani, Gulf of Thailand.	
<i>M. krishnatrii</i> Silas & Muthu, 1976	Phuket, Andaman Sea.	
<i>M. lysianassa</i> (De Man, 1888)	Chon Buri, Trat, Samut Prakan, Phatthalung, Pattani,	

Taxon/Species	Locality	Endemic Area
<i>M. moyebi</i> (Kishinouye, 1896)	Gulf of Thailand; Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
<i>M. papuensis</i> Racek & Dall, 1965	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Pattani, Gulf of Thailand; Ranong, Trang, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	
<i>M. suluensis</i> Racek & Dall, 1965	Gulf of Thailand.	
<i>M. tenuipes</i> Kubo, 1949	Phuket, Andaman Sea.	
<i>Parapenaeopsis cornutus</i> (Kishinouye, 1900)	Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Gulf of Thailand; Trang, Andaman Sea.	
<i>P. coromandelica</i> Alcock, 1906	Chon Buri, Chanthaburi, Samut Songkhram, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Krabi, Trang, Satun, Phuket, Andaman Sea.	
<i>P. hardwickii</i> (Miers, 1878)	Samut Prakan, Gulf of Thailand; Satun, Andaman Sea.	
<i>P. hardwickii</i> (Miers, 1878)	Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang,	

Taxon/Species	Locality	Endemic Area
<i>P. hungerfordi</i> Alcock, 1905	Ranong, Phangnga, Phuket, Krabi, Satun, Andaman Sea. Chon Buri, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. maxillipedo</i> Alcock, 1905	Chon Buri, Chanthaburi, Prachup Khiri Khan, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Ranong, Trang, Andaman Sea.	
<i>P. sculptilis</i> (Heller, 1862)	Surat Thani, Gulf of Thailand; Ranong, Satun, Andaman Sea.	
<i>P. tenella</i> (Bate, 1888)	Chon Buri, Samut Songkhram, Prachup Khiri Khan, Surat Thani, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. uncta</i> Alcock, 1905	Phatthalung, Gulf of Thailand; Trang, Ranong, Satun, Andaman Sea.	
<i>P. venusta</i> De Man, 1907	Chon Buri, Gulf of Thailand.	
<i>Parapenaeus longipes</i> Alcock, 1905	Rayong, Chanthaburi, Prachup Khiri Khan, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Penaeus canaliculatus</i> (Olivier, 1811)	Trang, Ranong, Phuket, Krabi, Andaman Sea.	
<i>P. indicus</i> H. Milne Edwards, 1837	Gulf of Thailand.	
<i>P. japonicus</i> Bate, 1888	Chon Buri, Samut Songkhram, Phetchaburi, Chumphon, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. latisulcatus</i> Kishinouye, 1896	Chon Buri, Rayong, Trart, Surat Thani, Gulf of Thailand; Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. longistylus</i> Kubo, 1943	Trat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>P. merguensis</i> De Man, 1888	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Narathiwat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	
<i>P. monodon</i> Fabricius, 1798	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Samut Prakan, Phetchaburi, Prachup Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Chumphon,	

Taxon/Species	Locality	Endemic Area
<i>P. penicillatus</i> Alcock, 1905	Gulf of Thailand; Trang, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. semisulcatus</i> De Haan, 1850	Phuket, Andaman Sea.	
<i>P. silasi</i> Muthu & Motoh, 1979	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Patthalung, Pattani, Narathiwat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	
<i>Trachypenaeus albicomus</i> Hayashi & Toriyama, 1980	Samut Prakan, Samut Sakhon, Samut Songkhram, Trat, Chumphon, Surat Thani, Nakhon Si Thammarat, Phatthalung, Gulf of Thailand; Phuket, Phangnga, Krabi, Andaman Sea.	
<i>T. asper</i> Alcock, 1905	Ranong, Andaman Sea.	Ranong
<i>T. curvirostris</i> (Stimpson, 1860)	Songkhla, Gulf of Thailand; Trang, Ranong, Andaman Sea.	
<i>T. curvirostris</i> (Stimpson, 1860)	Chon Buri, Rayong, Trat, Prachup Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>T. granulatus</i> (Haswell, 1879)	Trang, Ranong, Phuket, Andaman Sea.	
<i>T. longipes</i> (Paulson, 1875)	Andaman Sea.	
<i>T. malaianus</i> Balss, 1933	Chon Buri, Chanthaburi, Trat, Samut Songkhram, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
<i>T. pescadorensis</i> Schmitt, 1931	Chon Buri, Rayong, Prachup Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>T. sedili</i> Hall, 1961	Trang, Ranong, Phuket, Andaman Sea; Rayong, Gulf of Thailand.	
<b>Family Sicyoniidae Ortmann, 1898</b>		
<i>Sicyonia lancifera</i> (Olivier, 1811)	Trat, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>S. ommanneyi</i> Hall, 1956	Chon Buri, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Family Solenoceridae Wood-Mason &amp; Alcock, 1891</b>		
<i>Solenocera bedokensis</i> Hall, 1962	Prachup Khiri Khan, Chumphon, Songkhla, Gulf of Thailand;	

Taxon/Species	Locality	Endemic Area
	Phuket, Andaman Sea.	
<i>S. choprai</i> Nataraj, 1945	Andaman Sea.	
<i>S. crassicornis</i> (H. Milne Edwards, 1837)	Ranong, Andaman Sea.	
<i>S. hextii</i> Wood-Mason & Alcock, 1891	Andaman Sea.	
<i>S. melantho</i> De Man, 1907	Gulf of Thailand.	
<i>S. pectinata</i> (Bate, 1888)	Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>S. subnuda</i> Kubo, 1949	Chumphon, Nakhon Si Thammarat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
<b>Superfamily Sergestoidea Dana, 1852</b>		
<b>Family Luciferidae Dana, 1852</b>		
<i>Lucifer hansenii</i> Nobili, 1905	Samut Prakan, Chachoengsao, Gulf of Thailand; Andaman Sea.	
<b>Family Sergestidae Dana, 1852</b>		
<i>Acetes erythraeus</i> Nobili, 1905	Rayong, Chanthaburi, Chumphon, Pattani, Gulf of Thailand; Ranong, Phangnga, Andaman Sea.	
<i>A. indicus</i> H. Milne Edwards, 1830	Chachoengsao, Samut Prakan, Chon Buri, Songkhla,	

Taxon/Species	Locality	Endemic Area
<i>A. japonicus</i> Kishinouye, 1905	Phatthalung, Gulf of Thailand; Andaman Sea.	
<i>A. serrulatus</i> (Kroyer, 1859)	Samut Sakhon, Songkhla, Pattani, Gulf of Thailand;	
<i>A. sibogae</i> Hansen, 1919	Ko Pan Yi, Phangnga, Andaman Sea.	
<i>A. vulgaris</i> Hansen, 1919	Chachoengsao, Gulf of Thailand.	
	Gulf of Thailand; Krabi, Phangnga, Andaman Sea.	
	Ko Kradat, Trat, Rayong, Chon Buri, Samut Prakan,	
	Gulf of Thailand.	
<b>Suborder Pleocyemata Burkenroad, 1963</b>		
<b>Infraorder Stenopodidea Claus, 1872</b>		
<b>Family Stenopodidae Claus, 1872</b>		
<i>Stenopus hispidus</i> (Olivier, 1811)	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Infraorder Caridea Dana, 1852</b>		
<b>Superfamily Atyoidea De Haan, 1849</b>		
<b>Family Atyidae De Haan, 1849</b>		
<i>Atyopsis moluccensis</i> (De Haan, 1849)	Chanthaburi, Trat, East Thailand; Surat Thani (Ko Samui),	

Taxon/Species	Locality	Endemic Area
	Nakhon Si Thammarat, Trang, Phangnga, Phuket, South Thailand.	
<i>Caridina brachydactyla</i> De Man, 1908	Ko Chang, Trat, East Thailand.	
<i>C. gracilirostris</i> De Man, 1892	Bangkok, Nakhon Sawan, Central Thailand; Pattani, South Thailand.	
<i>C. gracillima</i> Lanchester, 1901	Phatthalung, Songkhla, South Thailand.	
<i>C. laevis</i> Heller, 1862	Bangkok, Central Thailand.	
<i>C. macrophora</i> Kemp, 1918	Phatthalung, Songkhla, Phangnga, South Thailand.	
<i>C. peninsularis</i> Kemp, 1918	Pattani, Phuket, Phangnga, South Thailand.	
<i>C. propinqua</i> De Man, 1908	Bangkok, Nonthaburi, Phra Nakhon Si Ayutthaya, Central Thailand; Songkhla, Pattani, South Thailand.	
<i>C. sumatrensis</i> De Man, 1892	Pattani, Phangnga, Phuket, South Thailand.	
<i>C. tonkinensis</i> Bouvier, 1919	Chon Buri, East Thailand.	
<i>C. typus</i> H. Milne Edwards, 1837	Phangnga, Phuket, South Thailand.	
<i>C. weberi</i> De Man, 1892	Gulf of Thailand; Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Palaemonoidea Rafinesque, 1815</b>		
<b>Family Palaemonidae Rafinesque, 1815</b>		
<b>Subfamily Palaemoninae Rafinesque, 1815</b>		
<i>Exopalaemon styliferus</i> (H. Milne Edwards, 1840)	Samut Sakhon, Samut Songkhram, Central Thailand, Samut Prakan, Chon Buri, Chachoengsao, East Thailand; Ranong, South Thailand.	
<i>Leander tenuicornis</i> (Say, 1818)	Chon Buri, East Thailand.	
<i>Leandrites indicus</i> Holthuis, 1950	Chon Buri, East Thailand.	
<i>L. stenopus</i> Holthuis, 1950	Chon Buri, East Thailand.	
<i>Leptocarpus potamiscus</i> (Kemp, 1917)	Bangkok, Central Thailand; Samut Prakan, Chachoengsao, East Thailand; Songkhla, Pattani, South Thailand.	
<i>Macrobrachium amplimanus</i> Cai & Dai, 1999	Chiang Mai, North Thailand; Loei, North East Thailand; Kanchanaburi, West Thailand; Narathiwat, South Thailand.	
<i>M. assamense</i> (Tiwari, 1955)	Ratchaburi, Tak, West Thailand.	
<i>M. dienbienphuense</i> Dany & Nguyen, 1972	Lop Buri, Central Thailand; Chanthaburi, Trat, East Thailand; Nakhon Ratchasima, Ubon Ratchathani, Nakhon Phanom,	

Taxon/Species	Locality	Endemic Area
<i>M. dolatum</i> Cai, Naiyanetr and Ng, 2004	Loei, Nong Bua Lam Phu, North East Thailand; Chiang Mai, Nan, North Thailand; Krabi, Phatthalung, Narathiwat, South Thailand.	
<i>M. equidens</i> (Dana, 1852)	Trang, South Thailand.	
<i>M. eriocheirum</i> Dai, 1984	Chon Buri, Trat, Samut Prakan, Chachoengsao, East Thailand; Samut Sakhon, Samut Songkhram, Central Thailand; Nakhon Si Thammarat, Songkhla, South Thailand; Phetchaburi, West Thailand.	
<i>M. esculentum</i> (Thallwitz, 1891)	Lampang, North Thailand; Ubon Ratchathani, North East Thailand; Chanthaburi, Trat, East Thailand; Uthai Thani, West Thailand.	
<i>M. forcipatum</i> Ng, 1995	Lam Nam Phong, Khon Kaen, North East Thailand.	
<i>M. hendersoni</i> (De Man, 1906)	Narathiwat, Phatthalung, Pattani, Songkhla, Trang, Phangnga, Krabi, Chumphon, Nakhon Si Thammarat, Surat Thani, Phuket, Satun, South Thailand.	
<i>M. hendersoni</i> (De Man, 1906)	Mae Hong Son, North Thailand; Tak, Kanchanaburi, Ratchaburi, Prachup Khiri Khan, West Thailand.	

Taxon/Species	Locality	Endemic Area
<i>M. hirsutimanus</i> (Tiwari, 1952)	Chiang Mai, Nan, Lampang, North Thailand; Nakhon Ratchasima, Ubon Ratchathani, Maha Sarakham, North East Thailand; Tak, Uthai Thani, West Thailand; Chanthaburi, Trat, East Thailand; Ratchaburi, West Thailand.	
<i>M. idae</i> (Heller, 1862)	Samut Sakhon, Central Thailand; Nakhon Si Thammarat, Songkhla, Ranong, South Thailand.	
<i>M. lanchesteri</i> (De Man, 1911)	In every Provinces of Thailand.	
<i>M. lar</i> (Fabricius, 1793)	Ko Surin, Phangnga, South Thailand.	
<i>M. latidactylus</i> (Thallwitz, 1891)	Ko Kud, Trat, East Thailand; Pattani, South Thailand.	
<i>M. malayanum</i> (Roux, 1934)	Narathiwat, South Thailand.	
<i>M. mieni</i> Dang, 1975	Phetchabun, Central Thailand; Loei, Chaiyaphum, North East Thailand.	
<i>M. mirabile</i> (Kemp, 1917)	Nonthaburi, Central Thailand; Samut Prakan, Chachoengsao, East Thailand.	
<i>M. neglectus</i> (De Man, 1905)	Surat Thani, Ranong, Phuket, Phangnga, Krabi, South Thailand; Trat, East Thailand.	

Taxon/Species	Locality	Endemic Area
<i>M. niphanae</i> Shokita & Takeda, 1989	Khao Yai, Nakhon Ratchasima, North East Thailand.	
<i>M. palaemonoides</i> Holthuis, 1950	Surin, North East Thailand.	
<i>M. pilimanus</i> (De Man, 1879)	Nonthaburi, Pathum Thani, Saraburi, Lop Buri, Nakhon Nayok, Phetchabun, Kamphaeng Phet, Central Thailand; Rayong, Chanthaburi, Trat, East Thailand; Tak, Kanchanaburi, Prachup Khiri Khan, West Thailand; Nakhon Ratchasima, Chaiyaphum, Khon Kaen, Sakon Nakhon, Ubon Ratchathani, Si Sa Ket, North East Thailand; Chumphon, Trang, Phuket, Krabi, South Thailand.	
<i>M. rosenbergii dacqueti</i> (Sunier, 1925)	Bangkok, Nonthaburi, Pathum Thani, Phra Nakhon Si Ayutthaya, Lop Buri, Ang Thong, Chai Nat, Suphan Buri, Nakhon Sawan, Nakhon Pathom, Samut Sakhon, Samut Songkhram, Central Thailand; Chachoengsao, Rayong, Chanthaburi, Trat, Prachin Buri, East Thailand; Phetchaburi, West Thailand; Chumphon, Surat Thani, Nakhon Si Thammarat, Trang, Songkhla, Pattani, Yala, Narathiwat, Phatthalung, Phuket, Phangnga, South Thailand.	

Taxon/Species	Locality	Endemic Area
<i>M. sintangense</i> (De Man, 1898)	Bangkok, Phra Nakhon Si Ayutthaya, Saraburi, Central Thailand; Chon Buri, Samut Prakan, Chachoengsao, Trat, East Thailand; Surat Thani, Nakhon Si Thammarat, Phatthalung, Ranong, South Thailand.	
<i>M. sirindhorn</i> Naiyanetr, 2001	Fang Chiang Mai, Phayao, Mae Hong Son, North Thailand.	
<i>M. thai</i> Cai, Naiyanetr and Ng, 2004	Nong Khai, Nakhon Phanom, Ubon Ratchathani, Yasothon, North East Thailand; Prachin Buri, East Thailand; Saraburi, Central Thailand.	
<i>M. tratense</i> Cai, Naiyanetr and Ng, 2004	Trat, Chanthaburi, East Thailand.	
<i>M. trompii</i> (De Man, 1898)	Satun, Narathiwat, South Thailand.	
<i>M. yui</i> Holthuis, 1950	Saraburi, Lop Buri, Nakhon Nayok, Phetchabun, Phitsanulok, Kamphaeng Phet, Central Thailand; Chon Buri, Prachin Buri, East Thailand; Ratchaburi, West Thailand; Nakhon Ratchasima, Chaiyaphum, Ubon Ratchathani, North East Thailand; Uttaradit, North Thailand.	
<i>Nematoplaemon tenuipes</i> (Henderson, 1893)	Gulf of Thailand; Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Palaemon semmelinkii</i> (De Man, 1881)	Chon Buri, East Thailand.	
<i>P. serrifer</i> (Stimpson, 1860)	Chon Buri, Trat, East Thailand; Phangnga, South Thailand.	
<i>P. sewelli</i> (Kemp, 1925)	Chon Buri, East Thailand.	
<i>Urocaridella urocaridella</i> (Holthuis, 1950)	Chon Buri, East Thailand.	
<b>Subfamily Pontoniinae Kingsley, 1878</b>		
<i>Anchistus miersi</i> (De Man, 1888)	Chon Buri, Gulf of Thailand.	
<i>Chernocaris placunae</i> Johnson, 1967	Songkhla, Gulf of Thailand.	
<i>Conchodytes biunguiculatus</i> (Paulson, 1875)	Chon Buri, Gulf of Thailand.	
<i>Harpiliopsis beaupresii</i> (Audouin, 1826)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Palaemonella tenuipes</i> Dana, 1852	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Periclimenes brevicarpalis</i> (Schenkel, 1902)	Chon Buri, Gulf of Thailand.	
<i>P. consobrinus</i> (De Man, 1902)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. diversipes</i> Kemp, 1992	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani,	

Taxon/Species	Locality	Endemic Area
	Gulf of Thailand.	
<i>P. elegans</i> (Paulson, 1875)	Chon Buri, Gulf of Thailand.	
<i>P. grandis</i> (Stimpson, 1860)	Chon Buri, Gulf of Thailand.	
<i>P. holthuisi</i> Bruce, 1969	Chon Buri, Gulf of Thailand.	
<i>P. magnificus</i> Bruce, 1979	Chon Buri, Gulf of Thailand.	
<b>Superfamily Alpheoidea Rafinesque, 1815</b>		
<b>Family Alpheidae Rafinesque, 1815</b>		
<i>Alpheopsis chalciope</i> De Man, 1910	Phuket, Andaman Sea.	Phuket
<i>A. equalis</i> Coutiere, 1896	Phuket, Andaman Sea.	Phuket
<i>Alpheus acutocarinatus</i> De Man, 1909	Thai Waters.	
<i>A. acutofemoratus</i> Dana, 1852	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. alcyone</i> De Man, 1902	Phuket, Andaman Sea.	
<i>A. bellules</i> Miya & Miyake, 1969	Ko Sichang, Chon Buri, Gulf of Thailand.	
<i>A. bucephalus</i> Coutiere, 1905	Prao Bay, Ko Samet, Rayong, Gulf of Thailand.	
<i>A. collumianus probabilis</i> Banner, 1956	Patong Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>A. crockeri</i> Armstrong, 1941	Ko Samit, Chumphon, Gulf of Thailand; Sa Ku Beach, Phuket, Andaman Sea.	
<i>A. cyanoteles</i> Yeo & Ng , 1996	Tale Sap Songkhla, Songkhla, Gulf of Thailand.	
<i>A. cythereus</i> Banner & Banner, 1966	Patong Beach, Phuket, Andaman Sea.	
<i>A. deuteropus</i> Hilgendorf, 1878	Rawai Beach, Phuket, Andaman Sea.	
<i>A. djiboutensis</i> De Man, 1909	Ko Sichang, Chon Buri, Gulf of Thailand.	
<i>A. dispar</i> Randall, 1840	Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. edwardsii</i> Audouin, 1826	Ko Sak, Chon Buri, Ban Pe, Ko Samet, Rayong, Gulf of Thailand; Trang, Andaman Sea.	
<i>A. ehlersi</i> De Man, 1909	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. euphrosyne</i> De Man, 1897	Ang Sila, Chon Buri, Samut Prakan, Chachoengsao, Samut Songkhram, Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. facetus</i> De Man, 1908	Sa Ku Beach, Phuket, Andaman Sea.	
<i>A. funafutensis</i> Borradaile, 1898	Thai Waters.	
<i>A. gracilipes</i> Stimpson, 1860	Ko Kradat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. gracilis simplex</i> (Banner, 1953)	Ko Sak, Chon Buri, Gulf of Thailand.	
<i>A. hippothoe</i> De Man, 1888	Ko Sichang, Chon Buri, Gulf of Thailand.	
<i>A. leviusculus</i> Dana, 1852	Ang Sila, Chon Buri, Gulf of Thailand.	
<i>A. lobidens</i> De Haan, 1849	Ko Kradat, Trat, Lem Sing, Chanthaburi, Ko Samui, Surat Thani, Songkhla Lake, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. lottini</i> Guerin, 1830	Rawai Beach, Phuket, Andaman Sea.	
<i>A. malabaricus</i> (Fabricius, 1775)	Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. malabaricus songkla</i> Baner & Banner, 1966	Songkhla Lake, Songkhla, Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. malleodigitus</i> (Bate, 1888)	Rawai Beach, Phuket, Andaman Sea.	
<i>A. microrhynchus</i> De Man, 1897	Bangkok Noi, Bangkok.	Bangkok Noi
<i>A. microstylus</i> (Bate, 1888)	Rawai Beach, Phuket, Andaman Sea.	
<i>A. obesomanus</i> Dana, 1852	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. pacificus</i> Dana, 1852	Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. paracrinitus</i> Miers, 1881	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. paralcylene</i> Coutiere, 1905	Ko Sichang, Chon Buri, Gulf of Thailand.	
<i>A. parvirostris</i> Dana, 1952	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. pomatoceros</i> Banner & Banner, 1966	Ko Samui, Surat Thani, Gulf of Thailand; Patong Beach, Phuket, Andaman Sea.	
<i>A. proseuchirus</i> De Man, 1908	Gulf of Thailand.	
<i>A. rapacida</i> De Man, 1908	Gulf of Thailand.	
<i>A. rapax</i> Fabricius, 1798	Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. serenei</i> Tiwari, 1963	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>A. strenuus</i> Dana, 1852	Phuket, Andaman Sea.	
<i>A. sudara</i> Banner & Banner, 1966	Phuket, Andaman Sea; Ko Samui, Surat Thani, Ko Kradat, Trat, Gulf of Thailand.	
<i>A. supachai</i> Banner & Banner, 1966	Ko Samui, Surat Thani, Ko Samit, Chumphon, Gulf of Thailand.	
<i>Athanas dimorphus seedang</i> Banner & Banner, 1966	Ko Kradat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. naga</i> Banner & Banner, 1966	Gulf of Thailand.	
<i>A. polymorphus</i> Kemp, 1915	Ban Pe, Rayong, Gulf of Thailand.	
<i>Automate gardineri</i> Coutiere, 1902	Phuket, Andaman Sea.	
<i>Racilius compressus</i> Paulson, 1875	Patong, Phuket, Andaman Sea.	
<i>Salmones brevis</i> (Edmondson, 1930)	Phuket, Andaman Sea.	
<i>S. bruni</i> Banner & Banner, 1966	Gulf of Thailand.	
<i>S. cristatus</i> (Coutiere, 1897)	Thai Waters.	
<i>Synalpheus acanthitelsonis</i> Coutiere, 1905	Ko Sichang, Chon Buri, Ko Samit, Chumphon, Gulf of Thailand.	
<i>S. bakeri stormi</i> De Man, 1897	Phuket, Andaman Sea.	
<i>S. bituberculatus</i> De Man, 1910	Ko Namsao, Chanthaburi, Gulf of Thailand.	
<i>S. coutieri</i> Banner, 1953	Phuket, Andaman Sea.	
<i>S. gravieri</i> Coutiere, 1905	Gulf of Thailand.	
<i>S. hastilicrassus</i> Coutiere, 1905	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>S. heroni</i> Coutiere, 1909	Phuket, Andaman Sea.	
<i>S. laticeps</i> Coutiere, 1905	Ko Sichang, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>S. pachymeri</i> Coutiere, 1905	Ko Kradat, Trat, Gulf of Thailand.	
<i>S. simpsoni</i> De Man, 1888	Phuket, Andaman Sea.	
<i>S. streptodactylus</i> Coutiere, 1905	Ko Sak, Chon Buri, Gulf of Thailand.	
<i>S. thai</i> Banner & Banner, 1966	Ko Samet, Rayong, Ko Namsao, Chanthaburi, Gulf of Thailand.	
<i>S. theano</i> De Man, 1910	Thai Waters.	
<i>S. tumidomanus</i> (Paulson, 1875)	Ko Sak, Chon Buri, Gulf of Thailand.	
<b>Family Hippolytidae Dana, 1852</b>		
<i>Exhippolysmata ensirostris</i> (Kemp, 1914)	Chon Buri, Gulf of Thailand.	
<i>Latreutes mucronatus</i> (Stimpson, 1860)	Chon Buri, Gulf of Thailand.	
<i>Lysmata vittata</i> Stimpson, 1860	Chon Buri, Gulf of Thailand.	
<i>Saron marmoratus</i> (Olivier, 1811)	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Thor paschalis</i> (Heller, 1862)	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Tozeuma lanceolatum</i> Stimpson, 1860	Chon Buri, Gulf of Thailand.	
<b>Family Ogyrididae Hay and Shore, 1918</b>		
<i>Ogyrides striaticauda</i> Kemp, 1915	Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Pandaloidea Haworth, 1825</b>		
<b>Family Pandalidae Haworth, 1825</b>		
<i>Heterocarpoides levicarina</i> (Bate, 1888)	Chon Buri, Gulf of Thailand.	
<i>Plesionika martia orientalis</i> Chace, 1985	Chon Buri, Gulf of Thailand.	
<i>P. ocellus</i> (Bate, 1888)	Chon Buri, Gulf of Thailand.	
<i>P. quasigrandis</i> Chace, 1985	Chon Buri, Gulf of Thailand.	
<b>Family Thalassocarididae Bate, 1888</b>		
<i>Thalassocaris crinita</i> (Dana, 1852)	Gulf of Thailand.	
<b>Superfamily Crangonoidea Haworth, 1825</b>		
<b>Family Crangonidae Haworth, 1825</b>		
<i>Pontocaris pennata</i> Bate, 1888	Chon Buri, Gulf of Thailand.	
<b>Infraorder Astacidea Latreille, 1802</b>		
<b>Superfamily Nephropoidea Dana, 1852</b>		
<b>Family Nephropidae Dana, 1852</b>		
<i>Nephropsis stewarti</i> Wood-Mason, 1872	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Metanephrops andamanicus</i> (Wood-Mason, 1891)	Andaman Sea.	
<b>Infraorder Palinuridea Latreille, 1802</b>		
<b>Superfamily Eryonoidea De Haan, 1841</b>		
<b>Family Polychelidae Wood-Mason, 1875</b>		
<i>Stereomastis andamanensis</i> (Alcock, 1894)	Andaman Sea.	
<b>Superfamily Palinuroidea Latreille, 1802</b>		
<b>Family Palinuridae Latreille, 1802</b>		
<i>Linuparus trigonus</i> (Von Siebold, 1824)	South, Gulf of Thailand.	
<i>Palinustus waguensis</i> Kubo, 1963	Ranong, Andaman Sea.	
<i>Panulirus homarus</i> (Linnaeus, 1758)	Phuket, Ranong, Andaman Sea.	
<i>P. longipes</i> (A. Milne Edwards, 1868)	Phuket, Ranong, Andaman Sea.	
<i>P. ornatus</i> (Fabricius, 1798)	Satun, Phuket, Ranong, Andaman Sea.	
<i>P. penicillatus</i> (Olivier, 1791)	Phuket, Ranong, Andaman Sea.	
<i>P. polyphagus</i> (Herbst, 1793)	Ko Tao, Chumphon, Gulf of Thailand; Ko Pan Yi, Phangnga, Satun, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. stimpsoni</i> Holthuis, 1963	Ko Sichang, Chon Buri, Gulf of Thailand.	
<i>P. versicolor</i> (Latreille, 1804)	Satun, Phuket, Ranong, Andaman Sea.	
<i>Puerulus sewelli</i> Ramadan, 1938	Andaman Sea.	
<b>Family Scyllaridae Latreille, 1825</b>		
<b>Subfamily Arctidinae Hothuis, 1985</b>		
<i>Scyllarides squammosus</i> (H. Milne Edwards, 1837)	Ranong, Andaman Sea.	
<i>S. tridacnophagus</i> Holthuis, 1967	Phuket, Andaman Sea.	
<b>Subfamily Ibacinae Holthuis, 1985</b>		
<i>Ibacus ciliatus</i> (Von Siebold, 1824)	Gulf of Thailand.	
<i>I. novemdentatus</i> Gibbes, 1850	South, Gulf of Thailand.	
<i>Parribacus antarcticus</i> (Lund, 1793)	Phuket, Gulf of Thailand.	
<b>Subfamily Scyllarinae Latreille, 1825</b>		
<i>Biarctus sordidus</i> (Stimpson, 1800)	Chon Buri, Rayong, Ko Chan, Prachup Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>Eduarctus martensii</i> (Pfeffer, 1881)	Chon Buri, Rayong, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Remiarctus bertholdii</i> (Paulson, 1875)	Nakhon Si Thammarat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Petarctus rugosus</i> (H. Milne Edwards, 1837)	Chon Buri, Rayong, Pattani, Gulf of Thailand.	
<b>Subfamily Theninae Holthuis, 1985</b>		
<i>Thenus orientalis</i> (Lund, 1793)	Chon Buri, Rayong, Prachup Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<b>Family Synaxidae Bate, 1881</b>		
<i>Palinurellus wieneckii</i> (De Man, 1881)	Phuket, Andaman Sea.	
<b>Infraorder Thalassinidea Latreille, 1831</b>		
<b>Superfamily Thalassinioidea Latreille, 1831</b>		
<b>Family Axiidae Huxley, 1879</b>		
<i>Eutrichocheles modestus</i> (Herbst, 1796)	Ko Chang, Trat, Gulf of Thailand.	
<b>Family Callianassidae Dana, 1852</b>		
<b>Subfamily Callianassinae Dana, 1852</b>		
<i>Callianassa amplimaxilla</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. anoploura</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	

Taxon/Species	Locality	Endemic Area
<i>C. brachytelson</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. brevirostris</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. chakratongae</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. contipes</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. malaccaensis</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. matzi</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. nieli</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. nigroculata</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. propriopedis</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. ranongensis</i> Sakai, 1983	Ranong, Andaman Sea.	Ranong
<i>C. stenomastaxa</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. tenuides</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>C. tonkinae</i> Grebenjuk, 1975	Off Phuket, Andaman Sea, Thailand.	
<i>Lipkecallianassa abyssa</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>Michaelcallianassa indica</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Eucalliicinae Manning &amp; Felder, 1991</b>		
<i>Calliax andamanica</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<b>Subfamily Gourretiinae Sakai, 1999</b>		
<i>Gourretia aungtonyae</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<i>G. phuketensis</i> Sakai, 2002	Off Phuket, Andaman Sea, Thailand.	
<b>Family Callianideidae Kossmann, 1880</b>		
<i>Callianidea typa</i> H. Milne Edwards, 1837	Phuket, Andaman Sea.	
<b>Family Laomediidae Borradaile, 1903</b>		
<i>Laomedia healyi</i> Yaldwin & Wear, 1970	Phuket, Andaman Sea.	
<b>Family Thalassinidae Latreille, 1831</b>		
<i>Thalassina anomala</i> (Herbst, 1804)	Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<b>Family Upogebiidae Borradaile, 1903</b>		
<i>Wolffogebia phuketensis</i> Sakai, 1982	Phuket, Andaman Sea.	Phuket
<i>Upogebia heterocheir</i> Kemp, 1915	Pak Phayun, Phatthalung, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Infraorder Anomura H. Milne Edwards, 1832</b>		
<b>Superfamily Coenobitoidea Dana, 1851</b>		
<b>Family Coenobitidae Ortmann, 1892</b>		
<i>Birgus latro</i> (Linnaeus, 1758)	Ko Similan, Phangnga, Andaman Sea.	
<i>Coenobita brevimanus</i> Dana, 1852	Ko Similan, Ko Surin, Phangnga, Andaman Sea.	
<i>C. rugosa</i> H. Milne Edwards, 1837	Chon Buri, Chanthaburi, Gulf of Thailand; Ko Similan, Phangnga, Phuket, Andaman Sea.	
<i>C. violascens</i> Heller, 1862	Chanthaburi, Gulf of Thailand; Trang, Satun, Krabi, Phuket Andaman Sea.	
<b>Family Diogenidae Ortmann, 1892</b>		
<i>Calcinus elegans</i> (H. Milne Edwards, 1836)	Phuket, Andaman Sea.	
<i>C. gaimardi</i> (H. Milne Edwards, 1848)	Phuket, Andaman Sea.	
<i>C. laevimanus</i> (Randall, 1839)	Phuket, Andaman Sea.	
<i>C. latens</i> (Randall, 1839)	Phuket, Andaman Sea.	
<i>C. pulcher</i> Forest, 1958	Ko Racha Yai, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Clibanarius antennatus</i> Rahayu & Forest, 1993	Nakhon Si Thammarat, Phatthalung, Pattani, Narathiwat, Gulf of Thailand.	
<i>C. arethusa</i> De Man, 1888	Rayong, Surat Thani, Gulf of Thailand.	
<i>C. clibanarius</i> (Herbst, 1791)	Off Phuket, Andaman Sea.	
<i>C. cruentatus</i> (H. Milne Edwards, 1848)	Chon Buri, Rayong, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. danai</i> Rahayu & Forest, 1993	Samut Prakan, Chanthaburi, Chachoengsao, Samut Sakhon, Gulf of Thailand; Phangnga, Krabi, Ao Nam Bor, Phuket, Andaman Sea.	
<i>C. demani</i> Buitendijk, 1937	Ko Yao Yai, Satun, Phuket, Ko Mak, Trat, Andaman Sea.	
<i>C. infraspinus</i> Hilgendorf, 1896	Chon Buri, Rayong, Samut Songkhram, Prachup Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Krabi, Satun, Andaman Sea.	
<i>C. longitarsus</i> (De Haan, 1849)	Samut Prakan, Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of	

Taxon/Species	Locality	Endemic Area
<i>C. merguiensis</i> De Man, 1888	Thailand;Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea. Chon Buri, Rayong, Chanthaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>C. padavensis</i> De Man, 1888	Ranong, Phuket, Phangnga, Krabi, Trang, Satun, Andaman Sea.	
<i>C. ransonii</i> Forest, 1953	Cape Phromthep, Phuket, Andaman Sea.	
<i>C. virescens</i> (Krauss, 1843)	Phuket, Andaman Sea.	
<i>Dardanus aspersus</i> (Berthold, 1846)	Rawai Beach, Phuket, Andaman Sea.	
<i>D. callichela</i> Cook, 1989	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Pattani, Gulf of Thailand.	
<i>D. hessii</i> (Miers, 1884)	Chon Buri, Rayong, Trat, Samut Prakan, Samut Sakhon, Prachup Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.	
<i>D. lagopodes</i> (Forskal, 1775)	Chon Buri, Prachup Khiri Khan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>D. megistos</i> (Herbst, 1804)	Chon Buri, Rayong, Prachup Khiri Khan, Gulf of Thailand; Trang, Satun, Phuket, Krabi, Andaman Sea.	
<i>D. pedunculatus</i> (Herbst, 1804)	West Phuket, Andaman Sea.	
<i>D. setifer</i> (H.Milne Edwards, 1836)	West Phuket, Andaman Sea.	
<i>Diogenes avarus</i> Heller, 1865	Chon Buri, Rayong, Chanthaburi, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Songkhla, Gulf of Thailand; Ranong, Phuket, Satun, Andaman Sea.	
<i>D. costatus</i> Henderson, 1893	West Phuket, Andaman Sea.	
<i>D. dubius</i> (Herbst 1804)	Krabi, Satun, Andaman Sea.	
<i>D. goniochirus</i> Forest, 1956	Phetchaburi, Pattani, Gulf of Thailand.	
<i>D. guttatus</i> Henderson, 1888	West Phuket, Andaman Sea.	
<i>D. klaasi</i> Rahayu & Forest, 1995	Phuket, Phangnga, Andaman Sea.	
<i>D. mixtus</i> Lanchester, 1902	Chanthaburi, Prachup Khiri Khan, Songkhla, Pattani, Gulf of Thailand; Off Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>D. planimanus</i> Henderson, 1893	Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>D. rectimanus</i> Miers, 1884	Prachup Khiri Khan, Pattani, Gulf of Thailand; Trang, Andaman Sea.	
<i>D. serenei</i> Forest, 1956	Ko Mao, Sattahip, Chon Buri, Gulf of Thailand; Phuket Andaman Sea.	
<i>D. stenops</i> Morgan & Forest, 1991	Off Phuket, Andaman Sea.	
<i>D. tumidus</i> Rahayu & Forest, 1995	Chon Buri, Surat Thani, Gulf of Thailand; Off Phuket Andaman Sea.	
<i>Paguristes hians</i> Henderson, 1888	West Phuket, Andaman Sea.	
<i>P. longirostris</i> Dana, 1852	West Phuket, Andaman Sea.	
<i>P. monopus</i> Morgan, 1987	Cape Phromthep; Phuket, Andaman Sea.	
<b>Superfamily Paguroidea Latreille, 1803</b>		
<b>Family Paguridae Latreille, 1803</b>		
<i>Alainopaguroides andamanensis</i> McLaughlin, 2002	Off Phuket, Andaman Sea.	
<i>Catapaqurus danida</i> McLaughlin, 2002	Off Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Nematopagurus australis</i> (Henderson, 1888)	Off Phuket, Andaman Sea.	
<i>Pagurus cavicarpus</i> (Paulson, 1875)	Off Phuket, Andaman Sea.	
<i>P. kulkarnii</i> Sankolli, 1962	Chon Buri, Gulf of Thailand.	
<i>P. pitagsaleei</i> McLaughlin, 2002	Cape Phanwa, Phuket, Andaman Sea.	
<i>Pylopaguropsis lewinsohni</i> McLaughlin & Haig, 1989	Off Phuket, Andaman Sea.	
<i>Spiropagurus spiriger</i> (De Haan, 1849)	Samut Sakhon, Surat Thani, Pattani, Gulf of Thailand.	
<i>S. profundorum</i> Alcock, 1905	Pattani, Gulf of Thailand.	
<b>Family Parapaguridae Smith , 1879</b>		
<i>Oncopagurus monstrosus</i> (Alcock, 1894)	Off Phuket, Andaman Sea.	
<b>Superfamily Galattheoidea Samouelle, 1819</b>		
<b>Family Chirostylidae Ortmann, 1892</b>		
<i>Gastroptychus chacei</i> Babe, 1986	Andaman Sea, Thailand.	
<b>Family Galatheididae Samouelle, 1819</b>		
<i>Galathea coralliophilus</i> Baba & Oh, 1990	Ko Khang Khao, Chon Buri, Surat Thani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Munida sentai</i> Baba, 1986	Andaman Sea, Thailand.	
<b>Family Porcellanidae Haworth, 1825</b>		
<i>Aliaporcellana pygmaea</i> (De Man, 1902)	Ko Mesan, Cape Liant, Chon Buri, Gulf of Thailand.	
<i>A. suluensis</i> (Dana, 1852)	Ko Kut, Trat, Gulf of Thailand.	
<i>Capilliporcellana wolffi</i> Haig, 1981	Rayong Bay, Rayong, Gulf of Thailand.	
<i>Enosteoides ornatus</i> (Stimpson, 1858)	Ko Khang Khao, Chon Buri, Ko Chang, Trat, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Lissoporcellana quadrilobata</i> (Miers, 1884)	Ko Mesan, Cape Liant, Chon Buri, Gulf of Thailand.	
<i>L. spinuligera</i> (Dana, 1853)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Novorostrum phuketensis</i> Osawa, 1998	Lam Phanwa, Phuket, Andaman Sea.	
<i>Pachycheles garciaensis</i> (Ward, 1942)	Ko Khang Khao, Ko Sichang, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. sculptus</i> (H. Milne Edwards, 1837)	Ko Chang, Trat, Gulf of Thailand.	
<i>Petrolisthes asiaticus</i> (Leach, 1820)	Ko Chang, Ko Kradat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. boscii</i> (Audouin, 1826)	Ko Chang, Trat, Gulf of Thailand.	
<i>P. hastatus</i> Stimpson, 1858	Ko Chang, Trat, Gulf of Thailand.	
<i>P. lamarckii</i> (Leach, 1820)	Chon Buri, Gulf of Thailand.	
<i>P. teres</i> Melin, 1939	Ko Chang, Trat, Gulf of Thailand.	
<i>P. trilobatus</i> Osawa, 1996	Phuket, Andaman Sea.	
<i>P. varicolor</i> Osawa, 1998	Phuket, Andaman Sea.	
<i>Pisidia gordonii</i> (Johnson, 1970)	Ko Khang Khao, Ko Kram, Ko Mesan, Chon Buri, Ko Chuen, Rayong, Lem Ngob, Trat, Gulf of Thailand.	
<i>P. serratifrons</i> (Stimpson, 1858)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>Polyonyx biunguiculatus</i> (Dana, 1852)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>P. obesulus</i> Miers, 1884	Ko Kut, Trat, Gulf of Thailand.	
<i>P. telestophilus</i> Johnson, 1958	Ko Chuen, Rayong, Gulf of Thailand.	
<i>Porcellanella picta</i> Stimpson, 1858	Chon Buri, Gulf of Thailand.	
<i>P. triloba</i> White, 1852	Ko Sichang, Chon Buri, Ko Kut, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Pseudoporcellanella manoliensis</i> Sankarankutty, 1961	Chon Buri, Gulf of Thailand.	
<i>Raphidopus ciliatus</i> Stimpson, 1858	Ranong, Andaman Sea: Ko Mesan, Cape Liant, Chon Buri, Ko Chuen, Ko Tulu, Rayong, Ko Kut, Ko Kradat, Trat, Gulf of Thailand.	
<b>Superfamily Hippoidea Latreille, 1825</b>		
<b>Family Albuneidae Stimpson, 1858</b>		
<i>Albunea symnista</i> (Linnaeus, 1766)	Bang San Beach, Chon Buri, Gulf of Thailand; Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	
<b>Family Hippidae Latreille, 1825</b>		
<i>Emerita emeritus</i> (Linnaeus, 1767)	Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	
<i>Hippa adactyla</i> Fabricius, 1787	Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	
<i>H. celaeno</i> (De Man, 1896)	Chon Buri, Ko Chan Beach, Prachup Khiri Khan, Ko Tan Nok, Ko Phangan, Surat Thani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Infraorder Brachyura Latreille, 1803</b>		
<b>Section Dromiacea De Haan, 1833</b>		
<b>Superfamily Dromioidea De Haan, 1833</b>		
<b>Family Dromiidae De Haan, 1833</b>		
<i>Conchoecetes andamanicus</i> Alcock, 1899	Gulf of Thailand; Andaman Sea.	
<i>C. artificiosus</i> (Fabricius, 1791)	Ko Samet, Ko Chuen, Rayong, Gulf of Thailand.	
<i>Cryptodromia canaliculata</i> Stimpson, 1858	Chon Buri, Rayong, Songkhla, Gulf of Thailand.	
<i>C. pileifera</i> Alcock, 1899	Andaman Sea.	
<i>Dromia dehaani</i> Rathbun, 1923	Phuket, Andaman Sea.	
<i>D. dormia</i> (Linnaeus, 1763)	Phuket, Andaman Sea; Western Thailand.	
<i>Dromidia unidentata</i> (Ruppell, 1830)	Ko Kram, Chon Buri, Ko Chuen, Rayong, Ko Kradat, Trat, Gulf of Thailand.	
<i>Dromidiopsis cranioides</i> (De Man, 1888)	Ko Mesan, Chon Buri, Ko Samet, Ko Chuen, Rayong, Trat, Samut Songkhram, Phetchaburi, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Lauridromia indica</i> (Gray, 1831)	Phuket, Andaman Sea; Western Thailand.	
<b>Family Homolidae De Haan, 1839</b>		
<i>Homola orientalis</i> Henderson, 1888	Phuket, Andaman Sea; Western Thailand.	
<i>Latreillopsis tetraspinosa</i> Dai & Chen, 1980	Phuket, Andaman Sea; Western Thailand.	
<b>Family Latreillidae Stimpson, 1858</b>		
<i>Latreillia valida</i> De Haan, 1839	Phuket, Andaman Sea; Western Thailand.	
<b>Section Archaeobrachyura Guinot, 1977</b>		
<b>Superfamily Raninoidea De Haan, 1839</b>		
<b>Family Raninidae De Haan, 1839</b>		
<b>Subfamily Ranininae Serene &amp; Umali, 1972</b>		
<i>Ranina ranina</i> (Linnaeus, 1758)	Phuket, Phangnga, Andaman Sea.	
<i>Raninoides personatus</i> Henderson, 1888	Phuket, Andaman Sea.	
<i>R. serratifrons</i> Henderson, 1893	Phuket, Andaman Sea.	
<b>Subfamily Notopinae Serene &amp; Umali, 1972</b>		
<i>Cosmonotus grayi</i> Adams & White, 1848	Phuket, Andaman.	

Taxon/Species	Locality	Endemic Area
<i>Notopoides latus</i> Henderson, 1888	Phuket, Andaman Sea; Western Thailand.	
<i>Notopus dorsipes</i> (Fabricius, 1798)	Phuket, Andaman Sea.	
<b>Section Oxystomata H. Milne Edwards, 1834</b>		
<b>Superfamily Dorippoidea MacLeay, 1838</b>		
<b>Family Dorippidae MacLeay, 1838</b>		
<i>Dorippe dorsipes</i> (Linnaeus, 1758)	Ko Mesan, Cape Liant, Chon Buri, Ban Pe, Rayong, Gulf of Thailand.	
<i>D. quadridens</i> (Fabricius, 1793)	Trat, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>Dorippoides facchino</i> (Herbst, 1785)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Ko Kradat, Lem Ngob, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Ko Samui, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>D. nudipes</i> Holthuis & Manning, 1986	Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Neodorippe callida</i> (Fabricius, 1798)	Ko Chik, Paknam Wen, Chanthaburi, Ko Chang, Trat, Chumphon, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<b>Superfamily Leucosioidea Samouelle, 1819</b>		
<b>Family Calappidae De Haan, 1833</b>		
<i>Calappa bicornis</i> Miers, 1884	Phuket, Andaman Sea; Western Thailand.	
<i>C. bilineata</i> Ng, Lai and Aungtonya, 2001	Phuket, Andaman Sea; Western Thailand.	
<i>C. calappa</i> (Linnaeus, 1758)	Phuket, Andaman Sea.	
<i>C. capellonis</i> Laurie, 1906	Phuket, Andaman Sea; Western Thailand.	
<i>C. clypeata</i> Borradaile, 1903	Chon Buri, Rayong, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket Andaman Sea; Western Thailand.	
<i>C. gallus</i> (Herbst, 1803)	Phuket, Andaman Sea.	
<i>C. hepatica</i> (Linnaeus, 1758)	Phuket, Andaman Sea.	
<i>C. lophos</i> (Herbst, 1782)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>C. philargius</i> (Linnaeus, 1758)	Chanthaburi, Prachup Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>C. pustulosa</i> Alcock, 1896	Phuket, Andaman Sea; Western Thailand.	
<i>C. undulata</i> Dai & Yang, 1991	Phuket, Andaman Sea; Western Thailand.	
<i>Mursia africana</i> Galil, 1993	Phuket, Andaman Sea; Western Thailand.	
<b>Family Matutidae Alcock, 1896</b>		
<i>Ashtoret lunaris</i> (Forsk. 1775)	Ko Kam, Ko Mesan, Chon Buri, Ko Kradat, Trat, Pattani, Gulf of Thailand.	
<i>A. miersii</i> (Henderson, 1887)	Phuket, Andaman Sea; Western Thailand.	
<i>Izanami curtispina</i> (Sakai, 1961)	Phuket, Andaman Sea; Western Thailand.	
<i>Matuta planipes</i> Fabricius, 1798	Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. victor</i> (Fabricius, 1781)	Ko Chik, Chanthaburi, Ko Chang, Trat, Ko Kong, Prachup Khiri Khan, Chumphon, Ko Samui, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Ranong, Trang, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Family Leucosiidae Samouelle, 1819</b>		
<b>Subfamily Cryptocneminae Stimpson, 1858</b>		
<i>Cryptocnemus mortenseni</i> Rathbun, 1909	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>C. siamensis</i> Serene & Soh, 1976	Gulf of Thailand.	
<i>Onychomorpha lamelligera</i> Stimpson, 1858	Ko Kam, Ko Lan, Chon Buri, Gulf of Thailand.	
<b>Subfamily Ebalinae Stimpson, 1871</b>		
<i>Drachiella morum</i> (Alcock, 1896)	Phuket, Andaman Sea.	
<i>Ebalia glans</i> (Alcock, 1896)	Gulf of Thailand; Phuket, Andaman Sea; Western Thailand.	
<i>E. heterochalaza</i> Kemp, 1915	Gulf of Thailand.	
<i>E. malefactrix</i> Kemp, 1915	Phuket, Andaman Sea.	
<i>E. tuberculosa</i> (A. Milne Edwards, 1873)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>E. woodmasoni</i> Alcock, 1896	Ko Kradat, Trat, Gulf of Thailand.	
<i>Heteronucia mesanensis</i> Rathbun, 1909	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>Nuciops modesta</i> (Ihle, 1918)	Phuket, Andaman Sea.	
<i>Oreophorus rugosus</i> Stimpson, 1858	Ko Kram, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Tlos muriger</i> Adams & White, 1843	Ko Chuen, Chon Buri, Ko Kut, Trat, Gulf of Thailand.	
<b>Subfamily Leucosiinae Miers, 1886</b>		
<i>Leucosia anatum</i> (Herbst, 1783)	Chon Buri, Gulf of Thailand.	
<i>L. craniolaris</i> (Linnaeus, 1758)	Ko Chuen, Chon Buri, Ko Samet, Rayong, Ko Chang, Ko Kradat, Trat, Pattani, Gulf of Thailand.	
<i>L. haematostrita</i> Adams & White, 1748	Ko Sakait, Ko Kam, Ko Chuen, Chon Buri, Ko Chang, Trat, Gulf of Thailand.	
<i>L. haswelli</i> Miers, 1884	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>L. longifrons</i> De Haan, 1850	Rayong, Ko Mak, Ko Kradat, Trat, Songkhla, Pattani, Gulf of Thailand.	
<i>L. margaritata</i> A. Milne Edwards, 1874	Ko Chuen, Chon Buri, Ko Kradat, Ko Kut, Ko Chang, Trat, Gulf of Thailand.	
<i>L. perlata</i> De Haan, 1841	Chon Buri, Gulf of Thailand.	
<i>L. pulcherrima</i> Miers, 1896	Ko Kradat, Trat, Gulf of Thailand.	
<i>L. rhomboidalis</i> De Haan, 1841	Phuket, Andaman Sea; Western Thailand.	
<i>L. unidentata</i> De Haan, 1841	Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<i>L. urania</i> (Herbst, 1786)	Ko Lan, Chon Buri, Ko Chang, Ko Kradat, Trat, Gulf of Thailand.	
<i>L. vittata</i> Stimpson, 1858	Ko Chang, Trat, Gulf of Thailand.	
<i>L. whitei</i> Bell, 1855	Ko Chuen, Chon Buri, Gulf of Thailand.	
<b>Subfamily Philyrinae Rathbun, 1937</b>		
<i>Arcania crinaceus</i> (Fabricius, 1798)	Prachup Khiri Khan, Gulf of Thailand.	
<i>A. heptacantha</i> (De Haan, 1861)	Chon Buri, Ko Kut, Ko Chang, Trat, Samut Sakhon, Phetchaburi, Chumphon, Surat Thani, Gulf of Thailand.	
<i>A. novemspinosa</i> Adams & White, 1848	Chon Buri, Songkhla, Gulf of Thailand.	
<i>A. quinquespinosa</i> Alcock & Anderson, 1894	Phuket, Andaman Sea; Western Thailand.	
<i>A. septemspinosa</i> (Fabricius, 1798)	Ko Samet, Rayong, Ko Kut, Ko Chang, Trat, Surat Thani, Pattani, Gulf of Thailand.	
<i>A. undecimspinosa</i> De Haan, 1850	Ko Kam, Chon Buri, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>Iphiculus spongiosus</i> Adams & White, 1848	Ko Samet, Rayong, Ko Kradat, Ko Kut, Ko Chang, Trat, Phetchaburi, Chumphon, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Ixa cylindrus</i> (Fabricius, 1777)	Ko Sakait, Chon Buri, Kung Kaben, Chanthaburi, Ko Kradat, Trat, Samut Sakhon, Phetchaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>I. edwardsi</i> Lucas, 1858	Nakhon Si Thammarat, Songkhla, Gulf of Thailand.	
<i>I. pulcherrima</i> (Haswell, 1880)	Phuket Andaman Sea; Western Thailand.	
<i>Ixoides cornutus</i> Mac Gilchrist, 1905	Phuket, Andaman Sea; Western Thailand.	
<i>Myra acutidens</i> Ihle, 1918	Phuket, Andaman Sea; Western Thailand.	
<i>M. affinis</i> Bell, 1855	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>M. coalita</i> (Hilgendorf, 1873)	Chon Buri, Songkhla, Gulf of Thailand.	
<i>M. elegans</i> Bell, 1855	Ko Sichang, Ko Chuen, Chon Buri, Ko Kut, Ko Kradat, Ko Chang, Ko Kong, Trat, Chumphon, Gulf of Thailand.	
<i>M. fugax</i> (Fabricius, 1798)	Samut Prakan, Samut Sakhon, Songkhla, Gulf of Thailand.	
<i>M. pentacantha</i> Alcock, 1896	Kung Kaben, Chanthaburi, Ko Kradat, Trat, Gulf of Thailand.	
<i>Myrodes eudactylus</i> Bell, 1855	Ko Chuen, Chon Buri, Ko Kradat, Lem Ngob, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Nursia lar</i> (Fabricius, 1798)	Ko Lan, Ko Chuen, Chon Buri, Rayong, Ko Chang, Ko Kut, Ko Kradat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Nursilia tonsor</i> Alcock, 1898	Phuket, Andaman Sea.	
<i>Paranursia abbreviata</i> (Bell, 1855)	Phuket, Andaman Sea.	
<i>Parilia alcocki</i> Wood Mason, 1891	Phuket, Andaman Sea; Western Thailand.	
<i>Pariphiculus mariannae</i> (Herklots, 1852)	Gulf of Thailand.	
<i>Philyra globulosa</i> H. Milne Edwards, 1837	Gulf of Thailand.	
<i>P. granulosa</i> Ihle, 1918	Phuket, Andaman Sea.	
<i>P. heterograna</i> Ortmann, 1892	Prachup Khiri Khan, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>P. olivacea</i> Rathbun, 1909	Lem Ngob, Trat, Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Pseudophilyra melita</i> De Man, 1888	Ko Mesan, Ko Kam, Cape Liant, Chon Buri, Gulf of Thailand.	
<i>P. tridentata</i> Miers, 1848	Ko Mesan, Ko Chuen, Chon Buri, Ko Kradat, Trat, Gulf of Thailand.	
<i>Randallia eburnea</i> Alcock, 1896	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>R. glans</i> Alcock, 1896	Phuket, Andaman Sea.	
<b>Section Oxyrhyncha Latreille, 1803</b>		
<b>Superfamily Majoidea Samouelle, 1819</b>		
<b>Family Majidae Samouelle, 1819</b>		
<b>Subfamily Epialtinae MacLeay, 1838</b>		
<i>Menaethius monoceros</i> (Latreille, 1825)	Ko Kradat, Ko Chang, Trat, Gulf of Thailand.	
<b>Subfamily Inachinae MacLeay, 1838</b>		
<i>Achaeus brevirostris</i> (Haswell, 1879)	Ko Kam, Ko Rin, Chon Buri, Gulf of Thailand; Phuket, Andaman Sea; Western Thailand.	
<i>A. curvirostris</i> (A. Milne-Edwards, 1873)	Phuket, Andaman Sea Western Thailand.	
<i>A. lacertosus</i> Stimpson, 1857	Ko Chuen, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>Camposcia retusa</i> Latreille, 1892	Phuket, Andaman Sea.	
<i>Paratymolus pubescens</i> Miers, 1879	Kung Kaben, Chanthaburi, Ko Kradat, Trat, Gulf of Thailand.	
<i>P. vannus</i> Loh & Ng, 1999	Ko Kradat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Majinae Samouelle, 1819</b>		
<i>Chlorinoides aculaetus</i> (H. Milne Edwards, 1834)	Ko Kam, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>C. longispinus</i> (De Haan, 1839)	Phuket, Andaman Sea.	
<i>Schizophrys aspera</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea; West Thailand.	
<i>S. dana</i> (Herbst, 1804)	Phuket, Andaman Sea; West Thailand.	
<i>S. longipes</i> (Linnaeus, 1767)	Phuket, Andaman Sea.	
<b>Subfamily Mithracinae MacLeay, 1838</b>		
<i>Micippa philyra</i> (Herbst, 1803)	Ko Mesan, Chon Buri, Ko Kradat, Ko Mak, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. thalia</i> (Herbst, 1803)	Ko Kam, Chon Buri, Ko Kradat, Ko Kut, Trat, Phetchaburi, Gulf of Thailand.	
<b>Subfamily Pisinae Alcock, 1895</b>		
<i>Doclea alcocki</i> Laurie, 1906	Phuket, Andaman Sea.	
<i>D. armata</i> (De Haan, 1893)	Chon Buri, Gulf of Thailand.	
<i>D. gracilipes</i> Stimpson, 1857	Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>D. ovis</i> (Herbst, 1788)	Ko Kram, Chon Buri, Ko Kradat, Trat, Samut Sakhon, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>D. terruptera</i> Walker, 1890	Ko Samet, Rayong, Ko Chang, Ko Kut, Trat, Gulf of Thailand.	
<i>Hyastenus aries</i> (Latreille, 1825)	Chon Buri, Phetchaburi, Gulf of Thailand; Phuket, Andaman Sea.	
<i>H. diacanthus</i> (De Haan, 1839)	Ko Rin, Ko Chuen, Chon Buri, Ko Kut, Ko Kradat, Trat, Phetchaburi, Prachup Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>H. hilgendorfi</i> De Man, 1888	Ko Mesan, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>H. oryx</i> A. Milne Edwards, 1872	Ko Mak, Trat, Gulf of Thailand.	
<i>H. planasius</i> (Adams & White, 1848)	Ko Kam, Ko Chuen, Ko Mesan, Chon Buri, Gulf of Thailand.	
<i>H. spinosus</i> A. Milne Edwards, 1872	Ko Kram, Ko Chuen, Chon Buri, Ko Kradat, Ko Chang, Trat, Gulf of Thailand.	
<i>Phalangipus hystrix</i> (Miers, 1886)	Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. indicus</i> (Leach, 1815)	Chon Buri, Gulf of Thailand.	
<i>P. longipes</i> (Linnaeus, 1758)	Ko Kam, Ko Chuen, Chon Buri, Chanthaburi, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Thacanophrys albanyensis</i> (Ward, 1933)	Chon Buri, Gulf of Thailand.	
<i>T. halimoides</i> (Miers, 1879)	Chon Buri, Gulf of Thailand.	
<b>Subfamily Tychinae Dana, 1851</b>		
<i>Criocarcinus superciliosus</i> (Linnaeus, 1767)	Phuket, Andaman Sea; West Thailand.	
<b>Superfamily Hymenosomatoidea MacLeay, 1838</b>		
<b>Family Hymenosomatidae MacLeay, 1838</b>		
<i>Elamena magna</i> Ng & Chuang, 1996	Laun, Ranong, Andaman Sea.	
<i>Elamenopsis exiguus</i> (Kemp, 1917)	Gulf of Thailand, Bangkok.	
<i>Halicarcinus coralicola</i> (Rathbun, 1909)	Gulf of Thailand.	
<i>Hymenicoides naiyanetri</i> (Chuang & Ng, 1991)	Tha Chin River, Nakhon Chaisi, Nakhon Pathom, Bung Borapet, Nakhon Sawan, Central Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Superfamily Parthenopoidea MacLeay, 1838</b>		
<b>Family Parthenopidae MacLeay, 1838</b>		
<b>Subfamily Cryptopodiinae Stimpson, 1871</b>		
<i>Cryptopodia anagulata</i> H.Milne Edwards & Lucas, 1841	Phuket, Andaman Sea.	
<i>C. collifer</i> Flipse, 1930	Phuket, Andaman Sea; Western Thailand.	
<i>C. dorsalis</i> White, 1847	Chon Buri, Gulf of Thailand.	
<i>C. fornicata</i> (Fabricius, 1781)	Chon Buri, Kung Kaben, Chanthaburi, Ko Kradat, Ko Kut, Trat, Rayong, Samut Prakan, Samut Sakhon, Phetchaburi, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>C. laevimana</i> Miers, 1879	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>C. pan</i> Laurie, 1906	Phuket, Andaman Sea, West Thailand.	
<b>Subfamily Daldorfiinae Ng &amp; Rodriquez, 1986</b>		
<i>Daldorfia horrida</i> (Linnaeus, 1758)	Ko Samui, Sarat Thani, Gulf of Thailand; Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Eumedoninae Dana, 1852</b>		
<i>Gonatonotus pentagonus</i> White, 1847	Ko Kram, Chon Buri, Ko Kradat, Ko Kut, Trat, Gulf of Thailand.	
<i>Rhabdonotus pictus</i> A. Milne Edwards, 1878	Phuket, Andaman Sea.	
<i>Zebrida adamsi</i> White, 1847	Ko Kram, Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<b>Subfamily Parthenopinae MacLeay, 1838</b>		
<i>Aulacolambrus hoplonotus</i> (Adams & White, 1848)	Ko Mesan, Ko Rin, Chon Buri, Gulf of Thailand.	
<i>A. whitei</i> H. Milne Edwards, 1872	Phuket, Andaman Sea.	
<i>Parthenope longimanus</i> (Linnaeus, 1764)	Ko Kram, Ko Chuen, Chon Buri, Rayong, Gulf of Thailand; Ko Kut, Trat, Samut Sakhon, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. pransor</i> (Herbst, 1796)	Chon Buri, Gulf of Thailand.	
<i>Platylambrus echinatus</i> (Herbst, 1790)	Ko Lan, Ko Kram, Chon Buri, Rayong, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Pseudolambrus calappoides</i> (Adams & White, 1848)	Ko Mesan, Ko Rin, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. harpax</i> (Adams & White, 1848)	Ko Mesan, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>P. ozakii</i> Sakai, 1969	Songkhla, Gulf of Thailand.	
<i>Rhinolambrus contrarius</i> (Herbst, 1796)	Trat, Phetchaburi, Chumphon, Songkhla, Pattani, Gulf of Thailand.	
<i>R. longispinis</i> (Miers, 1879)	Ko Kam, Chon Buri, Ko Tulu, Rayong, Ko Kut, Ko Kradat, Trat, Gulf of Thailand.	
<i>R. pelagicus</i> (Ruppell, 1830)	Ko Kradat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>R. sisimanensis</i> (Serene & Umali, 1972)	Phuket, Andaman Sea; Western Thailand.	
<b>Section Cancridea Latreille, 1803</b>		
<b>Superfamily Cancroidea Latreille, 1803</b>		
<b>Family Corystidae Samouelle, 1819</b>		
<i>Gomezia bicornis</i> Gray, 1831	Chon Buri, Gulf of Thailand.	
<i>Jonas distincta</i> (De Haan, 1835)	Chumphon, Songkhla, Gulf of Thailand.	
<i>J. formosae</i> Balss, 1922	Phuket, Andaman Sea, Western Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Family Dairidae Ng &amp; Rodriguez, 1986</b>		
<i>Dairoides seafdeci</i> Takeda & Ananongsuk, 1991	Phuket, Andaman Sea, West Thailand.	
<b>Section Brachyrhyncha Borradaile, 1907</b>		
<b>Superfamily Portunoidea Rafinesque, 1815</b>		
<b>Family Portunidae Rafinesque, 1815</b>		
<b>Subfamily Caphyrinae Alcock, 1899</b>		
<i>Lissocarcinus arkati</i> Kemp, 1923	Nakhon Si Thammarat, Gulf of Thailand.	
<i>L. boholensis</i> Semper, 1880	Ko Kut, Trat, Gulf of Thailand.	
<i>L. laevis</i> Miers, 1886	Phuket, Andaman Sea; West Thailand.	
<i>L. polylobioides</i> Adams & White, 1848	Phuket, Andaman Sea; West Thailand.	
<b>Subfamily Catoptrinae Borradaile, 1903</b>		
<i>Carupa tenuipes</i> Dana, 1851	Gulf of Thailand.	
<i>Libystes alphonsi</i> Alcock, 1900	Phuket, Andaman Sea.	
<i>L. edwardsi</i> Alcock, 1900	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>L. nitidus</i> A.Milne Edwards, 1867	Phuket, Andaman Sea; West Thailand.	
<b>Subfamily Podophthalminae Borradaile, 1907</b>		
<i>Podophthalmus nacreus</i> Aloccock, 1899	Phuket, Andaman Sea; West Thailand.	
<i>P. vigil</i> (Fabricius, 1798)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Ko Kong, Trat, Samut Sakhon, Samut Songkhram, Prachup Khiri Khan, Chumphon, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.	
<b>Subfamily Portuninae Rafinesque 1815</b>		
<i>Lupocyclus rotundatus</i> Adams & White, 1848	Chon Buri, Chanthaburi, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>Lupocyclus philippinensis</i> Semper, 1880	Phuket, Andaman Sea, West Thailand.	
<i>Portunus argentatus</i> (White, 1847)	Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. brockii</i> (De Man, 1887)	Chanthaburi, Ko Kradat, Ko Mak, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. gladiator</i> (Fabricius, 1798)	Ko Kam, Ko Mesan, Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Prachup Khiri Khan,	

Taxon/Species	Locality	Endemic Area
<i>P. gracilimanus</i> (Stimpson, 1858)	Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Andaman Sea.	
<i>P. granulatus</i> (H. Milne Edwards, 1834)	Ko Lan, Ko Kram, Ko Chuen, Chon Buri, Rayong, Chanthaburi, Ko Kut, Ko Kradat, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>P. haani</i> (Stimpson, 1858)	Phuket, Andaman Sea; West Thailand.	
<i>P. hastatoides</i> (Fabricius, 1798)	Chon Buri, Ko Samet, Rayong, Chanthaburi, Ko Kradat, Ko Kut, Ko Kong, Trat, Samut Sakhon, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. inominatus</i> (Rathbun, 1909)	Ko Kradat, Ko Mak, Trat, Gulf of Thailand.	
<i>P. longispinosus</i> (Dana, 1852)	Ko Kradat, Ko Mak, Trat, Gulf of Thailand; Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. minutus</i> (Shen, 1937)	Chanthaburi, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>P. orbicularis</i> (Richters, 1880)	Phuket, Andaman Sea.	
<i>P. orbitosinus</i> Rathbun, 1911	Phuket, Andaman Sea.	
<i>P. pelagicus</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Lem Ngob, Ko Chang, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. pseudoargentatus</i> Stephenson, 1961	Surat Thani, Nakhon Si Thammarat, Gulf of Thailand.	
<i>P. pulchricristatus</i> (Gordon, 1931)	Ko Samet, Rayong, Chanthaburi, Ko Kut, Trat, Nakhon Si Thammarat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. rubromarginatus</i> (Lanchester, 1900)	Gulf of Thailand.	
<i>P. rugosus</i> (A.Milne Edwards, 1861)	Phuket, Andaman Sea; West Thailand.	
<i>P. sanguinolentus</i> (Herbst, 1783)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Trat, Samut Sakhon, Chumphon, Surat Thani, Nakhon Si Thammarat,	

Taxon/Species	Locality	Endemic Area
<i>P. tenuipes</i> (De Haan, 1835)	Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Krabi, Andaman Sea.	
<i>P. trituberculatus</i> (Miers, 1876)	Ko Kam, Chon Buri, Ko Samet, Rayong, Chanthaburi, Trat, Samut Prakan, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. tuberculatus</i> (A. Milne Edwards, 1861)	Phuket, Andaman Sea; West Thailand.	
<i>P. tweediei</i> (Shen, 1938)	Ko Kram, Chon Buri, Rayong, Chanthaburi, Ko Kradat, Ko Kut, Ko Mak, Trat, Phetchaburi, Prachup Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Scylla olivacea</i> (Herbst, 1796)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>S. paramamosian</i> Estampador, 1949	Gulf of Thailand; Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<i>S. serrata</i> (Forsk., 1755)	Chon Buri, Rayong, Chanthaburi, Samut Prakan, Samut Sakhon, Phetchaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>S. tranquebarica</i> (Fabricius, 1789)	Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<b>Subfamily Thalamitinae Paulson, 1875</b>		
<i>Charybdis acutifrons</i> (De Man, 1879)	Phuket, Andaman Sea.	
<i>C. affinis</i> Dana, 1852	Chon Buri, Chanthaburi, Lem Ngob, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Chumphon, Songkhla, Pattani, Nakhon Si Thammarat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Krabi, Andaman Sea.	
<i>C. anisodon</i> (De Haan, 1850)	Chon Buri, Paknam Wen, Chanthaburi, Ko Chang, Trat, Samut Sakhon, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani,	

Taxon/Species	Locality	Endemic Area
<i>C. annulata</i> (Fabricius, 1798)	Narathiwat, Gulf of Thailand; Trang, Ranong, Satun, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>C. beauforti</i> Leene & Buitendijk, 1949	Ko Kam, Chon Buri, Rayong, Chanthaburi, Prachup Khiri Khan, Songkhla, Gulf of Thailand.	
<i>C. bimaculata</i> (Miers, 1886)	Phuket, Andaman Sea, West Thailand.	
<i>C. callianassa</i> (Herbst, 1789)	Paknam Wen, Chanthaburi, Ko Kut, Trat, Samut Prakan, Samut Sakhon, Prachup Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>C. feriatus</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Ko Kut, Ko Kong, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Andaman Sea.	
<i>C. granulata</i> (De Haan, 1833)	Phuket, Andaman Sea; West Thailand.	

Taxon/Species	Locality	Endemic Area
<i>C. hellerii</i> (A. Milne Edwards, 1861)	Chon Buri, Rayong, Trat, Prachup Khiri Khan, Pattani,	
	Gulf of Thailand; Satun, Ranong, Phuket, Andaman Sea.	
<i>C. hongkongensis</i> Shen, 1834	Ranong, Andaman Sea.	
<i>C. japonica</i> (A. Milne Edwards, 1861)	Gulf of Thailand.	
<i>C. lucifera</i> (Fabricius, 1798)	Chanthaburi, Lem Ngob, Ko Kong, Trat, Samut Songkhram,	
	Prachup Khiri Khan, Gulf of Thailand; Krabi, Andaman Sea.	
<i>C. merguensis</i> (De Man, 1883)	Phuket, Andaman Sea; West Thailand.	
<i>C. miles</i> De Haan, 1835	Chanthaburi, Samut Prakan, Nakhon Si Thammarat,	
	Songkhla, Gulf of Thailand; Trang, Satun, Ranong,	
	Andaman Sea.	
<i>C. natator</i> (Herbst, 1789)	Ko Mesan, Chon Buri, Rayong, Chanthaburi, Samut Sakhon,	
	Phetchaburi, Prachup Khiri Khan, Surat Thani, Nakhon Si	
	Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang,	
	Ranong, Phuket, Krabi, Andaman Sea.	
<i>C. ornata</i> (A. Milne Edwards, 1861)	Ko Samet, Rayong, Ko Kradat, Ko Kut, Trat, Gulf of Thailand.	
<i>C. riversandersoni</i> Alcock, 1889	Phuket, Andaman Sea; West Thailand.	

Taxon/Species	Locality	Endemic Area
<i>C. rorstrata</i> (A. Milne Edwards, 1861)	Gulf of Thailand; Andaman Sea.	
<i>C. truncata</i> (Fabricius, 1798)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Phuket, Krabi, Andaman Sea.	
<i>C. vadorum</i> Alcock, 1899	Chon Buri, Chanthaburi, Trat, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.	
<i>C. variegata</i> (Fabricius, 1798)	Ko Kam, Chon Buri, Chanthaburi, Prachup Khiri Khan, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Phangnga, Krabi, Andaman Sea.	
<i>Gonioinfradens paucidentata</i> (A. Milne Edwards, 1861)	Phuket, Andaman Sea; West Thailand.	
<i>Thalamita admete</i> (Herbst, 1803)	Chon Buri, Gulf of Thailand.	
<i>T. chaptali</i> Audouin & Savigny, 1825	Chanthaburi, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>T. crenata</i> (Latreille, 1829)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Trat, Samut Prakan, Samut Sakhon, Prachup Khiri Khan, Chumphon, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>T. danae</i> Stimpson, 1858	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<i>T. foresti</i> Crosnier, 1962	Phuket, Andaman Sea.	
<i>T. gatavakensis</i> Nobili, 1906	Phuket, Andaman Sea; West Thailand.	
<i>T. imparimanus</i> Alcock, 1899	Ko Mesan, Chon Buri, Ko Chang, Trat, Gulf of Thailand.	
<i>T. muusi</i> Serene & Soh, 1976	Phuket, Andaman Sea.	
<i>T. parvidens</i> (Rathbun, 1907)	Phuket, Andaman Sea.	
<i>T. picta</i> Stimpson, 1858	Rayong, Gulf of Thailand.	
<i>T. prymna</i> (Herbst, 1794)	Ko Chang, Chon Buri, Samut Prakan, Prachup Khiri Khan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>T. sexlobata</i> Miers, 1886	Phuket, Andaman Sea.	
<i>T. sima</i> H. Milne Edwards, 1834	Ko Chuen, Ko Mesam, Chon Buri, Rayong, Ko Kradat, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachup	

Taxon/Species	Locality	Endemic Area
<i>T. spinifera</i> Borradaile, 1903	Khiri Khan, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Krabi, Andaman Sea. Phuket, Andaman Sea.	
<i>T. spinimana</i> Dana, 1852	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<i>T. stimpsoni</i> A. Milne Edwards, 1861	Phuket, Andaman Sea.	
<i>T. tenuipes</i> Borradaile, 1902	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Thalamitoides quadridens</i> A. Milne Edwards, 1869	Phuket, Andaman Sea; West Thailand.	
<b>Superfamily Xanthoidea MacLeay, 1838</b>		
<b>Family Carpiliidae Ortmann, 1893</b>		
<i>Carpilius convexus</i> (Forskal, 1775)	Rawai Beach, Phuket, Andaman Sea.	
<i>C. maculatus</i> (Linnaeus, 1758)	Rawai Beach, Phuket, Andaman Sea.	
<i>Liagore erythematica</i> Guinot, 1971	Phuket, Andaman Sea; West Thailand.	
<i>L. rubromaculata</i> De Haan, 1835	Trat, Samut Prakan, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Family Goneplacidae MacLeay, 1838</b>		
<b>Subfamily Carcinoplacinae H. Milne Edwards, 1852</b>		
<i>Carcinoplax bispinopsa</i> Rathbun, 1914	Phuket, Andaman Sea; West Thailand.	
<i>C. indica</i> Doflein, 1904	Phuket, Andaman Sea; West Thailand.	
<i>C. longimanus</i> (De Haan, 1835)	Samut Prakan, Samut Sakhon, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. purpurea</i> Rathbun, 1914	Gulf of Thailand.	
<i>C. sinica</i> Chen, 1984	Gulf of Thailand.	
<i>Eucrate alcocki</i> Serene, 1971	Chon Buri, Trat, Samut Sakhon, Phetchaburi, Pattani, Gulf of Thailand.	
<i>E. crenata</i> De Haan, 1835	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>E. solaris</i> Yang & Sun, 1979	Gulf of Thailand.	
<i>E. sulcatifrons</i> (Stimpson, 1858)	Gulf of Thailand.	
<i>Heteroplax dentata</i> Stimpson, 1858	Ko Kradat, Trat, Gulf of Thailand.	
<i>H. nitida</i> Miers, 1879	Gulf of Thailand; Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>H. transversa</i> Stimpson, 1858	Ko Kradat, Trat, Gulf of Thailand.	
<i>Litocheira cristata</i> Rathbun, 1909	Ko Chuen, Chon Buri, Ko Tulu, Rayong, Gulf of Thailand.	
<i>L. setosa</i> (A. Milne Edwards, 1873)	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>Viaderina striata</i> (De Man, 1888)	Phuket, Andaman Sea.	
<i>V. typica</i> Ward, 1942	Phuket, Andaman Sea.	
<b>Subfamily Chasmocarcininae Serene, 1964</b>		
<i>Camatopsis rubida</i> Alcock & Anderson, 1899	Ko Mak, Trat, Gulf of Thailand; Andaman Sea.	
<i>Chasmocarcinops gelasimoides</i> Alcock, 1900	Ko Kradat, Ko Kut, Ko Bidang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Hepthopelta mortenseni</i> Serene, 1964	Andaman Sea.	
<i>Megaesthesius sagedae</i> Rathbun, 1909	Andaman Sea.	
<i>Notonyx vitreus</i> Alcock, 1900	Phuket, Andaman Sea.	
<i>Scalopidia spinosipes</i> Stimpson, 1858	Ko Samet, Rayong, Ko Kut, Trat, Gulf of Thailand; Andama Sea.	
<b>Subfamily Goneplacinae MacLeay, 1838</b>		
<i>Ommatocarcinus pulcher</i> Barnard, 1950	Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Singhaplax ockelmanni</i> (Serene, 1971)	Phuket, Andaman Sea.	
<b>Family Panopeidae Ortmann, 1893</b>		
<b>Subfamily Eucartopsinae Stimpson, 1870</b>		
<i>Homoiplax haswelli</i> Rathbun, 1914	Andaman Sea.	
<i>Lophoplax takakurai</i> Sakai, 1935	Andaman Sea.	
<b>Subfamily Rhizopinae Miers, 1886</b>		
<i>Ceratoplax ciliata</i> Stimpson, 1858	Rayong, Ko Kradat, Trat, Gulf of Thailand.	
<i>C. fulgida</i> Rathbun, 1914	Andaman Sea.	
<i>C. hispida</i> Alcock, 1896	Rayong, Gulf of Thailand.	
<i>Mertonia lanka</i> Laurie, 1906	Ko Mesan, Cape Liant, Chon Buri, Gulf of Thailand; Andaman Sea.	
<i>Rhizopa gracilipes</i> Stimpson, 1858	Ko Chang, Ko Kut, Ko Bidang, Trat, Gulf of Thailand.	
<i>R. sasekumari</i> Serene, 1970	Ranong, Andaman Sea.	
<i>Typhlocarcinodes hirsutus</i> (Borradaile, 1903)	Andaman Sea.	
<i>Typhlocarcinops canaliculata</i> Rathbun, 1909	Ko Mesan, Chon Buri, Ko Mak, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>T. gallaridoi</i> Serene, 1964	Phuket, Andaman Sea; Western Thailand.	
<i>Typholocarcinus craterifer</i> Rathbun, 1914	Phuket, Andaman Sea; Western Thailand.	
<i>T. nudus</i> Stimpson, 1858	Ko Kradat, Ko Kut, Ko Bidang, Trat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>T. rubidus</i> Alcock, 1900	Andaman Sea.	
<i>T. villosus</i> Stimpson, 1858	Ko Chuen, Chon Buri, Ko Samet, Rayong, Gulf of Thailand.	
<i>Xenophthalmodes dolichophallus</i> Tesch, 1918	Andaman Sea.	
<b>Family Hexapodidae Miers, 1886</b>		
<b>Subfamily Hexapodinae Alcock, 1900</b>		
<i>Hexapus edwardsi</i> Serene & Soh, 1976	Andaman Sea.	
<i>H. granuliferus</i> Campbell & Stephenson, 1970	Andaman Sea.	
<i>H. sexpes</i> (Fabricius, 1798)	Andaman Sea.	
<i>H. stephensi</i> Serene & Soh, 1976	Andaman Sea.	
<i>Lambdophallus anfractus</i> Rathbun, 1909	Ko Chang, Ko Kut, Ko Kong, Trat, Gulf of Thailand.	
<i>Thaumastoplax chuenensis</i> Rathbun, 1909	Ko Chuen, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>T. orientalis</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand; Andaman Sea.	
<b>Family Eriphiidae MacLeay, 1838</b>		
<i>Baptozius vinosus</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
<i>Epixanthusorrosus</i> A. Milne Edwards, 1873	Patong Beach, Phuket, Andaman Sea.	
<i>E. dentatus</i> (White, 1847)	Ko Ma Phrao, Phuket, Andaman Sea.	
<i>E. frontalis</i> (H. Milne Edwards, 1834)	Ko Chik, Chanthaburi, Gulf of Thailand; Lem Phanwa, Ao Yon, Phuket, Andaman Sea.	
<i>Eriphia scabricula</i> Dana, 1852	Nai Yang Beach, Phuket, Andaman Sea.	
<i>E. sebana</i> (Shaw & Nodder, 1803)	Lem Phanwa, Nai Yang Beach, Patong Beach, Kata Beach, Phuket, Andaman Sea.	
<i>E. smithi</i> MacLeay, 1838	Ang Sila, Chon Buri, Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>Eupilumnus actumnoides</i> (A. Milne Edwards, 1873)	Phuket, Andaman Sea; Western Thailand.	
<i>Globopilumnus actumnoides</i> (A. Milne, Edwards, 1873)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Menippe rumphii</i> (Fabricius, 1798)	Phuket, Andaman Sea; Western Thailand.	
<i>Myomenippe. hardwicki</i> (Gray, 1831)	Lem Ngob, Ko Chang, Trat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Ozius guttatus</i> H. Milne Edwards, 1834	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea; Western Thailand.	
<i>O. rugolus</i> Stimpson, 1858	Phuket, Andaman Sea; Western Thailand.	
<i>O. tuberculosus</i> H. Milne Edwards, 1834	Phuket, Andaman Sea; Western Thailand.	
<i>Sphaerozius nitidus</i> Stimpson, 1858	Ko Kong, Trat, Chumphon, Gulf of Thailand; Ko Ma Phrao, Phuket, Andaman Sea.	
<b>Family Pilumnidae Samouelle, 1819</b>		
<b>Subfamily Halimediinae Alcock, 1898</b>		
<i>Halimede ochtodes</i> (Herbst, 1783)	Ko Lan, Ko Chuen, Chon Buri, Rayong, Ko Kradat, Trat, Pattani, Gulf of Thailand.	
<i>H. thurstoni</i> Henderson, 1893	Ko Kam, Ko Rin, Ko Mesan, Chon Buri, Ko Kut, Ko Kradat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Heteropanopeinae Alcock, 1898</b>		
<i>Eurycarcinus orientalis</i> A. Milne Edwards, 1868	Lem Ngob, Trat, Gulf of Thailand.	
<i>Glabropilumnus dispar</i> (Dana, 1852)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>G. edamensis</i> (De Man, 1887)	Ko Chang, Ko Kradat, Trat, Gulf of Thailand.	
<i>G. laevimanus</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	
<i>G. seminudus</i> (Miers, 1884)	Ko Khaeo, Phuket, Andaman Sea.	
<i>Heteropanope changensis</i> (Rathbun, 1909)	Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>H. glabra</i> Stimpson, 1858	Ko Ma Phrao, Phuket, Andaman Sea.	
<i>Nanopilumnus rouxi</i> (Balss, 1935)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>Pilumnopus indicus</i> (De Man, 1887)	Ranong, Andaman Sea.	
<i>P. makiana</i> (Rathbun, 1929)	Lem Phanwa, Phuket, Andaman Sea.	
<i>P. sexangula</i> (Rathbun, 1909)	Gulf of Thailand.	
<b>Subfamily Heteropilumninae Serene, 1984</b>		
<i>Heteropilumnus cristatus</i> (Rathbun, 1909)	Ko Chuen, Chon Buri, Ko Tulu, Rayong, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>H. setosus</i> (A. Milne Edwards, 1873)	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>H. trichophorus</i> (De Man, 1895)	Ko Kradat, Trat, Gulf of Thailand.	
<b>Subfamily Pilumninae Samouelle, 1819</b>		
<i>Actumnus asper</i> (Ruppell, 1861)	Gulf of Thailand.	
<i>A. carinatus</i> Bouvier, 1915	Phuket, Andaman Sea.	
<i>A. digitalis</i> Rathbun, 1907	Ko Khaeo, Phuket, Andaman Sea.	
<i>A. dorsipes</i> (Stimpson, 1858)	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>A. elegans</i> De Man, 1887	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>A. obesus</i> Dana, 1852	Ao Tung Khen, Phuket, Andaman Sea.	
<i>A. setifer</i> (De Haan, 1835)	Ko Mesan, Ko Chuen, Chon Buri, Ko Kradat, Trat, Gulf of Thailand.	
<i>A. squamosus</i> (De Haan, 1835)	Ko Rin, Ko Kam, Ko Chuen, Ko Mesan, Chon Buri, Ko Samet, Rayong, Gulf of Thailand.	
<i>Bathypilumnus sinensis</i> (Gordon, 1930)	Phuket, Andaman Sea; Western Thailand.	
<i>Benthopanope indica</i> (De Man, 1887)	Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Parapanope siamensis</i> Guinot, 1985	Paknam, Samut Prakan, Gulf of Thailand.	
<i>Pilumnus cursor</i> A. Milne Edwards, 1873	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. forskali</i> A. Milne Edwards, 1873	Gulf of Thailand.	
<i>P. hirsutus</i> Stimpson, 1858	Ko Chuen, Ko Kam, Ko Mesan, Chon Buri, Ko Kradat, Trat, Gulf of Thailand.	
<i>P. longicornis</i> Hilgendorf, 1878	Ko Chuen, Ko Mesan, Ko Kram, Chon Buri, Rayong, Ko Kradat, Trat, Gulf of Thailand.	
<i>P. minutus</i> De Haan, 1835	Phetchaburi, Gulf of Thailand.	
<i>P. parapilumnoides</i> Takeda & Miyake, 1970	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. scabriusculus</i> Adams & White, 1848	Lem Phanwa, Nai Yang Beach, Rawai Beach, Phuket, Andaman Sea.	
<i>P. vespertilio</i> (Fabricius, 1793)	Ko Mesan, Chon Buri, Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Ao Tung Khen, Ao Yon, Ko Ma Phrao, Rawai Beach, Nai Yang Beach, Patong Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Planopilumninae Serene, 1984</b>		
<i>Planopilumnus penicillatus</i> (Gordon, 1930)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<b>Family Trapeziidae Miers, 1886</b>		
<b>Subfamily Domeciinae Ortmann, 1893</b>		
<i>Maldivia triunguiculata</i> (Borradaile, 1902)	Ao Tung Khen, Phuket, Andaman Sea.	
<b>Subfamily Trapeziinae Miers, 1886</b>		
<i>Quadrella coronata</i> Dana, 1852	Phuket, Andaman Sea; Western Thailand.	
<i>Q. maculosa</i> Alcock, 1898	Phuket, Andaman Sea; Western Thailand.	
<i>Q. serenei</i> Galil, 1986	Phuket, Andaman Sea; Western Thailand.	
<i>Trapezia areolata</i> Dana, 1852	Ko Lon, Ko Hee, Phuket, Andaman Sea.	
<i>T. cymodoce</i> (Herbst, 1801)	Nai Yang Beach, Ko Lon, Ko Hee, Phuket, Andaman Sea.	
<i>T. ferruginae</i> Latreille, 1825	Ko Lon, Phuket, Andaman Sea.	
<i>T. guttata</i> Ruppell, 1830	Phuket, Andaman Sea; Western Thailand.	
<i>T. lutea</i> Castro, 1998	Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<i>T. richteri</i> Galil & Lewinsohn, 1983	Phuket, Andaman Sea; Western Thailand.	
<i>T. septata</i> Dana, 1852	Phuket, Andaman Sea; Western Thailand.	
<i>T. tigrina</i> Eydoux & Souleyet, 1842	Phuket, Andaman Sea; Western Thailand.	
<i>Tetralia glaberrima</i> (Herbst, 1790)	Ko Kradat, Trat, Gulf of Thailand; Ko Khaeo, Phuket, Andaman Sea.	
<b>Family Xanthidae MacLeay, 1838</b>		
<b>Subfamily Actaeinae Alcock, 1898</b>		
<i>Actaea calculosa</i> (H. Milne Edwards, 1834)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>A. modesta</i> (De Man, 1888)	Ko Khaeo, Phuket, Andaman Sea.	
<i>A. polyacantha</i> (Heller, 1861)	Ko Khaeo, Phuket, Andaman Sea	
<i>A. savignyi</i> (H. Milne Edwards, 1834)	Ko Kam, Chon Buri, Ko Kut, Ko Kradat, Trat, Gulf of Thailand.	
<i>A. speciosa</i> (Dana, 1852)	Phuket, Andaman Sea; Western Thailand.	
<i>Actaeodes areolatus</i> (Dana, 1852)	Ko Sichang, Chon Buri, Gulf of Thailand.	
<i>A. hirsutissimus</i> (Ruppell, 1830)	Lem Phanwa, Rawai Beach, Nai Yang Beach, Phuket, Andaman Sea.	
<i>A. semoni</i> (Ortmann, 1894)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. tomentosus</i> (H. Milne Edwards, 1834)	Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Epiactaea margaritifera</i> (Odhner, 1925)	Ko Chuen, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>Forestia depressa</i> (White, 1848)	Phuket, Andaman Sea; Western Thailand.	
<i>Gaillardiiellus orientalis</i> (Odhner, 1925)	Phuket, Andaman Sea; Western Thailand.	
<i>G. ruppellii</i> (Krauss, 1843)	Lem Phanwa, Rawai Beach, Ao Yon, Phuket, Andaman Sea.	
<i>Psaumis cavipes</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Phuket, Andaman Sea.	
<i>Pseudoliomera granosimana</i> (A. Milne Edwards, 1865)	Ko Khaeo, Phuket, Andaman Sea.	
<i>P. speciosa</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	
<b>Subfamily Chlorodiinae Dana, 1851</b>		
<i>Chlorodiella cytherea</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Phuket, Andaman Sea.	
<i>C. laevissima</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	
<i>C. nigra</i> (Forsk. 1775)	Ko Samui, Surat Thani, Gulf of Thailand; Lem Phanwa, Rawai Beach, Patong Beach, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Liocarpilodes integerrimus</i> (Dana, 1852)	Phuket, Andaman Sea; Western Thailand.	
<i>Phymodius granulatus</i> (Targioni Tozzetti, 1877)	Phuket, Andaman Sea; Western Thailand.	
<i>P. granulatus</i> (De Man, 1888)	Gulf of Thailand.	
<i>P. monticulosus</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>P. nitidus</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	
<i>P. ungulatus</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
<i>Pilodius areolatus</i> (H. Milne Edwards, 1834)	Nai Yang Beach, Phuket, Andaman Sea.	
<i>P. flavus</i> Rathbun, 1894	Phuket, Andaman Sea; Western Thailand.	
<i>P. granulatus</i> Stimpson, 1858	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>P. nigrocrinitus</i> Stimpson, 1858	Ko Chang, Ko Kradat, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>P. pilumnoides</i> (White, 1848)	Phuket, Andaman Sea; Western Thailand.	
<i>P. pugil</i> Dana, 1852	Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. scabriculus</i> Dana, 1852	Ko Khaeo, Phuket, Andaman Sea.	
<i>P. serenei</i> Miyake & Takeda, 1968	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<b>Subfamily Cymoinae Alcock, 1898</b>		
<i>Cymo andreosyi</i> (Audouin, 1826)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>C. melanodactylus</i> De Haan, 1833	Ko Kradat, Trat, Gulf of Thailand; Lem Phanwa, Ko Lon, Phuket, Andaman Sea.	
<i>C. quadrilobatus</i> Miers, 1884	Ko Lon, Phuket, Andaman Sea.	
<b>Subfamily Etisinae Ortmann, 1893</b>		
<i>Etisus anaglyptus</i> H. Milne Edwards, 1834	Lem Phanwa, Phuket, Andamna Sea.	
<i>E. electra</i> (Herbst, 1801)	Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>E. frontalis</i> Dana, 1852	Rawai Beach, Phuket, Andaman Sea.	
<i>E. laevimanus</i> Randall, 1840	Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>E. utilis</i> Jacquinet, 1852	Lem Phanwa, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Euxanthinae Alcock, 1898</b>		
<i>Euxanthus exsculptus</i> (Herbst, 1790)	Rawai Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Hypocolpus granulatus</i> (De Haan, 1837)	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>H. rugosus</i> (Henderson, 1893)	Gulf of Thailand.	
<i>Medaeops granulatus</i> (Haswell, 1882)	Andaman Sea.	
<b>Subfamily Galeninae Alcock, 1898</b>		
<i>Galene bispinosa</i> (Herbst, 1783)	Chon Buri, Trat, Samut Sakhon, Phetchaburi, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ko Si Le, Phuket, Andaman Sea.	
<b>Subfamily Kraussiinae Ng, 1993</b>		
<i>Kraussia nitida</i> Stimpson, 1858	Ko Mesan, Chon Buri, Gulf of Thailand.	
<i>K. rugulosus</i> (Krauss, 1843)	Phuket, Andaman Sea; Western Thailand.	
<b>Subfamily Liomerinae Sakai, 1976</b>		
<i>Liomera bella</i> (Dana, 1852)	Rawai Beach, Niyang Beach, Patong Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>L. cinctimana</i> (White, 1847)	Ko Khaeo, Phuket, Andaman Sea.	
<i>L. erythra</i> (Lancherster, 1901)	Ko Chuen, Ko Mesan, Chon Buri, Gulf of Thailand.	
<i>L. guttata</i> (De Man, 1888)	Chon Buri, Gulf of Thailand.	
<i>L. laevis</i> (A. Milne Edwards, 1873)	Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Ao Tung Khen, Ao Yon, Phuket, Andaman Sea.	
<i>L. margaritata</i> (A. Milne Edwards, 1873)	Ko Chang, Trat, Gulf of Thailand.	
<i>L. monticulosa</i> (A. Milne Edwards, 1873)	Phuket, Andaman Sea; Western Thailand.	
<i>L. stimpsoni</i> (A. Milne Edwards, 1865)	Phuket, Andaman Sea.	
<i>L. venosa</i> (H. Milne Edwards, 1834)	Lem Phanwa, Phuket, Andaman Sea.	
<b>Subfamily Polydectinae Dana, 1851</b>		
<i>Polydectus cupulifer</i> (Latreille, in Milber, 1812)	Phuket, Andaman Sea; Western Thailand.	
<b>Subfamily Xanthinae MacLeay, 1838</b>		
<i>Demania cultripes</i> (Alcock, 1898)	Chon Buri, Gulf of Thailand.	
<i>D. scaberrima</i> (Walker, 1887)	Ang Sila, Ko Chuen, Chon Buri, Trat, Chumphon, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Leptodius exaratus</i> (H. Milne Edwards, 1834)	Ko Chik, Chanthaburi, Lem Ngob, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Ao Tung Khen, Ao Yon, Phuket, Andaman Sea.	
<i>L. gracilis</i> (Dana, 1852)	Phuket, Andaman Sea.	
<i>L. nudipes</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Nai Yang Beach, Andaman Sea.	
<i>L. sanguineus</i> (H. Milne Edwards, 1834)	Ko Chang, Ko Kradat, Trat, Gulf of Thailand; Patong Beach, Phuket, Andaman Sea.	
<i>Macromedaeus crassimanus</i> (A. Milne Edwards, 1867)	Rawai Beach, Nai Yang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Neoxanthias michelae</i> Serene & Vadon, 1981	Phuket, Andaman Sea; Western Thailand.	
<i>Neoxanthops lineatus</i> (A. Milne Edwards, 1867)	Ko Chuen, Ko Lan, Ko Mesan, Chon Buri, Rayong, Ko Kradat, Ko Kut, Trat, Gulf of Thailand.	
<i>Xanthias lamarcki</i> (H. Milne Edwards, 1834)	Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>X. punctatus</i> (H. Milne Edwards, 1834)	Rawai Beach, Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Zalsiinae Serene, 1968</b>		
<i>Zalasius sakaii</i> Balss, 1938	Chon Buri, Gulf of Thailand.	
<b>Subfamily Zosiminae Alcock, 1898</b>		
<i>Atergatis dentatus</i> De Haan, 1835	Phuket, Andaman Sea; Western Thailand.	
<i>A. dilatatus</i> De Haan, 1835	Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Ao Tung Khen, Ao Kham, Phuket, Andaman Sea.	
<i>A. floridus</i> (Linnaeus, 1767)	Sattahip, Chon Buri, Ko Kradat, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Ao Kham, Ao Tung Khen, Phuket, Andaman Sea.	
<i>A. integerrimus</i> (Lamarck, 1801)	Lem Phanwa, Rawai Beach, Nai Yang Beach, Patong Beach, Ao Kham, Ao Tung Khen, Phuket, Andaman Sea.	
<i>A. reticulatus</i> De Haan, 1835	Phuket, Andaman Sea.	
<i>A. roseus</i> (Ruppell, 1830)	Lem Phanwa, Rawai Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Atergatopsis signata</i> (Adams & White, 1849)	Phuket, Andaman Sea; Western Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Lophozozymus dodone</i> (Herbst, 1801)	Lem Phanwa, Phuket, Andaman Sea.	
<i>L. pictor</i> (Fabricius, 1798)	Phuket, Andaman Sea.	
<i>Platypodia alcocki</i> Buitendijk, 1941	Lem Phanwa, Rawai Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>P. anaglypta</i> (Heller, 1861)	Rawai Beach, Phuket, Andaman Sea.	
<i>P. granulosa</i> (Ruppell, 1830)	Andaman Sea.	
<i>P. semigranosa</i> (Heller, 1861)	Phuket, Andaman Sea.	
<i>Zozimus aeneus</i> (Linnaeus, 1758)	Nai Yang Beach, Phuket, Andaman Sea.	
<i>Zozymodes cavipes</i> (Dana, 1852)	Lem Phanwa, Phuket, Andaman Sea.	
<b>Superfamily Grapsidoidea MacLeay, 1838</b>		
<b>Family Gecarcinidae MacLeay, 1838</b>		
<i>Cardisoma carnifex</i> (Herbst, 1794)	Sattahip, Chon Buri, Ko Kradat, Trat, Chumphon, Gulf of Thailand; Lem Phanwa, Phuket, Ko Lee Pae, Satun, Andaman Sea.	
<i>Discoplax hirtipes</i> Dana, 1851	Ko Surin, Ko Lee Pae, Ko Ta Chai, Ko Similan, Phangnga, Andaman Sea, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Gecarcoidea lalandii</i> H. Milne Edwards, 1837	Ko Tannok, Ko Samui, Surat Thani, Gulf of Thailand; Ko Surin, Ko Similan, Ko Lee Pae, Ko Ta Chai, Phangnga, Andaman Sea.	
<b>Family Grapsidae MacLeay, 1838</b>		
<b>Subfamily Grapsinae Dana, 1851</b>		
<i>Geograpsus crinipes</i> (Dana, 1851)	Phuket, Andaman Sea.	
<i>G. grayi</i> (H. Milne Edwards, 1853)	Phuket, Ko Hu La, Ko Similan, Ko Ta Chai, Phangnga, Andaman Sea.	
<i>Grapsus albolineatus</i> Lamarck, 1818	Chon Buri, Rayong, Chanthaburi, Trat, Prachup Khiri Khan, Chumphon, Songkhla, Gulf of Thailand; Ko Similan, Phangnga, Andaman Sea.	
<i>G. tenuicrustatus</i> (Herbst, 1783)	Ko Kradat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Metopograpsus frontails</i> Miers, 1880	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. latifrons</i> (White, 1847)	Lem Ngob, Ko Chang, Ko Kong, Trat, Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. messor</i> (Forsk., 1775)	Lem Ngob, Ko Chang, Trat, Gulf of Thailand.	
<i>M. oceanicus</i> (Jacquinot, 1853)	Chon Buri, Rayong, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. quadridentatus</i> Stimpson, 1858	Chon Buri, Lem Ngob, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. thukuhar</i> (Owen, 1839)	Phuket, Andaman Sea.	
<i>Pachygrapsus minutus</i> A. Milne Edwards, 1873	Phuket, Andaman Sea.	
<i>P. planifrons</i> De Man, 1888	Phuket, Andaman Sea.	
<i>P. propinquus</i> De Man, 1908	Chon Buri, Gulf of Thailand.	
<b>Subfamily Plagusiinae Dana, 1851</b>		
<i>Percnon planissimum</i> (Herbst, 1804)	Chon Buri, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Plagusia tuberculata</i> Lamarck, 1818	Ko Kut, Ko Kradat, Trat, Surat Thani, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Sesarminae Dana, 1852</b>		
<i>Beanium andersoni</i> (De Man, 1887)	Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>B. batavicum</i> (Moreira, 1903)	Chanthaburi, Trat, Chumphon, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>Bresedium sediliensis</i> (Tweedie, 1940)	Nakhon Si Thammarat, Pattani, Gulf of Thailand.	
<i>Chiromantes indarum</i> (De Man, 1902)	Chon Buri, Chanthaburi, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. lividum</i> (A. Milne Edwards, 1869)	Ko Chang, Trat, Gulf of Thailand.	
<i>Clistocoeloma merguiensis</i> De Man, 1888	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Songkhla, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>C. suvaense</i> Edmondson, 1951	Ko Chik, Chanthaburi, Ko Chang, Trat, Gulf of Thailand.	
<i>Geosesarma krathing</i> Ng & Naiyanetr, 1992	Krathing Waterfall area, Chanthaburi, East Thailand.	
<i>Helice leachi</i> Hess, 1865	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Holometopus limbense</i> Rathbun, 1914	Chanthaburi, Trat, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Gulf of Thailand.	
<i>Labuanium politum</i> (De Man, 1887)	Chumphon, Surat Thani, Pattani, Narathiwat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Metaplax cernulata</i> (Gerstaecker, 1856)	Ranong, Phuket, Andaman Sea.	
<i>M. dentipes</i> (Heller, 1830)	Chon Buri, Lem Ngob, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Chumphon, Surat Thani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. distinctus</i> H. Milne Edwards, 1852	Ranong, Phuket, Andaman Sea.	
<i>M. elegans</i> De Man, 1888	Chon Buri, Gulf of Thailand.	
<i>M. longipes</i> Stimpson, 1858	Chon Buri, Gulf of Thailand.	
<i>Metasesarma aubryi</i> A. Milne Edwards, 1869	Ko Kut, Trat, Gulf of Thailand.	
<i>Nanosesarma edamensis</i> (De Man, 1887)	Gulf of Thailand.	
<i>N. minutum</i> (De Man, 1887)	Chanthaburi, Ko Chang, Ko Kong, Trat, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>N. pontianacensis</i> (De Man, 1895)	Chon Buri, Chanthaburi, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Neopisesarma brockii</i> (De Man, 1887)	Rayong, Chanthaburi, Trat, Gulf of Thailand.	
<i>N. mederi</i> (H. Milne Edwards, 1853)	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>N. palawanensis</i> (Rathbun, 1914)	Phuket, Andaman Sea.	
<i>N. singaporensis</i> (Tweedie, 1940)	Samut Prakan, Chumphon, Songkhla, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>N. versicolor</i> (Tweedie, 1940)	Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachup Khiri Khan, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>Neosarmatium indicum</i> (A. Milne Edwards, 1868)	Trat, Gulf of Thailand.	
<i>N. meinerti</i> (De Man, 1887)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>N. smithi</i> (H. Milne Edwards, 1853)	Lem Ngob, Trat, Samut Sakhon, Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Neosesarma gemmiferum</i> (Tweedie, 1936)	Samut Songkhram, Gulf of Thailand.	
<i>Parasesarma lanchesteri</i> (Tweedie, 1950)	Chon Buri, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Gulf of Thailand.	
<i>P. lepidum</i> (Tweedie, 1950)	Phuket, Andaman Sea.	
<i>P. leptosoma</i> (Hilgendorf, 1869)	Rayong, Gulf of Thailand.	
<i>P. melissum</i> De Man, 1887	Ranong, Phuket, Andaman Sea.	
<i>P. pictum</i> (De Haan, 1835)	Chon Buri, Rayong, Chanthaburi, Trat, Surat Thani, Songkhla, Gulf of Thailand.	
<i>P. plicatum</i> (Latreille, 1806)	Chon Buri, Rayong, Chanthaburi, Trat, Prachup Khiri Khan, Chumphon, Surat Thani, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Perisesarma darwinensis</i> (Campbell, 1967)	Phuket, Andaman Sea.	
<i>P. dussumieri</i> (H. Milne Edwards, 1853)	Ranong, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. eumolpe</i> (De Man, 1895)	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. fasciata</i> (Lanchester, 1900)	Rayong, Ko Kut, Ko Kong, Trat, Surat Thani, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>P. haswelli</i> (De Man, 1887)	Lem Ngob, Trat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>P. indiarum</i> (De Man, 1902)	Chon Buri, Chanthaburi, Gulf of Thailand; Phuket Andaman Sea; Western Thailand.	
<i>P. onychophorum</i> (De Man, 1895)	Ranong, Phuket, Andaman Sea.	
<i>P. semperi</i> (Burger, 1893)	Samut Songkhram, Gulf of Thailand.	
<i>Pseudosesarma bocourti</i> (A. Milne Edwards, 1868)	Samut Prakan, Nakhon Si Thammarat, Gulf of Thailand.	
<i>P. crassimanum</i> (De Man, 1887)	Songkhla, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. laevimana</i> (Zehntner, 1894)	Ranong, Andaman Sea.	
<i>P. moeschi</i> (De Man, 1892)	Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Sarmatium crassum</i> Dana, 1851	Gulf of Thailand.	
<i>S. germaini</i> (A. Milne Edwards, 1868)	Gulf of Thailand; Andaman Sea.	
<i>S. punctatum</i> (A. Milne Edwards, 1875)	Ranong, Andaman Sea.	
<i>Sesarmoides borneensis</i> (De Man, 1887)	Pattani, Gulf of Thailand.	
<i>S. kraussi</i> (De Man, 1887)	Pattani, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<b>Subfamily Varuninae Alcock, 1900</b>		
<i>Acmaeopleura rotunda</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>Ilyograpsus paludicola</i> (Rathbun, 1909)	Lem Ngob, Trat, Gulf of Thailand.	
<i>Ptychognathus barbatus</i> (A. Milne Edwards, 1873)	Phuket, Andaman Sea.	
<i>Pyxidognathus deianira</i> De Man, 1888	Ranong, Andaman Sea.	
<i>Varuna litterata</i> (Fabricius, 1798)	Ko Chuen, Ko Mesan, Chon Buri, Chanthaburi, Lem Ngob,	

Taxon/Species	Locality	Endemic Area
<i>V. yui</i> Hwang & Takeda, 1986	Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea. Phuket, Andaman Sea; Western Thailand; Gulf of Thailand.	
<b>Family Mictyridae Dana, 1851</b>		
<i>Mictyris longicarpus</i> Latreille, 1806	Chon Buri, Gulf of Thailand.	
<b>Superfamily Pinnotheroidea De Haan, 1833</b>		
<b>Family Pinnotheridae De Haan, 1833</b>		
<b>Subfamily Asthenognathinae Stimpson, 1858</b>		
<i>Asthenognathus gallardoi</i> Serene & Soh, 1976	Phuket, Andaman Sea.	
<i>A. hexagonum</i> Rathbun, 1909	Ko Kong, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Mortensenella forceps</i> Rathbun, 1909	Ko Chang, Trat, Gulf of Thailand.	
<i>Pinnixa haematosticta</i> Sakai, 1934	Phuket, Andaman Sea.	
<i>Tetrias fischeri</i> (A. Milne Edwards, 1867)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Pinnotherinae De Haan, 1833</b>		
<i>Pinnotheres affinis</i> Burger, 1893	Ko Chang, Trat, Gulf of Thailand.	
<i>P. burgeri</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>P. cardii</i> Burger, 1893	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>P. glaberrimus</i> Burger, 1893	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>P. gracilis</i> Burger, 1893	Ko Kradat, Trat, Gulf of Thailand.	
<i>P. kamensis</i> Rathbun, 1909	Ko Kam, Chon Buri, Gulf of Thailand.	
<i>P. kutensis</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>P. lanensis</i> Rathbun, 1909	Ko Lan, Chon Buri, Gulf of Thailand.	
<i>P. nigrans</i> Rathbun, 1909	Ko Lan, Chon Buri, Gulf of Thailand.	
<i>P. parvulus</i> Simpson, 1858	Lem Ngob, Trat, Gulf of Thailand.	
<i>P. placunae</i> Hornell & Southwell, 1909	Songkhla, Pattani, South Thailand.	
<i>P. quadratus</i> Rathbun, 1909	Ko Chang, Trat, Gulf of Thailand.	
<i>P. siamensis</i> Rathbun, 1909	Ko Chuen, Chon Buri, Ko Kut, Trat, Gulf of Thailand.	
<i>P. sinensis</i> Shen, 1932	Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<b>Subfamily Xenophthalminae Alcock, 1900</b>		
<i>Neoxenophthalmus obscurus</i> (Henderson, 1893)	Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Xenophthalmus pinnotheroides</i> White, 1846	Ko Kradat, Ko Kut, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Superfamily Potamoidea Ortmann, 1896</b>		
<b>Family Gecarcinucidae Rathbun, 1904</b>		
<b>Subfamily Liotelphusinae Bott, 1969</b>		
<i>Phricotelphusa aedes</i> (Kemp, 1923)	Nakhon Si Thammarat, South Thailand.	Nakhon Si Thammarat
<i>P. callianira</i> (De Man, 1887)	Ko Tachai, Khura Buri, Phangnga, South Thailand.	
<i>P. deharvengi</i> Ng, 1988	Tham Phung Chang, Phangnga, South Thailand.	Tham Phung Chang
<i>P. limula</i> (Hilgendorf, 1882)	Phuket, Phangnga, South Thailand.	Phuket
<i>P. ranongi</i> Naiyanetr, 1982	Ranong, South Thailand.	Ranong
<i>P. sirindhorn</i> Naiyanetr, 1989	Ranong, South Thailand; Prachup Khiri Khan, Ratchaburi, Phetchaburi, West Thailand.	
<i>Thaksinthelphusa yongchindaratae</i> (Naiyanetr, 1988)	Takua Pa, Phangnga, South Thailand.	Takua Pa

Taxon/Species	Locality	Endemic Area
<b>Family Parathelphusidae Alcock, 1910</b>		
<b>Subfamily Somanniathelphusinae Bott, 1968</b>		
<i>Chulathelphusa brandti</i> (Bott, 1968)	Dan Sai, Loei, North East Thailand; Chiang Mai, Chiang Rai, North Thailand.	
<i>C. neisi</i> (Rathbun, 1902)	Si Sa Ket, Mukdahan, North East Thailand.	
<i>Esanthelephusa chiangmai</i> (Ng & Naiyanetr, 1993)	Chiang Mai, Chiang Rai, Mae Hong Son, North Thailand.	
<i>E. denchaii</i> (Naiyanetr, 1984)	Phrae, North Thailand.	Phrae
<i>E. dugasti</i> (Rathbun, 1902)	Nakhon Phanom, Mukdahan, Sakon Nakhon, North East Thailand.	
<i>E. fangensis</i> (Naiyanetr, 1978)	Fang, Chiang Mai, Chiang Rai, Lampang, North Thailand.	
<i>E. nani</i> (Naiyanetr, 1984)	Nan, Phayao, North Thailand.	
<i>E. phetchaburi</i> (Ng & Naiyanetr, 1993)	Phetchaburi, Prachup Khiri Khan, West Thailand; Chumphon, South Thailand.	
<i>Heterothelphusa beauvoisi</i> (Rathbun, 1902)	Nakhon Ratchasima, Si Sa Ket, Ubon Ratchathani, Khon Kaen, Maha Sarakham, Kalasin, North East Thailand.	

Taxon/Species	Locality	Endemic Area
<i>H. fatum</i> Ng, 1997	Sungai Kolok, Narathiwat, South Thailand.	
<i>Mekhongthelphusa kengsapu</i> Naiyanetr & Ng, 1995	Kengsapu, Ubon Ratchathani, North East Thailand.	Kengsapu
<i>M. tetragonum</i> (Rathbun, 1902)	Mukdahan, Nong Khai, North East Thailand.	Mekhong River
<i>Salangathelphusa brevicarinata</i> (Hilgendorf, 1882)	Phuket, Phangnga, Krabi, Trang, Phatthalung, Nakhon Si Thammarat, Surat Thani, South Thailand.	
<i>Sayamia bangkokensis</i> (Naiyanetr, 1982)	Bangkok, Nonthaburi, Pathum Thani, Samut Prakan, Samut Sakhon, Samut Songkhram, Suphan Buri, Sing Buri, Nakhon Pathom, Nakhon Nayok, Lop Buri, Ang Thong, Chai Nat, Phra Nakhon Si Ayuttaya, Nakhon Sawan, Sukhothai, Kamphaeng Phet, Phitsanulok, Central Thailand; Chachoengsao, East Thailand; Uttaradit, North Thailand; Chumphon, South Thailand.	
<i>S. germaini</i> (Rathbun, 1902)	Suphan Buri, Chai Nat, Uthai Thani, Lop Buri, Nakhon Nayok, Saraburi, Nakhon Sawan, Phichit, Central Thailand; Kanchanaburi, Ratchaburi, Phetchaburi, Prachup Khiri Khan, West Thailand; Chanthaburi, Trat, East Thailand; Ranong,	

Taxon/Species	Locality	Endemic Area
	Surat Thani, Nakhon Si Thammarat, Songkhla, South Thailand.	
<i>S. maehongsonensis</i> (Naiyanetr, 1987)	Mae Hong Son, North Thailand.	Mae Hong Son
<i>S. melanodactylus</i> Ng, 1997	Kra Buri, Ranong, South Thailand.	
<i>S. sexpunctatum</i> (Lanchester, 1906)	Nakhon Nayok, Central Thailand; Phetchaburi, West Thailand; Chachoengsao, Chon Buri, Chanthaburi, Prachin Buri, East Thailand; Chumphon, Phangnga, Surat Thani, Krabi, Nakhon Si Thammarat, Trang, Phatthalung, Satun, Songkhla, Phuket, Pattani, Yala, Narathiwat, South Thailand.	
<i>Siamthelphusa acutidens</i> Ng & Naiyanetr, 1997	Lamphun, North Thailand; Tak, West Thailand; Phitsanulok, Central Thailand.	
<i>S. faxoni</i> (Rathbun, 1902)	Phra Nakhon Si Ayutthaya, Khok Samrong, Lop Buri, Central Thailand.	
<i>S. holthuisi</i> Naiyanetr & Ng, 1991	Khao Rakum, Trat, East Thailand.	Trat
<i>S. improvisa</i> (Lanchester, 1901)	Nakhon Si Thammarat, Phatthalung, Ko Samui, Ko Phangan, Surat Thani, South Thailand.	

Taxon/Species	Locality	Endemic Area
<i>S. nan</i> Ng & Naiyanetr, 1997	Na Muan, Nan, North Thailand.	Nan
<i>S. paviei</i> (De Man, 1898)	Chiang Mai, Lamphun, Lampang, North Thailand.	
<i>S. transversa</i> Ng & Naiyanetr, 1997	Nam Mae Lai, Phrae, North Thailand.	Phrae
<i>S. variegata</i> Ng & Naiyanetr, 1997	Phukae, Saraburi, Phetchabun, Central Thailand.	
<b>Family Potamidae Ortmann, 1896</b>		
<b>Subfamily Potaminae Ortmann, 1896</b>		
<i>Demannietta huahin</i> Yeo, Naiyanetr & Ng, 1999	Hua Hin, Prachup Khiri Khan, Kaeng Kra Chan, Phetchaburi, West Thailand.	
<i>D. Khiri Khan</i> Yeo, Naiyanetr & Ng, 1999	Huai Sed Yai, Hua Hin, Prachup Khiri Khan, Kaeng Kra Chan, Phetchaburi, West Thailand.	
<i>D. lansak</i> Yeo, Naiyanetr & Ng, 1999	Huai, Ai Yo, Lan Sak, Uthai Thani, West Thailand; Kamphaeng Phet, Central Thailand.	
<i>D. manii</i> (Rathbun, 1904)	Thailand.	
<i>D. nakhonsi</i> Yeo, Naiyanetr & Ng, 1999	Thung Song, Nakhon Si Thammarat, South Thailand.	
<i>D. renongensis</i> (Rathbun, 1905)	Chumphon, Surat Thani, Trang, Ranong, Phangnga, Krabi, Phuket, South Thailand.	

Taxon/Species	Locality	Endemic Area
<i>D. suanphung</i> Yeo, Nayonetr & Ng, 1999	Suan Phung, Ratchaburi, Sai Yok, Thong Pha Phum, Kanchanaburi, West Thailand.	
<i>D. tritrunensis</i> (Naiyanetr, 1986)	Tritrung, Kanchanaburi.	Tritrung Waterfall
<i>Dromothelphusa namuan</i> (Naiyanetr, 1993)	Namuan, Nan, North Thailand.	Namuan
<i>D. nayung</i> (Naiyanetr, 1993)	Nayung, Udon Thani, North East Thailand.	Nayung
<i>D. phrae</i> (Naiyanetr, 1984)	Den Chai, Phrae, North Thailand.	Phrae
<i>D. sangwan</i> Naiyanetr, 1997	Doi Tung, Chiang Rai, North Thailand.	Doi Tung
<i>Esanpotamon namson</i> Naiyanetr & Ng, 1997	Nam Som, Udon Thani, North East, Thailand.	Nam Som
<i>Johora thaina</i> Leelawathanagoon, Lheknim & Ng, 2005	Waeng, Narathiwat, South Thailand.	
<i>Kanpotamon duangkhaei</i> Ng & Naiyanetr, 1993	Sai Yok, Kanchanaburi, West Thailand.	Sai Yok
<i>Larnaudia beusekomae</i> (Bott, 1970)	Nakhon Nayok, Central Thailand; Wang Nam Khieo, Nakhon Ratchasima, North East Thailand.	Nakhon Nayok
<i>L. chaiyaphumi</i> Naiyanetr, 1982	Phu Khieo, Chaiyaphum, North East Thailand.	Chaiyaphum
<i>L. larnaudii</i> (A. Milne Edwards, 1869)	Saraburi, Central Thailand.	Saraburi

Taxon/Species	Locality	Endemic Area
<i>Phaibulamon stilipes</i> Ng, 1992	Tham Nam Pah Khoan, Kwai Valley, Kanchanaburi, West Thailand.	Tham Nam Pah Khoan
<i>Potamon alcockianum</i> Kemp, 1923	Khum Tan, Lampang, Lamphun, Song, Phrae, Mae Phun, Uttaradit, North Thailand; Tak, West Thailand; Uthai Thani, Central Thailand.	
<i>P. bhumibol</i> Naiyanetr, 2001	Phu Luang, Phu Kradung, Phu Rua, Na Haeo, Dan Sai, Loei, East Thailand.	
<i>P. boonyaratae</i> (Naiyanetr, 1987)	Khao Rakum, Trat, East Thailand.	Khao Rakum, Trat
<i>P. doichiangdao</i> Naiyanetr & Ng, 1990	Doi Chiangdao, Chiang Mai, North Thailand.	Doi Chiangdao
<i>P. doisutep</i> Naiyanetr & Ng, 1990	Doi Sutep, Chiang Mai, North Thailand.	Doi Sutep
<i>P. erawanense</i> Naiyanetr, 1992	Erawan, Kanchanaburi, West Thailand.	Erawan Waterfall
<i>P. galyaniae</i> Naiyanetr, 2001	Si Sawat, Kanchanaburi, West Thailand.	
<i>P. hafniensis</i> (Bott, 1966)	Ko Chang, Ko Kut, Trat, Gulf of Thailand.	
<i>P. jarujini</i> Ng & Naiyanetr, 1993	Omkoj, Chiang Mai, North Thailand.	
<i>P. lipkei</i> Ng & Naiyanetr, 1993	Chiang Khong, Chiang Rai, North Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. maehongsonense</i> Naiyanetr, 1992	Amphoe Muang, Pai, Mae Hong Son, North Thailand.	
<i>P. maesariang</i> Ng & Naiyanetr, 1993	Mae Sariang, Mae Hong Son, North Thailand.	
<i>P. maesotense</i> Naiyanetr, 1992	Mae Sot, Tak, West Thailand.	Mae Sot
<i>P. namlang</i> Ng & Naiyanetr, 1993	Tham Hud, Nam Lang, Pang Ma Pha, Mae Hong Son, North Thailand.	Tham Hud, Nam Lang
<i>P. nan</i> Ng & Naiyanetr, 1993	Sa, Nan, North Thailand.	
<i>P. phuluangensis</i> (Bott, 1970)	Phu Luang, Udon Thani, North Thailand.	Phu Luang, Udon Thani
<i>P. phuphanense</i> Naiyanetr, 1992	Phu Phan, Sakhon Nakhon, Nong Phok, Roi Et, North East Thailand.	Phu Phan Ranges
<i>P. smithianum</i> Kemp, 1923	Chanthaburi, Rayong, Chon Buri, East Thailand.	Chanthaburi Range
<i>P. somchaili</i> Ng & Naiyanetr, 1993	Si Songkhram, Nakhon Phanom, North East Thailand.	
<i>P. ubon</i> Ng & Naiyanetr, 1993	Senangkhanikhom, Ubon Ratchathani, North East Thailand.	
<i>P. yotdomensis</i> (Naiyanetr, 1984)	Nam Yun, Ubon Ratchathani, North East Thailand.	
<i>Pudaengon mukdahan</i> Ng & Naiyanetr, 1995	Ban Na Sinuan, Mukdahan, North East Thailand.	Ban Na Sinuan
<i>P. sakonnakorn</i> Ng & Naiyanetr, 1995	Ban Chiang Khua, Sakon Nakhon, North East Thailand.	Ban Chiang Khua

Taxon/Species	Locality	Endemic Area
<i>P. thatphanom</i> Ng & Naiyanetr, 1995	Ban Fang Daeng, That Phanom, Nakhon Phanom, North East Thailand.	Ban Fang Daeng
<i>P. wanonniwat</i> Ng & Naiyanetr, 1995	Wanon Niwat, Sakon Nakhon, North East Thailand.	Wanon Niwat
<i>Stelomon kanchanaburiense</i> (Naiyanetr, 1992)	Sai Yok, Kanchanaburi, West Thailand.	
<i>S. pruinosum</i> (Alock, 1909)	Kaeng Kra Chan, Phetchaburi, West Thailand.	
<i>S. tharnlod</i> Yeo & Naiyanetr, 2000	Si Sawat, Kanchanaburi, West Thailand; Dan Chang, Suphan Buri, Central Thailand.	
<i>Stoliczia ekavibhathai</i> Ng & Naiyanetr, 1986	Chat Wa Rin, Sungai Padi, Narathiwat, Yala, Pattani, South Thailand.	
<i>S. panhai</i> Ng & Naiyanetr, 1986	Ton Nga Chang, Songkhla, South Thailand.	Songkhla
<i>Terrapotamon abbotti</i> (Rathbun, 1898)	Krabi, Nakhon Si Thammarat, South Thailand.	
<i>T. palian</i> Ng & Naiyanetr, 1997	Palian, Trang, South Thailand.	Palian
<i>Thaiphusa chantaburiensis</i> (Chuensri, 1973)	Pong Nam Ron, Chanthaburi, East Thailand.	Pong Nam Ron
<i>T. sirikit</i> (Naiyanetr, 1992)	Ban Nam Chon, Sai Yok, Kanchanaburi, West Thailand.	
<i>Thaipotamon chulabhorn</i> Naiyanetr, 1993	Bung Dun Lumphun, Na Chuak, Maha Sarakham,	Bung Dun Lumphun

Taxon/Species	Locality	Endemic Area
	North East Thailand.	
<i>T. dansai</i> Ng & Naiyanetr, 1993	Ban Na Wa, Dan Sai, Loei, North East Thailand.	Ban Na Wa, Dan Sai
<i>T. lomkao</i> Ng & Naiyanetr, 1993	Lomkao, Phetchabun, Central Thailand.	
<i>T. siamensis</i> (A. Milne Edwards, 1869)	Bangkok, Central Thailand.	Bangkok
<i>T. smitinandi</i> (Naiyanetr & Turkyay, 1984)	Pong Nam Ron, Chanthaburi, East Thailand.	Pong Nam Ron
<i>T. varoonphornae</i> Ng & Naiyanetr, 1993	Sa Kaeo, East Thailand.	Sa Kaeo
<i>Tomaculamom pygmaeus</i> Yeo & Ng 1997	Wang Thong, Phitsanulok, Central Thailand.	
<i>T. stenixys</i> Yeo & Ng, 1997	Phop Phra, Tak, West Thailand.	
<b>Superfamily Ocypodoidea Rafinesque, 1815</b>		
<b>Family Camptandriidae Stimpson, 1858</b>		
<i>Baruna miuta</i> Harminto & Ng, 1991	Phuket, Andaman Sea; West Thailand	
<i>B. sordidulum</i> (Kemp, 1915)	Ranong, Phuket, Andaman Sea.	
<i>B. trigranulum</i> (Dai & Song, 1986)	Phuket, Andaman Sea; West Thailand.	
<i>Camptandrium sexdentatum</i> Stimpson, 1858	Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Ilyogynnis microcheirum</i> (Tweedie, 1937)	Phuket, Andaman Sea.	
<i>Paracleistostoma depressum</i> De Man, 1895	Ranong, Phuket, Andaman Sea.	
<i>P. longimanus</i> Tweedie, 1937	Ang Sila, Chon Buri, Gulf of Thailand.	
<i>P. microcheirum</i> Tweedie, 1937	Phuket, Andaman Sea.	
<i>Tylo diplax tetratylophora</i> De Man, 1895	Ranong, Phuket, Andaman Sea.	
<b>Family Ocypodoidae Rafinesque, 1815</b>		
<b>Subfamily Macrophthalminae Dana, 1852</b>		
<i>Cleistostoma lingulatum</i> Rathbun, 1909	Lem Ngob, Trat, Gulf of Thailand.	
<i>Macrophthalmus bosci</i> Audouin & Savigny, 1825	Phuket, Andaman Sea.	
<i>M. brevis</i> (Herbst, 1804)	Phuket, Andaman Sea.	
<i>M. ceratophorus</i> Sakai, 1969	Phuket, Andaman Sea; West Thailand.	
<i>M. convexus</i> Stimpson, 1858	Ko Chang, Trat, Ko Phangan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. crassipes</i> H. Milne Edwards, 1906	Ko Chang, Trat, Gulf of Thailand.	
<i>M. definitus</i> Adams & White, 1848	Chumphon, Gulf of Thailand; Phuket, Phangnga, Satun, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. dentatus</i> Stimpson, 1858	Ko Chang, Ko Kradat, Ko Kut, Trat, Gulf of Thailand.	
<i>M. erato</i> De Man, 1888	Chon Buri, Rayong, Ko Chang, Trat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. laevimanus</i> H. Milne Edwards, 1852	Chon Buri, Samut Songkhram, Chumphon, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>M. latreillei</i> (Desmarest, 1822)	Ko Chang, Ko Kut, Ko Kong, Trat, Samut Sakhon, Samut Songkhram, Gulf of Thailand.	
<i>M. milloti</i> Crosnier, 1965	Ko Phangan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. pacificus</i> Dana, 1851	Ang Sila, Chon Buri, Prachup Khiri Khan, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Andaman Sea.	
<i>M. parvimanus</i> Guerin, 1834	Phuket, Krabi, Andaman Sea.	
<i>M. quadratus</i> A. Milne Edwards, 1873	Phuket, Andaman Sea.	
<i>M. serenei</i> Takeda & Komai, 1991	Phuket, Andaman Sea; West Thailand.	
<i>M. sulcatus</i> H. Milne Edwards, 1852	Chon Buri, Gulf of Thailand.	
<i>M. teschi</i> Kemp, 1919	Chon Buri, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. tomentosus</i> Souleyet, 1841	Chon Buri, Samut Sakhon, Samut Songkhram, Phetchaburi, Gulf of Thailand; Ranong, Phuket, Phangnga, Andaman Sea.	
<i>M. transversus</i> (Latreille, 1817)	Phuket, Andaman Sea.	
<i>M. verreauxi</i> H. Milne Edwards, 1848	Ko Mesan, Chon Buri, Ko Kradat, Ko Mak, Trat, Ko Phangan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. vietnamensis</i> Serene, 1971	Trat, Chumphon, Gulf of Thailand.	
<b>Subfamily Ocypodinae Rafinesque, 1815</b>		
<i>Ocypode ceratophthalma</i> (Pallas, 1772)	Ko Mesan, Chon Buri, Ko Chang, Ko Mak, Ko Kradat, Trat, Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>O. cordimana</i> Latreille, 1818	Chon Buri, Gulf of Thailand.	
<i>O. nobilii</i> De Man, 1902	Ko Kong, Trat, Ko Tao, Surat Thani, Gulf of Thailand.	
<i>O. stimpsoni</i> Ortmann, 1897	Gulf of Thailand.	
<i>Uca angustifrons</i> (De Man, 1891)	Phuket Andaman Sea; West Thailand.	
<i>U. annulipes</i> (H. Milne Edwards, 1837)	Chon Buri, Rayong, Trat, Samut Prakan, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>U. bellator</i> (Adams & White, 1848)	Phuket, Andaman Sea.	
<i>U. bengali</i> Crane, 1975	Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. coarctata</i> (H. Milne Edwards, 1852)	Phuket, Andaman Sea.	
<i>U. dussumieri</i> (H. Milne Edwards, 1852)	Ranong, Phuket, Andaman Sea.	
<i>U. forcipata</i> (Adams & White, 1848)	Chon Buri, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. hesperiae</i> Crane, 1975	Ranong, Phuket, Phangnga, Andaman Sea.	
<i>U. paradussumieri</i> (Bott, 1973)	Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Gulf of Thailand; Trat, Ranong, Phuket, Andaman Sea.	
<i>U. perplexa</i> (H. Milne Edwards, 1837)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Trang, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>U. rosea</i> (Tweedie, 1937)	Ranong, Phuket, Andaman Sea.	
<i>U. tetragonon</i> (Herbst, 1790)	Ranong, Phuket, Andaman Sea.	
<i>U. triangularis</i> (A. Milne Edwards, 1873)	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<i>U. urvillei</i> (H. Milne Edwards, 1852)	Chumphon, Songkhla, Trat, Gulf of Thailand; Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. vocans</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Prachup Khiri Khan, Chumphon, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<b>Subfamily Scopimerinae Alcock, 1900</b>		
<i>Dotilla myctiroides</i> (H. Milne Edwards, 1852)	Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>D. wichmanni</i> De Man, 1892	Lem Sing, Chanthaburi, Ko Kong, Trat, Phoom Rieng, Surat Thani, Gulf of Thailand.	
<i>Dotillopsis brevitarsis</i> (De Man, 1888)	Ranong, Phuket, Andaman Sea.	
<i>Ilyoplax delsmanni</i> De Man, 1926	Phuket, Andaman Sea.	
<i>I. integer</i> (Tesch, 1918)	Phuket, Andaman Sea.	
<i>I. lingulatus</i> (Rathbun, 1909)	Chumphon, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>I. obliquus</i> Tweedie, 1935	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>I. orientalis</i> (De Man, 1888)	Samut Songkhram, Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>I. punctatus</i> Tweedie, 1935	Ranong, Phuket, Andaman Sea.	
<i>Scopimera intermedia</i> Balss, 1934	Gulf of Thailand.	
<i>S. pilula</i> Kemp, 1919	Phuket, Andaman Sea.	
<i>S. proxima</i> Kemp, 1919	Gulf of Thailand; Phuket, Andaman Sea.	
<b>Family Palicidae Bouvier, 1897</b>		
<i>Palicus woodmasoni</i> (Alcock, 1900)	Phuket Andaman Sea; West Thailand.	
<i>Parapalicus ambonensis</i> Moosa & Serene, 1981	Phuket Andaman Sea; West Thailand.	
<i>Pleurophrycooides roseus</i> (Nobili, 1906)	Gulf of Thailand.	
<b>Superfamily Hapalocarcinoidea Calman, 1900</b>		
<b>Family Cryptochiridae Paulson, 1875</b>		
<i>Cryptochirus coralliodytes</i> Heller, 1861	Phuket, Andaman Sea, West Thailand.	
<i>Fizesereneia heimi</i> (Fize & Serene, 1957)	Phuket, Andaman Sea, West Thailand.	
<i>Opecarcinus crescentus</i> (Edmondson, 1925)	Phuket, Andaman Sea, West Thailand.	
<i>Xynomaia sheni</i> (Fize & Serene, 1957)	Phuket, Andaman Sea, West Thailand.	



# **ORDER STOMATOPODA**

Mantis Shrimp

Taxon/Species	Locality	Endemic Area
<b>Order Stomatopoda Latreille, 1817</b>		
<b>Suborder Unipeltata Latreille, 1825</b>		
<b>Superfamily Eurysquilloidea, Manning, 1977</b>		
<b>Family Eurysquillidae Manning, 1977</b>		
<i>Coronidopsis bicuspis</i> Hansen, 1926	Andaman Sea.	
<i>C. sereni</i> Moosa, 1973	Off Phuket, Andaman Sae.	
<i>Manningia australiensis</i> Manning, 1970	Ao Nam Bo, Airport Beach, Phuket, Andaman Sea.	
<i>M. pilaensis</i> (De Man, 1888)	Chon Buri, Pattani, Gulf of Thailand.	
<b>Superfamily Gonodactyloidea Giesbrecht, 1910</b>		
<b>Family Gonodactylidae Giesbrecht, 1910</b>		
<i>Gonodactylaceus falcatus</i> (Forsk., 1775)	Lem Phanwa, Phuket, Andaman Sea.	Phuket
<i>G. mutatus</i> (Lanchester, 1903)	Lem Phanwa, Phuket, Andaman Sea.	Phuket
<i>G. siamensis</i> (Manning & Reaka, 1981)	Sattahip, Chon Buri, Gulf of Thailand.	Sattahip
<i>G. ternatensis</i> (De Man, 1902)	Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Gonodactylellus affinis</i> (De Man, 1902)	Phuket, Andaman Sea.	Phuket
<i>G. annularis</i> Edmann & Manning, 1998	Ko Racha Noi, Off Phuket, Andaman Sea.	
<i>G. snidvongsi</i> Naiyanetr, 1987	Ko Kangkao, Chon Buri, Gulf of Thailand.	Ko Kangkao
<i>Gonodactylinus viridis</i> (Serene, 1954)	Lem Phanwa, Phuket, Andaman Sea.	
<i>Gonodactylus chiragra</i> (Fabricius, 1781)	Rayong, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>G. platysoma</i> Wood-Mason, 1895	Nai Yang Beach, Phuket, Andaman Sea.	
<i>G. smithii</i> Pocock, 1893	Rayong, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<b>Family Odontodactylidae Manning, 1980</b>		
<i>Odontodactylus japonicas</i> (De Haan, 1844)	Off Phuket, Andaman Sea.	
<i>O. scyllarus</i> (Linnaeus, 1758)	Lem Phanwa, Phuket, Andaman Sea.	
<i>Raoulius cultrifer</i> (White, 1850)	Chon Buri, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<b>Family Protosquillidae Manning, 1980</b>		
<i>Haptosquilla glyptocercus</i> (Wood-Mason, 1875)	Lem Phanwa, Phuket, Andaman Sea.	
<i>H. pulchella</i> (Miers, 1880)	Phuket, Andaman Sea.	
<i>H. tuberosa</i> (Pocock, 1893)	Off Phuket, Andaman Sea.	
<i>Siamosquilla hyllebergi</i> Naiyanetr, 1989	Ko Similan, Ko Surin, Phangnga, Andaman Sea.	Ko Similan, Ko Surin
<b>Family Pseudosquillidae Manning, 1977</b>		
<i>Pseudosquilla ciliata</i> (Fabricius, 1787)	Lem Phanwa, Phuket, Andaman Sea.	
<b>Superfamily Lysiosquilloidea Giesbrecht, 1910</b>		
<b>Family Lysiosquillidae Giesbrecht, 1910</b>		
<i>Lysiosquilla tredecimdentata</i> Holthuis, 1941	Lem Phanwa, Phuket, Andaman Sea.	
<i>Lysiosquillina maculata</i> (Fabricius, 1793)	Phuket, Phangnga, Andaman Sea.	
<i>Lysiosquilloides siamensis</i> (Naiyanetr, 1980)	Chon Buri, Phetchaburi, Pattani, Gulf of Thailand.	
<b>Family Nannosquillidae Manning, 1980</b>		
<i>Acanthosquilla acanthocarpus</i> (Claus, 1871)	Bang San, Chon Buri, Hua Hin, Prachup Khiri Khan, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. derijardi</i> Manning, 1970	Pattani, Gulf of Thailand.	
<i>A. multifasciata</i> (Wood-Mason, 1895)	Nai Yang Beach, Phuket, Andaman Sea.	
<i>A. phalangiium</i> (Fabricius, 1768)	Nai Yang Beach, Phuket, Andaman Sea, Bang San, Chon buri, Gulf of Thailand.	
<i>A. sirindhorn</i> Naiyanetr, 1995	Pattani, Gulf of Thailand.	Pattani
<i>A. tigrina</i> (Nobili, 1903)	Bang San, Chon Buri, Gulf of Thailand; Nai Yang Beach, Phuket, Andaman Sea.	
<i>Alachosquilla vicina</i> (Nobili, 1904)	Bang San, Chon Buri, Gulf of Thailand.	
<i>Pullosquilla thomassini</i> Manning, 1978	Ao Kamala, Phuket, Andaman Sea.	
<b>Superfamily Parasquilloidea Manning, 1995</b>		
<b>Family Parasquillidae Manning, 1995</b>		
<i>Faughnia formosae</i> Manning & Chan, 1997	Phuket, Andaman Sea.	
<b>Superfamily Squilloidea Latreille, 1803</b>		
<b>Family Harpiosquillidae Manning, 1980</b>		
<i>Harpiosquilla annandalei</i> (Kemp, 1911)	Ban Pe, Rayong, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>H. harpax</i> (De Haan, 1844)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachup Khiri Khan, Chumphon, Ko Samui, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Kantang, Trang, Satun, Andaman Sea.	
<i>H. japonica</i> Manning, 1969	Gulf of Thailand.	
<i>H. melanoura</i> Manning, 1968	Off Phuket, Andaman Sea.	
<i>H. raphidea</i> (Fabricius, 1798)	Chon Buri, Chanthaburi, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Satun, Ranong, Andaman Sea.	
<b>Family Squillidae Latreille, 1803</b>		
<i>Alima orientalis</i> Manning, 1973	Pattani, Gulf of Thailand.	
<i>Anchisquilla fasciata</i> (De Haan, 1844)	Chon Buri, Rayong, Samut Sakhon, Phetchaburi, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Sutun, Andaman Sea.	
<i>Carinosquilla carinata</i> (Serene, 1950)	Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>C. multicarinata</i> (White, 1849)	Chon Buri, Songkhla, Pattani, Gulf of Thailand; Off Phuket, Andaman Sea.	
<i>C. spinosa</i> Ahyong & Naiyanetr, 2002	Off Phuket, Andaman Sea.	
<i>C. thailandensis</i> Naiyanetr, 1983	Ko Phai, Chon Buri, Gulf of Thailand.	Ko Phai, Chon Buri
<i>Clorida albolitura</i> Ahyong & Naiyanetr, 2000	Ang Sila, Chon Buri, Pattani, Gulf of Thailand; Off Phuket, Andaman Sea.	
<i>C. bombayensis</i> (Chhapgar & Sane, 1967)	Gulf of Thailand.	
<i>C. decorata</i> Wood-Mason, 1875	Chon Buri, Trat, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>C. gaillardia</i> Moosa, 1986	Off Phuket, Andaman Sea.	
<i>C. latreillei</i> Eydoux & Souleyet, 1842	Pattani, Gulf of Thailand.	Pattani
<i>C. rotundicauda</i> (Miers, 1880)	Ao Nam Bo, Phuket, Andaman Sea.	
<i>Cloridina chlorida</i> (Brooks, 1886)	Gulf of Thailand; Andaman Sea.	
<i>C. ichneumon</i> (Fabricius, 1798)	Off Phuket, Andaman Sea; Chon Buri, Tung Ka, Chumphon, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>C. malaccensis</i> (Manning, 1968)	Chon Buri, Songkhla, Gulf of Thailand; Andaman Sea.	
<i>C. microphthalmma</i> (H. Milne Edwards, 1837)	Chon Buri, Tung Ka, Chumphon, Gulf of Thailand.	
<i>C. pelamidae</i> (Blumstein, 1970)	Ko Sichang, Chon Buri, Pattani, Gulf of Thailand; Off Phuket, Andaman Sea.	
<i>C. verrucosa</i> (Hansen, 1926)	Andaman Sea.	
<i>Cloridopsis bengalensis</i> (Tiwari & Biswas, 1952)	Andaman Sea.	
<i>C. immaculata</i> (Kemp, 1913)	Chon Buri, Chanthaburi, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Ranong, Andaman Sea.	
<i>C. scorpio</i> (Latreille, 1828)	Chon Buri, Chanthaburi, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Satun, Ranong, Andaman Sea.	
<i>Dictyosquilla foveolata</i> (Wood-Mason, 1895)	Samut Prakan, Nakhon Si Thammarat, Pattani, Gulf of Thailand.	
<i>Erugosquilla woodmasoni</i> (Kemp, 1911)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan,	

Taxon/Species	Locality	Endemic Area
<i>Fallosquilla fallax</i> (Bouvier, 1914)	Samut Sakhon, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>Keijja lirata</i> (Kemp & Chopra, 1921)	Andaman Sea.	
<i>Lenisquilla lata</i> (Brooks, 1886)	Songkhla, Pattani, Gulf of Thailand.	Pattani
<i>Levisquilla incerta</i> (Hansen, 1926)	Off Phuket, Andaman Sea.	
<i>L. inermis</i> (Manning, 1965)	Andaman Sea.	
<i>L. jurichi</i> (Makarov, 1979)	Andaman Sea.	
<i>L. minor</i> (Jurich, 1904)	Off Phuket, Andaman Sea.	
<i>Miyakea nepa</i> (Latrielle, 1825)	Andaman Sea.	
<i>Oratosquillina gonypetes</i> (Kemp, 1911)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachup Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Satun, Phuket, Krabi, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>O. inornata</i> (Tate, 1883)	Off Phuket, Andaman Sea; Gulf of Thailand.	
<i>O. interrupta</i> (Kemp, 1911)	Chon Buri, Samut Prakan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. manningi</i> Ah Yong, Chan & Liao, 2000	Off Phuket, Andaman Sea.	
<i>O. ornata</i> (Manning, 1971)	Off Phuket, Andaman Sea.	
<i>O. perpensa</i> (Kemp, 1911)	Chon Buri, Rayong, Prachup Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. quinquedentata</i> (Brooks, 1886)	Chon Buri, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. solicitans</i> Manning, 1978	Chon Buri, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Ranong, Phuket, Andaman Sea	
<i>O. subtilis</i> (Manning, 1978)	Off Phuket, Andaman Sea.	
<i>Toshimitsu tiwarii</i> (Blumstein, 1974)	Rayong, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	



**RDER ANOSTRACA**

Fairy Shrimp

Taxon/Species	Locality	Endemic Area
<b>Order Anostraca Sars, 1867</b>		
<b>Family Streptocephalidae Daday, 1910</b>		
<i>Streptocephalus siamensis</i> Sanoamuang & Saengphan, 2006	Dan Chang, Suphan Buri, Central Thailand; Kanchanaburi, West Thailand.	
<i>S. sirindhornae</i> Sanoamuang, Murugan, Weekers and Dumont, 2000	Khon Kaen, Loei, Maha Sarakham, Nong Bua Lam Phu, Nong Khai, Amnat Charoen, Chaiyaphum, Kalasin, Mukdahan, Nakhon Phanom, Nakhon Ratchasima, Roi Et, Sakon Nakhon, Si Sa Ket, Surin, Ubon Ratchathani, Udon Thani, Yasothon, North East Thailand.	
<b>Family Thamnocephalidae Packard, 1883</b>		
<i>Branchinella thailandensis</i> Sanoamuang, Saengphan & Murugan, 2002	Khon Kaen, Chaiyaphum, Maha Sarakham, Nakhon Ratchasima, Roi Et, North East Thailand; Lop Buri, Chai Nat, Suphan Buri, Central Thailand; Kanchanaburi, Ratchaburi, Uthai Thani, West Thailand.	



**RDER MYODOCOPA**

Seed Shrimp

Taxon/Species	Locality	Endemic Area
<b>Order Myodocopa M Iler, 1894</b>		
<b>Suborder Myodocopina Sars, 1866</b>		
<b>Superfamily Cypridinoidea Baird, 1850</b>		
<b>Family Cypridinidae Baird, 1850</b>		
<b>Subfamily Cypridininae M Iler, 1912</b>		
<i>Amphisiphonostira naviformis</i> Poulsen, 1962	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Gulf of Thailand.	
<i>Cypridina acuminata</i> (M Iler, 1906)	Ko Mesan, Cape Liant, Ko Kam, Ko Kram, Chon Buri,	
	Ko Chuen, Rayong, Tung Kaben, Chanthaburi, Ko Chang,	
	Trat, Gulf of Thailand.	
<i>C. sinuosa</i> (M Iler, 1906)	Ko Kam, Chon Buri, Gulf of Thailand.	
<i>Cypridinodes asymmetrica</i> (M Iler, 1906)	Ko Mesan, Cape Liant, Chon Buri, Ko Chuen, Ko Chan,	
	Rayong, Gulf of Thailand.	
<i>Paravargula hirsuta</i> (M Iler, 1906)	Ko Mesan, Cape Liant, Chon Buri, Gulf of Thailand.	
<i>Pterocypridina alata</i> Poulsen, 1962	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Gulf of Thailand.	
<i>Skogsbergia minuta</i> Poulsen, 1962	Ko Mesan, Cape Liant, Ko Kam, Ko Kram, Chon Buri,	

Taxon/Species	Locality	Endemic Area
<i>Vargula hilgendorfti</i> (M Iler, 1890)	Ko Kradat, Trat, Gulf of Thailand. Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Gulf of Thailand.	
<b>Family Philomedidae M Iler, 1906</b>		
<b>Subfamily Philomedinae M Iler, 1912</b>		
<i>Euphilomedes nodosa</i> Poulsen, 1962	Ko Chang, Ko Kradat, Trat, Gulf of Thailand.	
<i>Paraphilomedes tricornuta</i> Poulsen, 1962	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Gulf of Thailand.	
<i>P. unicornuta</i> Poulsen, 1962	Ko Kam, Chon Buri, Ko Chan, Rayong, Ko Kradat, Trat, Gulf of Thailand.	
<b>Superfamily Sarsielloidea Sylvester-Bradley, 1961</b>		
<b>Family Rutidermatidae Brady and Norman, 1896</b>		
<i>Rutiderma normani</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Ko Chang, Ko Kradat, Trat, Gulf of Thailand.	
<b>Family Sarsiellidae Brady and Norman, 1896</b>		
<i>Eusarsiella armata</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Gulf of Thailand.	
<i>E. guttata</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Ko Chang, Trat,	

Taxon/Species	Locality	Endemic Area
	Gulf of Thailand.	
<i>E. longicornis</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Ko Chuen, Rayong, Gulf of Thailand.	
<i>E. longipenna</i> Poulsen, 1965	Ko Kam, Chon Buri, Gulf of Thailand.	
<i>E. maculata</i> Poulsen, 1965	Ko Kam, Chon Buri, Ko Chuen, Rayong, Ko Chang, Trat, Gulf of Thailand.	
<i>E. multispinosa</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Ko Kradat, Trat, Gulf of Thailand.	
<i>E. nana</i> Poulsen, 1965	Ko Mesan, Cape Liant, Chon Buri, Gulf of Thailand.	
<i>E. parvispinosa</i> Poulsen, 1965	Ko Mesan, Cape Liant, Chon Buri, Ko Kradat, Trat, Gulf of Thailand.	
<i>E. spinulosa</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Gulf of Thailand.	
<i>E. striata</i> Poulsen, 1965	Ko Mesan, Cape Liant, Chon Buri, Gulf of Thailand.	
<i>E. verae</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Tung Kaben, Chanthaburi, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Sarsiella rugosa</i> Poulsen, 1965	Ko Kam, Chon Buri, Gulf of Thailand.	
<i>Scottiella crispata</i> (Scott, 1905)	Ko Kradat, Ko Chang, Trat, Gulf of Thailand.	
<b>Family Asteropidae Claus, 1876</b>		
<b>Subfamily Asteropinae Poulsen, 1965</b>		
<i>Asteropina minuta</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Ko Chuen, Rayong, Gulf of Thailand.	
<i>A. thailandica</i> Poulsen, 1965	Ko Kam, Chon Buri, Ko Chang, Ko Kradat, Trat, Gulf of Thailand.	
<i>A. verucosa</i> Poulsen, 1965	Ko Chang, Trat, Gulf of Thailand.	
<i>Bruuniella breviata</i> Poulsen, 1965	Ko Chang, Trat, Gulf of Thailand.	
<i>Parasterope nana</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Gulf of Thailand.	
<i>P. skogsbergi</i> Poulsen, 1965	Ko Kradat, Ko Chang, Trat, Gulf of Thailand.	
<b>Subfamily Cyclasteropinae Poulsen, 1965</b>		
<i>Asteropteron thailandicum</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Ko Chuen, Rayong, Ko Kradat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Cyclasterope bisetosa</i> Poulsen, 1965	Ko Lan, Chon Buri, Gulf of Thailand.	
<i>C. fascigera</i> Brady, 1902	Ko Lan, Chon Buri, Gulf of Thailand.	
<i>Microasteropteron parvum</i> Poulsen, 1965	Ko Mesan, Cape Liant, Ko Kam, Chon Buri, Gulf of Thailand.	



Cave underground  
water Isopod

Taxon/Species	Locality	Endemic Area
<b>Order Isopoda Latreille, 1817</b>		
<b>Suborder Asellota Latreille, 1803</b>		
<b>Superfamily Aselloidea Rafinesque, 1815</b>		
<b>Family Stenasellidae Dudich, 1924</b>		
<i>Stenasellus bedosae</i> Magniez, 1991.	Cave alsove the Temple National Park, Khao Sok, Surat Thani, South Thailand.	
<i>S. brignolii</i> Pescet & Argano, 1982.	Tham Put, Tham Phet, Phangnga, Phuket, South Thailand.	
<i>S. deharvengi</i> Magniez, 1991.	Tham Keaw near Nong Bua Daeng, Chaiyaphum, North East Thailand.	
<i>S. rigali</i> Magniez, 1991.	Tham Kubio near north Chum Phae, Khon Kaen, North East Thailand.	
<i>S. mongnatei</i> Magniez & Panitvong, 2005	Tham Nam, Phra Phutthabat-noi mountain, Kaeng Khoi, Saraburi, Central Thailand.	