

Literature Cited

ORDER ANOSTRACA

Fairy Shrimp

- Sanoamuang, L. and Saengphan, N. 2006. A New Species of *Streptocephalus* Fairy Shrimp (Crustacea, Anostraca) with Tetrahedral Cysts from Central Thailand. *Internat. Rev. Hydrobiol.*, 91 (3) : 250-256.
- Sanoamuang, L., N. Saengphan and G. Murugan. 2002. First record of the family Thamnocephalidae (Crustacea : Anostraca) from Southeast Asia and description of a new species of *Branchinella*. *Hydrobiologia* 486 : 63-69.
- Sanoamuang, L., G. Murugan, P.H.H. Weekers and H.J. Dumont. 2000. *Streptocephalus sirindhornae*, New Species of Freshwater Fairy Shrimp (Anostraca) from Thailand. *J. Crust. Biol.*, 20 (3) : 559-565.
- Sanoamuang, L., N. Sanoamuang, N. Saengphan, R. Chusing, S. Athibai and S. Lekcham. 2000. Diversity and distribution of Fairy Shrimps in Thailand. *Fac. Sci. Khon Kaen Univ.*, 19 pp. (in Thai).

ORDER MYODOCOPA

Seed Shrimp

- Poulsen, Erik. M., 1962. The Carlsberg Foundation's Oceanographical Expedition round the world 1928-30 and previous "DANA" –Expeditions, Ostracoda-Myodocopa Part I., Cypridiformes—Cypridinidae., DANA Report No. 57, 414 pp. with 181 figures.
- _____. 1965. Part II., Cypridiformes-Rutidermatidae, Sarsiellidae and Asteropidae. *Ibid.* 65, 484 pp. with 156 figures.

ORDER ISOPODA

Cave underground water Isopod

- Magniez, G. 1991. Bons et Mauvais caracteres taxinomiques : exemple des Stenaselles d'Extr me-Orient. *Mmoires de Biosp ologie.* 18 : 99-104.
- _____. 1993. Vie Insulaire des Asellidae et Stenasellidae en Extr me-Orient. *Ibid.*, 20 : 139-144.
- _____. 2003. Contribution la connaissance des Stenasellidae (Crustacea, Isopoda, Asellota) stygobies d' Extr me-Orient. *Subterranean Biology.* 1 : 31-42.
- Magniez, G. and Panitvong., N. 2005. A new Stenasellidae from underground waters of Thailand: *Stenasellus mongnatei*, sp. nov. (Crustacea, Isopoda, Asellota). *Intern. Soc. Subterranean Biol.*, 3 : 75-80.

Decapoda and Stomatopoda

- Ahyong, S.T. 2001. Revision of the Australian Stomatopod Crustacean. Red. Austral. Mus., Suppl. 26 : 1-326.
- Ahyong, S.T. and Naiyanetr, P 2000. Revision of *Clorida latreille* species complex with description of a new species (Squillidae : Stomatopoda). Raffles Bull. Zool., 48 (2) : 313-315.
- _____. 2002. Stomatopod crustaceans from Phuket and the Andaman Sea. Phuket Mar. Biol. Cent, Special Publ. 23(2) : 281-312.
- Alcock, A. 1910. Catalogue of the Indian Decapoda Crustacea in Indian Museum. Part I : Brachyura, Fasc. 2 : The Indian freshwater crabs-Potamonidae. Calcutta. pp. 1-35, figs. 1-72.
- Baba, K. 1986. Two new species of anomuran crustaceans (Decapoda : Chirostylidae and Galatheidae) from the Andaman Sea. Jour. Crust. Bio., 6(3) : 625-632.
- Baba, K. and Oh, S.C. 1990. *Galathea coralliophilus*, a new decapod crustacean (Anomura : Galatheidae) from Singapore, Gulf of Thailand and West Irian. Proc. Biol. Soc Wash., 103 (2) : 358-368.
- Banner, A.H. and Banner, D.M. 1960. The Alpheid Shrimp of Thailand. Siam Soc. monogr. Ser.no.3, 168 pp., figs. 1-62.
- _____. 1981. Annotated checklist of the Alpheid shrimp of the Red Sea and Gulf of Aden. Zool.Verh., Leiden. 190 : 1-99.
- _____. 1983. An annotated checklist of the alpheid shrimp from the Western Indian Ocean. Travaux et Documents de L' ORSTOM, Paris. No. 158, 164 pp.
- Banpavichit, S. 1979. Taxonomy of Fiddler Crabs in Thailand. M.Sc.Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok. 182 pp., pls. 1-28.
- Bhatia, U. 1974. Distribution of spiny lobsters along the West coast of Thailand with observations on their fishing grounds. Phuket Mar. Biol. Cent. Res. Bull., 5 : 1-20, figs. 1-6.
- Boonruang, P. and Phasuk, B. 1975. Species composition and abundance distribution of Anomuran sand crabs and populations *Emerita emerita* (L.) along the Indian Ocean coast of Thailand (Decapoda : Hippidae). Ibid., 8 : 1-19, figs. 1-4.
- Bott, R. 1970. Die Susswasserkrabben von Europa, Asien, Australien und ihre Stammesgeschichte. Abh. Senckenb. Naturforsch. Ges., 526 : 1-338, Abb. 1-8, Taf. 1-58.
- Bowman, T. E. and Abele, L.G. 1982. Classification of the Recent Crustacea. Biology of Crustacea., Vol. 1., Academic Press, pp. 1-27.

- Burkenroad, M.D. 1983. Natural Classification of Dendrobrachiata with a Key to recent genera. Crustacean Issue I : Crustacean Phylogeny. A. A. Balkema, Rotterdam. pp. 280-281.
- Cai, Y., Naiyanetr, P. and Ng, P.K.L. 2004. The freshwater prawns of the genus *Macrobrachium* Bate, 1868, of Thailand (Crustacea : Decapoda : Palaemonidae). Jour. Nat. Hist., 38 : 581-649.
- Castro, P. 2002. New records of Trapeziid crabs (Xanthoidea, Trapeziidae) from the Andaman Sea coast of Thailand with notes on the taxonomic status of *Trapezia plana* Ward, 1941. Phuket Mar. Biol. Cent., Special Publ., 23(2) : 361-367.
- Chace, F. A. Jr. 1983. The Atya-like Shrimps of the Indo-Pacific Region (Decapoda : Atyidae). Smithsonian Contr. Zool., 384 : 1-54.
- Chace, F. A. Jr. and Bruce, A. J. 1993. The Caridean Shrimps (Crustacea : Decapoda) of the Albatross Philippine Expedition 1907-1910, Part 6 : Superfamily Palaemonoidea. Smithsonian Contr. Zool., 543 : 1-152.
- _____. 1997. The Caridean Shrimps (Crustacea : Decapoda) of the Albatross Philippine Expedition 1907-1910, Part 7 : Families Atyidae, Eugonatonotidae, Rhynchocinetidae, Bathypalaemonellidae, Processidae, and Hippolytidae. Ibid., 587 : 1-106.
- Chaitiamvong, S. and Supongpan, M. 1992. A guide to Penaeoid Shrimps found in Thai waters. ASEAN-Australia Mar. Sci. Proj. : Living Coastal Resources. 77 pp., figs. 1-21, pls. 1-56.
- Chan, T.Y. 1998. FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 2, Crustaceans : Shrimps and Prawns edited by Kent E. Carpenter and Volker H. Niem, Food and Agriculture Organization of the United Nations, Rome., pp. 851-971.
- _____. 1998. FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 2, Crustaceans : Lobsters, Ibid., pp. 972-1042.
- Chen, H. 1989. Leucosiidae (Crustacea, Brachyura), In : J. Forest (ed.), Resultats des Campagnes Musorstom, vol.5., Mem. Mus. natn. Hist. nat., (A), 144 : 181-263.
- Chai, D.G.B. and Ng, P.K.L. 1993. New Records of three rare brachyuran crabs from Singapors Seas (Crustacea : Decapoda : Brachyura : Parthenopidae : Xanthidae and Pilumnidae). Raffles Bull. Zool., 4(1) : 159-167.
- _____. 2000. A revision of *Eumedonus* H. Milne Edwards, 1834 and *Gonatonomus* White, 1847 (Crustacea : Decapoda : Brachyura : Eumedonidae), two genera of crabs symbiotic with sea urchins. Jour. Nat. Hist., 34 : 15-56.

- Chiong, W.L. and Ng, P.K.L. 1998 A revision of the buckler crab of genus *Cryptopodia* H.Milne Edwards, 1834 (Crustacea : Decapoda : Brachyura : Parthenopidae). Raffles Bull. Zool., 46(1) : 157-216.
- Chuang, C.T.N. and Ng, P.K.L. 1994. The Ecology and Biology of Southeast Asian false spider crabs (Crustacea : Decapoda : Brachyura : Hymenosomatidae). Hydrobiologia 285 : 85-92.
- Chuensri, C. 1973. Freshwater Crabs of Thailand. Coll. Fish. Kasetsart Univ., Bangkok., 49 pp., figs. 1-7.
- Crane, J. 1975. Fiddler Crabs of the World. Princeton., 736 pp., figs. 1-101, pls. 1-50.
- Crosnier, A. 1991. Crustacea Decapoda : Les *Metapenaeopsis* indo-ouest-pacifiques sans appareil stridulant (Penaeidae) Deuxieme partie In : Results des Campagnes MUSORSTOM, Vol.9. Mem. Mus. natn. Hist. nat., (A). 152 : 155-297, Paris.
- CTNRC staff. 1971. Checklist of Animals in the Centre for Thai National Reference collections (CTNRC) of the Applied Scientific Research Corporation of Thailand. Appl. Sci. Res. Corp. Thailand. Bangkok., pp. 10-17.
- Davie, P.J.F. P.K.L. Ng., A.Kaenphet and C.Aungtonya. 2002. Annotated checklist of Brachyura (Crustacea : Decapoda) principally obtained during the BIOSHELF survey off Western Thailand from 1996-1998. Phuket Mar. Cent., Special Publ. 23(2) : 313-339.
- Dai Ai-Yun and Siliang, Yang. 1991. Crabs of The China Seas. China Ocean Press Beijing., 682 pp., figs. 1-295, pls. 1-74.
- Dingle, H., Cadwell, R.L. and R.B. Manning. 1977. Stomatopods of Phuket Island, Thailand. Phuket Mar. Biol. Cent. Res. Bull., 20 : 1-20, figs. 1-11.
- Efford, I.E. 1976. Distribution of the sand crabs in the Genus *Emerita* (Decapoda : Hippidae). Crustaceana 30(2) : 169-183.
- Frith, D.W. 1977. A Preliminary list of Macrofauna from a mangrove forest and adjacent biotopes at Surin Island, Western Peninsular Thailand. Phuket Mar. Biol. Cent. Res. Bull., 17 : 1-14.
- Frith, D.W. and Alexander, G.L. 1978. A Preliminary list of Land crabs (Crustacea : Decapoda) from Koh Similan, Andaman Sea, including eight species to Thailand. Ibid. 24 : 1-6.
- Frith, D.W. and Frith, C.B. 1978. Notes on the ecology of fiddler crabs populations (Ocypodidae : Genus *Uca*) on Phuket, Surin and Yao Yai Islands, Western Peninsular Thailand. Ibid. 25 : 1-13.
- Frith, D.W., Tantanasiwong, R. and O. Bhatia. 1976. Zonation of Macrofauna on a mangrove shore, Phuket Island. Ibid. 10 : 1-37.

- Griffin, D.J.G. and Yaldwyn, J.C., 1965. A record the Majid Brachyuran genus *Achaeus* from New Zealand with notes on the Australian species. Trans. Royal Soc. New Zealand., 6(4) : 33-51.
- Guinot, D. 1985. Revision du genre *Parapanope* De Man, 1895 (Crustacea Decapoda Brachyura) avec description de trois especes nouvelles. Bull. Mus. natn. Hist. nat., Paris, 4^e sor., 7, Section A, n 3 : 677-707.
- Haig, J. 1964. Porcellanid Crabs from the Indo-West Pacific, Part I. Paper from Dr. Th. Mortensen's Pacific Expedition 1914-1916, 81, Allan Hancock, Found. Contr., 258 : 356-386, figs. 1-3.
- _____. 1966. The Porcellanidae (Crustacea, Anomura) of the Iranian Gulf and Gulf of Oman. Vidensk. Medd. fra Dansk naturh. Foren., bd. 129 : 49-65.
- _____. 1981. Porcellanid crabs from the Indo-West, Part II Steenstrupia, Zool. Mus. Univ. Copenhagen. 7(12) : 269-291.
- _____. 1983. Porcellanidae (Decapoda, Anomura) from the Seychelles, Western Indian Ocean. Crustacean 45(3) : 279-289.
- _____. 1992. Hong Kong, s Porcellanid crabs. In : The marine flora and fauna of Hong Kong and southern China III (ed. B. Morton). Proc. 4th Intern. Mar. Biol. Workshop : The Marine Flora and Fauna of Hong Kong and Southern China, Hong Kong, 11-29 April 1989. Hong Kong : Hong Kong University Press, pp. 303-327.
- Harminto, S. and Ng, P.K.L., 1991 A revision of the Camptandriine genus *Baruna* Stebbing, 1904 (Crustacea : Brachyura : Decapoda : Ocypodidae), with descriptins of two new species from the Indo-West Pacific. Raffles Bull. Zool.,39(1) : 187-207.
- Holthuis, L. B. 1947. Biological results of the Snellius Expedition XIV. The Decapoda Macrura of the Snellius Expedition I. The Stenopodidae, Nephropsidae, Scyllaridae and Palinuridae. Temminckia 7 : 87-145.
- _____. 1950. The Decapoda of the Siboga Expedition X. Palaemoninae. Siboga Exped. monogr. 39 a^o, 268 pp., figs. 1-52.
- _____. 1985. A revision of the Family Scyllaridae (Crustacea : Decapoda : Macrura) I. Subfamily Ibacinae. Zool. Verh. Leiden. 218 : 1-130.
- _____. 1991. FAO Species Catalogue Vol. 13, Marine Lobsters of the World. An Annotated and Illustrated Catalogue of Species of Interest to Fisheries Known to Date. FAO Fish. Synop. No. 125, Vol. 13, 292 pp., figs. 1-459.
- _____. 1993. The Recent Genera of the Caridean and Stenopodidean Shrimps (Crustacea, Decapoda) with an appendix on the Order Amphionidacea. Nation Nat. Hist. Mus., Leiden., 328 pp.

- _____. 2002. The Indo-Pacific Scyllarine lobsters (Crustacea, Decapoda, Scyllaridae). *Zoosystema, Publications Scientifiques du Museum, Paris.*, pp 499-690.
- Holthuis, L.B. and Manning, R.B. 1990. Crabs of the Subfamily Dorippinae MacLeay, 1838 from the Indo-West Pacific Region (Crustacea : Decapoda : Dorippidae). *Res. Crust. Special No. 3*, 151 pp.
- Holthuis, L.B. and Rosa, H.Jr. 1965. List of Species of Shrimps and Prawns of Economic Value. *FAO Fish. Techn. Pap.*, 52 : 1-21.
- Keenan, C.P., Davie, P.J.F. and David L. Mann, 1998. A revision of the genus *Scylla* De Haan, 1883 (Crustacea : Decapoda : Brachyura : Portunidae). *Raffles Bull. Zool.*, 46(1) : 217-245.
- Kemp, S. 1918. Zoological results of a tour in Far East. *Mem. Asiat. Soc. Bengal. Calcutta*, 6 : 217-297, figs. 1-12.
- _____. 1923. On a Collection of River Crabs from Siam and Annam. *Jour. Nat. Hist. Soc. Siam*. 6 : 1-42, pls. 1-4.
- Khoyngam, N. 1984. Species Diversity of the Marine Crabs in Developing Industrial Areas on the East coast of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Kasetsart Univ., Bangkok., 125 pp., pls. 1-14.
- Khoyngam, P. 1982. Taxonomic Study on the Marine Crabs, collected from the Fisherman Wharves, in the Gulf of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Kasetsart Univ., Bangkok., 196 pp., 1-22.
- Komai, T. 2000. A checklist of Thalassinidea and Anomura (Crustacea : Decapoda) from the South China Sea. *Raffles Bull. Zool., Suppl. No. 8*, pp.343-376.
- Komai, T., Goshima, S. and M. Murai, 1995. Crabs of the genus *Macrophthalmus* of Phuket, Thailand (Crustacea : Decapoda : Ocypodidae). *Bull. Mar. Sci.*, 56(1) : 103-146.
- Kongkayen, S. 1979. Taxonomy of Xanthid Crabs of Phuket Province. M.Sc. Thesis, Dept. Biol., Fac. Sct., Chulalongkorn Univ., Bangkok., 428 pp., pls. 1-82.
- Kubo, I. 1949. Studies on the Peneids of Japanese and its adjacent waters. *Jour. Tokyo Coll. Fish.*, 36(1) : 355-358, figs. 1-130.
- Kwantong, S. 1995. Distribution of Some Edible Animals in the Lower North-Eastern Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 288 pp., pls. 1-23.
- Lanchester, W. 1901. On the Crustacea, collected during the "Skeat Expedition" to the Malay Peninsula. *Proc. Zool. Soc., London.*, 2 : 534-574.

- _____. 1906. Report on the Crustacea. In : Fasciculi malayensis., Part 3 : 127-134, pl. 1.
- Leelapiyanart, N. 1989. Taxonomy of Penaeoid Shrimps in Thailand. M.Sc. Thesis., Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 456 pp., pls. 1-86.
- Leelawathanagoon, P. 1975. Taxonomy of Palaemonid Shrimps in Thailand. M.Sc. Thesis., Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 174 pp., pls. 1-25.
- Leelawathangoon, P., Lheknim, V. and P.K.L.Ng, 2005. On a new species of fresh water crab of the genus *Johora* (Brachyura, Potamidae) from Peninsular Thailand. Crustaceana 78(1) : 59-66.
- Loh, L.W. and Ng, P.K.L., 1999. A revision on the spider crabs of the genus *Paratymolus* Miers, 1879, with description of Two genera and six species (Crustacea : Decapoda : Brachyura : Majidae). Raffles Bull. Zool., 47(2) : 365-407.
- Lumubol, P. 1974. Taxonomic study on the Peneid Shrimps in the Gulf of Thailand. M.Sc. Thesis., Kasetsart Univ., Bangkok., 121 pp., pls. 1-10.
- Lundore, S. 1974. A Checklist of the Marine Brachyura in the Reference Collection at PMBC, Thailand. Phuket Mar. Biol. Cent. Res. Bull., 4 : 1-11.
- Machjalib, S. 1973. Grapsid Crabs in the Gulf of Thailand. M.Sc. Thesis., Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 229 pp., pls. 1-40.
- Manning, R. B. 1978a. Notes on Soms Species of the *Falcatus* Group of *Gonodactylus* (Crustacea : Stomatopoda : Gonodactylidae). Smithsonian Contr. Zool., 258 : 1-15, figs. 1-13.
- _____. 1978b. New and Rare Stomatopod Crustacea from the Indo-West Pacific Region. Ibid. 264 : 1-36, figs. 1-16.
- _____. 1978c. Further Observations on *Oratosquilla* with Accounts of Two New Genera and Nine Species (Crustacea : Stomatopoda : Squillidae). Ibid. 272 : 1-44, figs. 1-25.
- _____. 1979. Notes on Two Species of Stomatopod Crustacea from Phuket Island, Thailand. Proc. Biol. Soc. Wash., 92(2) : 394-398, fig. 1.
- _____. 1995. Stomatopod Crustacea of Vietnam : The Legacy of Raoul Serene. Crustacean Res. Special No. 4., 339 pp., figs. 1-142, pls. 1-38.

- Mc Laughlin, P.A., 2002. A review of the Hermit-Crabs (Decapoda : Anomura : Paguridea) fauna of Southern Thailand, with particular emphasis on the Andaman Sea and description of three new species. Phuket Mar. Biol. Cent. Special Publ. 23 (2) : 285-260.
- Milne Edwards, A. 1869. Revision du genre *Thelphuse* et description de quelques especes nouvelles faisant partie de la collection du Museum. Nouv. Arch. Mus. Hist. nat. Paris., 5 : 161-191, pls. 8-11.
- Miquel, J.C. 1982. Le genre *Metapenaeus* (Crustacea, Penaeidae) : taxonomie, biologie et peches mondiales. Zool. Verh. Leiden., 195 : 1-137.
- Miya, Y., 1972. The Alpheidae (Crustacea, Decapoda) of Japan and its adjacent waters. Part I. Publ. Amakusa Mar. Biol. Lab. Kyushu Univ., 3(1) : 23-101.
- _____. 1974. The Alpheidae (Crustacea, Decapoda) of Japan and its adjacent waters. Part II. Ibid. 3(2) : 103-195.
- Mizuno, T. and Mori, S. 1970. Preliminary hydrobiological survey of some South East Asia in land waters. Biol. Jour. Linn. Soc., 2 : 77-117, figs. 1-13, pls. 1-4.
- Moosa, M.K., 2000. Marine Biodiversity of the South China Sea : A checklist of Stomatopod Crustacea. Raffles Bull. Zool., Suppl. No. 8, pp. 405-457.
- Naiyanetr, P. 1963. Scyllarid lobsters and their Phyllosoma larvae in the Gulf of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 107 pp., pls. 1-39.
- _____. 1963. Jour. Natn. Res. Coun. Thailand 4(1-4) : 63-72, pl. 1.
- _____. 1968. Preliminary Study of Stomatopoda of Thailand. Abst. Crustacean, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., pp. 5-7.
- _____. 1970. Spiny Lobsters of Thailand. Ibid., p. 8.
- _____. 1972. Box Crabs of Thailand. Ibid., p. 11.
- _____. 1973a. Parasitic Sacculina in Portunid and Grapsid Crabs. Ibid., p. 2.
- _____. 1973b. Pu Tale. Ibid., p. 13.
- _____. 1973c. Pu Kem. Ibid., pp. 14-15.
- _____. 1974. Sexual Dimorphism of Crustaceans. Ibid., pp. 16-17.
- _____. 1975a. Poisonous Crabs. Ibid., p. 22.

- _____. 1975b. Distribution of Freshwater crabs Genus *Somanniathelphusa* in Thailand. *Ibid.*, pp. 23-24.
- _____. 1976. Ecology of Freshwater Crabs. *Ibid.*, pp. 25-26.
- _____. 1978a. Six New Species of Freshwater Crabs of Thailand. *Abst. Natn. Confer. Agri. Biol. Sci., Kasetsart Univ., Bangkok.*, p. 84.
- _____. 1978b. The Geographic Distribution of Freshwater Carbs in Thailand. *Geogr. Jour. Geogr. Assoc. Thailand.* 3(3) : 24-43, pl. 1.
- _____. 1978c. Sand Crabs of Thailand (Decapoda : Anomura : Hippidae and Albuneidae). *Rep. Sci. Res. Fac. Sci., Chulalongkorn Univ., Bangkok.*, 3 : 330-338, pl. 1.
- _____. 1979a. The relationships between the Waterfall crabs and Tenasserim Ranges. *Sci. Seminar, Fac. Sci., Chulalongkorn Univ., Bangkok.*, p. 17.
- _____. 1979b. *Clorida thailandica*, a new Stomatopod Crustacean from Thailand. *Abst. Sci. Confer., Sci. Soc. Thailand.*, p. 138.
- _____. 1980a. The Use of Freshwater Shrimps and Crabs as the evidence of Geographical Relationships of Thailand. *Jour. Natn. Res. Coun. Thailand.* 12(1) : 1-38, figs. 1-7.
- _____. 1980b. Stomatopoda of Thailand. *Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok.*, 97 pp., pls. 1-35.
- _____. 1980c. Crustacean Fauna of Thailand (Decapoda and Stomatopoda). *Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok.*, 73 pp.
- _____. 1983a. Two stomatopod crustaceans from the Gulf of Thailand with a key to the genus *Carinosquilla* Manning, 1968. *Senckenbergiana biol.*, 63(1982), (5/6) : 393-399.
- _____. 1983b. Crab of San Ka La Khiri. *Geogr. Jour., Geogr. Assoc. Thailand.*, 8(2) : 43-46, pl. 1.
- _____. 1983c. Geographic Distribution of Kung Ka Po (*Macrobrachium equidens*) in Thailand. *Ibid.* 8(3) : 27-31, pl. 1.
- _____. 1984a. Scyllarid Lobsters of Thailand. *Proc. 22 nd Confer. Fish. Sect., Kasetsart Univ., Bangkok.*, p. 33.
- _____. 1984b. Two new species of Pu Na in Thailand. *Ibid.*, p. 34.
- _____. 1984c. *Ranguna phrae*, a new species of land crab of Thailand. *Proc. 5th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok.*, 5 : 231.
- _____. 1984d. *Potamicus yotdomensis*, a new species of water fall crab of Thailand. *Ibid.*, 5 : 232.

- _____. 1985a. New Record of a Spiny Lobster, *Panulirus stimpsoni* Holthuis, 1963 in the Gulf of Thailand. Proc. 23rd Confer. Fish. Sect., Kasetsart Univ., Bangkok., p.1.
- _____. 1985b. *Mekhongthelphusa*, a new genus of freshwater crab (Decapoda, Parathelphusidae). Ibid., p. 2.
- _____. 1985c. Crabs of Tenasserim. Proc. 6th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok. 6 : 260.
- _____. 1986. Crab of Tenasserim Range Part II., *Ranguna tritragensis* n. sp., Proc. 7th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok., pp. 11-1-2-3, fig. 1.
- _____. 1987a. New freshwater crab of Thailand, *Ranguna boonyaratae*. Proc. 25th Confer. Fish. Sect., Kasetsart Univ., Bangkok., pp. 201-203.
- _____. 1987b. Two new stomatopod crustaceans from Thailand with a key to the genus *Manningia* Serene, 1962. Crustaceana 53(3) : 237-242.
- _____. 1987c. Type specimens of freshwater crabs. Chulalongkorn Univ. Mus. Nat. Hist., Bangkok., pp. 75-80, fig. 1.
- _____. 1987d. Waterfall crabs as the intermediate host of Paragonimiasis. Proc. 8th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok., p. 10-1.
- _____. 1988a. New freshwater crab of Thailand, *Phricotelphusa yongchindaratae*. Proc. 26th Confer. Fish. Sect., Kasetsart Univ., Bangkok., pp. 199-200.
- _____. 1988b. Freshwater crabs in Thailand. In : Book published in memory of the Royal Cremation of Associate Professor Dr. Praphun Chitachumnong, Mahidol University, Phaisalsipa Press., Bangkok., 15 pp., 8 colour plates.
- _____. 1989a. *Phricotelphusa sirindhorn* n.sp., a new freshwater crab from Thailand (Decapoda, Brachyura, Gecarcinucidae). Crustaceana 65(3) : 225-229, pl. 1, figs. 1-2.
- _____. 1989b. *Siamosquilla hyllebergi*, a new genus and new species of stomatopod crustacean from Thailand. Biology of Stomatopods., Selected Symposia and Monographs U.Z.I., 3, Mucchi, Modena, pp. 281-284.
- _____. 1992a. *Demanietta sirikit* n.sp., a new freshwater crab from Thailand. (Decapoda, Brachyura, Potamidae). Crustaceana 62(2) : 113-120, pl. 1, figs. 1-3.
- _____. 1992b. Validation of five new species of Thai potamon crabs (Crustacea : Decapoda : Brachyura). Raffles Bull. Zool., 40(1) : 1-7.

- _____. 1992c. Crustacean Fauna of Thailand (Decapoda and Stomatopoda). 2nd Ed., Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 71 pp.
- _____. 1993. *Thaipotamon chulabhorn* n.sp., a new freshwater crab from Thailand (Decapoda, Brachyura, Potamidae). *Crustaceana* 65(1) : 1-7, pl. 1, fig. 1.
- _____. 1994a. On two species of terrestrial crabs of the genus *Dromothelphusa* Naiyanetr, 1992 (Crustacea : Decapoda : Brachyura : Potamidae) from Thailand. *Raffles Bull. Zool.*, 42(3) : 689-694.
- _____. 1994b. On three new genera of Thai ricefield crabs allied to *Somanniathelphusa* Bott, 1968 (Crustacea : Decapoda : Brachyura : Parathelphusidae). *Ibid.*, 42(3) : 695-700.
- _____. 1995. *Acanthosquilla sirindhorn* n. sp., a new mantis shrimp from Thailand (Stomatopoda, Nannosquillidae). *Crustaceana* 68(4) : 409-417, pl. 1, figs. 1-2.
- _____. 1996. Freshwater shrimps and crabs in Thailand and Indo-China. Biodiversity and Dynamics of Ecosystems, DIWPA Series Vol. 1 : 353-357.
- _____. 1997. *Dromothelphusa sangwan* n.sp., a new freshwater crab from Thailand (Decapoda, Brachyura, Potamidae). *Crustaceana* 70(4) : 385-393, pl. 1, fig. 1.
- _____. 2001. *Potamon bhumibol* n.sp., a new giant freshwater crab from Thailand (Decapoda, Brachyura, Potamidae). *Ibid.*, 74(3) : 309-316.
- _____. 2001. *Potamon galyaniae* n. sp., a new freshwater crab from Thailand (Decapoda, Brachyura, Potamidae). *Ibid.*, 74(4) : 401-405.
- _____. 2001. *Macrobrachium sirindhorn* n.sp., a new freshwater prawn from Thailand (Decapoda, Caridea, Palaemonidae). *Ibid.*, 74(7) : 609-616.
- Naiyanetr, P. and Machjajib, S. 1973. Some Mangrove Arthropods in the Gulf of Thailand. *Proc. 1st Thai. Natn. Seminar Mangrove Ecol.*, 1(2) : 263-271.
- Naiyanetr, P. and Narkasem, N. 1974. Waterfall crabs. *Abst. Crustacean*, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., pp. 18-19.
- Naiyanetr, P. and Ng. P.K.L. 1990a. *Siamthelphusa holthuisi* spec.nov., a new species of gecarcinucid freshwater crab (Crustacea : Brachyura : Decapoda) from Thailand. *Zool. Med., Leiden.*, 63(17) : 235-239.
- _____. 1990b. Two new species of *Potamon* Savigny, 1816 s.l. from Chiangmai Province, north-western Thailand, with a note on *Potamon (Potamon) cochinchinensis* De Man, 1898 (Crustacea, Decapoda, Brachyura, Potamidae). *Spixiana* 13(2) : 121-130.

- _____. 1995. The river crabs of the genus *Mekhongthelphusa* Naiyanetr, 1985 (Crustacea : Decapoda : Brachyura : Parathelphusidae) with description of a new species from Thailand. Zool. Med., Leiden., 69 : 365-374.
- _____. 1997. *Esanpotamon namsom*, a new genus and species of potamid crab (Crustacea : Decapoda : Brachyura) from a waterfall in north eastern Thailand. Proc. Bio. Soc. Wash., 110(3) : 417-421.
- Naiyanetr, P. and Takeda, M. 1989. Thai freshwater crabs collected during the field survey in 1987. In : K. Kawashima (Ed.), *Paragonimus* in Asia. Biology, Genetic variation and speciation. Paragonimus Research Report 2, Kyushu University, Japan., pp. 114-121.
- Naiyanetr, P. and Turkey, M. 1983. On the status of *Clorida pelamidae* Blumstein, 1970 and its presumed identity with *C. thailandica* Naiyanetr, 1980. Senckenbergiana biol., 63(1982), (5/6) : 401-405.
- _____. 1984. *Ranguna smitinandi*, a new species of land crab of Thailand. Proc. 5th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok., 5 : 230.
- Naiyanetr, P., Ah Yong, S. T. and P.K.L. Ng, 2000. Reinstatement of *Carinosquilla thailandensis* Naiyanetr, 1983, with a first record of *Alima orientalis* Manning, 1978, from the Gulf of Thailand and notes on *Cloridina pelamidae* (Blumstein, 1970), (Stomatopoda : Squillidae), Notes and News, Crustaceana 73(10) : 1291-1295.
- Naiyanetr, P. Jr. 1997. Taxonomic study of Marine Crabs Family Portunidae in the Gulf of Thailand. M.Sc. Thesis, Kasetsart Univ., Bangkok., 246 pp., pls. 1-31.
- Nakasone, Y. and Manthachitra, V., 1986. A preliminary report on the associations between gobies and alpheid shrimps in the Sichang Island, the Gulf of Thailand. Galaxea, 5 : 157-162.
- Nakasone, Y., Makot Tsuchiya, Vipoosit Manthachitra and Moritaka Nishihira. 1986. Species Composition of Decapod Crustaceans associated with living corals in the Gulf of Thailand. Galaxea, 5 : 141-156.
- Nakasone, Y., Moritaka Nishihira, Takao Suzuki and Nittharatana Paphavasit. 1997. Species Composition and Distribution of Decapod and Stomatopod Crustaceans and Allometry of Some Crab Species at Samut Songkhram Mangrove Swamp, Thailand. In : Benthic Communities and Biodiversity in Thai Mangrove Swamps. Biol. Inst., Tohoku Univ., pp. 131-146.
- Ng, P.K.L., 1986. *Terrapotamon* gen. nov., a new genus of freshwater crabs from Malaysia and Thailand, with description of a new species, *Terrapotamon aipooae* sp. nov., (Crustacea : Decapoda : Brachyura : Potamidae). Jour. Nat. Hist., 20 : 445-451.

- _____. 1992. Crabs of *Stoliczia stoliczkana* (Wood Manson, 1871) species complex (Crustacea : Decapoda : Brachyura : Potamidae). Malaysian Jour. Sci., 14 : 1-25.
- _____. 1997. On two new species of freshwater crabs of the genera *Sayamia* and *Heterothelphusa* (Brachyura, Parathelphusidae) from Southern Thailand. Crustaceana 70(6) : 710-719.
- _____. 1998. FAO species identification guide for fishery process. The living marine resources of the Western Central Pacific. Volume 2, Crustaceans : Crabs edited by Kent E. Carpenter and Volker H. Niem, Food and Agriculture Organization of the United Nations, Rome., pp. 1045-1155.
- Ng, P.K.L. and Davie, P.J.F. 2002. A checklist of the brachyuran crabs of Phuket and Western Thailand. Phuket Mar. Biol. Cent., Special Publ., 23(2) : 369-384.
- Ng, P.K.L. and Naiyanetr, P. 1992. On a new species of *Geosesarma* de Man, 1892 (Crustacea : Decapoda : Brachyura : Grapsidae) from Chanthaburi Province, eastern Thailand. Zool. Med., Leiden., 66 : 446-452.
- _____. 1993. New and recently described freshwater crabs (Crustacea : Decapoda : Brachyura : Potamidae, Gecarcinucidae and Parathelphusidae) from Thailand. Zool. Verh., Leiden., 284 : 1-117, figs. 1-68.
- _____. 1995. *Pudaengon*, a new genus of terrestrial crabs (Crustacea : Decapoda : Brachyura : Potamidae) from Thailand and Laos with descriptions of seven new species. Reffles Bull. Zool., 43(2) : 355-376.
- _____. 1997. Revision of the genus *Siamthelphusa* Bott, 1968 (Crustacea : Decapoda : Brachyura : Parathelphusidae) with descriptions of five new species from Thailand. Jour. Nat. Hist., 31 : 1751-1784.
- _____. 1998. *Terrapomon palian* sp. nov., a second number of terrestrial crab genus *Terrapotamon* (Decapoda, Brachyura, Potamidae) from Southern Thailand. Crustaceana 71(5) : 487-492.
- Ng, P.K.L. and Nakasone, Y. 1994. On the porcellanid genera *Raphidopus* Stimpson, 1858 and *Pseudoporcellanella* Sankarankutty, 1961 with description of a new mangrove species, *Raphidopus johnsoni* from Singapore (Decapoda, Anomura). Crustaceana 66(1) : 1-21.
- Ng, P.K.L., Lai, J.C.Y. and Charatsee Aungtonya, 2002. The box and moon crabs of Thailand, with description of a new species of *Calappa* (Crustacea : Brachyura : Callappidae, Matutidae). Phuket Mar. Biol. Cent., Special Publ., 23(2) : 341-360.

- Omori, M. 1975. The Systematics, Biogeography and Fishery of Epipelagic shrimps of the genus *Acetes* (Crustacea, Decapoda, Sergestidae). Bull. Ocean Res. Inst., Tokyo Univ., 7 : 1-89.
- Osawa, M., 1996. Two new species of the genus *Petrolisthes* (Decapoda : Anomura : Porcellanidae) from the Indo-West Pacific. Jour. Crust. Biol., 16(3) : 602-612.
- _____. 1998a. *Novorostrum*, new genus (Decapoda : Anomura : Porcellanidae) with description of three related species. Ibid., 18(1) : 161-176.
- _____. 1998b. Two rare species of *Petrolisthes* (Decapoda : Anomura : Porcellanidae) from the Ryukyu Island, with the description of a new species of the genus. Ibid., 18(3) : 597-615.
- Pitagsalee, C. 1980. Taxonomy of Hermit Crabs in Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 276 pp., pls. 1-69.
- Pramual, T. 1990. Taxonomy of Rice-field Crabs and Characters of Gonopod, Ommatidia by Scanning Electron Microscopy. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 193 pp., pls. 1-69.
- Racek, A.A. 1970. Indo-West Pacific Penaeid Prawn Species of Commercial Importance. FAO Proc. IPFC, 14th Session, 3 : 1-30., pl. 1.
- Rahaya, D.L. 2000. Hermit crabs from the South China Sea (Crustacea : Anomuran : Diogenidae, Paguridae) Raffles Bull. Zool., Suppl. No.8, pp. 377-404.
- Rahayu, D.L. and Komai, T. 2000. Shallow-water hermit crabs (Crustacea : Decapoda : Anomura : Diogenidae, Paguridae) of Phuket Thailand. Phuket Mar. Biol. Cent. Res. Bull., 63 : 21-44.
- Rathbun, M.J. 1904. Les crabs d'eau douce (Potamonidae). Nouv. Arch. Mus. d'Hist. Nat. Paris., (4)6 : 225-310, pls. 9-18 ; (4)7 : 159-191, pls. 13-22.
- _____. 1909. New Crabs from the Gulf of Siam. Proc. Biol. Soc. Wash., 22 : 107-114.
- _____. 1910. Brachyura. The Danish Exped. to Siam 1899-1900, V-Kgl. Danske Vid. Selsk. Skr., 7, 5 : 303-367, pls. 1-2.
- Rungruang, C. 1987. Taxonomy of Crabs Genus *Macrophthalmus* (Decapoda : Brachyura) along the Coasts of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 192 pp., pls. 1-26.
- Sakai, K. 1982. Revision of Upogebiidae (Decapoda, Thalassinidea) in The Indo-West Pacific Region. Res. Crust. Special No.1, pp. 75-84, figs. 17-20.

- _____. 1983. On a new Species of the Genus *Callianassa* (Crustacea, Decapoda) from Thailand. Res. Crust., 12 : 111-115.
- _____. 2002. Callianassidae (Decapoda : Thalassinidae) in the Andaman Sea, Thailand. Phuket Mar. Biol. Cent., Special Publ. 23(2) : 461-532.
- Sakai, T. 1976. Crabs of Japan and the Adjacent Seas. Kodansha, Japan., 773 pp., pls. 1-252.
- Sangmanee, S. 1987. Mangrove Decapod Crustacean and Stomatopod Crustacean in Changwat Chumphon and Changwat Ranong. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 577 pp., pls. 1-24.
- Schram, F.R. 1986. Crustacea. Oxford Univ. Press. N.Y., pp. 252-253, 272-273, 306-308.
- Serene, R. 1966. Notes on the Brachyura of the Marine fauna of Thailand. Research project no. 18/1, Appl. Sci. Res. Corp. Thailand., 1 : 1-13.
- _____. 1968. Brachyura of the Indo-Pacific region. Singapore Natn. Acad. Sci. Special publ., 1 : 33-112.
- Serene, R. and Crosnier, A. 1984. Crustaces Decapodes Brachyours de l'Océan Indien occidental et la Mer Rouge. Xanthoidea : Xanthidae et Trapeziidae ; Addendum : Carpiliidae et Menippidae. Institut Francais de Recherche Scientifique pour le Developpement et la Cooperation. Faune Tropicale XXIV, 349 pp., pls. 1-48.
- Serene, R. and Lohavanijaya, P. 1973. The Brachyura (Crustacea : Decapoda) collected by Naga Expedition, including a Review of the Homolidae. Naga Report. 4(4) : 1-146, figs. 1-186, pls. 1-21.
- Serene, R. and Soh, C.L. 1976. Brachyura collected during the Thai-Danish Expedition (1966). Phuket Mar. Biol. Sci. Res. Bull., 12 : 1-37, figs. 1-28, pls. 1-8.
- Siliang, Y. and Naiyanetr, P. 1997. Thailand's Porcellanid Crabs (Crustacea : Decapoda : Anomura). Mem. Beijing Nat. Hist. Mus., No.56, pp. 1-13.
- Stephenson, W. 1967. The Portunid crabs (Crustacea : Portunidae) collected by the Naga Expedition. Naga Report. 4(1) : 7-37, pls. 1-4.
- Sucondhaman, P. 1961. The Distribution of *Lucifer hanseni* Nobili in the Gulf of Thailand. B.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 40 pp., pls. 1-7.
- Suphunwong, K. 1964. The Collection and Identification of some marine crabs. Senior Project, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 45 pp., pls. 1-11.

- Suvatti, C. 1950. Fauna of Thailand. Dept. Fish., Bangkok, Thailand., pp. 132-177.
- Tsuchiya, M., Nakasone, Y. and Moordee, 1986. Distribution of subtidal macrobenthic animals around the Sichang Island, the Gulf of Thailand. *Galaxea*, 5 : 75-96.
- Tsuchiya, M., Nakasone, Y. and M. Nishihira, 1986. Community structure of coral associated invertebrates of the hermatypic coral, *Pavona frondifera*, in the Gulf of Thailand. *Ibid.*, 5 : 129-140.
- _____. 1989. Species Composition of small animals associated with the coral, *Porcillopora damicornis* at Sichang Island, the Gulf of Thailand : Size effect of coral colony. *Ibid.*, 8 : 257-269.
- Turkey, M. 1987. The identity of *Potamon rangoonense* Rathbun, 1904 and *Thelphusa larnaudii* A. Milne Edwards, 1896 with introduction of *Neolarnaudia botti* n.g.n.sp. (Crustacea : Decapoda : Potamidae). *Senckenbergiana biol.*, 67(1986), (4/6) : 386-396.
- _____. 1989. *Ranguna* Bott, 1966 and *Larnaudia* Bott, 1966 (Crustacea, Decapoda) : proposed fixation of *Thelphusa longipes* A. Milne Edwards, 1869 and *Thelphusa larnaudii* A. Milne Edwards, 1869 as the respective type species. *Bull. Zool. Nomenclature.*, 46(2) : 101-103.
- Tweedie, M.W.F. 1950. Notes on Grapsid Crabs from The Raffles Museum. *Bull. Raffles Mus.*, 23 : 310-316.
- Vatcharanon, P. 1987. Some Ecological Studies of Mud lobster *Thalassina anomala* (Herbst, 1804), M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 121 pp., figs. 1-49.
- Viruphantu, S. 1989. Taxonomy of Portunid Crabs in Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 334 pp., pls. 1-11.
- Wada, K., Komiyama, A. and K. Ogino, 1987. Underground Vertical Distribution of Macrofauna and Root in Mangrove Forest of Southern Thailand. *Publ. Seto Mar. Biol. Lab.* 32(4/6) : 329-333.
- Wattanatongchai, B. 1995. Geographical Distribution of Stomatopods in the Gulf of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 140 pp., pls 1-7.
- Wee, D.P.C. and Ng, P.K.L. 1995 Swimming crabs and the genera *Charybdis* De Haan, 1833 and *Thalamita* Latreille, 1829 (Crustacea : Decapoda : Brachyura : Portunidae) from Peninsular Malaysia and Singapore. *Raffles Bull. Zool.*, Suppl. No. 1, pp. 1-128.
- Wood-Mason, J. 1871. Contribution to Indian Carcinology. *Jour. Asiat. Soc. Bengal. Calcutta.*, 40(2) : 189-207, 449-454., pls. 11-14, 27.

- Yamaguchi, T. 1994. Fiddler crabs of the genus *Uca* in the collections of three natural history museum in Europe. *Calanus* 11 : 151-189.
- Yeo, D.C.J. and Naiyanetr, P. 2000. A new genus of freshwater crab (Crustacea : Decapoda : Brachyura : Potamidae) from Thailand, with a description of a new species. *Jour. Nat. Hist.*, 34 : 1625-1637.
- Yeo, D.C.J. and Naiyanetr, P. and P.K.L. Ng, 1999. Revision of the waterfall crabs of the genus *Demanietta* (Decapoda : Brachyula : Potamidae). *Jour. Crust. Biol.*, 19(3) : 530-555.
- Yeo, D.C.J. and Ng, P.K.L., 1996. A new species of freshwater snapping shrimp, *Alpheus cyanoteles* (Decapoda : Caridea : Alpheidae) from Peninsular Malaysia and a redescription of *Alpheus paludicola* Kemp, 1915. *Raffles Bull. Zool.*, 44(1) : 37-63.
- _____. 1997. On a new genus of riverines crabs (Crustacea : Decapoda : Brachyura : Potamidae) from Northwestern Thailand, with description of two new species. *Hydrobiologia* 350 : 179-188.
- _____. 1998. The state of freshwater crab Taxonomy in Indo-China (Decapoda, Branchyura). *Proc. 4th Intern. Crust. Congr., Crustaceans and Biodiversity Crisis*, pp. 639-646.
- Yongchindarat, K. 1988. Geographic Distribution of Freshwater Shrimps and Crabs in Changwat Phuket and Changwat Phangnga. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 178 pp., pls. 1-25.

INDEX

<i>Acanthosquilla acanthocarpus</i> (Claus, 1871)	138
<i>Acanthosquilla derijardi</i> Manning, 1970	139
<i>Acanthosquilla multifasciata</i> (Wood-Mason, 1895)	139
<i>Acanthosquilla phalangium</i> (Fabricius, 1768)	139
<i>Acanthosquilla sirindhorn</i> Naiyanetr, 1995	139
<i>Acanthosquilla tigrina</i> (Nobili, 1903)	139
<i>Acetes erythraeus</i> Nobili, 1905	32
<i>Acetes indicus</i> H. Milne Edwards, 1830	32
<i>Acetes japonicus</i> Kishinouye, 1905	33
<i>Acetes serrulatus</i> (Kroyer, 1859)	33
<i>Acetes sibogae</i> Hansen, 1919	33
<i>Acetes vulgaris</i> Hansen, 1919	33
<i>Achaeus brevirostris</i> (Haswell, 1879)	72
<i>Achaeus curvirostris</i> (A. Milne-Edwards, 1873)	72
<i>Achaeus lacertosus</i> Stimpson, 1857	72
<i>Acmaeopleura rotunda</i> Rathbun, 1909	116
<i>Actaea calculosa</i> (H. Milne Edwards, 1834)	100
<i>Actaea modesta</i> (De Man, 1888)	100
<i>Actaea polyacantha</i> (Heller, 1861)	100
<i>Actaea savignyi</i> (H. Milne Edwards, 1834)	100
<i>Actaea speciosa</i> (Dana, 1852)	100
<i>Actaeodes areolatus</i> (Dana, 1852)	100
<i>Actaeodes hirsutissimus</i> (Ruppell, 1830)	100
<i>Actaeodes semoni</i> (Ortmann, 1894)	100
<i>Actaeodes tomentosus</i> (H. Milne Edwards, 1834)	101
<i>Actumnus asper</i> (Ruppell, 1861)	97
<i>Actumnus carinatus</i> Bouvier, 1915	97
<i>Actumnus digitalis</i> Rathbun, 1907	97
<i>Actumnus dorsipes</i> (Stimpson, 1858)	97
<i>Actumnus elegans</i> De Man, 1887	97
<i>Actumnus obesus</i> Dana, 1852	97
<i>Actumnus setifer</i> (De Haan, 1835)	97
<i>Actumnus squamosus</i> (De Haan, 1835)	97
<i>Alachosquilla vicina</i> (Nobili, 1904)	139
<i>Alainopaguroides andamanensis</i> McLaughlin, 2002	57
<i>Albunea symnista</i> (Linnaeus, 1766)	61
<i>Aliaporcellana pygmaea</i> (De Man, 1902)	59
<i>Aliaporcellana suluensis</i> (Dana, 1852)	59
<i>Alima orientalis</i> Manning, 1973	140
<i>Alpheopsis chalciope</i> De Man, 1910	41
<i>Alpheopsis equalis</i> Coutiere, 1896	41
<i>Alpheus acutocarinatus</i> De Man, 1909	41
<i>Alpheus acutofemoratus</i> Dana, 1852	41
<i>Alpheus alcyone</i> De Man, 1902	41
<i>Alpheus bellules</i> Miya & Miyake, 1969	41
<i>Alpheus bucephalus</i> Coutiere, 1905	41

<i>Alpheus collumianus probabilis</i> Banner, 1956	41
<i>Alpheus crockeri</i> Armstrong, 1941	42
<i>Alpheus cyanoteles</i> Yeo & Ng, 1996	42
<i>Alpheus cythereus</i> Banner & Banner, 1966	42
<i>Alpheus deuteropus</i> Hilgendorf, 1878	42
<i>Alpheus dispar</i> Randall, 1840	42
<i>Alpheus djiboutensis</i> De Man, 1909	42
<i>Alpheus edwardsii</i> Audouin, 1826	42
<i>Alpheus ehlersi</i> De Man, 1909	42
<i>Alpheus euphrosyne</i> De Man, 1897	42
<i>Alpheus facetus</i> De Man, 1908	42
<i>Alpheus funafutensis</i> Borradaile, 1898	42
<i>Alpheus gracilipes</i> Stimpson, 1860	42
<i>Alpheus gracilis simplex</i> (Banner, 1953)	43
<i>Alpheus hippothoe</i> De Man, 1888	43
<i>Alpheus leviusculus</i> Dana, 1852	43
<i>Alpheus lobidens</i> De Haan, 1849	43
<i>Alpheus lottini</i> Guerin, 1830	43
<i>Alpheus malabaricus</i> (Fabricius, 1775)	43
<i>Alpheus malabaricus songkla</i> Baner & Banner, 1966	43
<i>Alpheus malleodigitus</i> (Bate, 1888)	43
<i>Alpheus microrhynchus</i> De Man, 1897	43
<i>Alpheus microstylus</i> (Bate, 1888)	43
<i>Alpheus obesomanus</i> Dana, 1852	43
<i>Alpheus pacificus</i> Dana, 1852	43
<i>Alpheus paracrinitus</i> Miers, 1881	44
<i>Alpheus paralcystone</i> Coutiere, 1905	44
<i>Alpheus parvirostris</i> Dana, 1952	44
<i>Alpheus pomatoceros</i> Banner & Banner, 1966	44
<i>Alpheus proseuchirus</i> De Man, 1908	44
<i>Alpheus rapacida</i> De Man, 1908	44
<i>Alpheus rapax</i> Fabricius, 1798	44
<i>Alpheus serenei</i> Tiwari, 1963	44
<i>Alpheus strenuus</i> Dana, 1852	44
<i>Alpheus sudara</i> Banner & Banner, 1966	44
<i>Alpheus supachai</i> Banner & Banner, 1966	44
<i>Amphisiphonostira naviformis</i> Poulsen, 1962	148
<i>Anchisquilla fasciata</i> (De Haan, 1844)	140
<i>Anchistus miersi</i> (De Man, 1888)	40
<i>Arcania crinaceus</i> (Fabricius, 1798)	69
<i>Arcania heptacantha</i> (De Haan, 1861)	69
<i>Arcania novemspinosa</i> Adams & White, 1848	69
<i>Arcania quinquespinosa</i> Alcock & Anderson, 1894	69
<i>Arcania septemspinosa</i> (Fabricius, 1798)	69
<i>Arcania undecimspinosa</i> De Haan, 1850	69
<i>Ashtoret lunaris</i> (Forsk. 1775)	66
<i>Ashtoret miersii</i> (Henderson, 1887)	66
<i>Asteropina minuta</i> Poulsen, 1965	151
<i>Asteropina thailandica</i> Poulsen, 1965	151

<i>Asteropina verucosa</i> Poulsen, 1965	151
<i>Asteropteron thailandicum</i> Poulsen, 1965	151
<i>Asthenognathus gallardoi</i> Serene & Soh, 1976	117
<i>Asthenognathus hexagonum</i> Rathbun, 1909	117
<i>Atergatis dentatus</i> De Haan, 1835	107
<i>Atergatis dilatatus</i> De Haan, 1835	107
<i>Atergatis floridus</i> (Linnaeus, 1767)	107
<i>Atergatis integerrimus</i> (Lamarck, 1801)	107
<i>Atergatis reticulatus</i> De Haan, 1835	107
<i>Atergatis roseus</i> (Ruppell, 1830)	107
<i>Atergatisopsis signata</i> (Adams & White, 1849)	107
<i>Athanas dimorphus seedang</i> Banner & Banner, 1966	44
<i>Athanas naga</i> Banner & Banner, 1966	45
<i>Athanas polymorphus</i> Kemp, 1915	45
<i>Atyopsis moluccensis</i> (De Haan, 1849)	33
<i>Atypopenaeus stenodactylus</i> (Stimpson, 1860)	24
<i>Aulacolambrus hoplonotus</i> (Adams & White, 1848)	77
<i>Aulacolambrus pransor</i> (Herbst, 1796)	77
<i>Aulacolambrus whitei</i> H. Milne Edwards, 1872	77
<i>Automate gardineri</i> Coutiere, 1902	45
<i>Baptozius vinosus</i> (H. Milne Edwards, 1834)	94
<i>Baruna miuta</i> Harminto & Ng, 1991	128
<i>Baruna sordidulum</i> (Kemp, 1915)	128
<i>Baruna trigranulum</i> (Dai & Song, 1986)	128
<i>Bathypilumnus sinensis</i> (Gordon, 1930)	197
<i>Beanium andersoni</i> (De Man, 1887)	111
<i>Beanium batavicum</i> (Moreira, 1903)	111
<i>Benthopanope indica</i> (De Man, 1887)	97
<i>Biarctus sordidus</i> (Stimpson, 1800)	49
<i>Birgus latro</i> (Linnaeus, 1758)	53
<i>Branchinella thailandensis</i> Sanoamuang, Saengphan & Murugan, 2002	146
<i>Bresedium sediliensis</i> (Tweedie, 1940)	111
<i>Bruuniella breviata</i> Poulsen, 1965	151
<i>Calappa bicornis</i> Miers, 1884	65
<i>Calappa bilineata</i> Ng, Lai and Aungtonya, 2001	65
<i>Calappa calappa</i> (Linnaeus, 1758)	65
<i>Calappa capellonis</i> Laurie, 1906	65
<i>Calappa clypeata</i> Borradaile, 1903	65
<i>Calappa gallus</i> (Herbst, 1803)	65
<i>Calappa hepatica</i> (Linnaeus, 1758)	65
<i>Calappa lophos</i> (Herbst, 1782)	65
<i>Calappa philargius</i> (Linnaeus, 1758)	66
<i>Calappa pustulosa</i> Alcock, 1896	66
<i>Calappa undulata</i> Dai & Yang, 1991	66
<i>Calcinus elegans</i> (H. Milne Edwards, 1836)	53
<i>Calcinus gaimardi</i> (H. Milne Edwards, 1848)	53
<i>Calcinus laevimanus</i> (Randall, 1839)	53
<i>Calcinus latens</i> (Randall, 1839)	53
<i>Calcinus pulcher</i> Forest, 1958	53

<i>Callianassa amplimaxilla</i> Sakai, 2002	50
<i>Callianassa anoploura</i> Sakai, 2002	50
<i>Callianassa brachytelson</i> Sakai, 2002	51
<i>Callianassa brevirostris</i> Sakai, 2002	51
<i>Callianassa chakratongae</i> Sakai, 2002	51
<i>Callianassa contipes</i> Sakai, 2002	51
<i>Callianassa malaccaensis</i> Sakai, 2002	51
<i>Callianassa matzi</i> Sakai, 2002	51
<i>Callianassa nieli</i> Sakai, 2002	51
<i>Callianassa nigroculata</i> Sakai, 2002	51
<i>Callianassa propriopedis</i> Sakai, 2002	51
<i>Callianassa ranongensis</i> Sakai, 1983	51
<i>Callianassa stenomastaxa</i> Sakai, 2002	51
<i>Callianassa tenuides</i> Sakai, 2002	51
<i>Callianassa tonkinae</i> Grebenjuk, 1975	51
<i>Callianidea typa</i> H. Milne Edwards, 1837	52
<i>Calliax andamanica</i> Sakai, 2002	52
<i>Camatopsis rubida</i> Alcock & Anderson, 1899	91
<i>Camposcia retusa</i> Latreille, 1892	72
<i>Camptandrium sexdentatum</i> Stimpson, 1858	128
<i>Capilliporcellana wolffi</i> Haig, 1981	59
<i>Carcinoplax bispinopsa</i> Rathbun, 1914	90
<i>Carcinoplax indica</i> Doflein, 1904	90
<i>Carcinoplax longimanus</i> (De Haan, 1835)	90
<i>Carcinoplax purpurea</i> Rathbun, 1914	90
<i>Carcinoplax sinica</i> Chen, 1984	90
<i>Cardisoma carnifex</i> (Herbst, 1794)	108
<i>Caridina brachydactyla</i> De Man, 1908	34
<i>Caridina gracilirostris</i> De Man, 1892	34
<i>Caridina gracillima</i> Lanchester, 1901	34
<i>Caridina laevis</i> Heller, 1862	34
<i>Caridina macrophora</i> Kemp, 1918	34
<i>Caridina peninsularis</i> Kemp, 1918	34
<i>Caridina propinqua</i> De Man, 1908	34
<i>Caridina sumatrensis</i> De Man, 1892	34
<i>Caridina tonkinensis</i> Bouvier, 1919	34
<i>Caridina typus</i> H. Milne Edwards, 1837	34
<i>Caridina weberi</i> De Man, 1892	34
<i>Carinosquilla carinata</i> (Serene, 1950)	140
<i>Carinosquilla multicarinata</i> (White, 1849)	141
<i>Carinosquilla spinosa</i> Ah Yong & Naiyanetr, 2002	141
<i>Carinosquilla thailandensis</i> Naiyanetr, 1983	141
<i>Carpilius convexus</i> (Forsk. 1775)	89
<i>Carpilius maculatus</i> (Linnaeus, 1758)	89
<i>Carupa tenuipes</i> Dana, 1851	79
<i>Catapaqurus danida</i> McLaughlin, 2002	57
<i>Ceratoplax ciliata</i> Stimpson, 1858	92
<i>Ceratoplax fulgida</i> Rathbun, 1914	92
<i>Ceratoplax hispida</i> Alcock, 1896	92

<i>Charybdis acutifrons</i> (De Man, 1879)	84
<i>Charybdis affiis</i> Dana, 1852	84
<i>Charybdis anisodon</i> (De Haan, 1850)	84
<i>Charybdis annulata</i> (Fabricius, 1798)	85
<i>Charybdis beauforti</i> Leene & Buitendijk, 1949	85
<i>Charybdis bimaculata</i> (Miers, 1886)	85
<i>Charybdis callianassa</i> (Herbst, 1789)	85
<i>Charybdis feriatius</i> (Linnaeus, 1758)	85
<i>Charybdis granulata</i> (De Haan, 1833)	85
<i>Charybdis hellerii</i> (A. Milne Edwards, 1861)	86
<i>Charybdis hongkongensis</i> Shen, 1834	86
<i>Charybdis japonica</i> (A. Milne Edwards, 1861)	86
<i>Charybdis lucifera</i> (Fabricius, 1798)	86
<i>Charybdis merguiensis</i> (De Man, 1883)	86
<i>Charybdis miles</i> De Haan, 1835	86
<i>Charybdis natator</i> (Herbst, 1789)	86
<i>Charybdis ornata</i> (A. Milne Edwards, 1861)	86
<i>Charybdis riversandersoni</i> Alcock, 1889	86
<i>Charybdis rorstrata</i> (A. Milne Edwards, 1861)	87
<i>Charybdis truncata</i> (Fabricius, 1798)	87
<i>Charybdis vadorum</i> Alcock, 1899	87
<i>Charybdis variegata</i> (Fabricius, 1798)	87
<i>Chasmocarcinops gelasimoides</i> Alcock, 1900	91
<i>Chernocaris placunae</i> Johnson, 1967	40
<i>Chiromantes indarum</i> (De Man, 1902)	111
<i>Chiromantes lividum</i> (A. Milne Edwards, 1869)	111
<i>Chlorinoides aculaetus</i> (H. Milne Edwards, 1834)	73
<i>Chlorinoides longispinus</i> (De Haan, 1839)	73
<i>Chlorodiella cytherea</i> (Dana, 1852)	101
<i>Chlorodiella laevissima</i> (Dana, 1852)	101
<i>Chlorodiella nigra</i> (Forsk., 1775)	101
<i>Chulathelphusa brandti</i> (Bott, 1968)	120
<i>Chulathelphusa neisi</i> (Rathbun, 1902)	120
<i>Cleistostoma lingulatum</i> Rathbun, 1909	129
<i>Clibanarius antennatus</i> Rahayu & Forest, 1993	54
<i>Clibanarius arethusa</i> De Man, 1888	54
<i>Clibanarius clibanarius</i> (Herbst, 1791)	54
<i>Clibanarius cruentatus</i> (H. Milne Edwards, 1848)	54
<i>Clibanarius danai</i> Rahayu & Forest, 1993	54
<i>Clibanarius demani</i> Buitendijk, 1937	54
<i>Clibanarius infraspinatus</i> Hilgendorf, 1896	54
<i>Clibanarius longitarsus</i> (De Haan, 1849)	54
<i>Clibanarius merguiensis</i> De Man, 1888	55
<i>Clibanarius padavensis</i> De Man, 1888	55
<i>Clibanarius ransoni</i> Forest, 1953	55
<i>Clibanarius virescens</i> (Krauss, 1843)	55
<i>Clistocoeloma merguiensis</i> De Man, 1888	111
<i>Clistocoeloma suvaense</i> Edmondson, 1951	111
<i>Clorida albolitura</i> Ah Yong & Naiyanetr, 2000	141

<i>Clorida bombayensis</i> (Chhapgar & Sane, 1967)	141
<i>Clorida decorata</i> Wood-Mason, 1875	141
<i>Clorida gaillardia</i> Moosa, 1986	141
<i>Clorida latreillei</i> Eydoux & Souleyet, 1842	141
<i>Clorida rotundicauda</i> (Miers, 1880)	141
<i>Cloridina chlorida</i> (Brooks, 1886)	141
<i>Cloridina ichneumon</i> (Fabricius, 1798)	141
<i>Cloridina malaccensis</i> (Manning, 1968)	142
<i>Cloridina microphthalma</i> (H. Milne Edwards, 1837)	142
<i>Cloridina pelamidae</i> (Blumstein, 1970)	142
<i>Cloridina verrucosa</i> (Hansen, 1926)	142
<i>Cloridopsis bengalensis</i> (Tiwari & Biswas, 1952)	142
<i>Cloridopsis immaculata</i> (Kemp, 1913)	142
<i>Cloridopsis scorpio</i> (Latreille, 1828)	142
<i>Coenobita brevipanus</i> Dana, 1852	53
<i>Coenobita rugosa</i> H. Milne Edwards, 1837	53
<i>Coenobita violascens</i> Heller, 1862	53
<i>Conchodytes biunguiculatus</i> (Paulson, 1875)	40
<i>Conchoecetes andamanicus</i> Alcock, 1899	62
<i>Conchoecetes artificiosus</i> (Fabricius, 1791)	62
<i>Coronidopsis bicuspis</i> Hansen, 1926	136
<i>Coronidopsis sereni</i> Moosa, 1973	136
<i>Cosmonotus grayi</i> Adams & White, 1848	63
<i>Criocarcinus superciliosus</i> (Linnaeus, 1767)	75
<i>Cryptochirus coralliodytes</i> Heller, 1861	134
<i>Cryptocnemus mortenseni</i> Rathbun, 1909	67
<i>Cryptocnemus siamensis</i> Serene & Soh, 1976	67
<i>Cryptopodia anagulata</i> H. Milne Edwards & Lucas, 1841	76
<i>Cryptopodia collifer</i> Flipse, 1930	76
<i>Cryptopodia dorsalis</i> White, 1847	76
<i>Cryptopodia fornicata</i> (Fabricius, 1781)	76
<i>Cryptopodia laevimana</i> Miers, 1879	76
<i>Cryptopodia pan</i> Laurie, 1906	76
<i>Crytodromia canaliculata</i> Stimpson, 1858	62
<i>Crytodromia pileifera</i> Alcock, 1899	62
<i>Cyclasterope bisetosa</i> Poulsen, 1965	152
<i>Cyclasterope fascigera</i> Brady, 1902	152
<i>Cymo andreossyi</i> (Audouin, 1826)	103
<i>Cymo melanodactylus</i> De Haan, 1833	103
<i>Cymo quadrilobatus</i> Miers, 1884	103
<i>Cypridina acuminata</i> (M Iler, 1906)	148
<i>Cypridina sinuosa</i> (M Iler, 1906)	148
<i>Cypridinodes asymmetrica</i> (M Iler, 1906)	148
<i>Dairoides seafdeci</i> Takeda & Ananpongsuk, 1991	79
<i>Daldorfia horrida</i> (Linnaeus, 1758)	76
<i>Dardanus aspersus</i> (Berthold, 1846)	55
<i>Dardanus callichela</i> Cook, 1989	55
<i>Dardanus hessii</i> (Miers, 1884)	55
<i>Dardanus lagopodes</i> (Forsk., 1775)	55

<i>Dardanus megistos</i> (Herbst, 1804)	56
<i>Dardanus pedunculatus</i> (Herbst, 1804)	56
<i>Dardanus setifer</i> (H.Milne Edwards, 1836)	56
<i>Demania cultripes</i> (Alcock, 1898)	105
<i>Demania scaberrima</i> (Walker, 1887)	105
<i>Demannietta huahin</i> Yeo, Naiyanetr & Ng, 1999	123
<i>Demannietta khirikhan</i> Yeo, Naiyanetr & Ng, 1999	123
<i>Demannietta lansak</i> Yeo, Naiyanetr & Ng, 1999	123
<i>Demannietta manii</i> (Rathbun, 1904)	123
<i>Demannietta nakhonsi</i> Yeo, Naiyanetr & Ng, 1999	123
<i>Demannietta renongensis</i> (Rathbun, 1905)	123
<i>Demannietta suanphung</i> Yeo, Nayonetr & Ng, 1999	124
<i>Demannietta tritrungensis</i> (Naiyanetr, 1986)	124
<i>Dictyosquilla foveolata</i> (Wood-Mason, 1895)	144
<i>Diogenes avarus</i> Heller, 1865	56
<i>Diogenes costatus</i> Henderson, 1893	56
<i>Diogenes dubius</i> (Herbst 1804)	56
<i>Diogenes goniochirus</i> Forest, 1956	56
<i>Diogenes guttatus</i> Henderson, 1888	56
<i>Diogenes klaasi</i> Rahayu & Forest, 1995	56
<i>Diogenes mixtus</i> Lanchester, 1902	56
<i>Diogenes planimanus</i> Henderson, 1893	57
<i>Diogenes rectimanus</i> Miers, 1884	57
<i>Diogenes serenei</i> Forest, 1956	57
<i>Diogenes stenops</i> Morgan & Forest, 1991	57
<i>Diogenes tumidus</i> Rahayu & Forest, 1995	57
<i>Discoplax hirtipes</i> Dana, 1851	108
<i>Doclea alcocki</i> Laurie, 1906	73
<i>Doclea armata</i> (De Haan, 1893)	73
<i>Doclea gracilipes</i> Stimpson, 1857	73
<i>Doclea ovis</i> (Herbst, 1788)	74
<i>Doclea terruptera</i> Walker, 1890	74
<i>Dorippe dorsipes</i> (Linnaeus, 1758)	64
<i>Dorippe quadridens</i> (Fabricius, 1793)	64
<i>Dorippoides facchino</i> (Herbst, 1785)	64
<i>Dorippoides nudipes</i> Holthuis & Manning, 1986	64
<i>Dotilla myctiroides</i> (H. Milne Edwards, 1852)	133
<i>Dotilla wichmanni</i> De Man, 1892	133
<i>Dotillopsis brevitarsis</i> (De Man, 1888)	133
<i>Drachiella morum</i> (Alcock, 1896)	67
<i>Dromia dehaani</i> Rathbun, 1923	62
<i>Dromia dormia</i> (Linnaeus, 1763)	62
<i>Dromidia unidentata</i> (Ruppell, 1830)	62
<i>Dromidiopsis cranioides</i> (De Man, 1888)	62
<i>Dromothelphusa namuan</i> (Naiyanetr, 1993)	124
<i>Dromothelphusa nayung</i> (Naiyanetr, 1993)	124
<i>Dromothelphusa phrae</i> (Naiyanetr, 1984)	124
<i>Dromothelphusa sangwan</i> Naiyanetr, 1997	124
<i>Ebalia glans</i> (Alcock, 1896)	67

<i>Ebalia heterochalaza</i> Kemp, 1915	67
<i>Ebalia malefactorix</i> Kemp, 1915	67
<i>Ebalia tuberculosa</i> (A. Milne Edwards, 1873)	67
<i>Ebalia woodmasoni</i> Alcock, 1896	67
<i>Eduarctus martensii</i> (Pfeffer, 1881)	49
<i>Elamena magna</i> Ng & Chuang, 1996	75
<i>Elamenopsis exiguus</i> (Kemp, 1917)	75
<i>Emerita emeritus</i> (Linnaeus, 1767)	61
<i>Enosteoides ornatus</i> (Stimpson, 1858)	59
<i>Epiactaea margaritifera</i> (Odhner, 1925)	101
<i>Epixanthus corrosus</i> A. Milne Edwards, 1873	94
<i>Epixanthus dentatus</i> (White, 1847)	94
<i>Epixanthus frontalis</i> (H. Milne Edwards, 1834)	94
<i>Eriphia scabricula</i> Dana, 1852	94
<i>Eriphia sebana</i> (Shaw & Nodder, 1803)	94
<i>Eriphia smithi</i> MacLeay, 1838	94
<i>Erugosquilla woodmasoni</i> (Kemp, 1911)	142
<i>Esanpotamon namson</i> Naiyanetr & Ng, 1997	124
<i>Esantheiphusa chiangmai</i> (Ng & Naiyanetr, 1993)	120
<i>Esantheiphusa denchii</i> (Naiyanetr, 1984)	120
<i>Esantheiphusa dugasti</i> (Rathbun, 1902)	120
<i>Esantheiphusa fangensis</i> (Naiyanetr, 1978)	120
<i>Esantheiphusa nani</i> (Naiyanetr, 1984)	120
<i>Esantheiphusa phetchaburi</i> (Ng & Naiyanetr, 1993)	120
<i>Etisus anaglyptus</i> H. Milne Edwards, 1834	103
<i>Etisus electra</i> (Herbst, 1801)	103
<i>Etisus frontalis</i> Dana, 1852	103
<i>Etisus laevimanus</i> Randall, 1840	103
<i>Etisus utilis</i> Jacquinet, 1852	103
<i>Eucrate alcocki</i> Serene, 1971	90
<i>Eucrate crenata</i> De Haan, 1835	90
<i>Eucrate solaris</i> Yang & Sun, 1979	90
<i>Eucrate sulcatifrons</i> (Stimpson, 1858)	90
<i>Euphilomedes nodosa</i> Poulsen, 1962	149
<i>Eupilumnus actumnoides</i> (A. Milne Edwards, 1873)	94
<i>Eurycarcinus orientalis</i> A. Milne Edwards, 1868	96
<i>Eusarsiella armata</i> Poulsen, 1965	149
<i>Eusarsiella guttata</i> Poulsen, 1965	149
<i>Eusarsiella longicornis</i> Poulsen, 1965	150
<i>Eusarsiella longipenna</i> Poulsen, 1965	150
<i>Eusarsiella maculata</i> Poulsen, 1965	150
<i>Eusarsiella multispinosa</i> Poulsen, 1965	150
<i>Eusarsiella nana</i> Poulsen, 1965	150
<i>Eusarsiella parvispinosa</i> Poulsen, 1965	150
<i>Eusarsiella spinulosa</i> Poulsen, 1965	150
<i>Eusarsiella striata</i> Poulsen, 1965	150
<i>Eusarsiella verae</i> Poulsen, 1965	150
<i>Eutrichocheles modestus</i> (Herbst, 1796)	50
<i>Euxanthus exsculptus</i> (Herbst, 1790)	104

<i>Exhippolysmata ensirostris</i> (Kemp, 1914)	46
<i>Exopalaemon styliferus</i> (H. Milne Edwards, 1840)	35
<i>Fallosquilla fallax</i> (Bouvier, 1914)	143
<i>Faughnia formosae</i> Manning & Chan, 1997	139
<i>Fizesereneia heimi</i> (Fize & Serene, 1957)	134
<i>Forestia depressa</i> (White, 1848)	101
<i>Gaillardiellus orientalis</i> (Odhner, 1925)	101
<i>Gaillardiellus ruppellii</i> (Krauss, 1843)	101
<i>Galathea coralliophilus</i> Baba & Oh, 1990	58
<i>Galene bispinosa</i> (Herbst, 1783)	104
<i>Gastroptychus chacei</i> Babe, 1986	58
<i>Gecarcoidea lalandii</i> H. Milne Edwards, 1837	109
<i>Geograpsus crinipes</i> (Dana, 1851)	109
<i>Geograpsus grayi</i> (H. Milne Edwards, 1853)	109
<i>Geosesarma krathing</i> Ng & Naiyanetr, 1992	111
<i>Glabropilumnus dispar</i> (Dana, 1852)	96
<i>Glabropilumnus edamensis</i> (De Man, 1887)	96
<i>Glabropilumnus laevimanus</i> (Dana, 1852)	96
<i>Glabropilumnus seminudus</i> (Miers, 1884)	96
<i>Globopilumnus actumnoides</i> (A. Milne, Edwards, 1873)	94
<i>Gomezia bicornis</i> Gray, 1831	78
<i>Gonatonotus pentagonus</i> White, 1847	77
<i>Gonioinfradens paucidentata</i> (A. Milne Edwards, 1861)	87
<i>Gonodactylaceus falcatus</i> (Forsk., 1775)	136
<i>Gonodactylaceus mutatus</i> (Lanchester, 1903)	136
<i>Gonodactylaceus siamensis</i> (Manning & Reaka, 1981)	136
<i>Gonodactylaceus tematensis</i> (De Man, 1902)	136
<i>Gonodactylellus affinis</i> (De Man, 1902)	137
<i>Gonodactylellus annularis</i> Edmann & Manning, 1998	137
<i>Gonodactylellus snidvongsi</i> Naiyanetr, 1987	137
<i>Gonodactylinus viridis</i> (Serene, 1954)	137
<i>Gonodactylus chiragra</i> (Fabricius, 1781)	137
<i>Gonodactylus platysoma</i> Wood-Mason, 1895	137
<i>Gonodactylus smithii</i> Pocock, 1893	137
<i>Gouretia aungtonyae</i> Sakai, 2002	52
<i>Gouretia phuketensis</i> Sakai, 2002	52
<i>Grapsus albolineatus</i> Lamarck, 1818	109
<i>Grapsus tenuicrustatus</i> (Herbst, 1783)	109
<i>Halicarcinus coralicola</i> (Rathbun, 1909)	75
<i>Halimede ochtodes</i> (Herbst, 1783)	95
<i>Halimede thurstoni</i> Henderson, 1893	95
<i>Haptosquilla glyptocercus</i> (Wood-Mason, 1875)	138
<i>Haptosquilla pulchella</i> (Miers, 1880)	138
<i>Haptosquilla tuberosa</i> (Pocock, 1893)	138
<i>Harpiliopsis beaupresii</i> (Audouin, 1826)	40
<i>Harpiosquilla annandalei</i> (Kemp, 1911)	139
<i>Harpiosquilla harpax</i> (De Haan, 1844)	140
<i>Harpiosquilla japonica</i> Manning, 1969	140
<i>Harpiosquilla melanoura</i> Manning, 1968	140

<i>Harpiosquilla raphidea</i> (Fabricius, 1798)	140
<i>Helice leachi</i> Hess, 1865	111
<i>Hephthopelta mortenseni</i> Serene, 1964	91
<i>Heterocarpoides levicarina</i> (Bate, 1888)	47
<i>Heteronucia mesanensis</i> Rathbun, 1909	67
<i>Heteropanope changensis</i> (Rathbun, 1909)	96
<i>Heteropanope glabra</i> Stimpson, 1858	96
<i>Heteropilumnus cristatus</i> (Rathbun, 1909)	96
<i>Heteropilumnus setosus</i> (A. Milne Edwards, 1873)	97
<i>Heteropilumnus trichophorus</i> (De Man, 1895)	97
<i>Heteroplax dentata</i> Stimpson, 1858	90
<i>Heteroplax nitida</i> Miers, 1879	90
<i>Heteroplax transversa</i> Stimpson, 1858	91
<i>Heterothelphusa beauvoisi</i> (Rathbun, 1902)	120
<i>Heterothelphusa fatum</i> Ng, 1997	121
<i>Hexapus edwardsi</i> Serene & Soh, 1976	93
<i>Hexapus granuliferus</i> Campbell & Stephenson, 1970	93
<i>Hexapus sexpes</i> (Fabricius, 1798)	93
<i>Hexapus stephenseni</i> Serene & Soh, 1976	93
<i>Hippa adactyla</i> Fabricius, 1787	61
<i>Hippa celaeno</i> (De Man, 1896)	61
<i>Holometopus limbense</i> Rathbun, 1914	112
<i>Homoioplax haswelli</i> Rathbun, 1914	92
<i>Homola orientalis</i> Henderson, 1888	63
<i>Hyastenus aries</i> (Latreille, 1825)	74
<i>Hyastenus diacanthus</i> (De Haan, 1839)	74
<i>Hyastenus hilgendorfi</i> De Man, 1888	74
<i>Hyastenus oryx</i> A. Milne Edwards, 1872	74
<i>Hyastenus planasius</i> (Adams & White, 1848)	74
<i>Hyastenus spinosus</i> A. Milne Edwards, 1872	74
<i>Hymenicoides naiyanetri</i> (Chuang & Ng, 1991)	75
<i>Hypocolpus granulatus</i> (De Haan, 1837)	104
<i>Hypocolpus rugosus</i> (Henderson, 1893)	104
<i>Ibacus ciliatus</i> (Von Siebold, 1824)	49
<i>Ibacus novemdentatus</i> Gibbes, 1850	49
<i>Ilyograpsus paludicola</i> (Rathbun, 1909)	116
<i>Ilyogynnis microcheirum</i> (Tweedie, 1937)	129
<i>Ilyoplax delsmanni</i> De Man, 1926	133
<i>Ilyoplax integer</i> (Tesch, 1918)	133
<i>Ilyoplax lingulatus</i> (Rathbun, 1909)	133
<i>Ilyoplax obliquus</i> Tweedie, 1935	133
<i>Ilyoplax orientalis</i> (De Man, 1888)	134
<i>Ilyoplax punctatus</i> Tweedie, 1935	134
<i>Iphiculus spongiosus</i> Adams & White, 1848	69
<i>Ixa cylindrus</i> (Fabricius, 1777)	70
<i>Ixa edwardsi</i> Lucas, 1858	70
<i>Ixa pulcherrima</i> (Haswell, 1880)	70
<i>Ixoides cornutus</i> Mac Gilchrist, 1905	70
<i>Izanami curtispina</i> (Sakai, 1961)	66

<i>Johora thaina</i> Leelawathanagoon, Lheknim & Ng, 2005	124
<i>Jonas distincta</i> (De Haan, 1835)	78
<i>Jonas formosae</i> Balss, 1922	78
<i>Kanpotamon duangkhaei</i> Ng & Naiyanetr, 1993	124
<i>Keijia lirata</i> (Kemp & Chopra, 1921)	143
<i>Kraussia nitida</i> Stimpson, 1858	104
<i>Kraussia rugulosus</i> (Krauss, 1843)	104
<i>Labuanium politum</i> (De Man, 1887)	112
<i>Lambdophallus anfractus</i> Rathbun, 1909	93
<i>Laomedia healyi</i> Yaldwin & Wear, 1970	52
<i>Larnaudia beusekomaе</i> (Bott, 1970)	124
<i>Larnaudia chaiyaphumi</i> Naiyanetr, 1982	124
<i>Larnaudia larnaudii</i> (A. Milne Edwards, 1869)	124
<i>Latreillia valida</i> De Haan, 1839	63
<i>Latreillopsis tetraspinosa</i> Dai & Chen, 1980	63
<i>Latreutes mucronatus</i> (Stimpson, 1860)	46
<i>Lauridromia indica</i> (Gray, 1831)	63
<i>Leander tenuicornis</i> (Say, 1818)	35
<i>Leandrites indicus</i> Holthuis, 1950	35
<i>Leandrites stenopus</i> Holthuis, 1950	35
<i>Lenisquilla lata</i> (Brooks, 1886)	143
<i>Leptocarpus potamiscus</i> (Kemp, 1917)	35
<i>Leptodius exaratus</i> (H. Milne Edwards, 1834)	106
<i>Leptodius gracilis</i> (Dana, 1852)	106
<i>Leptodius nudipes</i> (Dana, 1852)	106
<i>Leptodius sanguineus</i> (H. Milne Edwards, 1834)	96
<i>Leucosia anatum</i> (Herbst, 1783)	68
<i>Leucosia craniolaris</i> (Linnaeus, 1758)	68
<i>Leucosia haematostrita</i> Adams & White, 1748	68
<i>Leucosia haswelli</i> Miers, 1884	68
<i>Leucosia longifrons</i> De Haan, 1850	68
<i>Leucosia margaritata</i> A. Milne Edwards, 1874	68
<i>Leucosia perlata</i> De Haan, 1841	68
<i>Leucosia pulcherrima</i> Miers, 1896	68
<i>Leucosia rhomboidalis</i> De Haan, 1841	68
<i>Leucosia unidentata</i> De Haan, 1841	68
<i>Leucosia urania</i> (Herbst, 1786)	69
<i>Leucosia vittata</i> Stimpson, 1858	69
<i>Leucosia whitei</i> Bell, 1855	69
<i>Levisquilla incerta</i> (Hansen, 1926)	143
<i>Levisquilla inermis</i> (Manning, 1965)	143
<i>Levisquilla jurichi</i> (Makarov, 1979)	143
<i>Levisquilla minor</i> (Jurich, 1904)	143
<i>Liagore erythematica</i> Guinot, 1971	89
<i>Liagore rubromaculata</i> De Haan, 1835	89
<i>Libystes alphonsi</i> Alcock, 1900	79
<i>Libystes edwardsi</i> Alcock, 1900	79
<i>Libystes nitidus</i> A. Milne Edwards, 1867	80
<i>Linuparus trigonus</i> (Von Siebold, 1824)	48

<i>Liocarpilodes integerrimus</i> (Dana, 1852)	102
<i>Liomera bella</i> (Dana, 1852)	104
<i>Liomera cinctimana</i> (White, 1847)	105
<i>Liomera erythra</i> (Lancherster, 1901)	105
<i>Liomera guttata</i> (De Man, 1888)	105
<i>Liomera laevis</i> (A. Milne Edwards, 1873)	105
<i>Liomera margaritata</i> (A. Milne Edwards, 1873)	105
<i>Liomera monticulosa</i> (A. Milne Edwards, 1873)	105
<i>Liomera stimpsoni</i> (A. Milne Edwards, 1865)	105
<i>Liomera venosa</i> (H. Milne Edwards, 1834)	105
<i>Lipkecallianassa abyssa</i> Sakai, 2002	51
<i>Lissocarcinus arkati</i> Kemp, 1923	79
<i>Lissocarcinus boholensis</i> Semper, 1880	79
<i>Lissocarcinus laevis</i> Miers, 1886	79
<i>Lissocarcinus polybluoides</i> Adams & White, 1848	79
<i>Lissoporcellana quadrilobata</i> (Miers, 1884)	59
<i>Lissoporcellana spinuligera</i> (Dana, 1853)	59
<i>Litocheira cristata</i> Rathbun, 1909	91
<i>Litocheira setosa</i> (A. Milne Edwards, 1873)	91
<i>Lophoplax takakurai</i> Sakai, 1935	92
<i>Lophozozymus dodone</i> (Herbst, 1801)	108
<i>Lophozozymus pictor</i> (Fabricius, 1798)	108
<i>Lucifer hansenii</i> Nobili, 1905	32
<i>Lupocyclus rotundatus</i> Adams & White, 1848	80
<i>Lupocyclus philippinensis</i> Semper, 1880	80
<i>Lysiosquilla tredecimdentata</i> Holthuis, 1941	138
<i>Lysiosquillina maculata</i> (Fabricius, 1793)	138
<i>Lysiosquilloides siamensis</i> (Naiyanetr, 1980)	138
<i>Lysmata vittata</i> Stimpson, 1860	46
<i>Macrobrachium amplimanus</i> Cai & Dai, 1999	35
<i>Macrobrachium assamense</i> (Tiwari, 1955)	35
<i>Macrobrachium dienbienphuense</i> Dany & Nguyen, 1972	35
<i>Macrobrachium dolatum</i> Cai, Naiyanetr and Ng, 2004	36
<i>Macrobrachium equidens</i> (Dana, 1852)	36
<i>Macrobrachium eriocheirum</i> Dai, 1984	36
<i>Macrobrachium esculentum</i> (Thallwitz, 1891)	36
<i>Macrobrachium forcipatum</i> Ng, 1995	36
<i>Macrobrachium hendersoni</i> (De Man, 1906)	36
<i>Macrobrachium hirsutimanus</i> (Tiwari, 1952)	37
<i>Macrobrachium idae</i> (Heller, 1862)	37
<i>Macrobrachium lanchesteri</i> (De Man, 1911)	37
<i>Macrobrachium lar</i> (Fabricius, 1793)	37
<i>Macrobrachium latidactylus</i> (Thallwitz, 1891)	37
<i>Macrobrachium malayanum</i> (Roux, 1934)	37
<i>Macrobrachium mieni</i> Dang, 1975	37
<i>Macrobrachium mirabile</i> (Kemp, 1917)	37
<i>Macrobrachium neglectus</i> (De Man, 1905)	37
<i>Macrobrachium niphae</i> Shokita & Takeda, 1989	38
<i>Macrobrachium palaemonoides</i> Holthuis, 1950	38

<i>Macrobrachium pilimanus</i> (De Man, 1879)	38
<i>Macrobrachium rosenbergii dacqueti</i> (Sunier, 1925)	38
<i>Macrobrachium sintangense</i> (De Man, 1898)	39
<i>Macrobrachium sirindhorn</i> Naiyanetr, 2001	39
<i>Macrobrachium thai</i> Cai, Naiyanetr and Ng, 2004	39
<i>Macrobrachium tratense</i> Cai, Naiyanetr and Ng, 2004	39
<i>Macrobrachium trompii</i> (De Man, 1898)	39
<i>Macrobrachium yui</i> Holthuis, 1950	39
<i>Macromedaeus crassimanus</i> (A. Milne Edwards, 1867)	96
<i>Macrophthalmus bosci</i> Audouin & Savigny, 1825	129
<i>Macrophthalmus brevis</i> (Herbst, 1804)	129
<i>Macrophthalmus ceratophorus</i> Sakai, 1969	129
<i>Macrophthalmus convexus</i> Stimpson, 1858	129
<i>Macrophthalmus crassipes</i> H. Milne Edwards, 1906	129
<i>Macrophthalmus definitus</i> Adams & White, 1848	129
<i>Macrophthalmus dentatus</i> Stimpson, 1858	130
<i>Macrophthalmus erato</i> De Man, 1888	130
<i>Macrophthalmus laevimanus</i> H. Milne Edwards, 1852	130
<i>Macrophthalmus latreillei</i> (Desmarest, 1822)	130
<i>Macrophthalmus milloti</i> Crosnier, 1965	130
<i>Macrophthalmus pacificus</i> Dana, 1851	130
<i>Macrophthalmus parvimanus</i> Guerin, 1834	130
<i>Macrophthalmus quadratus</i> A. Milne Edwards, 1873	130
<i>Macrophthalmus serenei</i> Takeda & Komai, 1991	130
<i>Macrophthalmus sulcatus</i> H. Milne Edwards, 1852	130
<i>Macrophthalmus teschi</i> Kemp, 1919	130
<i>Macrophthalmus tomentosus</i> Souleyet, 1841	131
<i>Macrophthalmus transversus</i> (Latreille, 1817)	131
<i>Macrophthalmus verreauxi</i> H. Milne Edwards, 1848	131
<i>Macrophthalmus vietnamensis</i> Serene, 1971	131
<i>Maldivia triunguiculata</i> (Borradaile, 1902)	99
<i>Manningia australiensis</i> Manning, 1970	136
<i>Manningia pilaensis</i> (De Man, 1888)	136
<i>Matuta planipes</i> Fabricius, 1798	66
<i>Matuta victor</i> (Fabricius, 1781)	66
<i>Medaeops granulosis</i> (Haswell, 1882)	104
<i>Megaesthesius sagedae</i> Rathbun, 1909	91
<i>Mekhongthelphusa kengsaphu</i> Naiyanetr & Ng, 1995	121
<i>Mekhongthelphusa tetragonum</i> (Rathbun, 1902)	121
<i>Menaethius monoceros</i> (Latreille, 1825)	72
<i>Menippe rumphii</i> (Fabricius, 1798)	95
<i>Mertonia lanka</i> Lauire, 1906	92
<i>Metanephrops andamanicus</i> (Wood-Mason, 1891)	48
<i>Metapenaeopsis barbata</i> (De Haan, 1850)	24
<i>Metapenaeopsis ceylonica</i> Starobogatov, 1972	24
<i>Metapenaeopsis crassissima</i> Racek & Dall, 1965	24
<i>Metapenaeopsis distincta</i> (De Man, 1907)	24
<i>Metapenaeopsis lamellata</i> (De Haan, 1850)	24
<i>Metapenaeopsis mogjensis</i> (Rathbun, 1902)	24

<i>Metapenaeopsis mogiensis intermedia</i> Crosnier, 1991	24
<i>Metapenaeopsis palmensis</i> (Haswell, 1879)	25
<i>Metapenaeopsis sinica</i> Lui & Zhong, 1988	25
<i>Metapenaeopsis stridulans</i> (Alcock, 1905)	25
<i>Metapenaeopsis toloensis</i> Hall, 1962	25
<i>Metapenaeus affinis</i> (H. Milne Edwards, 1837)	25
<i>Metapenaeus anchistus</i> (De Man, 1920)	25
<i>Metapenaeus brevicornis</i> (H. Milne Edwards, 1837)	25
<i>Metapenaeus conjunctus</i> Racek & Dall, 1965	26
<i>Metapenaeus dobsoni</i> (Miers, 1878)	26
<i>Metapenaeus elegans</i> De Man, 1907	26
<i>Metapenaeus ensis</i> (De Haan, 1844)	26
<i>Metapenaeus intermedius</i> (Kishinouye, 1900)	26
<i>Metapenaeus krishnatrii</i> Silas & Muthu, 1976	26
<i>Metapenaeus lysianassa</i> (De Man, 1888)	26
<i>Metapenaeus moyebi</i> (Kishinouye, 1896)	27
<i>Metapenaeus papuensis</i> Racek & Dall, 1965	27
<i>Metapenaeus suluensis</i> Racek & Dall, 1965	27
<i>Metapenaeus tenuipes</i> Kubo, 1949	27
<i>Metaplax cernulata</i> (Gerstaecker, 1856)	112
<i>Metaplax dentipes</i> (Heller, 1830)	112
<i>Metaplax distinctus</i> H. Milne Edwards, 1852	112
<i>Metaplax elegans</i> De Man, 1888	112
<i>Metaplax longipes</i> Stimpson, 1858	112
<i>Metasesarma aubryi</i> A. Milne Edwards, 1869	112
<i>Metopograpsus frontails</i> Miers, 1880	109
<i>Metopograpsus latifrons</i> (White, 1847)	110
<i>Metopograpsus messor</i> (Forsk., 1775)	110
<i>Metopograpsus oceanicus</i> (Jacquinot, 1853)	110
<i>Metopograpsus quadridentatus</i> Stimpson, 1858	110
<i>Metopograpsus thukuhar</i> (Owen, 1839)	110
<i>Michaelcallianassa indica</i> Sakai, 2002	51
<i>Micippa philyra</i> (Herbst, 1803)	73
<i>Micippa thalia</i> (Herbst, 1803)	73
<i>Microasteropteron parvum</i> Poulsen, 1965	152
<i>Mictyris longicarpus</i> Latreille, 1806	117
<i>Miyakea nepa</i> (Latreille, 1825)	143
<i>Mortensenella forceps</i> Rathbun, 1909	117
<i>Munida sentai</i> Baba, 1986	59
<i>Mursia africana</i> Galil, 1993	66
<i>Myomenippe hardwicki</i> (Gray, 1831)	95
<i>Myra acutidens</i> Ihle, 1918	70
<i>Myra affinis</i> Bell, 1855	70
<i>Myra coalita</i> (Hilgendorf, 1873)	70
<i>Myra elegans</i> Bell, 1855	70
<i>Myra fugax</i> (Fabricius, 1798)	70
<i>Myra pentacantha</i> Alcock, 1896	70
<i>Myrodes eudactylus</i> Bell, 1855	70
<i>Nanopilumnus rouxi</i> (Balss, 1935)	96

<i>Nanosesarma edamensis</i> (De Man, 1887)	112
<i>Nanosesarma minutum</i> (De Man, 1887)	112
<i>Nanosesarma pontianacensis</i> (De Man, 1895)	113
<i>Nematopagurus australis</i> (Henderson, 1888)	58
<i>Nematoplaemon tenuipes</i> (Henderson, 1893)	39
<i>Neodorippe callida</i> (Fabricius, 1798)	65
<i>Neopisesarma brockii</i> (De Man, 1887)	113
<i>Neopisesarma mederi</i> (H. Milne Edwards, 1853)	113
<i>Neopisesarma palawanensis</i> (Rathbun, 1914)	113
<i>Neopisesarma singaporensis</i> (Tweedie, 1940)	113
<i>Neopisesarma versicolor</i> (Tweedie, 1940)	113
<i>Neosarmatium indicum</i> (A. Milne Edwards, 1868)	113
<i>Neosarmatium meinerti</i> (De Man, 1887)	113
<i>Neosarmatium smithi</i> (H. Milne Edwards, 1853)	114
<i>Neosesarma gemmiferum</i> (Tweedie, 1936)	114
<i>Neoxanthias michelae</i> Serene & Vadon, 1981	106
<i>Neoxanthops lineatus</i> (A. Milne Edwards, 1867)	106
<i>Neoxenophthalmus obscurus</i> (Henderson, 1893)	119
<i>Nephropsis stewarti</i> Wood-Mason, 1872	47
<i>Notonyx vitreus</i> Alcock, 1900	91
<i>Notopoides latus</i> Henderson, 1888	64
<i>Notopus dorsipes</i> (Fabricius, 1798)	64
<i>Novorostrum phuketensis</i> Osawa, 1998	59
<i>Nuciops modesta</i> (Ihle, 1918)	67
<i>Nursia lar</i> (Fabricius, 1798)	71
<i>Nursilia tonsor</i> Alcock, 1898	71
<i>Ocypode ceratophthalma</i> (Pallas, 1772)	131
<i>Ocypode cordimana</i> Latreille, 1818	131
<i>Ocypode nobilii</i> De Man, 1902	131
<i>Ocypode stimpsoni</i> Ortmann, 1897	131
<i>Odontodactylus japonicas</i> (De Haan, 1844)	137
<i>Odontodactylus scyllarus</i> (Linnaeus, 1758)	137
<i>Ogyrides striaticauda</i> Kemp, 1915	46
<i>Ommatocarcinus pulcher</i> Barnard, 1950	91
<i>Oncopagurus monstrosus</i> (Alcock, 1894)	58
<i>Onychomorpha lamelligera</i> Stimpson, 1858	67
<i>Opecarcinus crescentus</i> (Edmondson, 1925)	134
<i>Oratosquillina gonypetes</i> (Kemp, 1911)	143
<i>Oratosquillina inornata</i> (Tate, 1883)	144
<i>Oratosquillina interrupta</i> (Kemp, 1911)	144
<i>Oratosquillina manningi</i> Ah Yong, Chan & Liao, 2000	144
<i>Oratosquillina ornata</i> (Manning, 1971)	144
<i>Oratosquillina perpensa</i> (Kemp, 1911)	144
<i>Oratosquillina quinquedentata</i> (Brooks, 1886)	144
<i>Oratosquillina subtilis</i> (Manning, 1978)	144
<i>Oreophorus rugosus</i> Stimpson, 1858	67
<i>Ozium guttatus</i> H. Milne Edwards, 1834	95
<i>Ozium rugulosus</i> Stimpson, 1858	95
<i>Ozium tuberculosus</i> H. Milne Edwards, 1834	95

<i>Pachycheles garciaensis</i> (Ward, 1942)	59
<i>Pachycheles sculptus</i> (H. Milne Edwards, 1837)	59
<i>Pachygrapsus minutus</i> A. Milne Edwards, 1873	110
<i>Pachygrapsus planifrons</i> De Man, 1888	110
<i>Pachygrapsus propinquus</i> De Man, 1908	110
<i>Paguristes hians</i> Henderson, 1888	57
<i>Paguristes longirostris</i> Dana, 1852	57
<i>Paguristes monoporus</i> Morgan, 1987	57
<i>Pagurus cavicarpus</i> (Paulson, 1875)	58
<i>Pagurus kulkarnii</i> Sankolli, 1962	58
<i>Pagurus pitagsaleei</i> McLaughlin, 2002	58
<i>Palaemon semmelinkii</i> (De Man, 1881)	40
<i>Palaemon serrifer</i> (Stimpson, 1860)	40
<i>Palaemon sewelli</i> (Kemp, 1925)	40
<i>Palaemonella tenuipes</i> Dana, 1852	40
<i>Palicus woodmasoni</i> (Alcock, 1900)	134
<i>Palinurellus wieneckii</i> (De Man, 1881)	50
<i>Palinustus waguensis</i> Kubo, 1963	48
<i>Panulirus homarus</i> (Linnaeus, 1758)	48
<i>Panulirus longipes</i> (A. Milne Edwards, 1868)	48
<i>Panulirus ornatus</i> (Fabricius, 1798)	48
<i>Panulirus penicillatus</i> (Olivier, 1791)	48
<i>Panulirus polyphagus</i> (Herbst, 1793)	48
<i>Panulirus stimpsoni</i> Holthuis, 1963	49
<i>Panulirus versicolor</i> (Latreille, 1804)	49
<i>Paracleistostoma depressum</i> De Man, 1895	129
<i>Paracleistostoma longimanus</i> Tweedie, 1937	129
<i>Paracleistostoma microcheirum</i> Tweedie, 1937	129
<i>Paranursia abbreviata</i> (Bell, 1855)	71
<i>Parapalicus ambonensis</i> Moosa & Serene, 1981	134
<i>Parapanope siamensis</i> Guinot, 1985	98
<i>Parapenaeopsis cornutus</i> (Kishinouye, 1900)	27
<i>Parapenaeopsis coromandelica</i> Alcock, 1906	27
<i>Parapenaeopsis hardwickii</i> (Miers, 1878)	27
<i>Parapenaeopsis hungerfordi</i> Alcock, 1905	28
<i>Parapenaeopsis maxillipedo</i> Alcock, 1905	28
<i>Parapenaeopsis sculptilis</i> (Heller, 1862)	28
<i>Parapenaeopsis tenella</i> (Bate, 1888)	28
<i>Parapenaeopsis uncta</i> Alcock, 1905	28
<i>Parapenaeopsis venusta</i> De Man, 1907	28
<i>Parapenaeus longipes</i> Alcock, 1905	28
<i>Paraphilomedes tricornuta</i> Poulsen, 1962	149
<i>Paraphilomedes unicornuta</i> Poulsen, 1962	149
<i>Parasesarma lanchesteri</i> (Tweedie, 1950)	114
<i>Parasesarma lepidum</i> (Tweedie, 1950)	114
<i>Parasesarma leptosoma</i> (Hilgendorf, 1869)	114
<i>Parasesarma melissum</i> De Man, 1887	114
<i>Parasesarma pictum</i> (De Haan, 1835)	114
<i>Parasesarma plicatum</i> (Latreille, 1806)	114

<i>Parasterope nana</i> Poulsen, 1965	151
<i>Parasterope skogsbergi</i> Poulsen, 1965	151
<i>Paratymolus pubescens</i> Miers, 1879	72
<i>Paratymolus vannus</i> Loh & Ng, 1999	72
<i>Paravargula hirsuta</i> (M Iler, 1906)	148
<i>Parilia alcocki</i> Wood Mason, 1891	71
<i>Pariphiculus mariannae</i> (Herklots, 1852)	71
<i>Parribacus antarcticus</i> (Lund, 1793)	49
<i>Parthenope longimanus</i> (Linnaeus, 1764)	77
<i>Penaeus canaliculatus</i> (Olivier, 1811)	29
<i>Penaeus indicus</i> H. Milne Edwards, 1837	29
<i>Penaeus japonicus</i> Bate, 1888	29
<i>Penaeus latisulcatus</i> Kishinouye, 1896	29
<i>Penaeus longistylus</i> Kubo, 1943	29
<i>Penaeus merguensis</i> De Man, 1888	29
<i>Penaeus monodon</i> Fabricius, 1798	29
<i>Penaeus penicillatus</i> Alcock, 1905	29
<i>Penaeus semisulcatus</i> De Haan, 1850	29
<i>Penaeus silasi</i> Muthu & Motoh, 1979	29
<i>Percnon planissimum</i> (Herbst, 1804)	110
<i>Periclimenes brevicarpalis</i> (Schenkel, 1902)	40
<i>Periclimenes consobrinus</i> (De Man, 1902)	40
<i>Periclimenes diversipes</i> Kemp, 1992	40
<i>Periclimenes elegans</i> (Paulson, 1875)	41
<i>Periclimenes grandis</i> (Stimpson, 1860)	41
<i>Periclimenes holthuisi</i> Bruce, 1969	41
<i>Periclimenes magnificus</i> Bruce, 1979	41
<i>Perisesarma darwinensis</i> (Campbell, 1967)	114
<i>Perisesarma dussumieri</i> (H. Milne Edwards, 1853)	114
<i>Perisesarma eumolpe</i> (De Man, 1895)	115
<i>Perisesarma fasciata</i> (Lanchester, 1900)	115
<i>Perisesarma haswelli</i> (De Man, 1887)	115
<i>Perisesarma indiarum</i> (De Man, 1902)	115
<i>Perisesarma onychophorum</i> (De Man, 1895)	115
<i>Perisesarma semperi</i> (Burger, 1893)	115
<i>Petarctus rugosus</i> (H. Milne Edwards, 1837)	50
<i>Petrolisthes asiaticus</i> (Leach, 1820)	59
<i>Petrolisthes boscii</i> (Audouin, 1826)	60
<i>Petrolisthes hastatus</i> Stimpson, 1858	60
<i>Petrolisthes lamarckii</i> (Leach, 1820)	60
<i>Petrolisthes teres</i> Melin, 1939	60
<i>Petrolisthes trilobatus</i> Osawa, 1996	60
<i>Petrolisthes varicolor</i> Osawa, 1998	60
<i>Phaibulamon stilipes</i> Ng, 1992	125
<i>Phalangipus hystrix</i> (Miers, 1886)	74
<i>Phalangipus indicus</i> (Leach, 1815)	75
<i>Phalangipus longipes</i> (Linnaeus, 1758)	75
<i>Philyra globulosa</i> H. Milne Edwards, 1837	71
<i>Philyra granulosa</i> Ihle, 1918	71

<i>Philyra heterograna</i> Ortman, 1892	71
<i>Philyra olivacea</i> Rathbun, 1909	71
<i>Phricotelphusa aedes</i> (Kemp, 1923)	119
<i>Phricotelphusa callianira</i> (De Man, 1887)	119
<i>Phricotelphusa deharvengi</i> Ng, 1988	119
<i>Phricotelphusa limula</i> (Hilgendorf, 1882)	119
<i>Phricotelphusa ranongi</i> Naiyanetr, 1982	119
<i>Phricotelphusa sirindhorn</i> Naiyanetr, 1989	119
<i>Phymodius granulatus</i> (Targioni Tozzetti, 1877)	102
<i>Phymodius granulatus</i> (De Man, 1888)	102
<i>Phymodius monticulosus</i> (Dana, 1852)	102
<i>Phymodius nitidus</i> (Dana, 1852)	102
<i>Phymodius unguatus</i> (H. Milne Edwards, 1834)	102
<i>Pilodius areolatus</i> (H. Milne Edwards, 1834)	102
<i>Pilodius flavus</i> Rathbun, 1894	102
<i>Pilodius granulatus</i> Stimpson, 1858	102
<i>Pilodius nigrocrinitus</i> Stimpson, 1858	102
<i>Pilodius pilumnoides</i> (White, 1848)	102
<i>Pilodius pugil</i> Dana, 1852	102
<i>Pilodius scabriculus</i> Dana, 1852	103
<i>Pilodius serenei</i> Miyake & Takeda, 1968	103
<i>Pilumnopeus indicus</i> (De Man, 1887)	96
<i>Pilumnopeus makiana</i> (Rathbun, 1929)	96
<i>Pilumnopeus sexangula</i> (Rathbun, 1909)	96
<i>Pilumnus cursor</i> A. Milne Edwards, 1873	98
<i>Pilumnus forskali</i> A. Milne Edwards, 1873	98
<i>Pilumnus hirsutus</i> Stimpson, 1858	98
<i>Pilumnus longicornis</i> Hilgendorf, 1878	98
<i>Pilumnus minutus</i> De Haan, 1835	98
<i>Pilumnus parapilumnoides</i> Takeda & Miyake, 1970	98
<i>Pilumnus scabriusculus</i> Adams & White, 1848	98
<i>Pilumnus vespertilio</i> (Fabricius, 1793)	98
<i>Pinnixa haematosticta</i> Sakai, 1934	117
<i>Pinnotheres affinis</i> Burger, 1893	118
<i>Pinnotheres burgeri</i> Rathbun, 1909	118
<i>Pinnotheres cardii</i> Burger, 1893	118
<i>Pinnotheres glaberrimus</i> Burger, 1893	118
<i>Pinnotheres gracilis</i> Burger, 1893	118
<i>Pinnotheres kamensis</i> Rathbun, 1909	118
<i>Pinnotheres kutensis</i> Rathbun, 1909	118
<i>Pinnotheres lanensis</i> Rathbun, 1909	118
<i>Pinnotheres nigrans</i> Rathbun, 1909	118
<i>Pinnotheres parvulus</i> Simpson, 1858	118
<i>Pinnotheres placunae</i> Hornell & Southwell, 1909	118
<i>Pinnotheres quadratus</i> Rathbun, 1909	118
<i>Pinnotheres siamensis</i> Rathbun, 1909	118
<i>Pinnotheres sinensis</i> Shen, 1932	118
<i>Pisidia gordonii</i> (Johnson, 1970)	60
<i>Pisidia serratifrons</i> (Stimpson, 1858)	60

<i>Plagusia tuberculata</i> Lamarck, 1818	110
<i>Planopilumnus penicillatus</i> (Gordon, 1930)	99
<i>Platylambrus echinatus</i> (Herbst, 1790)	77
<i>Platypodia alcocki</i> Buitendijk, 1941	108
<i>Platypodia anaglypta</i> (Heller, 1861)	108
<i>Platypodia granulosa</i> (Ruppell, 1830)	108
<i>Platypodia semigranosa</i> (Heller, 1861)	108
<i>Plesionika martia orientalis</i> Chace, 1985	47
<i>Plesionika ocellus</i> (Bate, 1888)	47
<i>Plesionika quasigrandis</i> Chace, 1985	47
<i>Pleurophrycoides roseus</i> (Nobili, 1906)	134
<i>Podophthalmus nacreus</i> Alocock, 1899	80
<i>Podophthalmus vigil</i> (Fabricius, 1798)	80
<i>Polydectus cupulifer</i> (Latreille, in Milber, 1812)	105
<i>Polyonyx biunguiculatus</i> (Dana, 1852)	60
<i>Polyonyx obesulus</i> Miers, 1884	60
<i>Polyonyx telestophilus</i> Johnson, 1958	60
<i>Pontocaris pennata</i> Bate, 1888	47
<i>Porcellanella picta</i> Stimpson, 1858	60
<i>Porcellanella triloba</i> White, 1852	60
<i>Portunus argentatus</i> (White, 1847)	80
<i>Portunus brockii</i> (De Man, 1887)	80
<i>Portunus gladiator</i> (Fabricius, 1798)	80
<i>Portunus gracilimanus</i> (Stimpson, 1858)	81
<i>Portunus granulatus</i> (H. Milne Edwards, 1834)	81
<i>Portunus haani</i> (Stimpson, 1858)	81
<i>Portunus hastatoides</i> (Fabricius, 1798)	81
<i>Portunus inominatus</i> (Rathbun, 1909)	81
<i>Portunus longispinosus</i> (Dana, 1852)	81
<i>Portunus minutus</i> (Shen, 1937)	82
<i>Portunus orbicularis</i> (Richters, 1880)	82
<i>Portunus orbitosinus</i> Rathbun, 1911	82
<i>Portunus pelagicus</i> (Linnaeus, 1758)	82
<i>Portunus pseudoargentatus</i> Stephenson, 1961	82
<i>Portunus pulchricristatus</i> (Gordon, 1931)	82
<i>Portunus rubromarginatus</i> (Lanchester, 1900)	82
<i>Portunus rugosus</i> (A. Milne Edwards, 1861)	82
<i>Portunus sanguinolentus</i> (Herbst, 1783)	82
<i>Portunus tenuipes</i> (De Haan, 1835)	83
<i>Portunus trituberculatus</i> (Miers, 1876)	83
<i>Portunus tuberculosus</i> (A. Milne Edwards, 1861)	83
<i>Portunus tweediei</i> (Shen, 1938)	83
<i>Potamon alcockianum</i> Kemp, 1923	125
<i>Potamon bhumibol</i> Naiyanetr, 2001	125
<i>Potamon boonyaratae</i> (Naiyanetr, 1987)	125
<i>Potamon doichiangdao</i> Naiyanetr & Ng, 1990	125
<i>Potamon doisutep</i> Naiyanetr & Ng, 1990	125
<i>Potamon erawanense</i> Naiyanetr, 1992	125
<i>Potamon galyaniae</i> Naiyanetr, 2001	125

<i>Potamon hafniensis</i> (Bott, 1966)	125
<i>Potamon jarujini</i> Ng & Naiyanetr, 1993	125
<i>Potamon lipkei</i> Ng & Naiyanetr, 1993	125
<i>Potamon maehongsonense</i> Naiyanetr, 1992	126
<i>Potamon maesariang</i> Ng & Naiyanetr, 1993	126
<i>Potamon maesotense</i> Naiyanetr, 1992	126
<i>Potamon namlang</i> Ng & Naiyanetr, 1993	126
<i>Potamon nan</i> Ng & Naiyanetr, 1993	126
<i>Potamon phuluangensis</i> (Bott, 1970)	126
<i>Potamon phuphanense</i> Naiyanetr, 1992	126
<i>Potamon smithianum</i> Kemp, 1923	126
<i>Potamon somchaii</i> Ng & Naiyanetr, 1993	126
<i>Potamon ubon</i> Ng & Naiyanetr, 1993	126
<i>Potamon yotdomensis</i> (Naiyanetr, 1984)	126
<i>Psaumis cavipes</i> (Dana, 1852)	101
<i>Pseudolambrus calappoides</i> (Adams & White, 1848)	77
<i>Pseudolambrus harpax</i> (Adams & White, 1848)	78
<i>Pseudolambrus ozakii</i> Sakai, 1969	78
<i>Pseudoliomera granosimana</i> (A. Milne Edwards, 1865)	101
<i>Pseudoliomera speciosa</i> (Dana, 1852)	101
<i>Pseudophilyra melita</i> De Man, 1888	71
<i>Pseudophilyra tridentata</i> Miers, 1848	71
<i>Pseudoporcellanella manoliensis</i> Sankarankutty, 1961	61
<i>Pseudosesarma bocourti</i> (A. Milne Edwards, 1868)	115
<i>Pseudosesarma crassimanum</i> (De Man, 1887)	115
<i>Pseudosesarma laevimana</i> (Zehntner, 1894)	116
<i>Pseudosesarma moeschi</i> (De Man, 1892)	116
<i>Pseudosquilla ciliata</i> (Fabricius, 1787)	138
<i>Pterocypridina alata</i> Poulsen, 1962	148
<i>Ptychognathus barbatus</i> (A. Milne Edwards, 1873)	116
<i>Pudaengon mukdahan</i> Ng & Naiyanetr, 1995	126
<i>Pudaengon sakonnakorn</i> Ng & Naiyanetr, 1995	126
<i>Pudaengon thatphanom</i> Ng & Naiyanetr, 1995	127
<i>Pudaengon wanonniwat</i> Ng & Naiyanetr, 1995	127
<i>Puerulus sewelli</i> Ramadan, 1938	49
<i>Pullosquilla thomassini</i> Manning, 1978	139
<i>Pylopaguroopsis lewinsohni</i> McLaughlin & Haig, 1989	58
<i>Pyxidognathus deianira</i> De Man, 1888	116
<i>Quadrella coronata</i> Dana, 1852	99
<i>Quadrella maculosa</i> Alcock, 1898	99
<i>Quadrella serenei</i> Galil, 1986	99
<i>Racilius compressus</i> Paulson, 1875	45
<i>Randallia eburnea</i> Alcock, 1896	71
<i>Randallia glans</i> Alcock, 1896	72
<i>Ranina ranina</i> (Linnaeus, 1758)	63
<i>Raninoides personatus</i> Henderson, 1888	63
<i>Raninoides serratifrons</i> Henderson, 1893	63
<i>Raoulius cultrifer</i> (White, 1850)	137
<i>Raphidopus ciliatus</i> Stimpson, 1858	61

<i>Remiarctus bertholdii</i> (Paulson, 1875)	50
<i>Rhabdonotus pictus</i> A. Milne Edwards, 1878	77
<i>Rhinolambrus contrarius</i> (Herbst, 1796)	78
<i>Rhinolambrus longispinis</i> (Miers, 1879)	78
<i>Rhinolambrus pelagicus</i> (Ruppell, 1830)	78
<i>Rhinolambrus sisimanensis</i> (Serene & Umali, 1972)	78
<i>Rhizopa gracilipes</i> Stimpson, 1858	92
<i>Rhizopa sasekumari</i> Serene, 1970	92
<i>Rutiderma normani</i> Poulsen, 1965	149
<i>Salangathelphusa brevicarinata</i> (Hilgendorf, 1882)	121
<i>Salmoneus brevirostris</i> (Edmondson, 1930)	45
<i>Salmoneus bruni</i> Banner & Banner, 1966	45
<i>Salmoneus cristatus</i> (Coutiere, 1897)	45
<i>Sarmatium crassum</i> Dana, 1851	116
<i>Sarmatium germaini</i> (A. Milne Edwards, 1868)	116
<i>Sarmatium punctatum</i> (A. Milne Edwards, 1875)	116
<i>Saron marmoratus</i> (Olivier, 1811)	46
<i>Sarsiella rugosa</i> Poulsen, 1965	151
<i>Sayamia bangkokensis</i> (Naiyanetr, 1982)	121
<i>Sayamia germaini</i> (Rathbun, 1902)	121
<i>Sayamia maehongsonensis</i> (Naiyanetr, 1987)	122
<i>Sayamia melanodactylus</i> Ng, 1997	122
<i>Sayamia sexpunctatum</i> (Lanchester, 1906)	122
<i>Scalopidia spinosipes</i> Stimpson, 1858	91
<i>Schizophrys aspera</i> (H. Milne Edwards, 1834)	73
<i>Schizophrys dana</i> (Herbst, 1804)	73
<i>Schizophrys longipes</i> (Linnaeus, 1767)	73
<i>Scopimera intermedia</i> Balss, 1934	134
<i>Scopimera pilula</i> Kemp, 1919	134
<i>Scopimera proxima</i> Kemp, 1919	134
<i>Scottiella crispata</i> (Scott, 1905)	151
<i>Scylla olivacea</i> (Herbst, 1796)	83
<i>Scylla paramamosian</i> Estampador, 1949	83
<i>Scylla serrata</i> (Forsk., 1755)	84
<i>Scylla tranquebarica</i> (Fabricius, 1789)	84
<i>Scyllarides squamosus</i> (H. Milne Edwards, 1837)	49
<i>Scyllarides tridacnophagus</i> Holthuis, 1967	49
<i>Sesarmoides borneensis</i> (De Man, 1887)	116
<i>Sesarmoides kraussi</i> (De Man, 1887)	116
<i>Siamosquilla hyllebergi</i> Naiyanetr, 1989	138
<i>Siamthelphusa acutidens</i> Ng & Naiyanetr, 1997	122
<i>Siamthelphusa faxoni</i> (Rathbun, 1902)	122
<i>Siamthelphusa holthuisi</i> Naiyanetr & Ng, 1991	122
<i>Siamthelphusa improvisa</i> (Lanchester, 1901)	122
<i>Siamthelphusa nan</i> Ng & Naiyanetr, 1997	123
<i>Siamthelphusa paviei</i> (De Man, 1898)	123
<i>Siamthelphusa transversa</i> Ng & Naiyanetr, 1997	123
<i>Siamthelphusa variegata</i> Ng & Naiyanetr, 1997	123
<i>Sicyonia lancifera</i> (Olivier, 1811)	31

<i>Sicyonia ommanneyi</i> Hall, 1956	31
<i>Singhaplax ockelmanni</i> (Serene, 1971)	92
<i>Skogsbergia minuta</i> Poulsen, 1962	148
<i>Solenocera bedokensis</i> Hall, 1962	31
<i>Solenocera choprai</i> Nataraj, 1945	32
<i>Solenocera crassicornis</i> (H. Milne Edwards, 1837)	32
<i>Solenocera hextii</i> Wood-Mason & Alcock, 1891	32
<i>Solenocera melantho</i> De Man, 1907	32
<i>Solenocera pectinata</i> (Bate, 1888)	32
<i>Solenocera subnuda</i> Kubo, 1949	32
<i>Sphaerozius nitidus</i> Stimpson, 1858	95
<i>Spiropagurus profundorum</i> Alcock, 1905	58
<i>Spiropagurus spiriger</i> (De Haan, 1849)	58
<i>Stelomon kanchanaburiense</i> (Naiyanetr, 1992)	127
<i>Stelomon pruinatum</i> (Alock, 1909)	127
<i>Stelomon tharnlod</i> Yeo & Naiyanetr, 2000	127
<i>Stenasellus bedosae</i> Magniez, 1991	154
<i>Stenasellus brignolii</i> Pescet & Argano, 1982	154
<i>Stenasellus deharvengi</i> Magniez, 1991	154
<i>Stenasellus mongnatei</i> Magniez & Panitvong, 2005	154
<i>Stenasellus rigali</i> Magniez, 1991	154
<i>Stenopus hispidus</i> (Olivier, 1811)	33
<i>Stereomastis andamanensis</i> (Alcock, 1894)	48
<i>Stoliczia ekavibhathai</i> Ng & Naiyanetr, 1986	127
<i>Stoliczia panhai</i> Ng & Naiyanetr, 1986	127
<i>Streptocephalus siamensis</i> Sanoamuang & Saengphan, 2006	146
<i>Streptocephalus sirindhornae</i> Sanoamuang, Murugan, Weekers and Dumont, 2000	146
<i>Synalpheus acanthitelsonis</i> Coutiere, 1905	45
<i>Synalpheus bakeri stormi</i> De Man, 1897	45
<i>Synalpheus bituberculatus</i> De Man, 1910	45
<i>Synalpheus coutieri</i> Banner, 1953	45
<i>Synalpheus gravieri</i> Coutiere, 1905	45
<i>Synalpheus hastilicrassus</i> Coutiere, 1905	45
<i>Synalpheus heroni</i> Coutiere, 1909	45
<i>Synalpheus laticeps</i> Coutiere, 1905	45
<i>Synalpheus pachymeri</i> Coutiere, 1905	46
<i>Synalpheus stimpsoni</i> De Man, 1888	46
<i>Synalpheus streptodactylus</i> Coutiere, 1905	46
<i>Synalpheus thai</i> Banner & Banner, 1966	46
<i>Synalpheus theano</i> De Man, 1910	46
<i>Synalpheus tumidomanus</i> (Paulson, 1875)	46
<i>Terrapotamon abbotti</i> (Rathbun, 1898)	127
<i>Terrapotamon palian</i> Ng & Naiyanetr, 1997	127
<i>Tetralia glaberrima</i> (Herbst, 1790)	100
<i>Tetrias fischeri</i> (A. Milne Edwards, 1867)	117
<i>Thacanophrys albanyensis</i> (Ward, 1933)	75
<i>Thacanophrys halimoides</i> (Miers, 1879)	75
<i>Thaiphusa chantaburiensis</i> (Chuensri, 1973)	127

<i>Thaiphusa sirikit</i> (Naiyanetr, 1992)	127
<i>Thaipotamon chulabhorn</i> Naiyanetr, 1993	127
<i>Thaipotamon dansai</i> Ng & Naiyanetr, 1993	128
<i>Thaipotamon lomkao</i> Ng & Naiyanetr, 1993	128
<i>Thaipotamon siamensis</i> (A. Milne Edwards, 1869)	128
<i>Thaipotamon smitinandi</i> (Naiyanetr & Turkay, 1984)	128
<i>Thaipotamon varoonphornae</i> Ng & Naiyanetr, 1993	128
<i>Thaksintheiphusa yongchindaratae</i> (Naiyanetr, 1988)	119
<i>Thalamita admete</i> (Herbst, 1803)	87
<i>Thalamita chaptali</i> Audouin & Savigny, 1825	87
<i>Thalamita crenata</i> (Latreille, 1829)	88
<i>Thalamita danae</i> Stimpson, 1858	88
<i>Thalamita foresti</i> Crosnier, 1962	88
<i>Thalamita gatavakensis</i> Nobili, 1906	88
<i>Thalamita imparimanus</i> Alcock, 1899	88
<i>Thalamita muusi</i> Serene & Soh, 1976	88
<i>Thalamita parvidens</i> (Rathbun, 1907)	88
<i>Thalamita picta</i> Stimpson, 1858	88
<i>Thalamita prymna</i> (Herbst, 1794)	88
<i>Thalamita sexlobata</i> Miers, 1886	88
<i>Thalamita sima</i> H. Milne Edwards, 1834	88
<i>Thalamita spinifera</i> Borradaile, 1903	89
<i>Thalamita spinimana</i> Dana, 1852	89
<i>Thalamita stimpsoni</i> A. Milne Edwards, 1861	89
<i>Thalamita tenuipes</i> Borradaile, 1902	89
<i>Thalamitoides quadridens</i> A. Milne Edwards, 1869	89
<i>Thalassina anomala</i> (Herbst, 1804)	52
<i>Thalassocaris crinita</i> (Dana, 1852)	47
<i>Thaumastoplax chuenensis</i> Rathbun, 1909	93
<i>Thaumastoplax orientalis</i> Rathbun, 1909	94
<i>Thenus orientalis</i> (Lund, 1793)	50
<i>Thor paschalis</i> (Heller, 1862)	46
<i>Tlos muriger</i> Adams & White, 1843	68
<i>Tomaculamon pygmaeus</i> Yeo & Ng 1997	128
<i>Tomaculamon stenixys</i> Yeo & Ng, 1997	128
<i>Toshimitsu tiwarii</i> (Blumstein, 1974)	144
<i>Tozeuma lanceolatum</i> Stimpson, 1860	46
<i>Trachypenaeus albicomus</i> Hayashi & Toriyama, 1980	29
<i>Trachypenaeus asper</i> Alcock, 1905	29
<i>Trachypenaeus curvirostris</i> (Stimpson, 1860)	29
<i>Trachypenaeus granulosus</i> (Haswell, 1879)	31
<i>Trachypenaeus longipes</i> (Paulson, 1875)	31
<i>Trachypenaeus malaianus</i> Balss, 1933	31
<i>Trachypenaeus pescadoreensis</i> Schmitt, 1931	31
<i>Trachypenaeus sedili</i> Hall, 1961	31
<i>Trapezia areolata</i> Dana, 1852	99
<i>Trapezia cymodoce</i> (Herbst, 1801)	99
<i>Trapezia ferruginae</i> Latreille, 1825	99
<i>Trapezia guttata</i> Ruppell, 1830	99

<i>Trapezia lutea</i> Castro, 1998	99
<i>Trapezia richteri</i> Galil & Lewinsohn, 1983	100
<i>Trapezia septata</i> Dana, 1852	100
<i>Trapezia tigrina</i> Eydoux & Souleyet, 1842	100
<i>Tylodiplax tetratylophora</i> De Man, 1895	129
<i>Typhlocarcinodes hirsutus</i> (Borradaile, 1903)	92
<i>Typhlocarcinops canaliculata</i> Rathbun, 1909	92
<i>Typhlocarcinops gallaridoi</i> Serene, 1964	93
<i>Typhlocarcinus craterifer</i> Rathbun, 1914	93
<i>Typhlocarcinus nudus</i> Stimpson, 1858	93
<i>Typhlocarcinus rubidus</i> Alcock, 1900	93
<i>Typhlocarcinus villosus</i> Stimpson, 1858	93
<i>Uca angustifrons</i> (De Man, 1891)	131
<i>Uca annulipes</i> (H. Milne Edwards, 1837)	131
<i>Uca bellator</i> (Adams & White, 1848)	132
<i>Uca bengali</i> Crane, 1975	132
<i>Uca coarctata</i> (H. Milne Edwards, 1852)	132
<i>Uca dussumieri</i> (H. Milne Edwards, 1852)	132
<i>Uca forcipata</i> (Adams & White, 1848)	132
<i>Uca hesperiae</i> Crane, 1975	132
<i>Uca paradussumieri</i> (Bott, 1973)	132
<i>Uca perplexa</i> (H. Milne Edwards, 1837)	132
<i>Uca rosea</i> (Tweedie, 1937)	133
<i>Uca tetragonon</i> (Herbst, 1790)	133
<i>Uca triangularis</i> (A. Milne Edwards, 1873)	133
<i>Uca urvillei</i> (H. Milne Edwards, 1852)	133
<i>Uca vocans</i> (Linnaeus, 1758)	133
<i>Upogebia heterocheir</i> Kemp, 1915	52
<i>Urocaridella urocaridella</i> (Holthuis, 1950)	40
<i>Vargula hilgendorfti</i> (M Iler, 1890)	149
<i>Varuna litterata</i> (Fabricius, 1798)	116
<i>Varuna yui</i> Hwang & Takeda, 1986	117
<i>Viaderina striata</i> (De Man, 1888)	91
<i>Viaderina typica</i> Ward, 1942	91
<i>Wolffogebia phuketensis</i> Sakai, 1982	52
<i>Xanthias lamarcki</i> (H. Milne Edwards, 1834)	106
<i>Xanthias punctatus</i> (H. Milne Edwards, 1834)	106
<i>Xenophthalmodes dolichophallus</i> Tesch, 1918	93
<i>Xenophthalmus pinnotheroides</i> White, 1846	119
<i>Xynomaia sheni</i> (Fize & Serene, 1957)	134
<i>Zalasius sakaii</i> Balss, 1938	107
<i>Zebrida adamsi</i> White, 1847	77
<i>Zozimus aeneus</i> (Linnaeus, 1758)	108
<i>Zozymodes cavipes</i> (Dana, 1852)	108

Not for sale : If you have purchased or witnessed purchasing of this document, kindly inform such activity to
Biological Diversity Division
Office of Natural Resources and Environmental Policy
and Planning
Ministry of Natural Resources and Environment
60/1 Soi Phibul Wattana 7, Rama VI Road,
Bangkok 10400 THAILAND
Telephone: (66 2) 265 6638-39
Facsimile: (66 2) 265 6638
Website: <http://chm-thai.onep.go.th>
E-mail: chm_thai@onep.go.th

ห้ามซื้อขาย : หากท่านได้ซื้อ หรือพบเห็นการซื้อขายเอกสารเล่มนี้ โปรดแจ้ง
สำนักความหลากหลายทางชีวภาพ
สำนักงานนโยบายและแผนทรัพยากรธรรมชาติและสิ่งแวดล้อม
กระทรวงทรัพยากรธรรมชาติและสิ่งแวดล้อม
60/1 ซอยพิบูลวัฒนา 7 ถนนพระราม 6 กรุงเทพฯ 10400
โทรศัพท์: (66 2) 265 6638-39
โทรสาร: (66 2) 265 6638